Roman Fiedler

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9696001/publications.pdf

Version: 2024-02-01

		940533	
19	278	8	16
papers	citations	h-index	g-index
19	19	19	518
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Clinical nutrition scores are superior for the prognosis of haemodialysis patients compared to lab markers and bioelectrical impedance. Nephrology Dialysis Transplantation, 2009, 24, 3812-3817.	0.7	62
2	Monocytic angiotensin-converting enzyme 2 relates to atherosclerosis in patients with chronic kidney disease. Nephrology Dialysis Transplantation, 2017, 32, gfw206.	0.7	42
3	Randomized Controlled Pilot Study of 2 Weeks' Treatment With High Cutoff Membrane for Hemodialysis Patients With Elevated Câ€Reactive Protein. Artificial Organs, 2012, 36, 886-893.	1.9	26
4	Circulating miR-421 Targeting Leucocytic Angiotensin Converting Enzyme 2 Is Elevated in Patients with Chronic Kidney Disease. Nephron, 2019, 141, 61-74.	1.8	26
5	Detection of Free Advanced Glycation End Products in Vivo during Hemodialysis. Journal of Agricultural and Food Chemistry, 2017, 65, 930-937.	5. 2	25
6	Vitamin D Deficiency, Mortality, and Hospitalization in Hemodialysis Patients with or without Protein-Energy Wasting. Nephron Clinical Practice, 2011, 119, c220-c226.	2.3	20
7	Uremic Conditions Drive Human Monocytes to Pro-Atherogenic Differentiation via an Angiotensin-Dependent Mechanism. PLoS ONE, 2014, 9, e102137.	2.5	20
8	Glycation Alters the Fatty Acid Binding Capacity of Human Serum Albumin. Journal of Agricultural and Food Chemistry, 2022, 70, 3033-3046.	5.2	10
9	Modulation of leucocytic angiotensin-converting enzymes expression in patients maintained on high-permeable haemodialysis. Nephrology Dialysis Transplantation, 2018, 33, 34-43.	0.7	9
10	Association between autonomic nervous dysfunction and cellular inflammation in end-stage renal disease. BMC Cardiovascular Disorders, 2016, 16, 210.	1.7	8
11	NLRP3 Inflammasome Activation in Hemodialysis and Hypertensive Patients with Intact Kidney Function. Toxins, 2020, 12, 675.	3.4	8
12	Hypervolemia-Induced Immune Disturbances Do Not Involve IL-1ß but IL-6 and IL-10 Activation in Haemodialysis Patients. Toxins, 2020, 12, 159.	3.4	6
13	Influence of Transketolase-Catalyzed Reactions on the Formation of Glycolaldehyde and Glyoxal Specific Posttranslational Modifications under Physiological Conditions. Journal of Agricultural and Food Chemistry, 2018, 66, 1498-1508.	5.2	5
14	Hemoglobin Cycling in Hemodialysis Patients. Nephrology Research & Reviews, 2010, 2, 1-5.	0.2	4
15	Pyroptosis: A Common Feature of Immune Cells of Haemodialysis Patients. Toxins, 2021, 13, 839.	3.4	4
16	Serum Testosterone Levels Are Not Modified by Vitamin D Supplementation in Dialysis Patients and Healthy Subjects. Nephron, 2021, 145, 481-485.	1.8	3
17	No significant relation of proinflammatory slanDCs with uremic pruritus. European Journal of Inflammation, 2020, 18, 205873922092685.	0.5	0
18	P0924IMMUNE DISTURBANCES INDUCED BY HYPERVOLEMIA DO NOT ACTIVATE THE NLRP3 INFLAMMASOME IN HAEMODIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	O

 #	Article	IF	CITATIONS
19	FC020: The Uraemic Toxin Indoxyl Sulfate is an Activator Of Caspase-4 but not of Caspase-1 in Monocyte-Like THP-1 Cells. Nephrology Dialysis Transplantation, 2022, 37, .	0.7	0