

Hiroshi Koga

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/969993/publications.pdf>

Version: 2024-02-01

197
papers

4,818
citations

94269

37
h-index

123241

61
g-index

203
all docs

203
docs citations

203
times ranked

3811
citing authors

#	ARTICLE	IF	CITATIONS
1	Subcorneal pustular dermatosis-type IgA pemphigus associated with multiple myeloma: A case report and literature review. <i>Journal of Dermatology</i> , 2023, 50, 234-238.	0.6	2
2	Sitagliptin-associated bullous pemphigoid with autoantibodies against BP230 and laminin-332. <i>International Journal of Dermatology</i> , 2022, 61, .	0.5	2
3	Super-resolution imaging detects BP180 autoantigen in immunoglobulin M pemphigoid. <i>Journal of Dermatology</i> , 2022, 49, 374-378.	0.6	8
4	A case of paraneoplastic pemphigus associated with other iatrogenic immunodeficiency-associated lymphoproliferative disorders. <i>Journal of Dermatology</i> , 2022, 49, .	0.6	1
5	Dermoscopic furrow ink test of the palmar lesion in loricrin keratoderma. <i>Journal of Dermatology</i> , 2022, , .	0.6	0
6	Concordance in judgment of clinical borders of basal cell carcinomas in Japanese patients: A preliminary study of <scp>JCOG2005</scp> (<scp>Jâ€“BASEâ€“MARGIN</scp>). <i>Journal of Dermatology</i> , 2022, 49, 837-844.	0.6	1
7	Pemphigus vegetans with antibodies against desmoglein 1 and desmocollin 1-3: a case report and literature review. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, .	1.3	1
8	Dermoscopy with near-ultraviolet light highlights the demarcation of melanin distribution in cutaneous melanoma. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, e23-e24.	0.6	9
9	Dermoscopic diagnostic performance of Japanese dermatologists for skin tumors differs by patient origin: A deep learning convolutional neural network closes the gap. <i>Journal of Dermatology</i> , 2021, 48, 232-236.	0.6	13
10	Outlines of the Japanese guidelines for the management of primary cutaneous lymphomas 2020. <i>Journal of Dermatology</i> , 2021, 48, e49-e71.	0.6	14
11	Lichen planus-like lesion preceding bullous pemphigoid development after programmed cell death protein-1 inhibitor treatment. <i>Journal of Dermatology</i> , 2021, 48, 401-404.	0.6	13
12	Case of pemphigoid vegetans with autoantibodies against the BP180 C-terminal domain and BP230 antigen. <i>Journal of Dermatology</i> , 2021, 48, 1286-1290.	0.6	3
13	Clinical and immunological findings in 55 patients with anti-laminin 332-type mucous membrane pemphigoid. <i>British Journal of Dermatology</i> , 2021, 185, 449-451.	1.4	16
14	Japanese Dermatological Association Guidelines: Outlines of Guidelines for Cutaneous Squamous Cell Carcinoma 2020. <i>Journal of Dermatology</i> , 2021, 48, e288-e311.	0.6	9
15	Lichen planus pemphigoides with antibodies against the BP180 C-terminal domain induced by pembrolizumab in a melanoma patient. <i>Journal of Dermatology</i> , 2021, 48, e449-e451.	0.6	6
16	Ulnar deviation with massive palmar keratoderma in epidermolytic ichthyosis. <i>Journal of Dermatology</i> , 2021, 48, e456-e457.	0.6	0
17	Anti-BP230-type papular non-bullous pemphigoid with granular immunoglobulin G deposition at the papillary dermis. <i>Journal of Dermatology</i> , 2021, 48, E517-E519.	0.6	1
18	Mucosa-predominant pemphigus vulgaris with anti-desmocollin 2 and 3 antibody positivity and ocular symptoms. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 1590-1592.	0.6	1

#	ARTICLE	IF	CITATIONS
19	Dipeptidyl peptidase 4 inhibitor-associated mucous membrane pemphigoid. <i>Journal of Dermatology</i> , 2021, 48, 1584-1587.	0.6	8
20	A case of mucous membrane pemphigoid with anti-laminin alpha 3 and beta 3 antibodies initially mimicking Stevens-Johnson syndrome. <i>International Journal of Dermatology</i> , 2021, , .	0.5	1
21	Autoantibodies to DSC3 in Pemphigus Exclusively Recognize Calcium-Dependent Epitope in Extracellular Domain 2. <i>Journal of Investigative Dermatology</i> , 2021, 141, 2123-2131.e2.	0.3	4
22	Filaggrin gene (<i>FLG</i>) promoter polymorphisms are associated with atopic dermatitis in the Japanese population. <i>Journal of Dermatology</i> , 2021, 48, e78-e79.	0.6	2
23	Life-long Skin Eruptions along Blaschko's Lines in a 27-year-old Woman. <i>Acta Dermato-Venereologica</i> , 2021, 101, adv00610.	0.6	0
24	The Second Study of Clinical and Immunological Findings in Anti-laminin 332-Type Mucous Membrane Pemphigoid Examined at Kurume University—Diagnosis Criteria Suggested by Summary of 133 Cases. <i>Frontiers in Immunology</i> , 2021, 12, 771766.	2.2	9
25	Japanese Dermatological Association Guidelines: Outlines of guidelines for cutaneous melanoma 2019. <i>Journal of Dermatology</i> , 2020, 47, 89-103.	0.6	33
26	Final analysis of a phase II study of nivolumab in combination with ipilimumab for unresectable chemotherapy-naïve advanced melanoma. <i>Journal of Dermatology</i> , 2020, 47, 1257-1266.	0.6	16
27	Dermoscopy image-based self-learning on computer improves diagnostic performance of medical students compared with classroom-style lecture in ultra-short period. <i>Journal of Dermatology</i> , 2020, 47, 1432-1435.	0.6	2
28	Automatic diagnosis of melanoma using hyperspectral data and GoogLeNet. <i>Skin Research and Technology</i> , 2020, 26, 891-897.	0.8	29
29	Performance Improvement of Automated Melanoma Diagnosis System by Data Augmentation. <i>Advanced Biomedical Engineering</i> , 2020, 9, 62-70.	0.4	4
30	Concordance and Discordance Rates of V-Raf Murine Sarcoma Viral Oncogene Homolog B1 (BRAF) V600E Status in Metastatic against Primary Lesion of Melanoma: A Meta-analysis. <i>JMA Journal</i> , 2020, 3, 274-279.	0.6	0
31	Detachment of keratinocytes at the basement membrane zone caused by inhibitory effect of the antibodies from sera of mucous membrane pemphigoid patients. <i>Journal of Dermatology</i> , 2019, 46, 1046-1048.	0.6	1
32	Invasive pulmonary aspergillosis associated with bullous pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019, 17, 1060-1062.	0.4	0
33	Gene-diet interactions associated with complex trait variation in an advanced intercross outbred mouse line. <i>Nature Communications</i> , 2019, 10, 4097.	5.8	35
34	Clinical and Histopathologic Characteristics of Melanocytic Lesions on the Volar Skin Without Typical Dermoscopic Patterns. <i>JAMA Dermatology</i> , 2019, 155, 578.	2.0	7
35	Detection of anti-type VII collagen IgE antibodies in epidermolysis bullosa acquisita. <i>British Journal of Dermatology</i> , 2019, 180, 1107-1113.	1.4	8
36	Efficacy and toxicity of ipilimumab used after nivolumab in patients with melanoma. <i>Journal of Dermatology</i> , 2018, 45, e287-e289.	0.6	1

#	ARTICLE	IF	CITATIONS
37	A case of mucous membrane pemphigoid with IgG antibodies against the β 3 and β 2 subunits of laminin-332, and the C-terminal domain of BP180. <i>International Journal of Dermatology</i> , 2018, 57, 86-88.	0.5	3
38	Early safety from a phase I, multicenter, open-label, dose de-escalation study of talimogene laherparepvec (T-VEC) in Japanese patients (pts) with unresectable stage IIIB-IV melanoma (MEL). <i>Annals of Oncology</i> , 2018, 29, ix107.	0.6	2
39	Efficacy and safety of nivolumab in combination with ipilimumab in Japanese patients with advanced melanoma: An open-label, single-arm, multicentre phase II study. <i>European Journal of Cancer</i> , 2018, 105, 114-126.	1.3	52
40	Meta-analysis of the clinical and immunopathological characteristics and treatment outcomes in epidermolysis bullosa acquisita patients. <i>Orphanet Journal of Rare Diseases</i> , 2018, 13, 153.	1.2	64
41	Therapeutic Effect of a Novel Phosphatidylinositol-3-Kinase γ Inhibitor in Experimental Epidermolysis Bullosa Acquisita. <i>Frontiers in Immunology</i> , 2018, 9, 1558.	2.2	30
42	Serum 5-hydroxytryptophan behavior in the early phase of nivolumab treatment of 12 melanoma patients. <i>Journal of Dermatology</i> , 2018, 45, 1340-1344.	0.6	7
43	Epidermolysis Bullosa Acquisita: The 2019 Update. <i>Frontiers in Medicine</i> , 2018, 5, 362.	1.2	91
44	Nail apparatus melanoma thickness is associated with side and age. <i>British Journal of Dermatology</i> , 2017, 177, e65-e66.	1.4	6
45	Case of shift from linear immunoglobulin A bullous dermatosis to pemphigus herpetiformis for a short period of time. <i>Journal of Dermatology</i> , 2017, 44, 189-193.	0.6	8
46	Dermoscopic evaluation of melanonychia. <i>Journal of Dermatology</i> , 2017, 44, 515-517.	0.6	21
47	Meeting Report of the Pathogenesis of Pemphigus and Pemphigoid Meeting in Munich, September 2016. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1199-1203.	0.3	34
48	021 Clinical and genetic characteristics of cutaneous melanoma with clinical history of early childhood onset. <i>Journal of Investigative Dermatology</i> , 2017, 137, S196.	0.3	0
49	In vitro and in vivo models to investigate the pathomechanisms and novel treatments for pemphigoid diseases. <i>Experimental Dermatology</i> , 2017, 26, 1163-1170.	1.4	59
50	Phase 2 study to evaluate efficacy and safety of combination therapy with nivolumab (NIVO) and ipilimumab (IPI) in patients with previously untreated melanoma. <i>Annals of Oncology</i> , 2017, 28, x113-x114.	0.6	0
51	Melanoma with BRAF Mutation in Circulating Cell-free DNA despite no Mutation in the Primary Lesion: A Case Report. <i>Acta Dermato-Venereologica</i> , 2016, 96, 128-129.	0.6	8
52	Long-term Follow-up of Longitudinal Melanonychia in Children and Adolescents Using an Objective Discrimination Index. <i>Acta Dermato-Venereologica</i> , 2016, 96, 716-717.	0.6	14
53	Anti-early endosome antigen 1 autoantibodies were detected in a pemphigus-like patient but not in the majority of pemphigus diseases. <i>Experimental Dermatology</i> , 2016, 25, 368-374.	1.4	0
54	Establishment of IgA ELISAs of mammalian recombinant proteins of human desmocollins 1-3. <i>Journal of Dermatological Science</i> , 2016, 83, 75-77.	1.0	12

#	ARTICLE	IF	CITATIONS
55	Eccrine porocarcinoma shares dermoscopic characteristics with eccrine poroma: A report of three cases and review of the published work. <i>Journal of Dermatology</i> , 2016, 43, 332-335.	0.6	25
56	PDE4 Inhibition as Potential Treatment of Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2016, 136, 2211-2220.	0.3	23
57	Pigmented seborrheic keratosis showing starburst pattern. <i>Journal of the American Academy of Dermatology</i> , 2016, 75, e11-e13.	0.6	6
58	Summary of results of serological tests and diagnoses for 4774 cases of various autoimmune bullous diseases consulted to Kurume University. <i>British Journal of Dermatology</i> , 2016, 175, 953-965.	1.4	38
59	Discovering potential drug-targets for personalized treatment of autoimmune disorders - what we learn from epidermolysis bullosa acquisita. <i>Expert Opinion on Therapeutic Targets</i> , 2016, 20, 985-998.	1.5	16
60	Epiplakin Is a Paraneoplastic Pemphigus Autoantigen and Related to Bronchiolitis Obliterans in Japanese Patients. <i>Journal of Investigative Dermatology</i> , 2016, 136, 399-408.	0.3	51
61	Bullous pemphigoid with IgG autoantibodies to BP180 C-terminal domain and desmocollin 3 associated with transverse colon cancer. <i>European Journal of Dermatology</i> , 2015, 25, 515-516.	0.3	1
62	An immunogenetic study of bullous pemphigoid with mucosal involvement in two siblings. <i>European Journal of Dermatology</i> , 2015, 25, 186-188.	0.3	4
63	Anti-laminin $\hat{3}1$ pemphigoid associated with ulcerative colitis and psoriasis vulgaris showing autoantibodies to laminin $\hat{3}1$, type XVII collagen and laminin-332. <i>European Journal of Dermatology</i> , 2015, 25, 198-199.	0.3	9
64	The BRAAFF checklist: a new dermoscopic algorithm for diagnosing acral melanoma. <i>British Journal of Dermatology</i> , 2015, 173, 1041-1049.	1.4	70
65	Modification of a melanoma discrimination index derived from hyperspectral data: a clinical trial conducted in 2 centers between March 2011 and December 2013. <i>Skin Research and Technology</i> , 2015, 21, 278-283.	0.8	15
66	Prevalence of pemphigus and pemphigoid autoantibodies in the general population. <i>Orphanet Journal of Rare Diseases</i> , 2015, 10, 63.	1.2	46
67	Clinical and immunological findings in 104 cases of paraneoplastic pemphigus. <i>British Journal of Dermatology</i> , 2015, 173, 1447-1452.	1.4	136
68	Pigmented macule on the nipple. <i>Clinical and Experimental Dermatology</i> , 2015, 40, 938-940.	0.6	0
69	Pemphigoid with antibodies to laminin $\hat{3}1$, $\langle scp \rangle BP \langle /scp \rangle 180$ and $\langle scp \rangle BP \langle /scp \rangle 230$, associated with psoriasis vulgaris: Successful disease control with cyclosporin. <i>Journal of Dermatology</i> , 2015, 42, 394-397.	0.6	20
70	Case of mucous membrane pemphigoid with immunoglobulin G antibodies to the beta 3 subunit of laminin $\hat{3}32$ showing clinically Stevens-Johnson syndrome-like generalized blistering mucocutaneous lesions. <i>Journal of Dermatology</i> , 2015, 42, 1126-1128.	0.6	4
71	Histopathological improvement of scleroderma induced by paclitaxel in a patient with breast cancer. <i>Journal of Dermatology</i> , 2015, 42, 1198-1199.	0.6	3
72	Brown Nodule on the Lower Eyelid: A Quiz. <i>Acta Dermato-Venereologica</i> , 2015, 95, 1037-1039.	0.6	4

#	ARTICLE	IF	CITATIONS
73	Epidermal polymeric immunoglobulin receptors: leads from intraepidermal neutrophilic IgA dermatosis-type IgA pemphigus. <i>Experimental Dermatology</i> , 2015, 24, 217-219.	1.4	3
74	N-linked glycosylation on laminin β 1 influences recognition of anti-laminin β 1 pemphigoid autoantibodies. <i>Journal of Dermatological Science</i> , 2015, 77, 125-129.	1.0	10
75	Anti-laminin- β 1 Pemphigoid Developed in a Case of Autosomal Recessive Congenital Ichthyosis. <i>Acta Dermato-Venereologica</i> , 2015, 95, 93-94.	0.6	5
76	Melanocytic Naevus Shows Parallel Ridge Pattern due to the Melanin Columns Under the Ridges. <i>Acta Dermato-Venereologica</i> , 2015, 95, 95-96.	0.6	2
77	A Case of Linear IgA/IgG Bullous Dermatitis with Anti-laminin-332 Autoantibodies. <i>Acta Dermato-Venereologica</i> , 2015, 95, 359-360.	0.6	8
78	Coexistence of autoimmune bullous diseases (AIBDs) and psoriasis: A series of 145 cases. <i>Journal of the American Academy of Dermatology</i> , 2015, 73, 50-55.	0.6	76
79	Anti-desmocollin autoantibodies in nonclassical pemphigus. <i>British Journal of Dermatology</i> , 2015, 173, 59-68.	1.4	85
80	A Case of Crohn's Disease Diagnosed from a Subcutaneous Abscess Caused by Enterocutaneous Fistula. <i>Nishinihon Journal of Dermatology</i> , 2015, 77, 128-130.	0.0	0
81	Detection of Autoantibodies to Precursor Proteins of Desmogleins in Sera of a Patient with Bowen Carcinoma. <i>Acta Dermato-Venereologica</i> , 2014, 94, 601-603.	0.6	2
82	Generalised Acanthosis Nigricans in Childhood with Short Stature Associated with Poor Response to Growth Hormone Provocation. <i>Acta Dermato-Venereologica</i> , 2014, 94, 486-487.	0.6	2
83	Case of pemphigoid vegetans positive with both β 180 and β 230 in enzyme-linked immunosorbent assays. <i>Journal of Dermatology</i> , 2014, 41, 667-668.	0.6	6
84	Automated evaluation system of dermoscopic images of longitudinal melanonychia: Proposition of a discrimination index for detecting early nail apparatus melanoma. <i>Journal of Dermatology</i> , 2014, 41, 867-871.	0.6	7
85	Vascular structure absence under dermoscopy in two cases of angiosarcoma on the scalp. <i>International Journal of Dermatology</i> , 2014, 53, e350-2.	0.5	14
86	A case of vancomycin-induced linear IgA bullous dermatosis with circulating IgA antibodies to the NC16a domain of β 180. <i>International Journal of Dermatology</i> , 2014, 53, e207-9.	0.5	10
87	A case of concurrent pemphigoid vegetans and pemphigus vegetans resolving without oral corticosteroid. <i>British Journal of Dermatology</i> , 2014, 170, 1192-1194.	1.4	5
88	Refractory antilaminin β 1 pemphigoid successfully treated with intravenous immunoglobulin and mycophenolate mofetil. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 1401-1403.	1.3	11
89	A Case of Subepidermal Blistering Disease with Autoantibodies to Multiple Laminin Subunits who Developed Later Autoantibodies to Alpha-5 Chain of Type IV Collagen Associated with Membranous Glomerulonephropathy. <i>Acta Dermato-Venereologica</i> , 2014, 95, 826-9.	0.6	1
90	Histopathological correlation to the dermoscopic feature of "œstring of pearls" in clear cell acanthoma. <i>European Journal of Dermatology</i> , 2014, 24, 498-499.	0.3	7

#	ARTICLE	IF	CITATIONS
91	Palmar and plantar melanomas differ for sex prevalence and tumor thickness but not for dermoscopic patterns. <i>Melanoma Research</i> , 2014, 24, 83-87.	0.6	14
92	A case of lichen planus pemphigoides with autoantibodies to the C-terminal domains of BP180 and to desmoglein 1. <i>British Journal of Dermatology</i> , 2014, 171, 1230-1235.	1.4	22
93	Alteration of dermoscopic features in a juvenile xanthogranuloma during follow-up of 43 months. <i>International Journal of Dermatology</i> , 2014, 53, e590-1.	0.5	6
94	NRAS mutations in primary and metastatic melanomas of Japanese patients. <i>International Journal of Clinical Oncology</i> , 2014, 19, 544-548.	1.0	26
95	Combination therapy of fexofenadine and montelukast is effective in prurigo nodularis and pemphigoid nodularis. <i>Dermatologic Therapy</i> , 2014, 27, 135-139.	0.8	18
96	Usefulness of high-frequency sonography for the diagnosis of asymptomatic myopathy in Lambert-Eaton syndrome. <i>International Journal of Dermatology</i> , 2014, 53, e62-e63.	0.5	1
97	Antibodies to the amino-terminal domain of desmoglein 1 are retained during transition from pemphigus vulgaris to pemphigus foliaceus. <i>European Journal of Dermatology</i> , 2014, 24, 174-179.	0.3	6
98	Successful treatment of rheumatoid vasculitis-associated skin ulcer with a TNF antagonist. <i>International Journal of Dermatology</i> , 2014, 53, e154-6.	0.5	6
99	Clinical and immunological outcomes of high- and low-dose rituximab treatments in patients with pemphigus: a randomized, comparative, observer-blinded study. <i>British Journal of Dermatology</i> , 2014, 170, 1341-1349.	1.4	81
100	5-Hydroxymethylcytosine as a useful marker to differentiate between malignant melanomas and benign melanocytic nevi. <i>Journal of Dermatological Science</i> , 2014, 73, 161-163.	1.0	39
101	Case of anti-laminin gamma1 pemphigoid with antibody against C-terminal domain of BP180 in a patient with psoriasis vulgaris. <i>Journal of Dermatology</i> , 2014, 41, 1031-1033.	0.6	13
102	Efficacy and safety of rituximab treatment in Indian pemphigus patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013, 27, e17-23.	1.3	46
103	Hyperspectroscopic screening of melanoma on acral volar skin. <i>Skin Research and Technology</i> , 2013, 19, e290-6.	0.8	19
104	Concurrence of autoantibodies to bullous pemphigoid antigens and desmoglein 3: analysis of pathogenic and nonpathogenic antibodies. <i>British Journal of Dermatology</i> , 2013, 168, 1357-1360.	1.4	2
105	Immunoglobulin G deposition to nonhemidesmosomal lamina lucida and early neutrophil involvement are characteristic features in a case of anti-p200 pemphigoid. <i>British Journal of Dermatology</i> , 2013, 168, 647-655.	1.4	11
106	Fluorescence overlay antigen mapping using laser scanning confocal microscopy differentiates linear IgA bullous dermatosis from epidermolysis bullosa acquisita mediated by IgA. <i>British Journal of Dermatology</i> , 2013, 168, 634-638.	1.4	8
107	Guidelines for the management of cutaneous lymphomas (2011): A consensus statement by the Japanese Skin Cancer Society. <i>Journal of Dermatology</i> , 2013, 40, 2-14.	0.6	36
108	IgA pemphigus associated with diffuse large B-cell lymphoma showing unique reactivity with desmocollins: unusual clinical and histopathological features. <i>British Journal of Dermatology</i> , 2013, 168, 224-226.	1.4	11

#	ARTICLE	IF	CITATIONS
109	Successful single-cycle rituximab treatment in a patient with pemphigus vulgaris and squamous cell carcinoma of the tongue and IgG antibodies to desmogleins. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, e26-e27.	0.6	9
110	An attempt to develop mouse model for anti-laminin β 1 pemphigoid. <i>Journal of Dermatological Science</i> , 2013, 70, 108-115.	1.0	26
111	Desmoglein 3, its pathogenicity and a possibility for therapeutic target in pemphigus vulgaris. <i>Expert Opinion on Therapeutic Targets</i> , 2013, 17, 293-306.	1.5	22
112	Dermoscopic Characteristics of Acquired Melanocytic Naevus in Childhood Affecting the Acral Region. <i>Acta Dermato-Venereologica</i> , 2013, 93, 751-752.	0.6	4
113	Anti-Alpha-2-Macroglobulin-Like-1 Autoantibodies Are Detected Frequently and May Be Pathogenic in Paraneoplastic Pemphigus. <i>Journal of Investigative Dermatology</i> , 2013, 133, 1785-1793.	0.3	47
114	Age-Related Prevalence of Dermoscopic Patterns in Acquired Melanocytic Nevus on Acral Volar Skin. <i>JAMA Dermatology</i> , 2013, 149, 989.	2.0	10
115	Coexistence of Pemphigus Herpetiformis With IgG Antibodies to Desmoglein 1 and Pemphigoid With IgG Antibodies to BP180 C-Terminal Domain and Laminin β 2. <i>JAMA Dermatology</i> , 2013, 149, 502.	2.0	13
116	Paraneoplastic Pemphigus With Anti-Laminin-332 Autoantibodies in a Patient With Follicular Dendritic Cell Sarcoma. <i>JAMA Dermatology</i> , 2013, 149, 111.	2.0	8
117	Two Cases of Pemphigus Vegetans With IgG Anti-Desmoglein 3 Antibodies. <i>JAMA Dermatology</i> , 2013, 149, 1209.	2.0	27
118	Clinical and Immunologic Characterization in 26 Indian Pemphigus Patients. <i>Journal of Cutaneous Medicine and Surgery</i> , 2013, 17, 321-331.	0.6	4
119	Four mild but refractory cases of pemphigus foliaceus successfully treated with intravenous immunoglobulin. <i>Journal of Dermatology</i> , 2013, 40, 869-873.	0.6	6
120	Case of subepidermal bullous dermatosis with immunoglobulin G autoantibodies against various basement membrane zone proteins. <i>Journal of Dermatology</i> , 2013, 40, 283-285.	0.6	1
121	Case of pemphigoid involving skin and mucous membrane with immunoglobulin G autoantibodies targeted to BP180 and laminin β 32. <i>Journal of Dermatology</i> , 2013, 40, 1067-1068.	0.6	1
122	Case of paraneoplastic pemphigus with follicular lymphoma treated with rituximab. <i>Journal of Dermatology</i> , 2013, 40, 285-286.	0.6	10
123	Concurrence of bullous pemphigoid and herpetiform pemphigus with IgG antibodies to desmogleins 1/3 and desmogleins 1-3. <i>British Journal of Dermatology</i> , 2013, 168, 879-881.	1.4	13
124	A successful treatment with ustekinumab in a case of anti-laminin- β 1 pemphigoid associated with psoriasis. <i>British Journal of Dermatology</i> , 2013, 168, 1367-1369.	1.4	30
125	Anti-Laminin β 1 Pemphigoid Accompanied by Autoantibodies to Laminin β 3 and β 2 Subunits of Laminin-332. <i>JAMA Dermatology</i> , 2013, 149, 1437.	2.0	9
126	Linear IgA bullous dermatosis with a prurigo nodularis-like appearance. <i>European Journal of Dermatology</i> , 2013, 23, 107-109.	0.3	3

#	ARTICLE	IF	CITATIONS
127	Discoid lupus erythematosus with the presence of a lupus band in the hair follicle basement membrane zone and IgA anti-BP230 autoantibodies. <i>European Journal of Dermatology</i> , 2013, 23, 414-416.	0.3	0
128	Refractory mucous membrane pemphigoid which developed after allogeneic stem cell transplantation and was successfully treated with rituximab. <i>European Journal of Dermatology</i> , 2013, 23, 562-564.	0.3	6
129	Acute blistering disease presenting IgG autoantibodies against NC16A and COOH-terminal domains of BP180 and laminin-332, with characteristic distribution of eruptions. <i>European Journal of Dermatology</i> , 2013, 23, 109-110.	0.3	2
130	IgA pemphigus with non-pustular erythematous lesions and IgA antibodies to desmocollins 1 and 2. <i>European Journal of Dermatology</i> , 2013, 23, 362-365.	0.3	5
131	Refractory anti-laminin β 31 pemphigoid with psoriasis vulgaris successfully treated by double-filtration plasmapheresis. <i>European Journal of Dermatology</i> , 2013, 23, 715-716.	0.3	10
132	Mucous membrane pemphigoid with antibodies against β 3 subunit of laminin-332: First report from India. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2012, 78, 475.	0.2	5
133	Epitope Spreading Is Rarely Found in Pemphigus Vulgaris by Large-Scale Longitudinal Study Using Desmoglein 2-Based Swapped Molecules. <i>Journal of Investigative Dermatology</i> , 2012, 132, 1158-1168.	0.3	60
134	Acral Pseudolymphomatous Angiokeratoma of Children. <i>American Journal of Dermatopathology</i> , 2012, 34, e128-e132.	0.3	22
135	Decline of disease activity and autoantibodies to desmoglein 3 and envoplakin by oral prednisolone in paraneoplastic pemphigus with benign thymoma. <i>European Journal of Dermatology</i> , 2012, 22, 547-549.	0.3	4
136	Therapeutic effect of mizoribine on pemphigus vulgaris and pemphigus foliaceus. <i>Dermatologic Therapy</i> , 2012, 25, 382-385.	0.8	7
137	Surgical Treatment of Nail Apparatus Melanoma in situ: The Use of Artificial Dermis in Reconstruction. <i>Dermatologic Surgery</i> , 2012, 38, 692-694.	0.4	12
138	Accuracy in melanoma detection: A 10-year multicenter survey. <i>Journal of the American Academy of Dermatology</i> , 2012, 67, 54-59.e1.	0.6	163
139	Interaction of plectin and intermediate filaments. <i>Journal of Dermatological Science</i> , 2012, 66, 44-50.	1.0	22
140	Assessment of BRAF and KIT mutations in Japanese melanoma patients. <i>Journal of Dermatological Science</i> , 2012, 66, 240-242.	1.0	55
141	Time-course of the Change in Titre of Antibodies Against Type VII Collagen in a Patient with Epidermolysis Bullosa Acquisita. <i>Acta Dermato-Venereologica</i> , 2012, 92, 693-694.	0.6	4
142	Pemphigoid with autoantibodies to all laminin 332 subunits and BP230 developing vesicles within psoriatic plaques. <i>European Journal of Dermatology</i> , 2012, 22, 812-813.	0.3	3
143	Low-dose cyclosporin improves the health-related quality of life in Japanese psoriasis patients dissatisfied with topical corticosteroid monotherapy. <i>Australasian Journal of Dermatology</i> , 2012, 53, 202-206.	0.4	4
144	Case of a cutaneous angiomyolipoma in the ear. <i>Journal of Dermatology</i> , 2012, 39, 808-809.	0.6	9

#	ARTICLE	IF	CITATIONS
145	Five Japanese cases of antidesmoglein 1 antibodyâ€positive and antidesmoglein 3 antibodyâ€negative pemphigus with oral lesions. <i>British Journal of Dermatology</i> , 2012, 166, 976-980.	1.4	31
146	Lichen planus-type chronic graft-versus-host disease complicated by mucous membrane pemphigoid with positive anti-BP180/230 and scleroderma-related autoantibodies followed by reduced regulatory T cell frequency. <i>European Journal of Dermatology</i> , 2012, 22, 140-142.	0.3	2
147	IgA pemphigus. <i>Clinics in Dermatology</i> , 2011, 29, 437-442.	0.8	91
148	Characteristic Distribution of Melanin Columns in the Cornified Layer of Acquired Acral Nevus: An Important Clue for Histopathologic Differentiation From Early Acral Melanoma. <i>American Journal of Dermatopathology</i> , 2011, 33, 468-473.	0.3	38
149	Exon 87 skipping of the <i>COL7A1</i> gene in dominant dystrophic epidermolysis bullosa. <i>Journal of Dermatology</i> , 2011, 38, 489-492.	0.6	13
150	Key points in dermoscopic differentiation between early acral melanoma and acral nevus. <i>Journal of Dermatology</i> , 2011, 38, 25-34.	0.6	104
151	Key point in dermoscopic differentiation between early nail apparatus melanoma and benign longitudinal melanonychia. <i>Journal of Dermatology</i> , 2011, 38, 45-52.	0.6	67
152	Revised 3-Step Dermoscopic Algorithm for the Management of Acral Melanocytic Lesions. <i>Archives of Dermatology</i> , 2011, 147, 741.	1.7	51
153	Dermoscopic Characteristics of Congenital Melanocytic Nevi Affecting Acral Volar Skin. <i>Archives of Dermatology</i> , 2011, 147, 809.	1.7	31
154	IgA Anti-p200 Pemphigoid. <i>Archives of Dermatology</i> , 2011, 147, 1306.	1.7	26
155	Leg Ulcers Associated with Positive Lupus Anticoagulant in Two Cases of Klinefelterâ€™s Syndrome. <i>Acta Dermato-Venereologica</i> , 2011, 91, 90-91.	0.6	8
156	A Case of Cheek Actinomycosis in a Patient Taking Steroids. <i>Nishinohon Journal of Dermatology</i> , 2011, 73, 497-500.	0.0	0
157	From antiâ€p200 pemphigoid to antiâ€laminin Î³1 pemphigoid. <i>Journal of Dermatology</i> , 2010, 37, 231-238.	0.6	80
158	Dermoscopic features of nonpigmented eccrine poromas in association with their histopathological features. <i>British Journal of Dermatology</i> , 2010, 163, 1264-1268.	1.4	15
159	Dermoscopy of White Fibrous Papulosis of the Neck. <i>Archives of Dermatology</i> , 2010, 146, 220.	1.7	7
160	Dermoscopy of Pigmented Poromas. <i>Dermatology</i> , 2010, 221, 78-83.	0.9	29
161	Successful treatment withÂmycophenolate mofetil ofÂfourÂJapanese patients withÂpemphigus vulgaris. <i>European Journal of Dermatology</i> , 2010, 20, 472-475.	0.3	5
162	An Association of Idiopathic Chronic Eosinophilic Pneumonia With Pemphigoid Nodularis: A Rare Variant of Bullous Pemphigoid. <i>Archives of Dermatology</i> , 2009, 145, 1339.	1.7	5

#	ARTICLE	IF	CITATIONS
163	The Whiteboard Marker as a Useful Tool for the Dermoscopic "Furrow Ink Test". Archives of Dermatology, 2009, 145, 1331-2.	1.7	12
164	Anti-laminin gamma-1 pemphigoid. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 2800-2805.	3.3	175
165	High-frequency 30-MHz sonography in preoperative assessment of tumor thickness of primary melanoma: usefulness in determination of surgical margin and indication for sentinel lymph node biopsy. International Journal of Clinical Oncology, 2009, 14, 426-430.	1.0	39
166	Dermoscopic and histopathological findings of polymorphous vessels in amelanotic cutaneous metastasis of pigmented cutaneous melanoma. British Journal of Dermatology, 2009, 160, 1134-1136.	1.4	17
167	Dermoscopy of pigmented lesions on mucocutaneous junction and mucous membrane. British Journal of Dermatology, 2009, 161, 1255-1261.	1.4	81
168	Herpes zoster histopathologically mimicking CD30-positive anaplastic large cell lymphoma. Journal of the European Academy of Dermatology and Venereology, 2009, 23, 618-619.	1.3	9
169	Computer-Based Classification of Dermoscopy Images of Melanocytic Lesions on Acral Volar Skin. Journal of Investigative Dermatology, 2008, 128, 2049-2054.	0.3	60
170	Anatomic Transitions and the Histopathologic Features of Melanocytic Nevi. Archives of Dermatology, 2008, 144, 1232.	1.7	6
171	Dermoscopic Patterns of Acral Melanocytic Nevi. Archives of Dermatology, 2007, 143, 1423-6.	1.7	80
172	Eccrine porocarcinoma: Clinical and pathological studies of 12 cases. Journal of Dermatology, 2007, 34, 516-522.	0.6	80
173	Multiple Hypersonographic Spots in Basal Cell Carcinoma. Dermatologic Surgery, 2007, 33, 1215-1219.	0.4	60
174	Development of an Algorithm to Extract Specific Waveform Image Pattern for Diagnosis of Nail Apparatus Melanoma. Kagaku Kogaku Ronbunshu, 2007, 33, 570-580.	0.1	1
175	Early Acral Melanoma In Situ. American Journal of Dermatopathology, 2006, 28, 21-27.	0.3	75
176	Constitutive Activation of the Mitogen-Activated Protein Kinase Signaling Pathway in Acral Melanomas. Journal of Investigative Dermatology, 2005, 125, 318-322.	0.3	56
177	The Performance of SolarScan. Archives of Dermatology, 2005, 141, 1388-96.	1.7	124
178	Anatomical and histopathological correlates of the dermoscopic patterns seen in melanocytic nevi on the sole: A retrospective study. Journal of the American Academy of Dermatology, 2005, 53, 230-236.	0.6	91
179	Posterior canal-type ocular tilt reaction caused by unilateral rostral midbrain hemorrhage. Neuro-Ophthalmology, 2004, 28, 231-236.	0.4	2
180	Quantitative MRI findings and cognitive impairment among community dwelling elderly subjects. Journal of Neurology, Neurosurgery and Psychiatry, 2002, 72, 737-741.	0.9	57

#	ARTICLE	IF	CITATIONS
181	Experimental enteropathy in athymic and euthymic rats: synergistic role of lipopolysaccharide and indomethacin. American Journal of Physiology - Renal Physiology, 1999, 276, G576-G582.	1.6	29
182	Can quinolones cause hemorrhagic colitis of late onset?. Diseases of the Colon and Rectum, 1999, 42, 1502-1504.	0.7	21
183	Rapidly and infiltratively growing crohn's carcinoma of the small bowel. Clinical Imaging, 1999, 23, 298-301.	0.8	21
184	Expression of cyclooxygenase-2 in human hepatocellular carcinoma: Relevance to tumor dedifferentiation. Hepatology, 1999, 29, 688-696.	3.6	395
185	Use of bone turnover marker, pyridinoline cross-linked carboxyterminal telopeptide of type I collagen (ICTP), in the assessment and monitoring of bone metastasis in prostate cancer. , 1999, 39, 1-7.		39
186	Hemorrhagic panesophagitis after acute organophosphorus poisoning. Gastrointestinal Endoscopy, 1999, 49, 642-643.	0.5	3
187	Genetic Mapping of Ossification of the Posterior Longitudinal Ligament of the Spine. American Journal of Human Genetics, 1998, 62, 1460-1467.	2.6	146
188	A Flow Cytometric Analysis of the Expression of Adhesion Molecules on Human Renal Cell Carcinoma Cells with Different Metastatic Potentials. European Urology, 1997, 31, 86-91.	0.9	16
189	Restriction Fragment Length Polymorphism of Genes of the $\alpha 2(XI)$ Collagen, Bone Morphogenetic Protein-2, Alkaline Phosphatase, and Tumor Necrosis Factor- α Among Patients With Ossification of Posterior Longitudinal Ligament and Controls From the Japanese Population. Spine, 1996, 21, 469-473.	1.0	42
190	Increased delivery of a new cisplatin analogue (254-S) in a rat brain tumor by an intracarotid infusion of bradykinin. Neurological Research, 1996, 18, 244-247.	0.6	10
191	Jejunal Angiodysplasia Confirmed by Intravascular Injection Technique In Vitro. Journal of Clinical Gastroenterology, 1996, 23, 139-144.	1.1	7
192	Correlation between disease activity and arterial blood pressure in Crohn's disease. European Journal of Gastroenterology and Hepatology, 1996, 8, 787-91.	0.8	1
193	Rapidly growing esophageal leiomyosarcoma: case report and review of the literature. Abdominal Imaging, 1995, 20, 15-19.	2.0	33
194	Serial endoscopic findings in a patient with alcohol-induced panesophagitis. Ecological Management and Restoration, 1995, , .	0.2	0
195	Generalized giant inflammatory polyposis in a patient with ulcerative colitis presenting with protein-losing enteropathy. American Journal of Gastroenterology, 1995, 90, 829-31.	0.2	12
196	Wegener's Granulomatosis Accompanied by Communicating Hydrocephalus. American Journal of the Medical Sciences, 1994, 307, 278-281.	0.4	3
197	A phase I study of the safety and efficacy of talimogene laherparepvec in Japanese patients with advanced melanoma. Cancer Science, 0, , .	1.7	4