

Jang Yel Shin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9701734/publications.pdf>

Version: 2024-02-01

10
papers

219
citations

1307594

7
h-index

1474206

9
g-index

10
all docs

10
docs citations

10
times ranked

431
citing authors

#	ARTICLE	IF	CITATIONS
1	Low serum creatinine to cystatin C ratio is independently associated with sarcopenia and high carotid plaque score in patients with type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 1454-1462.	2.6	6
2	Combined association of skeletal muscle mass and grip strength with cardiovascular diseases in patients with type 2 diabetes. <i>Journal of Diabetes</i> , 2021, 13, 1015-1024.	1.8	5
3	Muscle mass and grip strength in relation to carotid intima-media thickness and plaque score in patients with type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2935-2944.	2.6	9
4	Maternal Age at First Delivery Is Associated with the Risk of Metabolic Syndrome in Postmenopausal Women: From 2008–2010 Korean National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2015, 10, e0127860.	2.5	21
5	Gender-specific association between urinary sodium excretion and body composition: Analysis of the 2008–2010 Korean National Health and Nutrition Examination Surveys. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 837-844.	3.4	22
6	Serum cystatin C levels are associated with asymptomatic peripheral arterial disease in type 2 diabetes mellitus patients without overt nephropathy. <i>Diabetes Research and Clinical Practice</i> , 2015, 108, 258-264.	2.8	11
7	Lower Serum Creatinine Is Associated with Low Bone Mineral Density in Subjects without Overt Nephropathy. <i>PLoS ONE</i> , 2015, 10, e0133062.	2.5	28
8	Serum sex hormone-binding globulin levels are independently associated with nonalcoholic fatty liver disease in people with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2011, 94, 156-162.	2.8	50
9	Relationships between adiponectin and the status of glucose metabolism in Koreans. <i>Toxicology and Environmental Health Sciences</i> , 2009, 1, 69-73.	2.1	0
10	Elevated Serum Osteoprotegerin Levels Are Associated With Vascular Endothelial Dysfunction in Type 2 Diabetes. <i>Diabetes Care</i> , 2006, 29, 1664-1666.	8.6	67