

Xinchun Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/970313/publications.pdf>

Version: 2024-02-01

73
papers

2,604
citations

147566

31
h-index

205818

48
g-index

74
all docs

74
docs citations

74
times ranked

2069
citing authors

#	ARTICLE	IF	CITATIONS
1	Shear-induced interfacial reconfiguration governing superlubricity of MoS ₂ -Ag film enabled by diamond-like carbon. Applied Surface Science, 2022, 578, 152068.	3.1	18
2	Ion energy-induced nanoclustering structure in a-C:H film for achieving robust superlubricity in vacuum. Friction, 2022, 10, 1967-1984.	3.4	12
3	Understanding the interfacial behaviors during superlubricity process of a-C:H film coated on the rough bearing steel surface. Tribology International, 2022, 171, 107558.	3.0	8
4	Preparation and Tribological Properties of Self-Lubricating Epoxy Resins with Oil-Containing Nanocapsules. ACS Applied Materials & Interfaces, 2022, 14, 18954-18964.	4.0	16
5	Effect of a-C:H:Si interlayers on the mechanical and superlubricious properties of hydrogenated amorphous carbon films. Thin Solid Films, 2022, 753, 139275.	0.8	4
6	Design architecture of colorful Si-DLC/PLC nanostructured multilayer films for robust superlubricity at high contact stress in dry N ₂ atmosphere. Applied Surface Science, 2022, 595, 153535.	3.1	10
7	Influencing mechanisms of deposition bias voltage on superlubricious a-C:H films: Key role of nanoclustering structures in controlling structural evolution of transfer film. Carbon, 2022, 196, 499-509.	5.4	9
8	Modified graphene as novel lubricating additive with high dispersion stability in oil. Friction, 2021, 9, 143-154.	3.4	45
9	Tribo-induced interfacial nanostructures stimulating superlubricity in amorphous carbon films. , 2021, , 289-307.		0
10	Unraveling the Friction Evolution Mechanism of Diamond-Like Carbon Film during Nanoscale Running Process toward Superlubricity. Small, 2021, 17, e2005607.	5.2	21
11	Tribochemical mechanism of superlubricity in graphene quantum dots modified DLC films under high contact pressure. Carbon, 2021, 173, 329-338.	5.4	38
12	Influence of structural evolution on sliding interface for enhancing tribological performance of onion-like carbon films via thermal annealing. Applied Surface Science, 2021, 541, 148441.	3.1	14
13	Macroscale superlubricity of Si-doped diamond-like carbon film enabled by graphene oxide as additives. Carbon, 2021, 176, 358-366.	5.4	48
14	Tribolayer-dependent origin of ultralow friction in nanocrystalline diamond films sliding against Si ₃ N ₄ ball. Surface and Interface Analysis, 2021, 53, 919-932.	0.8	5
15	A New Pathway for Superlubricity in a Multilayered MoS ₂ -Ag Film under Cryogenic Environment. Nano Letters, 2021, 21, 10165-10171.	4.5	25
16	Nickel-catalyzed direct growth of graphene on bearing steel (GCr15) by thermal chemical vapor deposition and its tribological behavior. Applied Surface Science, 2020, 502, 144135.	3.1	16
17	Tribological properties of sulfur- and phosphorus-free organic molybdenum compound as additive in oil. Tribology International, 2020, 141, 105944.	3.0	20
18	Tribo-Induced Interfacial Material Transfer of an Atomic Force Microscopy Probe Assisting Superlubricity in a WS ₂ /Graphene Heterojunction. ACS Applied Materials & Interfaces, 2020, 12, 4031-4040.	4.0	35

#	ARTICLE	IF	CITATIONS
19	Origins of Superlubricity Promoted by Hydrated Multivalent Ions. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 184-190.	2.1	47
20	A Reconfigurable Remotely Epitaxial VO ₂ Electrical Heterostructure. <i>Nano Letters</i> , 2020, 20, 33-42.	4.5	33
21	Superlubricity of carbon nanostructures. <i>Carbon</i> , 2020, 158, 1-23.	5.4	163
22	Influence Factors on Mechanisms of Superlubricity in DLC Films: A Review. <i>Frontiers in Mechanical Engineering</i> , 2020, 6, .	0.8	33
23	Enhancement of friction performance of fluorinated graphene and molybdenum disulfide coating by microdimple arrays. <i>Carbon</i> , 2020, 167, 122-131.	5.4	32
24	Reducing Friction by Control of Isoelectric Point: A Potential Method to Design Artificial Cartilage. <i>Advanced Materials Interfaces</i> , 2020, 7, 2000485.	1.9	9
25	Graphene-induced reconstruction of the sliding interface assisting the improved lubricity of various tribo-couples. <i>Materials and Design</i> , 2020, 191, 108661.	3.3	23
26	Superlubrication obtained with mixtures of hydrated ions and polyethylene glycol solutions in the mixed and hydrodynamic lubrication regimes. <i>Journal of Colloid and Interface Science</i> , 2020, 579, 479-488.	5.0	39
27	Tribological behaviors of vacuum hot-pressed ceramic composites with enhanced cyclic oxidation and corrosion resistance. <i>Ceramics International</i> , 2020, 46, 12911-12920.	2.3	91
28	Achieving controllable friction of ultrafine-grained graphite HPG510 by tailoring the interfacial nanostructures. <i>Applied Surface Science</i> , 2020, 512, 145731.	3.1	8
29	Microscale superlubricity at multiple gold-graphite heterointerfaces under ambient conditions. <i>Carbon</i> , 2020, 161, 827-833.	5.4	18
30	Nanostructured tribolayer-dependent lubricity of graphene and modified graphene nanoflakes on sliding steel surfaces in humid air. <i>Tribology International</i> , 2020, 145, 106203.	3.0	20
31	Interfacial Nanostructure of 2D Ti ₃ C ₂ /Graphene Quantum Dots Hybrid Multicoating for Ultralow Wear. <i>Advanced Engineering Materials</i> , 2020, 22, 1901369.	1.6	34
32	Atomic-scale insights into the interfacial instability of superlubricity in hydrogenated amorphous carbon films. <i>Science Advances</i> , 2020, 6, eaay1272.	4.7	61
33	Tribological Performance of Steel With Multi-Layer Graphene Grown by Low-Pressure Chemical Vapor Deposition. <i>Journal of Tribology</i> , 2020, 142, .	1.0	10
34	Enhancement of friction performance enabled by a synergetic effect between graphene oxide and molybdenum disulfide. <i>Carbon</i> , 2019, 154, 266-276.	5.4	64
35	Cationic Surfactant Micelles Lubricate Graphitic Surface in Water. <i>Langmuir</i> , 2019, 35, 11108-11113.	1.6	10
36	Ultra-Wear-Resistant MXene-Based Composite Coating via in Situ Formed Nanostructured Tribofilm. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 32569-32576.	4.0	82

#	ARTICLE	IF	CITATIONS
37	Ultra-low friction of a-C:H films enabled by lubrication of nanodiamond and graphene in ambient air. Carbon, 2019, 154, 203-210.	5.4	44
38	Contribution of a Tribo-Induced Silica Layer to Macroscale Superlubricity of Hydrated Ions. Journal of Physical Chemistry C, 2019, 123, 20270-20277.	1.5	55
39	Copper submicrospheres induced by pulsed laser-irradiation with enhanced tribology properties. New Journal of Chemistry, 2019, 43, 13526-13535.	1.4	4
40	Subtractive manufacturing of stable hierarchical micro-nano structures on AA5052 sheet with enhanced water repellence and durable corrosion resistance. Materials and Design, 2019, 183, 108152.	3.3	149
41	Carrier lifetime enhancement in halide perovskite via remote epitaxy. Nature Communications, 2019, 10, 4145.	5.8	93
42	Fluorinated Graphene: A Promising Macroscale Solid Lubricant under Various Environments. ACS Applied Materials & Interfaces, 2019, 11, 40470-40480.	4.0	42
43	Tribochemical Behaviors of Onion-like Carbon Films as High-Performance Solid Lubricants with Variable Interfacial Nanostructures. ACS Applied Materials & Interfaces, 2019, 11, 25535-25546.	4.0	46
44	Investigation on the lubrication potential of graphene oxide aqueous dispersion for self-mated stainless steel tribo-pair. Vacuum, 2019, 166, 307-315.	1.6	15
45	Preservation of the frictional properties of h-BN under chemical modification in the presence of a commensurate Ni(111) substrate. Computational Materials Science, 2019, 165, 82-87.	1.4	2
46	A Study on the Wettability of Ion-Implanted Stainless and Bearing Steels. Metals, 2019, 9, 208.	1.0	5
47	Efficient and controllable growth of vertically oriented graphene nanosheets by mesoplasma chemical vapor deposition. Carbon, 2019, 147, 341-347.	5.4	35
48	Microstructure and Mechanical Properties of Ti + N Ion Implanted Cronidur30 Steel. Materials, 2019, 12, 427.	1.3	10
49	Preparation of self-lubricating NiTi alloy and its self-adaptive behavior. Tribology International, 2019, 130, 43-51.	3.0	24
50	Synergistic tribological behaviors of graphene oxide and nanodiamond as lubricating additives in water. Tribology International, 2019, 132, 177-184.	3.0	65
51	Effects of grain boundary on wear of graphene at the nanoscale: A molecular dynamics study. Carbon, 2019, 143, 578-586.	5.4	42
52	XPS and ToF-SIMS analysis of the tribochemical absorbed films on steel surfaces lubricated with diketone. Tribology International, 2019, 130, 184-190.	3.0	21
53	Enhance the fluorination activity of graphene via the interfacial interaction from Ni(111) substrate. Computational Materials Science, 2018, 147, 28-33.	1.4	7
54	Green laser irradiation-stimulated fullerene-like MoS2 nanospheres for tribological applications. Tribology International, 2018, 122, 119-124.	3.0	23

#	ARTICLE	IF	CITATIONS
55	Laser irradiation-induced laminated graphene/MoS ₂ composites with synergistically improved tribological properties. <i>Nanotechnology</i> , 2018, 29, 265704.	1.3	26
56	Origin of the moiré superlattice scale lateral force modulation of graphene on a transition metal substrate. <i>Nanoscale</i> , 2018, 10, 10576-10583.	2.8	14
57	Tribology Properties: Laser Irradiation-Induced SiC@Graphene Sub-Microspheres: A Bioinspired Core-Shell Structure for Enhanced Tribology Properties (<i>Adv. Mater. Interfaces</i> 5/2018). <i>Advanced Materials Interfaces</i> , 2018, 5, 1870021.	1.9	2
58	Improving Li anode performance by a porous 3D carbon paper host with plasma assisted sponge carbon coating. <i>Energy Storage Materials</i> , 2018, 11, 47-56.	9.5	49
59	Laser Irradiation-Induced SiC@Graphene Sub-Microspheres: A Bioinspired Core-Shell Structure for Enhanced Tribology Properties. <i>Advanced Materials Interfaces</i> , 2018, 5, 1700839.	1.9	10
60	Pseudocapacitance Induced Uniform Plating/Stripping of Li Metal Anode in Vertical Graphene Nanowalls. <i>Advanced Functional Materials</i> , 2018, 28, 1805638.	7.8	65
61	Nanoscale tunable reduction of interfacial friction on nano-patterned wear-resistant bulk metallic glass. <i>Applied Surface Science</i> , 2018, 453, 297-308.	3.1	6
62	Ultrafast synthesis of SiC@graphene nanocomposites by one-step laser induced fragmentation and decomposition. <i>Ceramics International</i> , 2018, 44, 19028-19032.	2.3	8
63	Graphene layer effect on protecting the refined surface of transition metal substrate Re(O ⁻ O ⁻): A first-principles study. <i>Applied Surface Science</i> , 2018, 462, 502-507.	3.1	1
64	Self-Assembled Graphene Film as Low Friction Solid Lubricant in Macroscale Contact. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 21554-21562.	4.0	103
65	Evolution of tribo-induced interfacial nanostructures governing superlubricity in a-C:H and a-C:H:Si films. <i>Nature Communications</i> , 2017, 8, 1675.	5.8	179
66	Influence of tribofilm on superlubricity of highly-hydrogenated amorphous carbon films in inert gaseous environments. <i>Science China Technological Sciences</i> , 2016, 59, 1795-1803.	2.0	20
67	AFM Studies on Liquid Superlubricity between Silica Surfaces Achieved with Surfactant Micelles. <i>Langmuir</i> , 2016, 32, 5593-5599.	1.6	55
68	Growth mechanism and composition of ultrasmooth a-C:H:Si films grown from energetic ions for superlubricity. <i>Journal of Applied Physics</i> , 2014, 115, .	1.1	19
69	Origin of Superlubricity in a-C:H:Si Films: A Relation to Film Bonding Structure and Environmental Molecular Characteristic. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 13389-13405.	4.0	86
70	Structural and environmental dependence of superlow friction in ion vapour-deposited a-C:H:Si films for solid lubrication application. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 255304.	1.3	43
71	Microstructure and tribological performance of self-lubricating diamond/tetrahedral amorphous carbon composite film. <i>Applied Surface Science</i> , 2011, 257, 3180-3186.	3.1	36
72	Microstructural, mechanical and tribological properties of tungsten-gradually doped diamond-like carbon films with functionally graded interlayers. <i>Surface and Coatings Technology</i> , 2011, 205, 3631-3638.	2.2	50

#	ARTICLE	IF	CITATIONS
73	Influence of individual Crâ€‘C layer thickness on structural and tribological properties of multilayered Crâ€‘C/a-C:Cr thin films. <i>Surface and Coatings Technology</i> , 2010, 204, 3319-3325.	2.2	21