## Nikolas Fokialakis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/970568/publications.pdf

Version: 2024-02-01

93 papers 1,885 citations

236925 25 h-index 315739 38 g-index

103 all docs

103 docs citations

103 times ranked 2833 citing authors

#	Article	IF	CITATIONS
1	Elastase inhibitory activity of secondary metabolites from the fungus <i>Virgaria nigra</i> CF-231658. Natural Product Research, 2022, 36, 1668-1671.	1.8	2
2	Comoclathrin, a novel potent skin-whitening agent produced by endophytic Comoclathris strains associated with Andalusia desert plants. Scientific Reports, 2022, 12, 1649.	3.3	4
3	A Development Strategy of Tailor-made Natural Deep Eutectic Solvents for the Enhanced Extraction of Hydroxynaphthoquinones from Alkanna tinctoria Roots. Planta Medica, 2022, 0, .	1.3	1
4	The Metabolic Profile of Anchusa officinalis L. Differs According to Its Associated Arbuscular Mycorrhizal Fungi. Metabolites, 2022, 12, 573.	2.9	8
5	Phytochemical characteristics of bergamot oranges from the Ionian islands of Greece: A multi-analytical approach with emphasis in the distribution of neohesperidose flavanones. Food Chemistry, 2021, 343, 128400.	8.2	11
6	Endophytic Bacteria From the Roots of the Medicinal Plant Alkanna tinctoria Tausch (Boraginaceae): Exploration of Plant Growth Promoting Properties and Potential Role in the Production of Plant Secondary Metabolites. Frontiers in Microbiology, 2021, 12, 633488.	3.5	48
7	Isolation of Volatile Compounds with Repellent Properties against Aedes albopictus (Diptera:) Tj ETQq1 1 0.78431	14 rgBT	/Ovgrlock 10 T
8	Ochraceopyronide, a Rare α-Pyrone-C-lyxofuranoside from a Soil-Derived Fungus Aspergillus ochraceopetaliformis. Molecules, 2021, 26, 3976.	3.8	4
9	Novel Carbamî; yloxy Analogues of Tamoxifen: Synthesis, Molecular Docking and Bioactivity Evaluation. Letters in Drug Design and Discovery, 2021, 18, 422-428.	0.7	0
10	The Arbuscular Mycorrhizal Fungus Rhizophagus irregularis MUCL 41833 Modulates Metabolites Production of Anchusa officinalis L. Under Semi-Hydroponic Cultivation. Frontiers in Plant Science, 2021, 12, 724352.	3.6	9
11	A tailor-made NaDESs development strategy for the enhanced extraction of hydroxynaphthoquinones from Alkanna tinctoria roots Planta Medica, 2021, 87, .	1.3	О
12	New indole diketopiperazine alkaloids from a soil-derived fungus Aspergillus ochraceopetaliformis. Planta Medica, 2021, 87, .	1.3	1
13	Rapid discrimination of secondary metabolite production caused by endophytic bacteria on Alkanna tinctoria (L.) Tausch calli based on untargeted HPTLC metabolomics. Planta Medica, 2021, 87, .	1.3	O
14	Isoflavonoid Profiling and Estrogen-Like Activity of Four Genista Species from the Greek Flora. Molecules, 2020, 25, 5507.	3.8	1
15	Degradation Mechanism of 2,4-Dichlorophenol by Fungi Isolated from Marine Invertebrates. International Journal of Molecular Sciences, 2020, 21, 3317.	4.1	11
16	Biological Evaluation and In Silico Study of Benzoic Acid Derivatives from Bjerkandera adusta Targeting Proteostasis Network Modules. Molecules, 2020, 25, 666.	3.8	12
17	Screening for tyrosinase inhibitors from actinomycetes; identification of trichostatin derivatives from Streptomyces sp. CA-129531 and scale up production in bioreactor. Bioorganic and Medicinal Chemistry Letters, 2020, 30, 126952.	2.2	15
18	Unraveling the Detoxification Mechanism of 2,4-Dichlorophenol by Marine-Derived Mesophotic Symbiotic Fungi Isolated from Marine Invertebrates. Marine Drugs, 2019, 17, 564.	4.6	13

#	Article	IF	Citations
19	Osmanicin, a Polyketide Alkaloid Isolated from Streptomyces osmaniensis CA-244599 Inhibits Elastase in Human Fibroblasts. Molecules, 2019, 24, 2239.	3.8	10
20	Cercospora sp. as a source of anti-aging polyketides targeting 26S proteasome and scale-up production in submerged bioreactor. Journal of Biotechnology, 2019, 301, 88-96.	3.8	4
21	Terrestrial Microorganisms: Cell Factories of Bioactive Molecules with Skin Protecting Applications. Molecules, 2019, 24, 1836.	3.8	21
22	Bioactive Metabolites of the Stem Bark of Strychnos aff. darienensisand Evaluation of Their Antioxidant and UV Protection Activity in Human Skin Cell Cultures. Cosmetics, 2019, 6, 7.	3.3	2
23	Triterpenes from Echinops spinosissimus Turra subsp. spinosissimus. Phytochemistry Letters, 2019, 30, 273-277.	1.2	2
24	Leaf structure and phytochemical analysis of <i>Aristolochia baetica</i> , a traditionally used pharmaceutical plant. Journal of Herbs, Spices and Medicinal Plants, 2019, 25, 88-103.	1.1	1
25	Comparative UHPLC-HRMS Profiling, Toxicological Assessment, and Protection Against H <sub>2</sub> O <sub>2</sub> -Induced Genotoxicity of Different Parts of <i>Opuntia ficus indica</i> Journal of Medicinal Food, 2019, 22, 1280-1293.	1.5	5
26	Impact of the Cultivation Technique on the Production of Secondary Metabolites by Chrysosporium lobatum TM-237-S5, Isolated from the Sponge Acanthella cavernosa. Marine Drugs, 2019, 17, 678.	4.6	10
27	Biological evaluation of isoflavonoids from Genista halacsyi using estrogen-target cells: Activities of glucosides compared to aglycones. PLoS ONE, 2019, 14, e0210247.	2.5	10
28	A two-season impact study on <i>Globularia alypum</i> : adaptive leaf structures and secondary metabolite variations. Plant Biosystems, 2018, 152, 1118-1127.	1.6	5
29	Supercritical CO2 extraction of mastic gum and chemical characterization of bioactive fractions using LC-HRMS/MS and GC–MS. Journal of Supercritical Fluids, 2018, 133, 349-356.	3.2	29
30	Cancer chemoprevention via activation of proteostatic modules. Cancer Letters, 2018, 413, 110-121.	7.2	29
31	Hyperactivation of Nrf2 increases stress tolerance at the cost of aging acceleration due to metabolic deregulation. Free Radical Biology and Medicine, 2018, 128, S128.	2.9	0
32	Innovative Approach to Sustainable Marine Invertebrate Chemistry and a Scale-Up Technology for Open Marine Ecosystems. Marine Drugs, 2018, 16, 152.	4.6	14
33	Structural and phytochemical investigation of the leaves of Ricinus communis. Australian Journal of Botany, 2017, 65, 58.	0.6	8
34	Rare Coumarins Induce Apoptosis, G1 Cell Block and Reduce RNA Content in HL60 Cells. Open Chemistry, 2017, 15, 1-6.	1.9	19
35	Enzymatic tailoring of oleuropein from Olea europaea leaves and product identification by HRMS/MS spectrometry. Journal of Biotechnology, 2017, 253, 48-54.	3.8	19
36	Comparative HPLC-DAD and UHPLC-ESI(-)-HRMS & Samp; MS/MS profiling of Hypericum species and correlation with necrotic cell-death activity in human leukemic cells. Phytochemistry Letters, 2017, 20, 481-490.	1.2	11

#	Article	IF	CITATIONS
37	Phytotoxic triterpene saponins from Bellis longifolia, an endemic plant of Crete. Phytochemistry, 2017, 144, 71-77.	2.9	10
38	Novel Carbonyl Analogs of Tamoxifen: Design, Synthesis, and Biological Evaluation. Frontiers in Chemistry, 2017, 5, 71.	3.6	11
39	Marine-Derived Biocatalysts: Importance, Accessing, and Application in Aromatic Pollutant Bioremediation. Frontiers in Microbiology, 2017, 8, 265.	3.5	48
40	Leaf structure and histochemistry of Ficus carica (Moraceae), the fig tree. Flora: Morphology, Distribution, Functional Ecology of Plants, 2016, 218, 24-34.	1.2	14
41	Leaf structure and histochemistry of the hardy evergreen Euphorbia characias L. (Mediterranean) Tj ETQq $1\ 1\ 0.78^2$	1314 rgBT	lØverlock
42	Novel conformationally constrained pyrazole derivatives as potential anti-cancer agents. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2015, 70, 677-690.	0.7	4
43	Modulation of CYP1A1 and CYP1A2 Hepatic Enzymes after Oral Administration of Chios Mastic Gum to Male Wistar Rats. PLoS ONE, 2014, 9, e100190.	2.5	10
44	Antiproliferative novel isoxazoles: Modeling, virtual screening, synthesis, and bioactivity evaluation. European Journal of Medicinal Chemistry, 2014, 81, 139-149.	5.5	32
45	Rare Bisindole Alkaloids from the Amazonian Tree <i>Raputia simulans</i> . Chemistry and Biodiversity, 2014, 11, 126-132.	2.1	3
46	Can we use the epigenetic bioactivity of caloric restriction and phytochemicals to promote healthy ageing?. MedChemComm, 2014, 5, 1804-1820.	3.4	4
47	Synthesis and biological evaluation of novel tamoxifen analogues. Bioorganic and Medicinal Chemistry, 2013, 21, 4120-4131.	3.0	26
48	Antioxidant Properties of the Wild Edible Mushroom Lactarius salmonicolor. Journal of Medicinal Food, 2013, 16, 760-764.	1.5	25
49	Synthesis and In Vitro Biological Evaluation of Novel Pyrazole Derivatives as Potential Antitumor Agents. Medicinal Chemistry, 2012, 8, 779-788.	1.5	5
50	Antioxidant and Cytotoxic Activity of the Wild Edible Mushroom <i>Gomphus clavatus</i> Iournal of Medicinal Food, 2012, 15, 216-221.	1.5	28
51	Submerged Fermentation of the Edible Mushroom Pleurotus ostreatus in a Batch Stirred Tank Bioreactor as a Promising Alternative for the Effective Production of Bioactive Metabolites. Molecules, 2012, 17, 2714-2724.	3.8	34
52	Novel Pyrazole and Indazole Derivatives: Synthesis and Evaluation of Their Antiâ€Proliferative and Antiâ€Angiogenic Activities. Archiv Der Pharmazie, 2012, 345, 804-811.	4.1	23
53	Ester and carbamate ester derivatives of Biochanin A: Synthesis and in vitro evaluation of estrogenic and antiproliferative activities. Bioorganic and Medicinal Chemistry, 2012, 20, 2962-2970.	3.0	23
54	The Bite of the Honeybee: 2-Heptanone Secreted from Honeybee Mandibles during a Bite Acts as a Local Anaesthetic in Insects and Mammals. PLoS ONE, 2012, 7, e47432.	2.5	38

#	Article	IF	CITATIONS
55	Simple Indole Alkaloids from the Neotropical Rutaceous TreeRaputia simulans. Planta Medica, 2011, 77, 1559-1561.	1.3	8
56	Production of bioactive metabolites with pharmaceutical and nutraceutical interest by submerged fermentation of Pleurotus ostreatus in a batch stirred tank bioreactor. Procedia Food Science, 2011, 1, 1746-1752.	0.6	17
57	Natural Resins and Bioactive Natural Products thereof as Potential Anitimicrobial Agents. Current Pharmaceutical Design, 2011, 17, 1267-1290.	1.9	47
58	The Raputindoles: Novel Cyclopentyl Bisindole Alkaloids from Raputia simulans. Organic Letters, 2010, 12, 1908-1911.	4.6	27
59	Differential estrogen receptor subtype modulators: Assessment of estrogen receptor subtype-binding selectivity and transcription-regulating properties of new cycloalkyl pyrazoles. Journal of Steroid Biochemistry and Molecular Biology, 2009, 117, 159-167.	2.5	15
60	PIFA-mediated synthesis of novel pyrazoloquinolin-4-ones as potential ligands for the estrogen receptor. Tetrahedron Letters, 2008, 49, 7100-7102.	1.4	24
61	Chemical Composition Of The Essential Oil Of <i>Cionura Erecta</i> (Asclepiadaceae) Inforescences. Journal of Essential Oil Research, 2007, 19, 266-268.	2.7	4
62	Deoxybenzoins are novel potent selective estrogen receptor modulators. Steroids, 2007, 72, 693-704.	1.8	12
63	Essential oil composition ofAchillea lingulata andA. umbellata. Flavour and Fragrance Journal, 2007, 22, 184-187.	2.6	43
64	Alkaloids from Sarcomelicope megistophylla. Fìtoterapìâ, 2007, 78, 169-170.	2.2	7
65	Coumarins from Peucedanum luxurians. Fìtoterapìâ, 2007, 78, 448-449.	2.2	6
66	Modulation of soy isoflavones bioavailability and subsequent effects on bone health in ovariectomized rats: the case for equol. Osteoporosis International, 2007, 18, 671-679.	3.1	69
67	Antifungal Activity of Thiophenes fromEchinops ritro. Journal of Agricultural and Food Chemistry, 2006, 54, 1651-1655.	5.2	70
68	Antileishmanial Activity of Natural Diterpenes from Cistus sp. and Semisynthetic Derivatives Thereof. Biological and Pharmaceutical Bulletin, 2006, 29, 1775-1778.	1.4	34
69	Antifeedant and toxicity effects of thiophenes from four Echinops species against the Formosan subterranean termite, Coptotermes formosanus. Pest Management Science, 2006, 62, 832-838.	3.4	46
70	Evaluation of the antimalarial and antileishmanial activity of plants from the Greek island of Crete. Journal of Natural Medicines, 2006, 61, 38-45.	2.3	36
71	Evaluation of the anti-inflammatory and cytotoxic activities of naphthazarine derivatives from Onosma leptantha. Phytomedicine, 2006, 13, 290-294.	5.3	34
72	Synthesis of Novel Conformationally Constrained Pyrazolo [4,3-c] quinoline Derivatives as Potential Ligands for the Estrogen Receptor. Synthesis, 2006, 2006, 1791-1802.	2.3	3

#	Article	IF	Citations
73	Acretoside, a new sucrose ester fromAristolochia cretica. Natural Product Research, 2005, 19, 795-799.	1.8	4
74	Koniamborine, the First Pyrano [3,2-b] indole Alkaloid and Other Secondary Metabolites fromBoronellakoniambiensis. Journal of Natural Products, 2005, 68, 1083-1086.	3.0	42
75	Acretoside, a new sucrose ester fromAristolochia cretica*. Journal of Asian Natural Products Research, 2005, 7, 799-803.	1.4	12
76	Coumarins from the Fruits of Seseli devenyense. Journal of Natural Products, 2005, 68, 1637-1641.	3.0	21
77	Evaluation of Estrogenic/Antiestrogenic Activity of Ellagic Acid via the Estrogen Receptor Subtypes ERα and ERβ. Journal of Agricultural and Food Chemistry, 2005, 53, 7715-7720.	5.2	91
78	Photo-Activated DNA Binding and Antimicrobial Activities of Furoquinoline and Pyranoquinolone Alkaloids from Rutaceae. Planta Medica, 2004, 70, 531-535.	1.3	48
79	A New Class of Phytoestrogens. Chemistry and Biology, 2004, 11, 397-406.	6.0	71
80	Hyperjovinols A and B:Â Two New Phloroglucinol Derivatives fromHypericum joviswith Antioxidant Activity in Cell Cultures 1. Journal of Natural Products, 2004, 67, 973-977.	3.0	59
81	Greek Plant Extracts Exhibit Selective Estrogen Receptor Modulator (SERM)-like Properties. Journal of Agricultural and Food Chemistry, 2004, 52, 6956-6961.	5.2	63
82	Triterpenic Derivatives of Achillea alexandri-regis BORNM. & RUDSKI. Chemical and Pharmaceutical Bulletin, 2004, 52, 1462-1465.	1.3	15
83	Composition of the steam volatiles of sixEuphorbia spp. from Greece. Flavour and Fragrance Journal, 2003, 18, 39-42.	2.6	26
84	Estrogenic Activity of Phenylpropanoids from Sarcomelicope megistophyllaand Structure Determination of a New Norneolignan. Planta Medica, 2003, 69, 566-568.	1.3	8
85	Essential Oil Constituents of Valeriana italica and Valeriana tuberosa. Stereochemical and Conformational Study of 15-Acetoxyvaleranone. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2002, 57, 791-796.	1.4	19
86	Megistoquinones I and II, Two Quinoline Alkaloids with Antibacterial Activity from the Bark of Sarcomelicope megistophylla Chemical and Pharmaceutical Bulletin, 2002, 50, 413-414.	1.3	94
87	Furomegistines I and II, two furanopyridine alkaloids from the bark of Sarcomelicope megistophylla. Phytochemistry, 2001, 57, 593-596.	2.9	20
88	Cyclomegistine, the first alkaloid with the new cyclobuta[b]quinoline ring system from Sarcomelicope megistophylla. Tetrahedron Letters, 2001, 42, 5323-5325.	1.4	30
89	Two New 3-Methoxy-4-quinolone Alkaloids from the Bark of Sarcomelicope megistophylla Chemical and Pharmaceutical Bulletin, 2000, 48, 2009-2010.	1.3	7
90	Megistolactone, a New Alkaloid from Sarcomelicope megistophylla. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2000, 55, 874-876.	1.4	4

## Nikolas Fokialakis

#	Article	IF	CITATIONS
91	Two New Alkaloids from the Bark of Sarcomelicope megistophylla. Journal of Natural Products, 2000, 63, 385-386.	3.0	24
92	The Structure of Sarcomejine:Â An Application of Long-Range1Hâ^15N Correlation at Natural Abundance. Journal of Natural Products, 2000, 63, 1004-1005.	3.0	14
93	Megistosarcimine and megistosarconine, two alkaloids from Sarcomelicope megistophylla. Phytochemistry, 1999, 52, 1745-1748.	2.9	16