

Morten Andersen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/971109/morten-andersen-publications-by-citations.pdf>
Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152 papers	4,624 citations	38 h-index	62 g-index
163 ext. papers	5,443 ext. citations	4.1 avg, IF	5.41 L-index

#	Paper	IF	Citations
152	The Nordic countries as a cohort for pharmacoepidemiological research. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2010 , 106, 86-94	3.1	383
151	Use of single and combined antithrombotic therapy and risk of serious upper gastrointestinal bleeding: population based case-control study. <i>BMJ, The</i> , 2006 , 333, 726	5.9	247
150	Risks of adverse pregnancy and birth outcomes in women treated or not treated with mood stabilisers for bipolar disorder: population based cohort study. <i>BMJ, The</i> , 2012 , 345, e7085	5.9	146
149	Arterial events, venous thromboembolism, thrombocytopenia, and bleeding after vaccination with Oxford-AstraZeneca ChAdOx1-S in Denmark and Norway: population based cohort study. <i>BMJ, The</i> , 2021 , 373, n1114	5.9	144
148	Selective serotonin reuptake inhibitors and the risk of stroke: a population-based case-control study. <i>Stroke</i> , 2002 , 33, 1465-73	6.7	115
147	Comparing policies to enhance prescribing efficiency in Europe through increasing generic utilization: changes seen and global implications. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2010 , 10, 707-22	2.2	111
146	Maternal vaginal microflora during pregnancy and the risk of asthma hospitalization and use of antiasthma medication in early childhood. <i>Journal of Allergy and Clinical Immunology</i> , 2002 , 110, 72-7	11.5	98
145	Contacts to the health care system prior to suicide: a comprehensive analysis using registers for general and psychiatric hospital admissions, contacts to general practitioners and practising specialists and drug prescriptions. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 102, 126-34	6.5	96
144	Cancer risk in users of calcium channel blockers. <i>Hypertension</i> , 1997 , 29, 1091-4	8.5	90
143	Exposure to potential drug interactions in primary health care. <i>Scandinavian Journal of Primary Health Care</i> , 2003 , 21, 153-8	2.7	84
142	Adverse events with use of antiepileptic drugs: a prescription and event symmetry analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 483-91	2.6	80
141	High persistence of statin use in a Danish population: compliance study 1993-1998. <i>British Journal of Clinical Pharmacology</i> , 2002 , 53, 375-8	3.8	79
140	Risk of Stroke Associated With Nonsteroidal Anti-Inflammatory Drugs. <i>Stroke</i> , 2003 , 34, 379-386	6.7	78
139	Rising prevalence of diabetes: evidence from a Danish pharmaco-epidemiological database. <i>Lancet, The</i> , 2003 , 362, 537-8	40	78
138	Use of insulin and insulin analogs and risk of cancer - systematic review and meta-analysis of observational studies. <i>Current Drug Safety</i> , 2013 , 8, 333-48	1.4	77
137	Drug-induced thrombocytopenia: clinical data on 309 cases and the effect of corticosteroid therapy. <i>European Journal of Clinical Pharmacology</i> , 1997 , 52, 183-9	2.8	73
136	Disulfiram therapy--adverse drug reactions and interactions. <i>Acta Psychiatrica Scandinavica</i> , 1992 , 369, 59-65; discussion 65-6	6.5	73

135	Policies to enhance prescribing efficiency in europe: findings and future implications. <i>Frontiers in Pharmacology</i> , 2010 , 1, 141	5.6	72
134	Use of Generics-A Critical Cost Containment Measure for All Healthcare Professionals in Europe?. <i>Pharmaceuticals</i> , 2010 , 3, 2470-2494	5.2	63
133	Early non-adherence to medication and other risk factors for rehospitalization in schizophrenia and schizoaffective disorder. <i>Schizophrenia Research</i> , 2011 , 133, 36-41	3.6	60
132	How conducting a clinical trial affects physicians' guideline adherence and drug preferences. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 2759-64	27.4	57
131	Are there differences in the use of selective serotonin reuptake inhibitors and tricyclic antidepressants? A prescription database study. <i>European Journal of Clinical Pharmacology</i> , 2001 , 56, 923-9	2.8	57
130	Adherence to preventive statin therapy according to socioeconomic position. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 1553-63	2.8	51
129	Diagnostic potential of miR-126, miR-143, miR-145, and miR-652 in malignant pleural mesothelioma. <i>Journal of Molecular Diagnostics</i> , 2014 , 16, 418-30	5.1	50
128	Long term use of drugs affecting the renin-angiotensin system and the risk of cancer: a population-based case-control study. <i>British Journal of Clinical Pharmacology</i> , 2012 , 74, 180-8	3.8	50
127	Spontaneous reports on drug-induced pancreatitis in Denmark from 1968 to 1999. <i>European Journal of Clinical Pharmacology</i> , 2001 , 57, 517-21	2.8	50
126	The Asian Pharmacoepidemiology Network (AsPEN): promoting multi-national collaboration for pharmacoepidemiologic research in Asia. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 700-4	2.6	49
125	Exposure to antiepileptic drugs and the risk of hip fracture: a case-control study. <i>Epilepsia</i> , 2008 , 49, 2090-9	3.7	49
124	Antihypertensive medication and the risk of acute pancreatitis: the European case-control study on drug-induced acute pancreatitis (EDIP). <i>Scandinavian Journal of Gastroenterology</i> , 2006 , 41, 1484-90	2.4	46
123	Use of a prescribed ephedrine/caffeine combination and the risk of serious cardiovascular events: a registry-based case-crossover study. <i>American Journal of Epidemiology</i> , 2008 , 168, 966-73	3.8	43
122	Lack of adherence to lipid-lowering drug treatment. A comparison of utilization patterns in defined populations in Funen, Denmark and Bologna, Italy. <i>British Journal of Clinical Pharmacology</i> , 2000 , 49, 463-71	3.8	43
121	Methods for time-varying exposure related problems in pharmacoepidemiology: An overview. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 148-160	2.6	42
120	Multi-country rapid adverse drug event assessment: the Asian Pharmacoepidemiology Network (AsPEN) antipsychotic and acute hyperglycaemia study. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 915-24	2.6	42
119	Use of sumatriptan in Denmark in 1994-5: an epidemiological analysis of nationwide prescription data. <i>British Journal of Clinical Pharmacology</i> , 1997 , 43, 429-33	3.8	42
118	Use of opioids in a Danish population-based cohort of cancer patients. <i>Journal of Pain and Symptom Management</i> , 2005 , 29, 336-43	4.8	42

117	Cancer risk among insulin users: comparing analogues with human insulin in the CARING five-country cohort study. <i>Diabetologia</i> , 2017 , 60, 1691-1703	10.3	41
116	CARING (CAncer Risk and INSulin analogues): the association of diabetes mellitus and cancer risk with focus on possible determinants - a systematic review and a meta-analysis. <i>Current Drug Safety</i> , 2013 , 8, 296-332	1.4	40
115	Stroke and bleeding with non-vitamin K antagonist oral anticoagulant or warfarin treatment in patients with non-valvular atrial fibrillation: a population-based cohort study. <i>Europace</i> , 2018 , 20, 420-428	3.9	38
114	Effects of policy interventions on the introduction of novel oral anticoagulants in Stockholm: an interrupted time series analysis. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 642-652	3.8	37
113	A randomized trial of laypersons' perception of the benefit of osteoporosis therapy: number needed to treat versus postponement of hip fracture. <i>Clinical Therapeutics</i> , 2003 , 25, 2575-85	3.5	36
112	Improved Stroke Prevention in Atrial Fibrillation After the Introduction of Non-Vitamin K Antagonist Oral Anticoagulants. <i>Stroke</i> , 2018 , 49, 2122-2128	6.7	36
111	Use of benzodiazepines or benzodiazepine related drugs and the risk of cancer: a population-based case-control study. <i>British Journal of Clinical Pharmacology</i> , 2013 , 75, 1356-64	3.8	34
110	Impact of pharmaceutical representative visits on GPs' drug preferences. <i>Family Practice</i> , 2009 , 26, 204-9	1.9	34
109	Drug-specific characteristics of thrombocytopenia caused by non-cytotoxic drugs. <i>European Journal of Clinical Pharmacology</i> , 1998 , 54, 701-6	2.8	34
108	Detailed postal feedback about prescribing to asthma patients combined with a guideline statement showed no impact: a randomised controlled trial. <i>European Journal of Clinical Pharmacology</i> , 2002 , 58, 127-32	2.8	34
107	Drug prescribing among Danish children: a population-based study. <i>European Journal of Clinical Pharmacology</i> , 2001 , 57, 159-65	2.8	34
106	Cardiovascular drugs and the risk of suicide: a nested case-control study. <i>European Journal of Clinical Pharmacology</i> , 2007 , 63, 591-6	2.8	33
105	Drug-related fatal anaphylactic shock in Denmark 1968-1990. A study based on notifications to the Committee on Adverse Drug Reactions. <i>Journal of Clinical Epidemiology</i> , 1995 , 48, 1185-8	5.7	33
104	Is it possible to measure prescribing quality using only prescription data?. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006 , 98, 314-9	3.1	32
103	Statin utilization according to indication and age: a Danish cohort study on changing prescribing and purchasing behaviour. <i>Health Policy</i> , 2012 , 108, 216-27	3.2	31
102	Diabetes and Breast Cancer Subtypes. <i>PLoS ONE</i> , 2017 , 12, e0170084	3.7	29
101	Incidence of direct oral anticoagulant use in patients with nonvalvular atrial fibrillation and characteristics of users in 6 European countries (2008-2015): A cross-national drug utilization study. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 2524-2539	3.8	29
100	Multimorbidity and blood pressure control in 37 651 hypertensive patients from Danish general practice. <i>Journal of the American Heart Association</i> , 2012 , 2, e004531	6	29

99	Spironolactone use and the risk of upper gastrointestinal bleeding: a population-based case-control study. <i>British Journal of Clinical Pharmacology</i> , 2008 , 66, 294-9	3.8	29
98	Mailed prescriber feedback in addition to a clinical guideline has no impact: a randomised, controlled trial. <i>Scandinavian Journal of Primary Health Care</i> , 2003 , 21, 47-51	2.7	29
97	Associations between generic substitution and patients' attitudes, beliefs and experiences. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 1827-36	2.8	28
96	The impact of population ageing on future Danish drug expenditure. <i>Health Policy</i> , 2006 , 75, 298-311	3.2	28
95	SARS-CoV-2 vaccination and myocarditis or myopericarditis: population based cohort study.. <i>BMJ, The</i> , 2021 , 375, e068665	5.9	28
94	Factors influencing GPs' choice between drugs in a therapeutic drug group. A qualitative study. <i>Scandinavian Journal of Primary Health Care</i> , 2007 , 25, 208-13	2.7	27
93	Patterns of antibiotic use in the community in Denmark. <i>Scandinavian Journal of Infectious Diseases</i> , 2006 , 38, 597-603		27
92	Deviations from evidence-based prescribing of non-steroidal anti-inflammatory drugs in three European regions. <i>European Journal of Clinical Pharmacology</i> , 2000 , 56, 269-72	2.8	25
91	Cancer risk in long-term users of valproate: a population-based case-control study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 1714-9	4	24
90	Driving forces behind increasing cardiovascular drug utilization: a dynamic pharmacoepidemiological model. <i>British Journal of Clinical Pharmacology</i> , 2008 , 66, 885-95	3.8	24
89	Methylation-associated Silencing of microRNA-126 and its Host Gene EGFL7 in Malignant Pleural Mesothelioma. <i>Anticancer Research</i> , 2015 , 35, 6223-9	2.3	24
88	Problems in collecting comparable national drug use data in Europe: the example of antibacterials. <i>European Journal of Clinical Pharmacology</i> , 2003 , 58, 843-9	2.8	23
87	Thrombocytopenia induced by noncytotoxic drugs in Denmark 1968-91. <i>Journal of Internal Medicine</i> , 1996 , 239, 509-15	10.8	23
86	Drug utilization according to reason for prescribing: a pharmacoepidemiologic method based on an indication hierarchy. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 1027-35	2.6	21
85	Does the early adopter of drugs exist? A population-based study of general practitioners' prescribing of new drugs. <i>European Journal of Clinical Pharmacology</i> , 2004 , 60, 667-72	2.8	21
84	Intensive community pharmacy intervention had little impact on triptan consumption: a randomized controlled trial. <i>Scandinavian Journal of Primary Health Care</i> , 2006 , 24, 16-21	2.7	20
83	General practitioners prefer prescribing indicators based on detailed information on individual patients: a Delphi study. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 237-41	2.8	20
82	Hyponatremia in elderly patients treated with desmopressin for nocturia: a review of a case series. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 281-4	2.8	20

81	Frequency of opioid use in a population of cancer patients during the trajectory of the disease. <i>Clinical Oncology</i> , 2010 , 22, 199-207	2.8	19
80	Cancer patients' share in a population's use of opioids. A linkage study between a prescription database and the Danish Cancer Registry. <i>Journal of Pain and Symptom Management</i> , 2004 , 27, 36-43	4.8	19
79	Why has postal prescriber feedback no substantial impact on general practitioners' prescribing practice? A qualitative study. <i>European Journal of Clinical Pharmacology</i> , 2002 , 58, 133-6	2.8	19
78	General practitioners' adoption of new drugs and previous prescribing of drugs belonging to the same therapeutic class: a pharmacoepidemiological study. <i>British Journal of Clinical Pharmacology</i> , 2005 , 60, 526-33	3.8	18
77	The danish model for improvement of diabetes care in general practice: impact of automated collection and feedback of patient data. <i>International Journal of Family Medicine</i> , 2012 , 2012, 208123		17
76	Do statins protect against upper gastrointestinal bleeding?. <i>British Journal of Clinical Pharmacology</i> , 2009 , 67, 460-5	3.8	16
75	Data management and data analysis techniques in pharmacoepidemiological studies using a pre-planned multi-database approach: a systematic literature review. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 897-905	2.6	15
74	Generic switching and non-persistence among medicine users: a combined population-based questionnaire and register study. <i>PLoS ONE</i> , 2015 , 10, e0119688	3.7	15
73	Association between prescribing patterns of anti-asthmatic drugs and clinically uncontrolled asthma: a cross-sectional study. <i>Pulmonary Pharmacology and Therapeutics</i> , 2011 , 24, 647-53	3.5	15
72	Increased use of inhaled corticosteroids among young Danish adult asthmatics: an observational study. <i>Respiratory Medicine</i> , 2010 , 104, 1817-24	4.6	15
71	Changes in the utilisation of lipid-lowering drugs over a 6-year period (1993-1998) in a Danish population. <i>European Journal of Clinical Pharmacology</i> , 2001 , 57, 343-8	2.8	15
70	Safety implications of the over-the-counter availability of H2-antagonists. <i>Drug Safety</i> , 1993 , 8, 179-85	5.1	15
69	All Danish first-time COPD hospitalisations 2002-2008: incidence, outcome, patients, and care. <i>Respiratory Medicine</i> , 2012 , 106, 549-56	4.6	14
68	Treatment of 5413 hypertensive patients: a cross-sectional study. <i>Family Practice</i> , 2011 , 28, 599-607	1.9	14
67	Counting drugs to understand the disease: the case of measuring the diabetes epidemic. <i>Population Health Metrics</i> , 2007 , 5, 2	3	14
66	Adverse reactions to H2-receptor antagonists in Denmark before and after transfer of cimetidine and ranitidine to over-the-counter status. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1991 , 69, 253-8		14
65	Direct-acting oral anticoagulants (DOACs) in pregnancy: new insight from VigiBase. <i>Scientific Reports</i> , 2019 , 9, 7236	4.9	13
64	Is the high-risk strategy to prevent cardiovascular disease equitable? A pharmacoepidemiological cohort study. <i>BMC Public Health</i> , 2012 , 12, 610	4.1	13

63	Impact of socioeconomic status on the use of inhaled corticosteroids in young adult asthmatics. <i>Respiratory Medicine</i> , 2011 , 105, 683-90	4.6	13
62	Promotional methods used by representatives of drug companies: a prospective survey in general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2007 , 25, 93-7	2.7	13
61	Analysing duration of episodes of pharmacological care: an example of antidepressant use in Danish general practice. <i>Pharmacoepidemiology and Drug Safety</i> , 2006 , 15, 167-77	2.6	13
60	Thromboembolic events in younger women exposed to Pfizer-BioNTech or Moderna COVID-19 vaccines. <i>Expert Opinion on Drug Safety</i> , 2021 , 20, 1451-1453	4.1	13
59	Risk factors for severe bleeding events during warfarin treatment: the influence of sex, age, comorbidity and co-medication. <i>European Journal of Clinical Pharmacology</i> , 2020 , 76, 867-876	2.8	11
58	Initiation and long-term use of benzodiazepines and Z-drugs in bipolar disorder. <i>Bipolar Disorders</i> , 2018 , 20, 634-646	3.8	11
57	Influence of baseline low-density lipoprotein cholesterol values on statin therapy persistence. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 349-57	2.8	11
56	Family history of cardiovascular disease and influence on statin therapy persistence. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 701-7	2.8	11
55	Reducing the rehospitalization risk after a manic episode: A population based cohort study of lithium, valproate, olanzapine, quetiapine and aripiprazole in monotherapy and combinations. <i>Journal of Affective Disorders</i> , 2017 , 217, 16-23	6.6	10
54	Bone bank service in Odense, Denmark. Audit of the first ten years with bone banking at the Department of Orthopaedics, Odense University Hospital. <i>Cell and Tissue Banking</i> , 2001 , 2, 179-83	2.2	10
53	Individual-based versus aggregate meta-analysis in multi-database studies of pregnancy outcomes: the Nordic example of selective serotonin reuptake inhibitors and venlafaxine in pregnancy. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 1160-1169	2.6	10
52	Association between adherence to concomitant proton pump inhibitor therapy in current NSAID users and upper gastrointestinal complications. <i>European Journal of Gastroenterology and Hepatology</i> , 2013 , 25, 531-8	2.2	9
51	The impact of ageing and changing utilization patterns on future cardiovascular drug expenditure: a pharmacoepidemiological projection approach. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 1276-86	2.6	9
50	Introduction to drug utilization research 2016 , 1-12		8
49	Patients' concern about their medicine after a generic switch: a combined cross-sectional questionnaire and register study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 965-73	2.6	8
48	Antipsychotic prescription filling in patients with schizophrenia or schizoaffective disorder. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 759-65	1.7	8
47	Prevalence of renally inappropriate medicines in older people with renal impairment - A cross-sectional register-based study in a large primary care population. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019 , 124, 256-265	3.1	8
46	Is a targeted intensive intervention effective for improvements in hypertension control? A randomized controlled trial. <i>Family Practice</i> , 2012 , 29, 626-32	1.9	7

45	Pharmacovigilance based on prescription databases. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2000 , 86 Suppl 1, 13-5		7
44	Monotherapy vs. combination therapy for post mania maintenance treatment: A population based cohort study. <i>European Neuropsychopharmacology</i> , 2019 , 29, 691-700	1.2	6
43	Trends in the lifetime risk of COPD exacerbation requiring hospitalisation. <i>European Respiratory Journal</i> , 2013 , 42, 964-71	13.6	6
42	. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2003 , 10, 61-64		6
41	General practitioners choose within a narrow range of drugs when initiating new treatments: a cohort study of cardiovascular drug formularies. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 651-6	2.8	6
40	Metoprolol Versus Carvedilol in Patients With Heart Failure, Chronic Obstructive Pulmonary Disease, Diabetes Mellitus, and Renal Failure. <i>American Journal of Cardiology</i> , 2020 , 125, 1069-1076	3	6
39	Predictors for initiation of pharmacological prophylaxis in patients with newly diagnosed bipolar disorder--A nationwide cohort study. <i>Journal of Affective Disorders</i> , 2015 , 172, 204-10	6.6	5
38	Primary care physicians' adoption of new drugs is not associated with their clinical interests: a pharmacoepidemiologic study. <i>Scandinavian Journal of Primary Health Care</i> , 2011 , 29, 117-21	2.7	5
37	Cancer patients' first treatment episode with opioids: a pharmaco-epidemiological perspective. <i>Supportive Care in Cancer</i> , 2006 , 14, 340-7	3.9	5
36	Initiating therapy with antidepressants after discontinuation of hormone therapy. <i>Menopause</i> , 2013 , 20, 146-51	2.5	4
35	Factor analysis improves the selection of prescribing indicators. <i>European Journal of Clinical Pharmacology</i> , 2006 , 62, 953-8	2.8	4
34	The risk of fractures, acute myocardial infarction, atrial fibrillation and ventricular arrhythmia in geriatric patients exposed to promethazine. <i>Expert Opinion on Drug Safety</i> , 2020 , 19, 349-357	4.1	4
33	Artificial Intelligence in Pharmacoepidemiology: A Systematic Review. Part 1-Overview of Knowledge Discovery Techniques in Artificial Intelligence. <i>Frontiers in Pharmacology</i> , 2020 , 11, 1028	5.6	4
32	A systematic review, meta-analysis and meta-regression evaluating the adverse reactions to erenumab in the preventive treatment of migraine. <i>Expert Opinion on Drug Safety</i> , 2021 , 20, 467-474	4.1	4
31	New Insight on the Safety of Erenumab: An Analysis of Spontaneous Reports of Adverse Events Recorded in the US Food and Drug Administration Adverse Event Reporting System Database. <i>BioDrugs</i> , 2021 , 35, 215-227	7.9	4
30	Major bleeding in users of direct oral anticoagulants in atrial fibrillation: A pooled analysis of results from multiple population-based cohort studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1339-1352	2.6	4
29	Classification and characteristics of on-label and off-label apixaban use in Denmark and Sweden. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 867-878	2.6	3
28	Cardiovascular and skeletal safety of zoledronic acid in osteoporosis observational, matched cohort study using Danish and Swedish health registries. <i>Bone</i> , 2020 , 134, 115296	4.7	3

27	Defining and developing quality indicators for drug utilization 2016 , 126-138		3
26	On the crest of a wave: Danish prevalence of hospitalisation-required COPD 2002-2009. <i>Respiratory Medicine</i> , 2012 , 106, 1396-403	4.6	3
25	Antibiotics active against Chlamydia do not reduce the risk of myocardial infarction. <i>European Journal of Clinical Pharmacology</i> , 2006 , 62, 43-9	2.8	3
24	Spontaneous reports of drug-induced erythema multiforme, Stevens-Johnson syndrome and toxic epidermal necrolysis in Denmark 1968-1991. <i>Pharmacoepidemiology and Drug Safety</i> , 1996 , 5, 79-86	2.6	3
23	Fatal adverse drug reactions reported in Denmark 1968-1988. <i>International Journal of Risk and Safety in Medicine</i> , 1991 , 2, 305-19	1.6	3
22	A Post-Authorization Safety Study of Quetiapine as Antidepressant Treatment in Sweden: Nested Case-Control Analyses of Select Outcomes. <i>Drug Safety</i> , 2020 , 43, 135-145	5.1	3
21	Methods for constructing treatment episodes and impact on exposure-outcome associations. <i>European Journal of Clinical Pharmacology</i> , 2020 , 76, 267-275	2.8	3
20	Comparing risk of major bleeding between users of different oral anticoagulants in patients with nonvalvular atrial fibrillation. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 988-1000	3.8	3
19	Comparison of drug utilization across different geographical areas 2016 , 151-159		2
18	Beta-blocker choice and exchangeability in patients with heart failure and chronic obstructive pulmonary disease: an Italian register-based cohort study. <i>Scientific Reports</i> , 2019 , 9, 11465	4.9	2
17	Monitoring CAR-T-Cell Therapies Using the Nordic Healthcare Databases. <i>Pharmaceutical Medicine</i> , 2019 , 33, 83-88	2.3	2
16	Reply to Evidence for harm, comment on . . . by Kripke & Langer. <i>British Journal of Clinical Pharmacology</i> , 2014 , 78, 188-9	3.8	2
15	Drug-disease interactions in Swedish senior primary care patients were dominated by non-steroid anti-inflammatory drugs and hypertension - a population-based registry study. <i>Scandinavian Journal of Primary Health Care</i> , 2020 , 38, 330-339	2.7	2
14	Sunshine, temperature and suicidal behaviour in patients treated with antidepressants: an explorative nested case-control study. <i>Scientific Reports</i> , 2021 , 11, 10178	4.9	2
13	Pharmacoepidemiological methods for computing the duration of pharmacological prescriptions using secondary data sources. <i>European Journal of Clinical Pharmacology</i> , 2021 , 77, 1805-1814	2.8	2
12	Season of treatment initiation with antidepressants and suicidal behavior: A population-based cohort study in Sweden. <i>Journal of Affective Disorders</i> , 2017 , 215, 245-255	6.6	1
11	Adjusting for unmeasured confounding using validation data: Simplified two-stage calibration for survival and dichotomous outcomes. <i>Statistics in Medicine</i> , 2019 , 38, 2719-2734	2.3	1
10	Predictors of quetiapine extended-release formulation add-on in older patients exposed to antidepressant drugs: A Danish register-based cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 1156-1162	3.9	1

9	The PHARMACOM-EPI framework for integrating pharmacometric modelling into pharmacoepidemiological research using real-world data: application to assess death associated with valproate. <i>Clinical Pharmacology and Therapeutics</i> , 2021 ,	6.1	1
8	Prescribers' compliance with summary of product characteristics of dabigatran, rivaroxaban and apixaban-A European comparative drug utilization study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021 , 128, 440-454	3.1	1
7	Detecting deviations from the efficacy and safety results of single-arm trials using real-world data: The case of a CAR-T cell therapy in B-cell lymphoma. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 514-519	2.6	1
6	Artificial Intelligence in Pharmacoepidemiology: A Systematic Review. Part 2-Comparison of the Performance of Artificial Intelligence and Traditional Pharmacoepidemiological Techniques. <i>Frontiers in Pharmacology</i> , 2020 , 11, 568659	5.6	1
5	Insufficient use of lipid-lowering drugs and measurement of serum cholesterol among patients with a history of myocardial infarction. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2003 , 10, 61-4		1
4	Surveillance of Antidepressant Safety (SADS): Active Signal Detection of Serious Medical Events Following SSRI and SNRI Initiation Using Big Healthcare Data. <i>Drug Safety</i> , 2021 , 44, 1215-1230	5.1	0
3	Rationale and performances of a data-driven method for computing the duration of pharmacological prescriptions using secondary data sources.. <i>Scientific Reports</i> , 2022 , 12, 6245	4.9	0
2	Statin use and age at death: evidence of a flawed analysis. <i>American Journal of Cardiology</i> , 2007 , 99, 1181-2; author reply 1182	3	
1	Narrow and wide prescribers among general practitioners: a cohort study of drug formularies used for new treatments. <i>European Journal of Clinical Pharmacology</i> , 2006 , 62, 577-83	2.8	