## Fabrice Gouanve

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9713670/publications.pdf

Version: 2024-02-01

623734 610901 33 598 14 24 citations g-index h-index papers 34 34 34 896 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Water Sorption and Mechanical Properties of Cellulosic Derivative Fibers. Polymers, 2022, 14, 2836.	4.5	8
2	Gas barrier properties of polylactide/cellulose nanocrystals nanocomposites. Polymer Testing, 2022, 113, 107683.	4.8	10
3	Investigation of water sorption, gas barrier and antimicrobial properties of polycaprolactone films contain modified graphene. Journal of Materials Science, 2021, 56, 497-512.	3.7	13
4	Influence of thePVOHmolar mass on the morphology and functional properties of EVOH/PVOH films prepared by melt blending. Journal of Polymer Science, 2021, 59, 70-83.	3.8	1
5	Improvement of Barrier Properties of Biodegradable Polybutylene Succinate/Graphene Nanoplatelets Nanocomposites Prepared by Melt Process. Membranes, 2021, 11, 151.	3.0	17
6	Thermally stable nanoporous cyanate ester resin/linear polyurethane hybrid networks created by nuclear technologies. Polymer, 2021, 228, 123831.	3.8	1
7	Development of Breathable Pebax®/PEG Films for Optimization of the Shelf-Life of Fresh Agri-Food Products. Membranes, 2021, 11, 692.	3.0	6
8	Influence of the Graphene Filler Nature on the Morphology and Properties of Melt Blended EVOH Based Nanocomposites. Polymers, 2021, 13, 3546.	4.5	3
9	Morphology, mechanical, and water transport properties of melt blended EVOH/PVOH films. Journal of Polymer Science, Part B: Polymer Physics, 2019, 57, 838-850.	2.1	5
10	A Protein-Based Material from a New Approach Using Whole Defatted Larvae, and Its Interaction with Moisture. Polymers, 2019, 11, 287.	4.5	11
11	Nanoporous Cyanate Ester Resins: Structure-Gas Transport Property Relationships. Nanoscale Research Letters, 2017, 12, 305.	5.7	1
12	Influence of different alkylâ€methylimidazolium tetrafluoroborate ionic liquids on the structure of pebax <sup>®</sup> films. Consequences on thermal, mechanical, and water sorption and diffusion properties. Journal of Polymer Science, Part B: Polymer Physics, 2016, 54, 811-824.	2.1	5
13	Preparation, characterization and barrier properties of silver/montmorillonite/starch nanocomposite films. Journal of Membrane Science, 2016, 497, 162-171.	8.2	42
14	Polypropylene/layered double hydroxide nanocomposites: Synergistic effect of designed filler modification and compatibilizing agent on the morphology, thermal, and mechanical properties. Journal of Polymer Science, Part B: Polymer Physics, 2015, 53, 782-794.	2.1	14
15	Study of the influences of film processing conditions and glycerol amount on the water sorption and gas barrier properties of novel sodium caseinate films. Journal of Membrane Science, 2015, 478, 1-11.	8.2	31
16	Influence of different perfluorinated anion based Ionic liquids on the intrinsic properties of Nafion $\hat{A}^{\otimes}$ . Journal of Membrane Science, 2015, 495, 445-456.	8.2	16
17	Annealing behavior and thermal stability of nanoporous polymer films based on high-performance Cyanate Ester Resins. Polymer Degradation and Stability, 2015, 120, 402-409.	5.8	14
18	Effect of silver nanoparticles' generation routes on the morphology, oxygen, and water transport properties of starch nanocomposite films. Journal of Nanoparticle Research, 2015, 17, 1.	1.9	9

#	Article	IF	Citations
19	Starch/silver nanocomposite: Effect of thermal treatment temperature on the morphology, oxygen and water transport properties. Carbohydrate Polymers, 2015, 134, 635-645.	10.2	26
20	Influence of montmorillonite and film processing conditions on the morphology of polyamide 6: Effect on ethanol and toluene barrier properties. Journal of Membrane Science, 2014, 450, 487-498.	8.2	14
21	Erasure of the processing effects in polyamide 6 based cast films by the introduction of montmorillonite: Effect on water and oxygen transport properties. Journal of Membrane Science, 2014, 456, 11-20.	8.2	10
22	Green synthesis of colloid silver nanoparticles and resulting biodegradable starch/silver nanocomposites. Carbohydrate Polymers, 2014, 108, 291-298.	10.2	106
23	Comparative Study of Proton Conducting Ionic Liquid Doped Nafion Membranes Elaborated by Swelling and Casting Methods: Processing Conditions, Morphology, and Functional Properties. Journal of Physical Chemistry C, 2014, 118, 14157-14168.	3.1	31
24	Polyelectrolyte/fluorinated polymer interpenetrating polymer networks as fuel cell membrane. Journal of Membrane Science, 2013, 429, 168-180.	8.2	15
25	Influence of Chemical Structure on Hydration and Gas Transport Mechanisms of Sulfonated Poly(aryl) Tj ETQq1 1	0,784314 2.6	l rgBT /Over
26	Influence of film processing conditions on the morphology of polyamide 6: Consequences on water and ethanol sorption properties. Journal of Membrane Science, 2012, 415-416, 670-680.	8.2	31
27	Proton Conducting Ionic Liquid Doped Nafion Membranes: Nano-Structuration, Transport Properties and Water Sorption. Journal of Physical Chemistry C, 2012, 116, 24413-24423.	3.1	53
28	Fluorohexane network and sulfonated PEEK based semi-IPNs for fuel cell membranes. Journal of Membrane Science, 2012, 389, 57-66.	8.2	19
29	Synergism Effect of Montmorillonite and Cellulose Whiskers on the Mechanical and Barrier Properties of Natural Rubber Composites. Macromolecular Materials and Engineering, 2011, 296, 760-769.	3.6	38
30	Convenient Synthesis and Properties of Polypropyleneimine Dendrimerâ€Functionalized Polymer Nanoparticles. Small, 2008, 4, 833-840.	10.0	16
31	Poly(caprolactone)/clay masterbatches prepared in supercritical CO2 as efficient clay delamination promoters in poly(styrene-co-acrylonitrile). Journal of Materials Chemistry, 2008, 18, 4623.	6.7	15
32	Characterization Of Composites With Flax Fibers Treated With Cold Plasma-Water Permeation And Thermal Analysis. Materials Research Innovations, 2005, 9, 15-17.	2.3	3
33	A new technique to characterize mono-molecular micelles in random ethylene–propylene copolymers. Colloid and Polymer Science, 2005, 283, 994-1006.	2.1	5