

Dagmar Berghuis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9713704/publications.pdf>

Version: 2024-02-01

15
papers

523
citations

933447

10
h-index

996975

15
g-index

15
all docs

15
docs citations

15
times ranked

911
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of Treosulfan Exposure on Early and Long-Term Clinical Outcomes in Pediatric Allogeneic Hematopoietic Stem Cell Transplantation Recipients: A Prospective Multicenter Study. <i>Transplantation and Cellular Therapy</i> , 2022, 28, 99.e1-99.e7.	1.2	15
2	Abnormal Results of Newborn Screening for SCID After Azathioprine Exposure In Utero: Benefit of TPMT Genotyping in Both Mother and Child. <i>Journal of Clinical Immunology</i> , 2022, 42, 199-202.	3.8	6
3	Taking a Rational Approach to a Reported Antibiotic Allergy. <i>Pediatric Infectious Disease Journal</i> , 2021, 40, S22-S25.	2.0	1
4	Modeling Influencing Factors in B-Cell Reconstitution After Hematopoietic Stem Cell Transplantation in Children. <i>Frontiers in Immunology</i> , 2021, 12, 684147.	4.8	7
5	Treosulfan-induced myalgia in pediatric hematopoietic stem cell transplantation identified by an electronic health record text mining tool. <i>Scientific Reports</i> , 2021, 11, 19084.	3.3	1
6	Implementation of Early Next-Generation Sequencing for Inborn Errors of Immunity: A Prospective Observational Cohort Study of Diagnostic Yield and Clinical Implications in Dutch Genome Diagnostic Centers. <i>Frontiers in Immunology</i> , 2021, 12, 780134.	4.8	12
7	Extended clinical and immunological phenotype and transplant outcome in CD27 and CD70 deficiency. <i>Blood</i> , 2020, 136, 2638-2655.	1.4	64
8	Successful Preclinical Development of Gene Therapy for Recombinase-Activating Gene-1-Deficient SCID. <i>Molecular Therapy - Methods and Clinical Development</i> , 2020, 17, 666-682.	4.1	37
9	B Cell Reconstitution and Influencing Factors After Hematopoietic Stem Cell Transplantation in Children. <i>Frontiers in Immunology</i> , 2019, 10, 782.	4.8	36
10	Dynamics of the Gut Microbiota in Children Receiving Selective or Total Gut Decontamination Treatment during Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1164-1171.	2.0	18
11	Expression of CCL21 in Ewing sarcoma shows an inverse correlation with metastases and is a candidate target for immunotherapy. <i>Cancer Immunology, Immunotherapy</i> , 2016, 65, 995-1002.	4.2	15
12	The CXCR4-CXCL12 axis in Ewing sarcoma: promotion of tumor growth rather than metastatic disease. <i>Clinical Sarcoma Research</i> , 2012, 2, 24.	2.3	40
13	Histone deacetylase inhibitors enhance expression of NKG2D ligands in Ewing sarcoma and sensitize for natural killer cell-mediated cytotoxicity. <i>Clinical Sarcoma Research</i> , 2012, 2, 8.	2.3	60
14	Pro-inflammatory chemokine chemokine receptor interactions within the Ewing sarcoma microenvironment determine CD8 ⁺ T cell lymphocyte infiltration and affect tumour progression. <i>Journal of Pathology</i> , 2011, 223, 347-357.	4.5	124
15	Reduced human leukocyte antigen expression in advanced-stage Ewing sarcoma: implications for immune recognition. <i>Journal of Pathology</i> , 2009, 218, 222-231.	4.5	87