
Dag Moster

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9714918/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Long-Term Medical and Social Consequences of Preterm Birth. New England Journal of Medicine, 2008, 359, 262-273.	27.0	1,164
2	Cerebral Palsy Among Term and Postterm Births. JAMA - Journal of the American Medical Association, 2010, 304, 976.	7.4	119
3	Neonatal Morbidity and 1-Year Survival of Extremely Preterm Infants. Pediatrics, 2017, 139, .	2.1	96
4	Association of Preeclampsia in Term Births With Neurodevelopmental Disorders in Offspring. JAMA Psychiatry, 2020, 77, 823.	11.0	85
5	Familial risk of cerebral palsy: population based cohort study. BMJ, The, 2014, 349, g4294-g4294.	6.0	57
6	Stillbirth in relation to maternal country of birth and other migration related factors: a population-based study in Norway. BMC Pregnancy and Childbirth, 2019, 19, 5.	2.4	44
7	Suicide and violent deaths in survivors of cancer in childhood, adolescence and young adulthood-A national cohort study. International Journal of Cancer, 2017, 140, 575-580.	5.1	40
8	Economic independence in survivors of cancer diagnosed at a young age: A Norwegian national cohort study. Cancer, 2016, 122, 3873-3882.	4.1	38
9	Parental socioeconomic status and risk of cerebral palsy in the child: evidence from two Nordic population-based cohorts. International Journal of Epidemiology, 2018, 47, 1298-1306.	1.9	35
10	Neonatal mortality rates in communities with small maternity units compared with those having larger maternity units. BJOG: an International Journal of Obstetrics and Gynaecology, 2001, 108, 904-909.	2.3	34
11	Is vaginal breech delivery associated with higher risk for perinatal death and cerebral palsy compared with vaginal cephalic birth? Registry-based cohort study in Norway. BMJ Open, 2017, 7, e014979.	1.9	34
12	Health Status Among Adults Born With an Oral Cleft in Norway. JAMA Pediatrics, 2016, 170, 1063.	6.2	31
13	Maternal Prepregnancy BMI and Risk of Cerebral Palsy in Offspring. Pediatrics, 2016, 138, .	2.1	30
14	The limits of small-for-gestational-age as a high-risk category. European Journal of Epidemiology, 2021, 36, 985-991.	5.7	30
15	Term Birth Weight and Neurodevelopmental Outcomes. Epidemiology, 2021, 32, 583-590.	2.7	19
16	Preeclampsia by maternal reasons for immigration: a population-based study. BMC Pregnancy and Childbirth, 2018, 18, 423.	2.4	17
17	Premature Adult Death in Individuals Born Preterm: A Sibling Comparison in a Prospective Nationwide Follow-Up Study. PLoS ONE, 2016, 11, e0165051.	2.5	15
18	Cohort profile: cerebral palsy in the Norwegian and Danish birth cohorts (MOBAND-CP). BMJ Open, 2016, 6, e012777.	1.9	13

DAG MOSTER

#	Article	IF	CITATIONS
19	Isolated single umbilical artery and the risk of adverse perinatal outcome and third stage of labor complications: A populationâ€based study. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 374-380.	2.8	13
20	Prenatal exposure to Chernobyl fallout in Norway: neurological and developmental outcomes in a 25-year follow-up. European Journal of Epidemiology, 2017, 32, 1065-1073.	5.7	12
21	Neurodevelopmental Disorders or Early Death in Siblings of Children With Cerebral Palsy. Pediatrics, 2016, 138, .	2.1	10
22	Maternal Chronic Conditions and Risk of Cerebral Palsy in Offspring: A National Cohort Study. Pediatrics, 2021, 147, .	2.1	10
23	Socio-Economic Status and Reproduction among Adults Born with an Oral Cleft: A Population-Based Cohort Study in Norway. PLoS ONE, 2016, 11, e0162196.	2.5	9
24	Assessing quality of obstetric care for low-risk deliveries; methodological problems in the use of population based mortality data. Acta Obstetricia Et Gynecologica Scandinavica, 2000, 79, 478-484.	2.8	8
25	Country of first birth and neonatal outcomes in migrant and Norwegian-born parous women in Norway: a population-based study. BMC Health Services Research, 2020, 20, 540.	2.2	8
26	Paternal country of origin and adverse neonatal outcomes in births to foreign-born women in Norway: A population-based cohort study. PLoS Medicine, 2020, 17, e1003395.	8.4	8
27	Intake of Caffeinated Soft Drinks before and during Pregnancy, but Not Total Caffeine Intake, Is Associated with Increased Cerebral Palsy Risk in the Norwegian Mother and Child Cohort Study. Journal of Nutrition, 2016, 146, 1701-1706.	2.9	7
28	Preterm Children Have Higher Risk Than Full-term Children of Invasive Pneumococcal Disease During the First 2 Years of Life. Pediatric Infectious Disease Journal, 2018, 37, e195-e200.	2.0	7
29	Recurrence of postpartum hemorrhage, maternal and paternal contribution, and the effect of offspring birthweight and sex: a population-based cohort study. Archives of Gynecology and Obstetrics, 2022, 306, 1807-1814.	1.7	7
30	Recurrence of postpartum hemorrhage in relatives: A populationâ€based cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 2278-2284.	2.8	4
31	Parental education and the risk of cerebral palsy for children: an evaluation of causality. Developmental Medicine and Child Neurology, 2020, 62, 1176-1181.	2.1	3
32	Variation in use of Caesarean section in Norway: An application of spatio-temporal Gaussian random fields. Scandinavian Journal of Public Health, 2021, 49, 891-898.	2.3	2
33	Title is missing!. , 2020, 17, e1003395.		0
34	Title is missing!. , 2020, 17, e1003395.		0
35	Title is missing!. , 2020, 17, e1003395.		0
36	Title is missing!. , 2020, 17, e1003395.		0

#	Article	IF	CITATIONS
37	Title is missing!. , 2020, 17, e1003395.		0
38	Title is missing!. , 2020, 17, e1003395.		0
39	Title is missing!. , 2020, 17, e1003395.		0