## Dag Moster

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9714918/publications.pdf

Version: 2024-02-01

414414 567281 2,009 39 15 32 citations h-index g-index papers 40 40 40 2922 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Recurrence of postpartum hemorrhage, maternal and paternal contribution, and the effect of offspring birthweight and sex: a population-based cohort study. Archives of Gynecology and Obstetrics, 2022, 306, 1807-1814.	1.7	7
2	Maternal Chronic Conditions and Risk of Cerebral Palsy in Offspring: A National Cohort Study. Pediatrics, 2021, 147, .	2.1	10
3	Variation in use of Caesarean section in Norway: An application of spatio-temporal Gaussian random fields. Scandinavian Journal of Public Health, 2021, 49, 891-898.	2.3	2
4	Term Birth Weight and Neurodevelopmental Outcomes. Epidemiology, 2021, 32, 583-590.	2.7	19
5	The limits of small-for-gestational-age as a high-risk category. European Journal of Epidemiology, 2021, 36, 985-991.	5.7	30
6	Recurrence of postpartum hemorrhage in relatives: A populationâ€based cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 2278-2284.	2.8	4
7	Isolated single umbilical artery and the risk of adverse perinatal outcome and third stage of labor complications: A populationâ€based study. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 374-380.	2.8	13
8	Country of first birth and neonatal outcomes in migrant and Norwegian-born parous women in Norway: a population-based study. BMC Health Services Research, 2020, 20, 540.	2.2	8
9	Association of Preeclampsia in Term Births With Neurodevelopmental Disorders in Offspring. JAMA Psychiatry, 2020, 77, 823.	11.0	85
10	Parental education and the risk of cerebral palsy for children: an evaluation of causality. Developmental Medicine and Child Neurology, 2020, 62, 1176-1181.	2.1	3
11	Paternal country of origin and adverse neonatal outcomes in births to foreign-born women in Norway: A population-based cohort study. PLoS Medicine, 2020, 17, e1003395.	8.4	8
12	Title is missing!. , 2020, 17, e1003395.		0
13	Title is missing!. , 2020, 17, e1003395.		0
14	Title is missing!. , 2020, 17, e1003395.		0
15	Title is missing!. , 2020, 17, e1003395.		0
16	Title is missing!. , 2020, 17, e1003395.		0
17	Title is missing!. , 2020, 17, e1003395.		0
18	Title is missing!. , 2020, 17, e1003395.		0

#	Article	IF	Citations
19	Stillbirth in relation to maternal country of birth and other migration related factors: a population-based study in Norway. BMC Pregnancy and Childbirth, 2019, 19, 5.	2.4	44
20	Preterm Children Have Higher Risk Than Full-term Children of Invasive Pneumococcal Disease During the First 2 Years of Life. Pediatric Infectious Disease Journal, 2018, 37, e195-e200.	2.0	7
21	Preeclampsia by maternal reasons for immigration: a population-based study. BMC Pregnancy and Childbirth, 2018, 18, 423.	2.4	17
22	Parental socioeconomic status and risk of cerebral palsy in the child: evidence from two Nordic population-based cohorts. International Journal of Epidemiology, 2018, 47, 1298-1306.	1.9	35
23	Neonatal Morbidity and 1-Year Survival of Extremely Preterm Infants. Pediatrics, 2017, 139, .	2.1	96
24	Is vaginal breech delivery associated with higher risk for perinatal death and cerebral palsy compared with vaginal cephalic birth? Registry-based cohort study in Norway. BMJ Open, 2017, 7, e014979.	1.9	34
25	Suicide and violent deaths in survivors of cancer in childhood, adolescence and young adulthood-A national cohort study. International Journal of Cancer, 2017, 140, 575-580.	5.1	40
26	Prenatal exposure to Chernobyl fallout in Norway: neurological and developmental outcomes in a 25-year follow-up. European Journal of Epidemiology, 2017, 32, 1065-1073.	5.7	12
27	Premature Adult Death in Individuals Born Preterm: A Sibling Comparison in a Prospective Nationwide Follow-Up Study. PLoS ONE, 2016, 11, e0165051.	2.5	15
28	Cohort profile: cerebral palsy in the Norwegian and Danish birth cohorts (MOBAND-CP). BMJ Open, 2016, 6, e012777.	1.9	13
29	Health Status Among Adults Born With an Oral Cleft in Norway. JAMA Pediatrics, 2016, 170, 1063.	6.2	31
30	Intake of Caffeinated Soft Drinks before and during Pregnancy, but Not Total Caffeine Intake, Is Associated with Increased Cerebral Palsy Risk in the Norwegian Mother and Child Cohort Study. Journal of Nutrition, 2016, 146, 1701-1706.	2.9	7
31	Economic independence in survivors of cancer diagnosed at a young age: A Norwegian national cohort study. Cancer, 2016, 122, 3873-3882.	4.1	38
32	Maternal Prepregnancy BMI and Risk of Cerebral Palsy in Offspring. Pediatrics, 2016, 138, .	2.1	30
33	Neurodevelopmental Disorders or Early Death in Siblings of Children With Cerebral Palsy. Pediatrics, 2016, 138, .	2.1	10
34	Socio-Economic Status and Reproduction among Adults Born with an Oral Cleft: A Population-Based Cohort Study in Norway. PLoS ONE, 2016, 11, e0162196.	2.5	9
35	Familial risk of cerebral palsy: population based cohort study. BMJ, The, 2014, 349, g4294-g4294.	6.0	57
36	Cerebral Palsy Among Term and Postterm Births. JAMA - Journal of the American Medical Association, 2010, 304, 976.	7.4	119

#	Article	IF	CITATIONS
37	Long-Term Medical and Social Consequences of Preterm Birth. New England Journal of Medicine, 2008, 359, 262-273.	27.0	1,164
38	Neonatal mortality rates in communities with small maternity units compared with those having larger maternity units. BJOG: an International Journal of Obstetrics and Gynaecology, 2001, 108, 904-909.	2.3	34
39	Assessing quality of obstetric care for low-risk deliveries; methodological problems in the use of population based mortality data. Acta Obstetricia Et Gynecologica Scandinavica, 2000, 79, 478-484.	2.8	8