

Rabibrata Mukherjee

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/972402/rabibrata-mukherjee-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90
papers

2,642
citations

27
h-index

49
g-index

94
ext. papers

3,087
ext. citations

4.9
avg, IF

5.49
L-index

#	Paper	IF	Citations
90	Detailed morphological and kinetic studies of cellulose biosynthesis from <i>Leifsonia soli</i> . <i>Polymer</i> , 2022 , 242, 124568	3.9	0
89	Nanoparticle-Mediated Stabilization of a Thin Polymer Bilayer. <i>Macromolecules</i> , 2022 , 55, 1657-1668	5.5	0
88	Non-wetting Liquid-Infused Slippery Paper. <i>Langmuir</i> , 2021 , 37, 13627-13636	4	3
87	Improved Mesenchymal Stem Cell Proliferation, Differentiation, Epithelial Transition, and Restrained Senescence on Hierarchically Patterned Porous Honey Silk Fibroin Scaffolds.. <i>ACS Applied Bio Materials</i> , 2021 , 4, 4328-4344	4.1	6
86	Evaluation of grain boundaries as percolation pathways in quartz-rich continental crust using Atomic Force Microscopy. <i>Scientific Reports</i> , 2021 , 11, 9831	4.9	3
85	Ordering in Dewetting of a Thin Polymer Bilayer with a Topographically Patterned Interface. <i>Macromolecules</i> , 2021 , 54, 4517-4530	5.5	4
84	Feature Size Modulation in Dewetting of Nanoparticle-Containing Ultrathin Polymer Films. <i>Macromolecules</i> , 2021 , 54, 2242-2255	5.5	4
83	Phase separation and dewetting of polymer dispersed liquid crystal (PDLC) thin films on flat and patterned substrates. <i>Journal of Molecular Liquids</i> , 2021 , 341, 117360	6	2
82	Substrate wettability guided oriented self assembly of Janus particles. <i>Scientific Reports</i> , 2021 , 11, 11824.9	4.9	4
81	Evaporation-induced alterations in oscillation and flow characteristics of a sessile droplet on a rose-mimetic surface. <i>Soft Matter</i> , 2021 , 17, 1487-1496	3.6	
80	Pd Nanoparticle-Decorated Hydrogen Plasma-Treated TiO ₂ for Photoelectrocatalysis-Based Solar Energy Devices. <i>ACS Applied Electronic Materials</i> , 2020 , 2, 3936-3945	4	4
79	Nanoparticle Induced Morphology Modulation in Spin Coated PS/PMMA Blend Thin Films. <i>Langmuir</i> , 2020 , 36, 15270-15282	4	6
78	Flow and deformation characteristics of a flexible microfluidic channel with axial gradients in wall elasticity. <i>Soft Matter</i> , 2020 , 16, 5777-5786	3.6	8
77	High Temperature Durability of Oleoplaned Slippery Copper Surfaces. <i>Langmuir</i> , 2020 , 36, 4135-4143	4	4
76	Sulfonated co-poly(ether imide)s with alkyne groups: Fabrication of crosslinked membranes and studies on PEM properties including MFC performance. <i>Polymer Engineering and Science</i> , 2020 , 60, 2097-2110	2.3	2
75	Probing the bacterial detoxification of cadmium to form cadmium sulfide quantum dots and the underlying mechanism. <i>Materials Advances</i> , 2020 , 1, 1168-1175	3.3	5
74	Dual cross-linked honey coupled 3D antimicrobial alginate hydrogels for cutaneous wound healing. <i>Materials Science and Engineering C</i> , 2020 , 116, 111218	8.3	11

73	Pattern-Directed Phase Transitions and VOC Sensing of Liquid Crystal Films. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 1902-1913	3.9	1
72	Influence of Substrate Surface Properties on Spin Dewetting, Texture, and Phase Transitions of 5CB Liquid-Crystal Thin Films. <i>Journal of Physical Chemistry B</i> , 2020 , 124, 1293-1300	3.4	7
71	Evaporative Drying of Sodium Chloride Solution Droplet on a Thermally Controlled Substrate. <i>Journal of Physical Chemistry B</i> , 2020 , 124, 1266-1274	3.4	9
70	Hydrophobic recovery of cross-linked polydimethylsiloxane films and its consequence in soft nano patterning. <i>Bulletin of Materials Science</i> , 2020 , 43, 1	1.7	3
69	Polymer Thin-Film Dewetting-Mediated Growth of Wettability-Controlled Titania Nanorod Arrays for Highly Responsive, Water-Stable Self-powered UV Photodetectors. <i>ACS Applied Electronic Materials</i> , 2020 , 2, 2895-2905	4	8
68	Dynamics of droplet impingement on bioinspired surface: insights into spreading, anomalous stickiness and break-up. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2019 , 475, 20190260	2.4	9
67	Colloidal Transfer Printing Mediated Fabrication of Zinc Oxide Nanorods for Self-Cleaning Applications. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1900063	4.6	18
66	Reversible morphological switching and deformation hysteresis in electric field mediated instability of thin elastic films. <i>Soft Matter</i> , 2019 , 15, 3828-3834	3.6	4
65	Electrodynamic-contact-line-lithography with nematic liquid crystals for template-less E-writing of mesopatterns on soft surfaces. <i>Nanoscale</i> , 2019 , 11, 16523-16533	7.7	6
64	Light Trapping-Mediated Room-Temperature Gas Sensing by Ordered ZnO Nano Structures Decorated with Plasmonic Au Nanoparticles. <i>ACS Omega</i> , 2019 , 4, 12071-12080	3.9	14
63	Phase transition and dewetting of a 5CB liquid crystal thin film on a topographically patterned substrate.. <i>RSC Advances</i> , 2019 , 9, 21685-21694	3.7	7
62	Tunable adhesion and slip on a bio-mimetic sticky soft surface. <i>Soft Matter</i> , 2019 , 15, 9031-9040	3.6	7
61	Replicating and resolving wetting and adhesion characteristics of a Rose petal. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019 , 561, 9-17	5.1	43
60	Capillary Force Lithography Pattern-Directed Self-Assembly (CFL-PDSA) of Phase-Separating Polymer Blend Thin Films. <i>ACS Omega</i> , 2018 , 3, 2161-2168	3.9	10
59	Transfer printing of colloidal crystals based on UV mediated degradation of a polymer thin film. <i>Chemical Communications</i> , 2018 , 54, 3484-3487	5.8	11
58	Tailored topography: a novel fabrication technique using an elasticity gradient. <i>Soft Matter</i> , 2018 , 14, 7034-7044	3.6	8
57	Transition from Spin Dewetting to continuous film in spin coating of Liquid Crystal 5CB. <i>Scientific Reports</i> , 2018 , 8, 7169	4.9	15
56	Controlled Nanoscale Electrohydrodynamic Patterning Using Mesopatterned Template. <i>ACS Omega</i> , 2018 , 3, 9781-9789	3.9	3

55	Deducing Multiple Interfacial Dynamics during Polymeric Foaming. <i>Langmuir</i> , 2018 , 34, 8024-8030	4	5
54	Beyond coffee ring: Anomalous self-assembly in evaporating nanofluid droplet on a sticky biomimetic substrate. <i>Applied Physics Letters</i> , 2018 , 113, 213701	3-4	7
53	Enhanced performance of hybrid self-biased heterojunction photodetector on soft-lithographically patterned organic platform. <i>Nanotechnology</i> , 2018 , 29, 505301	3-4	8
52	Fabrication of Ordered 2D Colloidal Crystals on Flat and Patterned Substrates by Spin Coating. <i>ACS Omega</i> , 2018 , 3, 13422-13432	3-9	9
51	Non lithographic block copolymer directed self-assembled and plasma treated self-cleaning transparent coating for photovoltaic modules and other solar energy devices. <i>Solar Energy Materials and Solar Cells</i> , 2018 , 188, 127-139	6-4	32
50	Morphology modulation in evaporative drying mediated crystallization of sodium chloride solution droplet with surfactant. <i>Soft Matter</i> , 2018 , 14, 7883-7893	3-6	8
49	A new class of self-healable hydrophobic materials based on ABA triblock copolymer via RAFT polymerization and Diels-Alder click chemistry. <i>Polymer</i> , 2017 , 119, 195-205	3-9	32
48	Programming Feature Size in the Thermal Wrinkling of Metal Polymer Bilayer by Modulating Substrate Viscoelasticity. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 23255-23262	9-5	21
47	Directed ordering of phase separated domains and dewetting of thin polymer blend films on a topographically patterned substrate. <i>Soft Matter</i> , 2017 , 13, 4709-4719	3-6	19
46	Self-Exfoliated Metal-Organic Nanosheets through Hydrolytic Unfolding of Metal-Organic Polyhedra. <i>Chemistry - A European Journal</i> , 2017 , 23, 7361-7366	4-8	43
45	Formation and control of secondary nanostructures in electro-hydrodynamic patterning of ultra-thin films. <i>Thin Solid Films</i> , 2017 , 642, 241-251	2-2	7
44	Mixing characteristics in microchannels with biomimetic superhydrophobic (Lotus leaf replica) walls. <i>Microfluidics and Nanofluidics</i> , 2017 , 21, 1	2-8	8
43	Selective Molecular Separation by Interfacially Crystallized Covalent Organic Framework Thin Films. <i>Journal of the American Chemical Society</i> , 2017 , 139, 13083-13091	16-4	431
42	Therapeutic interfaces of honey in diabetic wound pathology. <i>Wound Medicine</i> , 2017 , 18, 21-32	2-8	6
41	Self-cleaning V-TiO ₂ :SiO ₂ thin-film coatings with enhanced transmission for solar glass cover and related applications. <i>Solar Energy</i> , 2017 , 155, 410-418	6-8	28
40	Programmable Nanopatterns by Controlled Debonding of Soft Elastic Films. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 19409-19416	9-5	15
39	Selective Molecular Sieving in Self-Standing Porous Covalent-Organic-Framework Membranes. <i>Advanced Materials</i> , 2017 , 29, 1603945	24	366
38	Re-entrant structural evolution using electrically heterogeneous patterned electrode. <i>Computer Aided Chemical Engineering</i> , 2017 , 1213-1218	0-6	1

37	Chemically Delaminated Free-Standing Ultrathin Covalent Organic Nanosheets. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 15604-15608	16.4	177
36	Chemically Delaminated Free-Standing Ultrathin Covalent Organic Nanosheets. <i>Angewandte Chemie</i> , 2016 , 128, 15833-15837	3.6	37
35	Thermally amendable and thermally stable thin film of POSS tethered Poly(methyl methacrylate) (PMMA) synthesized by ATRP. <i>European Polymer Journal</i> , 2016 , 75, 276-290	5.2	15
34	Confinement induced ordering in dewetting of ultra-thin polymer bilayers on nanopatterned substrates. <i>Nanoscale</i> , 2016 , 8, 1073-87	7.7	30
33	Differential Behavior of Normal and Fibrotic Fibroblasts under the Synergistic Influence of Micropillar Topography and the Rigidity of Honey/Silk-Fibroin Substrates. <i>ACS Biomaterials Science and Engineering</i> , 2016 , 2, 1528-1539	5.5	12
32	Solvent-vapor-assisted dewetting of prepatterned thin polymer films: control of morphology, order, and pattern miniaturization. <i>Langmuir</i> , 2015 , 31, 3203-14	4	28
31	Instability, self-organization and pattern formation in thin soft films. <i>Soft Matter</i> , 2015 , 11, 8717-40	3.6	98
30	Polyelectrolyte brushes: theory, modelling, synthesis and applications. <i>Soft Matter</i> , 2015 , 11, 8550-83	3.6	106
29	Solvent vapour mediated spontaneous healing of self-organized defects of liquid crystal films. <i>Soft Matter</i> , 2015 , 11, 139-46	3.6	17
28	GaAs metal-oxide-semiconductor based non-volatile flash memory devices with InAs quantum dots as charge storage nodes 2015 ,		1
27	Ultrafiltration of oily waste water: Contribution of surface roughness in membrane properties and fouling characteristics of polyacrylonitrile membranes. <i>Canadian Journal of Chemical Engineering</i> , 2015 , 93, 2031-2042	2.3	22
26	Interplay of Substrate Surface Energy and Nanoparticle Concentration in Suppressing Polymer Thin Film Dewetting. <i>Macromolecules</i> , 2015 , 48, 373-382	5.5	51
25	Tunable hydrodynamic characteristics in microchannels with biomimetic superhydrophobic (lotus leaf replica) walls. <i>Soft Matter</i> , 2014 , 10, 3451-62	3.6	32
24	Thermally tailored gradient topography surface on elastomeric thin films. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 6579-88	9.5	36
23	Nano-patterned honey incorporated silk fibroin membranes for improving cellular compatibility. <i>RSC Advances</i> , 2014 , 4, 44674-44688	3.7	16
22	Ordered alternating binary polymer nanodroplet array by sequential spin dewetting. <i>Nano Letters</i> , 2014 , 14, 7009-16	11.5	42
21	Lithographic Tuning of Polymeric Thin Film Surfaces by Stress Relaxation.. <i>ACS Macro Letters</i> , 2013 , 2, 195-200	6.6	18
20	Control of Morphology in Pattern Directed Dewetting of a Thin Polymer Bilayer. <i>Macromolecules</i> , 2013 , 46, 935-948	5.5	24

19	Catalyst-free direct growth of InP quantum dots on Si by MOCVD: a step toward monolithic integration. <i>Journal of Nanoparticle Research</i> , 2012 , 14, 1	2.3	7
18	Creation of Self-Organized Complex Meso Patterns in Sol-Gel Thin Films by Confined Capillary Dynamics. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 9546-9553	3.9	16
17	Ordered to isotropic morphology transition in pattern-directed dewetting of polymer thin films on substrates with different feature heights. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 5375-85	9.5	28
16	Influence of substrate wettability on the morphology of thin polymer films spin-coated on topographically patterned substrates. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 1887-96	9.5	46
15	Creating self-organized submicrometer contact instability patterns in soft elastic bilayers with a topographically patterned stamp. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 355-62	9.5	33
14	Charge storage properties of InP quantum dots in GaAs metal-oxide-semiconductor based nonvolatile flash memory devices. <i>Applied Physics Letters</i> , 2012 , 101, 212108	3.4	9
13	Patterning of sol gel thin films by capillary force assisted soft lithographic technique. <i>Journal of Sol-Gel Science and Technology</i> , 2011 , 59, 117-127	2.3	6
12	Surface Instability and Pattern Formation in thin Polymer Films 2011 , 217-265		8
11	Stability and dewetting of metal nanoparticle filled thin polymer films: control of instability length scale and dynamics. <i>ACS Nano</i> , 2010 , 4, 3709-24	16.7	86
10	Solvent Vapor-Assisted Imprinting of Polymer Films Coated on Curved Surfaces with Flexible PVA Stamps. <i>Industrial & Engineering Chemistry Research</i> , 2009 , 48, 8812-8818	3.9	29
9	Self-assembly of a two-dimensional Au-nanocluster superlattice and its photoluminescence spectra. <i>Journal of Nanoscience and Nanotechnology</i> , 2009 , 9, 190-4	1.3	4
8	Control of morphology in pattern directed dewetting of thin polymer films. <i>Soft Matter</i> , 2008 , 4, 2086	3.6	108
7	Adhesive force assisted imprinting of soft solid polymer films by flexible foils. <i>Journal of Nanoscience and Nanotechnology</i> , 2008 , 8, 3406-15	1.3	24
6	Soft lithography meets self-organization: Some new developments in meso-patterning. <i>Bulletin of Materials Science</i> , 2008 , 31, 249-261	1.7	28
5	Contact instability of thin elastic films on patterned substrates. <i>Journal of Chemical Physics</i> , 2007 , 127, 064703	3.9	43
4	Self-organized meso-patterning of soft solids by controlled adhesion: elastic contact lithography. <i>Journal of Nanoscience and Nanotechnology</i> , 2007 , 7, 1744-52	1.3	19
3	Meso-patterning of thin polymer films by controlled dewetting: from nano-droplet arrays to membranes. <i>Journal of Nanoscience and Nanotechnology</i> , 2007 , 7, 2069-75	1.3	40
2	Control of self-organized contact instability and patterning in soft elastic films. <i>Langmuir</i> , 2006 , 22, 7066-71	4.7	49

- 1 Real-time inferencing of solid-liquid phase equilibria in solution polymerization of polyethylene. *Chemical Engineering and Processing: Process Intensification*, **2004**, 43, 1449-1458 3-7 2