

Ji-Young Jeon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9732280/publications.pdf>

Version: 2024-02-01

51
papers

490
citations

1039880

9
h-index

752573

20
g-index

51
all docs

51
docs citations

51
times ranked

762
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of Ficus carica paste on loperamide-induced constipation in rats. Food and Chemical Toxicology, 2012, 50, 895-902.	1.8	86
2	Postprandial glucose-lowering effects of fermented red ginseng in subjects with impaired fasting glucose or type 2 diabetes: a randomized, double-blind, placebo-controlled clinical trial. BMC Complementary and Alternative Medicine, 2014, 14, 237.	3.7	57
3	Pharmacokinetic interaction of flecainide and paroxetine in relation to the CYP2D6*10 allele in healthy Korean subjects. British Journal of Clinical Pharmacology, 2008, 66, 660-666.	1.1	34
4	Effect of Red Ginseng on cytochrome P450 and P-glycoprotein activities in healthy volunteers. Journal of Ginseng Research, 2016, 40, 375-381.	3.0	31
5	Development and validation of an LC-MS/MS method for determination of compound K in human plasma and clinical application. Journal of Ginseng Research, 2013, 37, 135-141.	3.0	31
6	Effect of fermented red ginseng on cytochrome P450 and P-glycoprotein activity in healthy subjects, as evaluated using the cocktail approach. British Journal of Clinical Pharmacology, 2016, 82, 1580-1590.	1.1	30
7	Effect of epigallocatechin-3-gallate, major ingredient of green tea, on the pharmacokinetics of rosuvastatin in healthy volunteers. Drug Design, Development and Therapy, 2017, Volume 11, 1409-1416.	2.0	30
8	Changes in the QTc interval after administration of flecainide acetate, with and without coadministered Paroxetine, in Relation to Cytochrome P450 2D6 Genotype: Data from an open-label, two-period, single-sequence crossover study in healthy Korean male subjects. Clinical Therapeutics, 2010, 32, 659-666.	1.1	19
9	Introduction to in silico model for proarrhythmic risk assessment under the CiPA initiative. Translational and Clinical Pharmacology, 2019, 27, 12.	0.3	19
10	Pharmacokinetic properties and bioequivalence of candesartan cilexetil in Korean healthy volunteers. Drug Development and Industrial Pharmacy, 2013, 39, 1296-1299.	0.9	9
11	Pharmacokinetic Properties of Two Erlotinib 150mg Formulations with a Genetic Effect Evaluation in Healthy Korean Subjects. Clinical Drug Investigation, 2015, 35, 31-43.	1.1	9
12	Effects of Fucoidan supplementation on Helicobacter pylori in humans. FASEB Journal, 2010, 24, lb347.	0.2	9
13	Pharmacokinetics of a new orally soluble film formulation of sildenafil administered without water. International Journal of Clinical Pharmacology and Therapeutics, 2014, 52, 437-445.	0.3	9
14	Pharmacokinetics of a New Orally Disintegrating Tablet Formulation of Aripiprazole 15 mg Administered Without Water in Healthy Middle-aged Korean Subjects. Clinical Therapeutics, 2015, 37, 2772-2779.	1.1	8
15	Pharmacokinetic Comparison Study of a Combination Containing 500 mg of Naproxen and 20 mg of Esomeprazole: A Randomized, Single-dose, 2-way Crossover, Open-label Study in Healthy Korean Men. Clinical Therapeutics, 2015, 37, 83-93.	1.1	8
16	Dose-proportional pharmacokinetic properties of GLA5PR GLARS-NF1 controlled-release pregabalin in healthy Korean volunteers: a randomized, open, single-dose, parallel study. Drug Design, Development and Therapy, 2018, Volume 12, 3449-3457.	2.0	7
17	Confirmation of Schizandrin as a Marker Compound in Jangsu Omija Powder. Journal of the Korean Society of Food Science and Nutrition, 2013, 42, 244-248.	0.2	7
18	Comparison of the Pharmacokinetics, Safety, and Tolerability of Vitamin D3 in DP-R206 (150-mg) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6 Adults. Clinical Therapeutics, 2014, 36, 48-57.	1.1	6

#	ARTICLE	IF	CITATIONS
19	Population pharmacokinetics of aripiprazole in healthy Korean subjects. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2016, 54, 293-304.	0.3	6
20	Pharmacokinetics of fixed-dose combination of rosuvastatin 20 mg and ezetimibe 10 mg compared to concurrent administration of individual tablets in healthy Korean subjects. <i>Translational and Clinical Pharmacology</i> , 2018, 26, 16.	0.3	5
21	Quantitative analysis of acetylsalicylic acid in human blood using volumetric absorptive microsampling. <i>Translational and Clinical Pharmacology</i> , 2018, 26, 32.	0.3	5
22	<p>Pharmacokinetic interactions between telmisartan/amlodipine and rosuvastatin after multiple oral administrations in healthy Korean male subjects<p>. <i>Drug Design, Development and Therapy</i> , 2019, Volume 13, 2533-2542.	2.0	5
23	Pharmacokinetic Interactions between Tegoprazan and Metronidazole/Tetracycline/Bismuth and Safety Assessment in Healthy Korean Male Subjects. <i>Clinical Therapeutics</i> , 2021, 43, 722-734.	1.1	5
24	Effect of <i>Ficus carica</i> on Functional Constipation. <i>FASEB Journal</i> , 2010, 24, lb348.	0.2	5
25	An Assessment of the Pharmacokinetics of a Sustained-release Formulation of a Tramadol/Acetaminophen Combination in Healthy Subjects. <i>Clinical Therapeutics</i> , 2015, 37, 376-389.	1.1	4
26	Pharmacokinetics and Safety of DW1029M, a Botanical Drug for the Treatment of Diabetic Nephropathy, Following Single Doses in Healthy Subjects. <i>Clinical Pharmacology in Drug Development</i> , 2017, 6, 499-507.	0.8	4
27	Phase 1 and Pharmacokinetic Drug-Drug Interaction Study of Metformin, Losartan, and Linagliptin Coadministered With DW1029M in Healthy Volunteers. <i>Clinical Pharmacology in Drug Development</i> , 2017, 6, 408-419.	0.8	4
28	Rapid and Sensitive Analysis of Valproic Acid in Human Red Blood Cell by LC-MS/MS. <i>Bulletin of the Korean Chemical Society</i> , 2012, 33, 1681-1685.	1.0	4
29	Pharmacokinetic properties and bioequivalence of olmesartan medoxomil/hydrochlorothiazide in healthy Korean male subjects. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2014, 52, 64-72.	0.3	3
30	The first step to the powers for clinical trials: a survey on the current and future Clinical Trial Management System. <i>Translational and Clinical Pharmacology</i> , 2018, 26, 86.	0.3	3
31	Comparative Pharmacokinetics of a Controlled-release Pregabalin Tablet (GLA5PR GLARS-NF1) and an Immediate-release Pregabalin Capsule in Healthy Male Volunteers. <i>Clinical Therapeutics</i> , 2018, 40, 2112-2124.	1.1	3
32	Pharmacokinetics of a Lobeglitazone/Metformin Fixed-Dose Combination Tablet (CKD-395 0.5/1000 mg) Versus Concomitant Administration of Single Agents and the Effect of Food on the Metabolism of CKD-395 in Healthy Male Subjects. <i>Clinical Pharmacology in Drug Development</i> , 2019, 8, 576-584.	0.8	3
33	Evaluation of the Pharmacokinetic Interaction Between Lobeglitazone and Dapagliflozin at Steady State. <i>Clinical Therapeutics</i> , 2020, 42, 295-304.	1.1	3
34	Pharmacokinetics of a New, Once-Daily, Sustained-release Pregabalin Tablet in Healthy Male Volunteers. <i>Clinical Therapeutics</i> , 2021, 43, 1381-1391.e1.	1.1	3
35	Pharmacokinetic properties and bioequivalence of gefitinib 250 mg in healthy Korean male subjects. <i>Translational and Clinical Pharmacology</i> , 2021, 29, 171.	0.3	3
36	Pharmacokinetic comparisons between two formulations containing 100 mg of miglitol in healthy male Korean volunteers: a randomized, open-label, single-dose, two-period, two-sequence crossover bioequivalence study. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2014, 52, 55-63.	0.3	3

#	ARTICLE	IF	CITATIONS
37	Pharmacokinetic and Pharmacodynamic Comparative Study of Amlodipine Adipate and Amlodipine Besylate. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 2006, 14, 106.	0.1	2
38	Pharmacokinetic properties of isosorbide-5- mononitrate under fasting and fed conditions in healthy male subjects. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2015, 53, 97-105.	0.3	2
39	Pharmacokinetic and bioequivalence study comparing a candesartan cilexetil/rosuvastatin calcium fixed-dose combination with the concomitant administration of candesartan cilexetil and rosuvastatin calcium in healthy Korean subjects. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2017, 55, 286-294.	0.3	2
40	Pharmacokinetics comparison of solifenacin tartrate and solifenacin succinate: a randomized, open-label, single-dose, 2-way crossover study in healthy male volunteers. <i>Translational and Clinical Pharmacology</i> , 2018, 26, 73.	0.3	1
41	Pharmacokinetic Interaction Among Telmisartan, Amlodipine, and Hydrochlorothiazide After a Single Oral Administration in Healthy Male Subjects. <i>Clinical Therapeutics</i> , 2019, 41, 2273-2282.	1.1	1
42	Pharmacokinetics and bioequivalence of 0.5mg lobe-glitzone tablets in healthy male subjects. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2018, 56, 426-433.	0.3	1
43	Pharmacokinetic and bioequivalence study of a fixed-dose combination of amlodipine besylate and rosuvastatin calcium compared to co-administration of separate tablets in healthy Korean subjects. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2019, 57, 612-622.	0.3	1
44	A Study for Comparing Bioavailability between a Single Tablet of 200mg and Two Tablets of 100mg Gatifloxacin, a Quinolone Antibiotic. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 2005, 13, 167.	0.1	0
45	Population Pharmacokinetics of Vancomycin in Korean Pediatric Patients. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 2008, 16, 21.	0.1	0
46	Evaluation of clinical efficacy of Polycan for bone metabolism in Korean women: A randomized, double-blind, placebo-controlled clinical study. <i>FASEB Journal</i> , 2010, 24, 1b349.	0.2	0
47	Evaluation of Clinical Efficacy of Rubus Coreanus Extract for Erectile Dysfunction: A randomized, double-blind, placebo-controlled pilot study. <i>FASEB Journal</i> , 2010, 24, 1b346.	0.2	0
48	Validation of the LC-MS/MS Method for Ginsenoside Rb1 Analysis in Human Plasma. <i>Journal of the Korean Society of Food Science and Nutrition</i> , 2012, 41, 1753-1757.	0.2	0
49	Pharmacokinetic comparison of HCP1102 and co-administration of montelukast and levocetirizine in healthy male volunteers. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO1-11-31.	0.0	0
50	Pharmacokinetic comparison of JLP-1401 and co-administration of telmisartan/amlodipine and rosuvastatin in healthy adult volunteers. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO1-11-29.	0.0	0
51	Physiological Change of Serum Bilirubin Level by 3-Enriched Parenteral Nutrition Versus 3-Free Parenteral Nutrition in Healthy Male Subjects. <i>Surgical Metabolism and Nutrition</i> , 2019, 10, 20-26.	0.3	0