

Ji-Young Jeon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9732280/publications.pdf>

Version: 2024-02-01

51
papers

490
citations

1039880

9
h-index

752573

20
g-index

51
all docs

51
docs citations

51
times ranked

762
citing authors

#	ARTICLE	IF	CITATIONS
1	Pharmacokinetic Interactions between Tegoprazan and Metronidazole/Tetracycline/Bismuth and Safety Assessment in Healthy Korean Male Subjects. <i>Clinical Therapeutics</i> , 2021, 43, 722-734.	1.1	5
2	Pharmacokinetics of a New, Once-Daily, Sustained-release Pregabalin Tablet in Healthy Male Volunteers. <i>Clinical Therapeutics</i> , 2021, 43, 1381-1391.e1.	1.1	3
3	Pharmacokinetic properties and bioequivalence of gefitinib 250 mg in healthy Korean male subjects. <i>Translational and Clinical Pharmacology</i> , 2021, 29, 171.	0.3	3
4	Evaluation of the Pharmacokinetic Interaction Between Lobeglitazone and Dapagliflozin at Steady State. <i>Clinical Therapeutics</i> , 2020, 42, 295-304.	1.1	3
5	Pharmacokinetic interactions between telmisartan/amlodipine and rosuvastatin after multiple oral administrations in healthy Korean male subjects. <i>Drug Design, Development and Therapy</i> , 2019, Volume 13, 2533-2542.	2.0	5
6	Pharmacokinetic Interaction Among Telmisartan, Amlodipine, and Hydrochlorothiazide After a Single Oral Administration in Healthy Male Subjects. <i>Clinical Therapeutics</i> , 2019, 41, 2273-2282.	1.1	1
7	Introduction to <i>in silico</i> model for proarrhythmic risk assessment under the CiPA initiative. <i>Translational and Clinical Pharmacology</i> , 2019, 27, 12.	0.3	19
8	Pharmacokinetics of a Lobeglitazone/Metformin Fixed-Dose Combination Tablet (CKD-395 0.5/1000 mg) Versus Concomitant Administration of Single Agents and the Effect of Food on the Metabolism of CKD-395 in Healthy Male Subjects. <i>Clinical Pharmacology in Drug Development</i> , 2019, 8, 576-584.	0.8	3
9	Physiological Change of Serum Bilirubin Level by 3-Enriched Parenteral Nutrition Versus 3-Free Parenteral Nutrition in Healthy Male Subjects. <i>Surgical Metabolism and Nutrition</i> , 2019, 10, 20-26.	0.3	0
10	Pharmacokinetic and bioequivalence study of a fixed-dose combination of amlodipine besylate and rosuvastatin calcium compared to co-administration of separate tablets in healthy Korean subjects. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2019, 57, 612-622.	0.3	1
11	The first step to the powers for clinical trials: a survey on the current and future Clinical Trial Management System. <i>Translational and Clinical Pharmacology</i> , 2018, 26, 86.	0.3	3
12	Pharmacokinetics of fixed-dose combination of rosuvastatin 20 mg and ezetimibe 10 mg compared to concurrent administration of individual tablets in healthy Korean subjects. <i>Translational and Clinical Pharmacology</i> , 2018, 26, 16.	0.3	5
13	Comparative Pharmacokinetics of a Controlled-release Pregabalin Tablet (GLA5PR GLARS-NF1) and an Immediate-release Pregabalin Capsule in Healthy Male Volunteers. <i>Clinical Therapeutics</i> , 2018, 40, 2112-2124.	1.1	3
14	Pharmacokinetics comparison of solifenacin tartrate and solifenacin succinate: a randomized, open-label, single-dose, 2-way crossover study in healthy male volunteers. <i>Translational and Clinical Pharmacology</i> , 2018, 26, 73.	0.3	1
15	Dose-proportional pharmacokinetic properties of GLA5PR GLARS-NF1 controlled-release pregabalin in healthy Korean volunteers: a randomized, open, single-dose, parallel study. <i>Drug Design, Development and Therapy</i> , 2018, Volume 12, 3449-3457.	2.0	7
16	Quantitative analysis of acetylsalicylic acid in human blood using volumetric absorptive microsampling. <i>Translational and Clinical Pharmacology</i> , 2018, 26, 32.	0.3	5
17	Pharmacokinetic comparison of HCP1102 and co-administration of montelukast and levocetirizine in healthy male volunteers. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO1-11-31.	0.0	0
18	Pharmacokinetic comparison of JLP-1401 and co-administration of telmisartan/amlodipine and rosuvastatin in healthy adult volunteers. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO1-11-29.	0.0	0

#	ARTICLE	IF	CITATIONS
19	Pharmacokinetics and bioequivalence of 0.5 mg lobeglitazone tablets in healthy male subjects. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2018, 56, 426-433.	0.3	1
20	Pharmacokinetics and Safety of DW1029M, a Botanical Drug for the Treatment of Diabetic Nephropathy, Following Single Doses in Healthy Subjects. <i>Clinical Pharmacology in Drug Development</i> , 2017, 6, 499-507.	0.8	4
21	Phase 1 and Pharmacokinetic Drug-Drug Interaction Study of Metformin, Losartan, and Linagliptin Coadministered With DW1029M in Healthy Volunteers. <i>Clinical Pharmacology in Drug Development</i> , 2017, 6, 408-419.	0.8	4
22	Effect of epigallocatechin-3-gallate, major ingredient of green tea, on the pharmacokinetics of rosuvastatin in healthy volunteers. <i>Drug Design, Development and Therapy</i> , 2017, Volume 11, 1409-1416.	2.0	30
23	Pharmacokinetic and bioequivalence study comparing a candesartan cilexetil/rosuvastatin calcium fixed-dose combination with the concomitant administration of candesartan cilexetil and rosuvastatin calcium in healthy Korean subjects. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2017, 55, 286-294.	0.3	2
24	Effect of Red Ginseng on cytochrome P450 and P-glycoprotein activities in healthy volunteers. <i>Journal of Ginseng Research</i> , 2016, 40, 375-381.	3.0	31
25	Effect of fermented red ginseng on cytochrome P450 and P-glycoprotein activity in healthy subjects, as evaluated using the cocktail approach. <i>British Journal of Clinical Pharmacology</i> , 2016, 82, 1580-1590.	1.1	30
26	Population pharmacokinetics of aripiprazole in healthy Korean subjects. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2016, 54, 293-304.	0.3	6
27	Pharmacokinetics of a New Orally Disintegrating Tablet Formulation of Aripiprazole 15 mg Administered Without Water in Healthy Middle-aged Korean Subjects. <i>Clinical Therapeutics</i> , 2015, 37, 2772-2779.	1.1	8
28	An Assessment of the Pharmacokinetics of a Sustained-release Formulation of a Tramadol/Acetaminophen Combination in Healthy Subjects. <i>Clinical Therapeutics</i> , 2015, 37, 376-389.	1.1	4
29	Pharmacokinetic Comparison Study of a Combination Containing 500 mg of Naproxen and 20 mg of Esomeprazole: A Randomized, Single-dose, 2-way Crossover, Open-label Study in Healthy Korean Men. <i>Clinical Therapeutics</i> , 2015, 37, 83-93.	1.1	8
30	Pharmacokinetic Properties of Two Erlotinib 150 mg Formulations with a Genetic Effect Evaluation in Healthy Korean Subjects. <i>Clinical Drug Investigation</i> , 2015, 35, 31-43.	1.1	9
31	Pharmacokinetic properties of isosorbide-5- mononitrate under fasting and fed conditions in healthy male subjects. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2015, 53, 97-105.	0.3	2
32	Postprandial glucose-lowering effects of fermented red ginseng in subjects with impaired fasting glucose or type 2 diabetes: a randomized, double-blind, placebo-controlled clinical trial. <i>BMC Complementary and Alternative Medicine</i> , 2014, 14, 237.	3.7	57
33	Comparison of the Pharmacokinetics, Safety, and Tolerability of Vitamin D3 in DP-R206 (150-mg) Tablet in Healthy Adults. <i>Clinical Therapeutics</i> , 2014, 36, 48-57.	1.1	6
34	Pharmacokinetic properties and bioequivalence of olmesartan medoxomil/hydrochlorothiazide in healthy Korean male subjects. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2014, 52, 64-72.	0.3	3
35	Pharmacokinetic comparisons between two formulations containing 100 mg of miglitol in healthy male Korean volunteers: a randomized, open-label, single-dose, two-period, two-sequence crossover bioequivalence study. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2014, 52, 55-63.	0.3	3
36	Pharmacokinetics of a new orally soluble film formulation of sildenafil administered without water. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2014, 52, 437-445.	0.3	9

#	ARTICLE	IF	CITATIONS
37	Pharmacokinetic properties and bioequivalence of candesartan cilexetil in Korean healthy volunteers. Drug Development and Industrial Pharmacy, 2013, 39, 1296-1299.	0.9	9
38	Development and validation of an LC-MS/MS method for determination of compound K in human plasma and clinical application. Journal of Ginseng Research, 2013, 37, 135-141.	3.0	31
39	Confirmation of Schizandrin as a Marker Compound in Jangsu Omija Powder. Journal of the Korean Society of Food Science and Nutrition, 2013, 42, 244-248.	0.2	7
40	Effects of Ficus carica paste on loperamide-induced constipation in rats. Food and Chemical Toxicology, 2012, 50, 895-902.	1.8	86
41	Rapid and Sensitive Analysis of Valproic Acid in Human Red Blood Cell by LC-MS/MS. Bulletin of the Korean Chemical Society, 2012, 33, 1681-1685.	1.0	4
42	Validation of the LC-MS/MS Method for Ginsenoside Rb1 Analysis in Human Plasma. Journal of the Korean Society of Food Science and Nutrition, 2012, 41, 1753-1757.	0.2	0
43	Changes in the QTc interval after administration of flecainide acetate, with and without coadministered Paroxetine, in Relation to Cytochrome P450 2D6 Genotype: Data from an open-label, two-period, single-sequence crossover study in healthy Korean male subjects. Clinical Therapeutics, 2010, 32, 659-666.	1.1	19
44	Effects of Fucoidan supplementation on Helicobacter pylori in humans. FASEB Journal, 2010, 24, lb347.	0.2	9
45	Evaluation of clinical efficacy of Polycan for bone metabolism in Korean women: A randomized, double-blind, placebo-controlled clinical study. FASEB Journal, 2010, 24, lb349.	0.2	0
46	Effect of Ficus carica on Functional Constipation. FASEB Journal, 2010, 24, lb348.	0.2	5
47	Evaluation of Clinical Efficacy of Rubus Coreanus Extract for Erectile Dysfunction: A randomized, double-blind, placebo-controlled pilot study. FASEB Journal, 2010, 24, lb346.	0.2	0
48	Pharmacokinetic interaction of flecainide and paroxetine in relation to the CYP2D6*10 allele in healthy Korean subjects. British Journal of Clinical Pharmacology, 2008, 66, 660-666.	1.1	34
49	Population Pharmacokinetics of Vancomycin in Korean Pediatric Patients. Journal of the Korean Society for Clinical Pharmacology and Therapeutics, 2008, 16, 21.	0.1	0
50	Pharmacokinetic and Pharmacodynamic Comparative Study of Amlodipine Adipate and Amlodipine Besylate. Journal of the Korean Society for Clinical Pharmacology and Therapeutics, 2006, 14, 106.	0.1	2
51	A Study for Comparing Bioavailability between a Single Tablet of 200mg and Two Tablets of 100mg Gatifloxacin, a Quinolone Antibiotic. Journal of the Korean Society for Clinical Pharmacology and Therapeutics, 2005, 13, 167.	0.1	0