

# Tom W J Huizinga

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/973247/tom-w-j-huizinga-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

552  
papers

41,990  
citations

88  
h-index

194  
g-index

598  
ext. papers

49,142  
ext. citations

5.6  
avg, IF

7.08  
L-index

#	Paper	IF	Citations
552	To treat or not to treat with immunosuppressive therapy: psychiatric disorders in patients with systemic lupus erythematosus.. <i>Lupus Science and Medicine</i> , <b>2022</b> , 9,	4.6	
551	MRI-Based Classification of Neuropsychiatric Systemic Lupus Erythematosus Patients With Self-Supervised Contrastive Learning.. <i>Frontiers in Neuroscience</i> , <b>2022</b> , 16, 695888	5.1	1
550	NT-proBNP and sRAGE levels in early rheumatoid arthritis.. <i>Scandinavian Journal of Rheumatology</i> , <b>2022</b> , 1-7	1.9	1
549	Surface Ig variable domain glycosylation affects autoantigen binding and acts as threshold for human autoreactive B cell activation.. <i>Science Advances</i> , <b>2022</b> , 8, eabm1759	14.3	4
548	?-A Digital Diagnostic Decision Support Tool for Individuals Suspecting Rheumatic Diseases: A Multicenter Pilot Validation Study.. <i>Frontiers in Medicine</i> , <b>2022</b> , 9, 774945	4.9	0
547	ACPA-negative and ACPA-positive RA-patients achieving disease resolution demonstrate distinct patterns of MRI-detected joint-inflammation.. <i>Rheumatology</i> , <b>2022</b> ,	3.9	0
546	Longitudinal changes in cerebral white matter microstructure in newly diagnosed systemic lupus erythematosus patients. <i>Rheumatology</i> , <b>2021</b> , 60, 2678-2687	3.9	2
545	Dissociation in SLE: A part of lupus fog?. <i>Lupus</i> , <b>2021</b> , 30, 2151-2156	2.6	
544	Onset of rheumatoid arthritis after COVID-19: coincidence or connected?. <i>Annals of the Rheumatic Diseases</i> , <b>2021</b> ,	2.4	22
543	Fatigue in patients with systemic lupus erythematosus and neuropsychiatric symptoms is associated with anxiety and depression rather than inflammatory disease activity. <i>Lupus</i> , <b>2021</b> , 30, 1124-1132	2.6	6
542	Light chain skewing in autoantibodies and B-cell receptors of the citrullinated antigen-binding B-cell response in rheumatoid arthritis. <i>PLoS ONE</i> , <b>2021</b> , 16, e0247847	3.7	0
541	Different phenotypes of neuropsychiatric systemic lupus erythematosus are related to a distinct pattern of structural changes on brain MRI. <i>European Radiology</i> , <b>2021</b> , 31, 8208-8217	8	5
540	Prospective study into COVID-19-like symptoms in patients with and without immune-mediated inflammatory diseases or immunomodulating drugs. <i>Annals of the Rheumatic Diseases</i> , <b>2021</b> , 80, 1364-1365	2.4	
539	Anticentromere Antibody Levels and Isotypes and the Development of Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , <b>2021</b> , 73, 2338-2347	9.5	0
538	Effectiveness of a multidisciplinary clinical pathway for women with systemic lupus erythematosus and/or antiphospholipid syndrome. <i>Lupus Science and Medicine</i> , <b>2021</b> , 8,	4.6	1
537	Glucocorticoid discontinuation in patients with early rheumatoid and undifferentiated arthritis: a post-hoc analysis of the BeSt and IMPROVED studies. <i>Annals of the Rheumatic Diseases</i> , <b>2021</b> , 80, 1124-1129	2.4	1
536	White matter hyperintensities associate with cognitive slowing in patients with systemic lupus erythematosus and neuropsychiatric symptoms. <i>RMD Open</i> , <b>2021</b> , 7,	5.9	2

535	Association Between Centromere- and Topoisomerase-specific Immune Responses and the Degree of Microangiopathy in Systemic Sclerosis. <i>Journal of Rheumatology</i> , <b>2021</b> , 48, 402-409	4.1	1
534	Contribution of Sex and Autoantibodies to Microangiopathy Assessed by Nailfold Videocapillaroscopy in Systemic Sclerosis: A Systematic Review of the Literature. <i>Arthritis Care and Research</i> , <b>2021</b> , 73, 722-731	4.7	0
533	Adalimumab Biosimilars in the Treatment of Rheumatoid Arthritis: A Systematic Review of the Evidence for Biosimilarity. <i>Rheumatology and Therapy</i> , <b>2021</b> , 8, 41-61	4.4	10
532	Association Between Bone Mineral Density and Autoantibodies in Patients With Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , <b>2021</b> , 73, 921-930	9.5	6
531	Quantitative susceptibility mapping in the thalamus and basal ganglia of systemic lupus erythematosus patients with neuropsychiatric complaints. <i>NeuroImage: Clinical</i> , <b>2021</b> , 30, 102637	5.3	0
530	Health-related quality of life in patients with systemic sclerosis: evolution over time and main determinants. <i>Rheumatology</i> , <b>2021</b> , 60, 3646-3655	3.9	3
529	Earlier chronotype in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , <b>2021</b> , 40, 2185-2192	3.9	3
528	Phenotype and treatment of elderly onset compared with younger onset rheumatoid arthritis patients in international daily practice. <i>Rheumatology</i> , <b>2021</b> , 60, 4801-4810	3.9	1
527	Genetic predisposition (HLA-SE) is associated with ACPA-IgG variable domain glycosylation in the predisease phase of RA. <i>Annals of the Rheumatic Diseases</i> , <b>2021</b> ,	2.4	3
526	Joint inflammation tends to recur in the same joints during the rheumatoid arthritis disease course. <i>Annals of the Rheumatic Diseases</i> , <b>2021</b> ,	2.4	2
525	A Polymorphism in C-C Chemokine Receptor 5 (CCR5) Associates with Lfgrn® Syndrome and Alters Receptor Expression as well as Functional Response. <i>Cells</i> , <b>2021</b> , 10,	7.9	1
524	Cross-reactivity of IgM anti-modified protein antibodies in rheumatoid arthritis despite limited mutational load. <i>Arthritis Research and Therapy</i> , <b>2021</b> , 23, 230	5.7	2
523	Increasing incidence of autoantibody-negative RA is replicated and is partly explained by an aging population. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> ,	2.4	2
522	Earlier is better when treating rheumatoid arthritis: but can we detect a window of opportunity?. <i>RMD Open</i> , <b>2020</b> , 6,	5.9	5
521	Predictive factors for treatment-related mortality and major adverse events after autologous haematopoietic stem cell transplantation for systemic sclerosis: results of a long-term follow-up multicentre study. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> , 79, 1084-1089	2.4	14
520	Using genetics to prioritize diagnoses for rheumatology outpatients with inflammatory arthritis. <i>Science Translational Medicine</i> , <b>2020</b> , 12,	17.5	17
519	Association of Anti-Topoisomerase I Antibodies of the IgM Isotype With Disease Progression in Anti-Topoisomerase I-Positive Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , <b>2020</b> , 72, 1897-1904	9.5	2
518	Antibodies and B cells recognising citrullinated proteins display a broad cross-reactivity towards other post-translational modifications. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> , 79, 472-480	2.4	33

517	Illness perceptions, risk perceptions and worries in patients with early systemic sclerosis: A focus group study. <i>Musculoskeletal Care</i> , <b>2020</b> , 18, 177-186	1.6	3
516	Lung function is associated with minimal EQ-5D changes over time in patients with systemic sclerosis. <i>Clinical Rheumatology</i> , <b>2020</b> , 39, 1543-1549	3.9	3
515	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2019 update. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> , 79, 685-699	3.4	851
514	Clinicogenomic factors of biotherapy immunogenicity in autoimmune disease: A prospective multicohort study of the ABIRISK consortium. <i>PLoS Medicine</i> , <b>2020</b> , 17, e1003348	11.6	13
513	Machine Learning Electronic Health Record Identification of Patients with Rheumatoid Arthritis: Algorithm Pipeline Development and Validation Study. <i>JMIR Medical Informatics</i> , <b>2020</b> , 8, e23930	3.6	4
512	Suspected Transverse Myelitis with Normal MRI and CSF Findings in a Patient with Lupus: What to Do? A Case Series and Systematic Review. <i>Neuropsychiatric Disease and Treatment</i> , <b>2020</b> , 16, 3173-3186	3.1	1
511	An overview of autoantibodies in rheumatoid arthritis. <i>Journal of Autoimmunity</i> , <b>2020</b> , 110, 102392	15.5	61
510	Pharmacological conditioning in the treatment of recent-onset rheumatoid arthritis: a randomized controlled trial study protocol. <i>Trials</i> , <b>2020</b> , 21, 15	2.8	1
509	Anti-Inflammatory and Proresolving Effects of the Omega-6 Polyunsaturated Fatty Acid Adrenic Acid. <i>Journal of Immunology</i> , <b>2020</b> , 205, 2840-2849	5.3	8
508	Persistently activated, proliferative memory autoreactive B cells promote inflammation in rheumatoid arthritis. <i>Science Translational Medicine</i> , <b>2020</b> , 12,	17.5	22
507	Mortality in patients with systemic lupus erythematosus and neuropsychiatric involvement: A retrospective analysis from a tertiary referral center in the Netherlands. <i>Lupus</i> , <b>2020</b> , 29, 1892-1901	2.6	5
506	Changes in selected haematological parameters associated with JAK1/JAK2 inhibition observed in patients with rheumatoid arthritis treated with baricitinib. <i>RMD Open</i> , <b>2020</b> , 6,	5.9	6
505	Enhanced treatment strategies and distinct disease outcomes among autoantibody-positive and -negative rheumatoid arthritis patients over 25 years: A longitudinal cohort study in the Netherlands. <i>PLoS Medicine</i> , <b>2020</b> , 17, e1003296	11.6	15
504	Evolution of interstitial lung disease one year after hematopoietic stem cell transplantation or cyclophosphamide for systemic sclerosis. <i>Arthritis Care and Research</i> , <b>2020</b> ,	4.7	4
503	Interpreting big-data analysis of retrospective observational data. <i>Lancet Rheumatology, The</i> , <b>2020</b> , 2, e652-e653	14.2	2
502	Early intensive treatment normalises excess mortality in ACPA-negative RA but not in ACPA-positive RA. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> , 79, e124	2.4	3
501	Sex hormones and sex hormone-targeting therapies in systemic sclerosis: A systematic literature review. <i>Seminars in Arthritis and Rheumatism</i> , <b>2020</b> , 50, 140-148	5.3	9
500	On using machine learning algorithms to define clinically meaningful patient subgroups. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> , 79, e154	2.4	3

499	Disruptive innovation in rheumatology: new networks of global public-private partnerships are needed to take advantage of scientific progress. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> , 79, 553-555	2.4	1
498	Substitution of the quantitative serological component in the 2010 criteria for RA with qualitative presence of three autoantibodies yields similar performance: response to the article by Regueiro et al. <i>Arthritis Research and Therapy</i> , <b>2020</b> , 22, 85	5.7	4
497	One year in review 2020: novelties in the treatment of rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , <b>2020</b> , 38, 181-194	2.2	9
496	Smoking and systemic sclerosis: influence on microangiopathy and expression of anti-topoisomerase I antibodies in a monocentric cohort. <i>Clinical and Experimental Rheumatology</i> , <b>2020</b> , 38 Suppl 125, 25-28	2.2	2
495	Enhanced treatment strategies and distinct disease outcomes among autoantibody-positive and -negative rheumatoid arthritis patients over 25 years: A longitudinal cohort study in the Netherlands <b>2020</b> , 17, e1003296		
494	Enhanced treatment strategies and distinct disease outcomes among autoantibody-positive and -negative rheumatoid arthritis patients over 25 years: A longitudinal cohort study in the Netherlands <b>2020</b> , 17, e1003296		
493	Enhanced treatment strategies and distinct disease outcomes among autoantibody-positive and -negative rheumatoid arthritis patients over 25 years: A longitudinal cohort study in the Netherlands <b>2020</b> , 17, e1003296		
492	Enhanced treatment strategies and distinct disease outcomes among autoantibody-positive and -negative rheumatoid arthritis patients over 25 years: A longitudinal cohort study in the Netherlands <b>2020</b> , 17, e1003296		
491	Enhanced treatment strategies and distinct disease outcomes among autoantibody-positive and -negative rheumatoid arthritis patients over 25 years: A longitudinal cohort study in the Netherlands <b>2020</b> , 17, e1003296		
490	Enhanced treatment strategies and distinct disease outcomes among autoantibody-positive and -negative rheumatoid arthritis patients over 25 years: A longitudinal cohort study in the Netherlands <b>2020</b> , 17, e1003296		
489	On the presence of HLA-SE alleles and ACPA-IgG variable domain glycosylation in the phase preceding the development of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2019</b> , 78, 1616-1624	2.4	21
488	Prognostic properties of anti-topoisomerase antibodies in patients identified by the ACR/EULAR 2013 systemic sclerosis criteria. <i>Rheumatology</i> , <b>2019</b> , 58, 730-732	3.9	2
487	In rheumatoid arthritis, changes in autoantibody levels reflect intensity of immunosuppression, not subsequent treatment response. <i>Arthritis Research and Therapy</i> , <b>2019</b> , 21, 28	5.7	18
486	Different classes of anti-modified protein antibodies are induced on exposure to antigens expressing only one type of modification. <i>Annals of the Rheumatic Diseases</i> , <b>2019</b> , 78, 908-916	2.4	27
485	Performance of the proposed ACR-EULAR classification criteria for systemic lupus erythematosus (SLE) in a cohort of patients with SLE with neuropsychiatric symptoms. <i>RMD Open</i> , <b>2019</b> , 5, e000895	5.9	9
484	N-Linked Glycans in the Variable Domain of IgG Anti-Citrullinated Protein Antibodies Predict the Development of Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , <b>2019</b> , 71, 1626-1633	9.5	49
483	ACPA-negative RA consists of subgroups: patients with high likelihood of achieving sustained DMARD-free remission can be identified by serological markers at disease presentation. <i>Arthritis Research and Therapy</i> , <b>2019</b> , 21, 121	5.7	14
482	Re-treatment with abatacept plus methotrexate for disease flare after complete treatment withdrawal in patients with early rheumatoid arthritis: 2-year results from the AVERT study. <i>RMD Open</i> , <b>2019</b> , 5, e000840	5.9	4

481	Association of response to TNF inhibitors in rheumatoid arthritis with quantitative trait loci for and CD39. <i>Annals of the Rheumatic Diseases</i> , <b>2019</b> , 78, 1055-1061	2.4	12
480	Progression of Left Ventricular Myocardial Dysfunction in Systemic Sclerosis: A Speckle-tracking Strain Echocardiography Study. <i>Journal of Rheumatology</i> , <b>2019</b> , 46, 405-415	4.1	7
479	Identification of regulators of the myofibroblast phenotype of primary dermal fibroblasts from early diffuse systemic sclerosis patients. <i>Scientific Reports</i> , <b>2019</b> , 9, 4521	4.9	18
478	Treat-to-Target Strategies in Rheumatoid Arthritis. <i>JAMA - Journal of the American Medical Association</i> , <b>2019</b> , 322, 83	27.4	1
477	Impact of the combined presence of erosions and ACPA on rheumatoid arthritis disease activity over time: results from the METEOR registry. <i>RMD Open</i> , <b>2019</b> , 5, e000969	5.9	1
476	Circulating calprotectin (S100A8/A9) is higher in rheumatoid arthritis patients that relapse within 12 months of tapering anti-rheumatic drugs. <i>Arthritis Research and Therapy</i> , <b>2019</b> , 21, 268	5.7	8
475	Autoantibody status is not associated with early treatment response to first-line methotrexate in patients with early rheumatoid arthritis. <i>Rheumatology</i> , <b>2019</b> , 58, 149-153	3.9	9
474	Autoantibody Development under Treatment with Immune-Checkpoint Inhibitors. <i>Cancer Immunology Research</i> , <b>2019</b> , 7, 6-11	12.5	61
473	Incidence and risk factors for adalimumab and infliximab anti-drug antibodies in rheumatoid arthritis: A European retrospective multicohort analysis. <i>Seminars in Arthritis and Rheumatism</i> , <b>2019</b> , 48, 967-975	5.3	28
472	Depression and anxiety associate with less remission after 1 year in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2019</b> , 78, e1	2.4	15
471	Cumulative endogenous estrogen exposure is not associated with severity of peripheral microangiopathy in patients with systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , <b>2019</b> , 37 Suppl 119, 82-87	2.2	1
470	Is current smoking status and its relationship to anti-cyclic citrullinated peptide antibodies a predictor of worse response to biological therapies in rheumatoid arthritis patients?. <i>Scandinavian Journal of Rheumatology</i> , <b>2018</b> , 47, 360-363	1.9	5
469	Conversion to seronegative status after abatacept treatment in patients with early and poor prognostic rheumatoid arthritis is associated with better radiographic outcomes and sustained remission: post hoc analysis of the AGREE study. <i>RMD Open</i> , <b>2018</b> , 4, e000564	5.9	23
468	Anti-cyclic citrullinated peptide antibodies, other common autoantibodies, and smoking as risk factors for lymphoma in patients with rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , <b>2018</b> , 47, 270-275	1.9	1
467	The B cell response to citrullinated antigens in the development of rheumatoid arthritis. <i>Nature Reviews Rheumatology</i> , <b>2018</b> , 14, 157-169	8.1	52
466	Baseline autoantibody profile in rheumatoid arthritis is associated with early treatment response but not long-term outcomes. <i>Arthritis Research and Therapy</i> , <b>2018</b> , 20, 33	5.7	24
465	Is optimising gout treatment the key to closing the mortality gap in gout patients?. <i>Annals of the Rheumatic Diseases</i> , <b>2018</b> , 77, e2	2.4	1
464	The extensive glycosylation of the ACPA variable domain observed for ACPA-IgG is absent from ACPA-IgM. <i>Annals of the Rheumatic Diseases</i> , <b>2018</b> , 77, 1087-1088	2.4	11



463	Clinical and radiological outcomes of 5-year drug-free remission-steered treatment in patients with early arthritis: IMPROVED study. <i>Annals of the Rheumatic Diseases</i> , <b>2018</b> , 77, 111-118	2.4	33
462	In RA, becoming seronegative over the first year of treatment does not translate to better chances of drug-free remission. <i>Annals of the Rheumatic Diseases</i> , <b>2018</b> , 77, 1836-1838	2.4	8
461	Two years of sarilumab in patients with rheumatoid arthritis and an inadequate response to MTX: safety, efficacy and radiographic outcomes. <i>Rheumatology</i> , <b>2018</b> , 57, 1423-1431	3.9	27
460	Induction of sustained remission in early inflammatory arthritis with the combination of infliximab plus methotrexate: the DINORA trial. <i>Arthritis Research and Therapy</i> , <b>2018</b> , 20, 174	5.7	15
459	Comparison between low disease activity or DAS remission as treatment target in patients with early active rheumatoid arthritis. <i>RMD Open</i> , <b>2018</b> , 4, e000649	5.9	5
458	B-cell receptor sequencing of anti-citrullinated protein antibody (ACPA) IgG-expressing B cells indicates a selective advantage for the introduction of -glycosylation sites during somatic hypermutation. <i>Annals of the Rheumatic Diseases</i> , <b>2018</b> , 77, 956-958	2.4	32
457	Preventing progression from arthralgia to arthritis: targeting the right patients. <i>Nature Reviews Rheumatology</i> , <b>2018</b> , 14, 32-41	8.1	59
456	Etanercept in patients with inflammatory hand osteoarthritis (EHOA): a multicentre, randomised, double-blind, placebo-controlled trial. <i>Annals of the Rheumatic Diseases</i> , <b>2018</b> , 77, 1757-1764	2.4	64
455	An evidence-based approach to pre-pregnancy counselling for patients with systemic lupus erythematosus. <i>Rheumatology</i> , <b>2018</b> , 57, 1707-1720	3.9	17
454	On-drug and drug-free remission by baseline symptom duration: abatacept with methotrexate in patients with early rheumatoid arthritis. <i>Rheumatology International</i> , <b>2018</b> , 38, 2225-2231	3.6	3
453	Fine-mapping and functional studies highlight potential causal variants for rheumatoid arthritis and type 1 diabetes. <i>Nature Genetics</i> , <b>2018</b> , 50, 1366-1374	36.3	82
452	Triple Positivity for Anti-Citrullinated Protein Autoantibodies, Rheumatoid Factor, and Anti-Carbamylated Protein Antibodies Conferring High Specificity for Rheumatoid Arthritis: Implications for Very Early Identification of At-Risk Individuals. <i>Arthritis and Rheumatology</i> , <b>2018</b> , 70, 1721-1731	9.5	55
451	The anti-carbamylated protein antibody response is of overall low avidity despite extensive isotype switching. <i>Rheumatology</i> , <b>2018</b> , 57, 1583-1591	3.9	9
450	MR signal intensity: staying on the bright side in MR image interpretation. <i>RMD Open</i> , <b>2018</b> , 4, e000728	5.9	27
449	Fc gamma receptor binding profile of anti-citrullinated protein antibodies in immune complexes suggests a role for Fc $\gamma$ RI in the pathogenesis of synovial inflammation. <i>Clinical and Experimental Rheumatology</i> , <b>2018</b> , 36, 284-293	2.2	6
448	To what extent do autoantibodies help to identify high-risk patients in systemic sclerosis?. <i>Clinical and Experimental Rheumatology</i> , <b>2018</b> , 36 Suppl 113, 109-117	2.2	4
447	Structural Analysis of Variable Domain Glycosylation of Anti-Citrullinated Protein Antibodies in Rheumatoid Arthritis Reveals the Presence of Highly Sialylated Glycans. <i>Molecular and Cellular Proteomics</i> , <b>2017</b> , 16, 278-287	7.6	61
446	Brief Report: Clinical Trials Aiming to Prevent Rheumatoid Arthritis Cannot Detect Prevention Without Adequate Risk Stratification: A Trial of Methotrexate Versus Placebo in Undifferentiated Arthritis as an Example. <i>Arthritis and Rheumatology</i> , <b>2017</b> , 69, 926-931	9.5	30

445	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2016 update. <i>Annals of the Rheumatic Diseases</i> , <b>2017</b> , 76, 960-977	7.4	1649
444	Targeted lipidomics reveals activation of resolution pathways in knee osteoarthritis in humans. <i>Osteoarthritis and Cartilage</i> , <b>2017</b> , 25, 1150-1160	6.2	34
443	Protein array autoantibody profiles to determine diagnostic markers for neuropsychiatric systemic lupus erythematosus. <i>Rheumatology</i> , <b>2017</b> , 56, 1407-1416	3.9	10
442	Evaluation of the diagnostic accuracy of hand and foot MRI for early Rheumatoid Arthritis. <i>Rheumatology</i> , <b>2017</b> , 56, 1367-1377	3.9	20
441	Long-term mortality in patients with ST-segment elevation myocardial infarction is associated with anti-citrullinated protein antibodies. <i>International Journal of Cardiology</i> , <b>2017</b> , 240, 20-24	3.2	8
440	Breach of autoreactive B cell tolerance by post-translationally modified proteins. <i>Annals of the Rheumatic Diseases</i> , <b>2017</b> , 76, 1449-1457	2.4	20
439	The prevalence of ACPA is lower in rheumatoid arthritis patients with an older age of onset but the composition of the ACPA response appears identical. <i>Arthritis Research and Therapy</i> , <b>2017</b> , 19, 115	5.7	11
438	FRI0090 Analysis of neutrophils, lymphocytes, and platelets in pooled phase 2 and phase 3 studies of baricitinib for rheumatoid arthritis <b>2017</b> ,		2
437	Auto-antibodies and cancer in systemic sclerosis. <i>Autoimmunity Reviews</i> , <b>2017</b> , 16, 883-884	13.6	6
436	Differences in the symptomatic phase preceding ACPA-positive and ACPA-negative RA: a longitudinal study in arthralgia during progression to clinical arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2017</b> , 76, 1751-1754	2.4	25
435	Sustained remission in rheumatoid arthritis: latest evidence and clinical considerations. <i>Therapeutic Advances in Musculoskeletal Disease</i> , <b>2017</b> , 9, 249-262	3.8	61
434	The isotype and IgG subclass distribution of anti-carbamylated protein antibodies in rheumatoid arthritis patients. <i>Arthritis Research and Therapy</i> , <b>2017</b> , 19, 190	5.7	17
433	Similar short-term clinical response to high-dose versus low-dose methotrexate in monotherapy and combination therapy in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , <b>2017</b> , 19, 258	5.7	3
432	Do Comorbidities Play a Role in Hand Osteoarthritis Disease Burden? Data from the Hand Osteoarthritis in Secondary Care Cohort. <i>Journal of Rheumatology</i> , <b>2017</b> , 44, 1659-1666	4.1	25
431	Rituximab in early systemic sclerosis. <i>RMD Open</i> , <b>2017</b> , 3, e000384	5.9	23
430	Genomic Influences on Susceptibility and Severity of Rheumatoid Arthritis. <i>Rheumatic Disease Clinics of North America</i> , <b>2017</b> , 43, 347-361	2.4	11
429	Molecular basis for increased susceptibility of Indigenous North Americans to seropositive rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2017</b> , 76, 1915-1923	2.4	26
428	Evaluation of the joint distribution at disease presentation of patients with rheumatoid arthritis: a large study across continents. <i>RMD Open</i> , <b>2017</b> , 3, e000568	5.9	7



427	Functional limitations in the phase of clinically suspect arthralgia are as serious as in early clinical arthritis; a longitudinal study. <i>RMD Open</i> , <b>2017</b> , 3, e000419	5.9	8
426	Pathway analysis to identify genetic variants associated with efficacy of adalimumab in rheumatoid arthritis. <i>Pharmacogenomics</i> , <b>2017</b> , 18, 945-953	2.6	4
425	Rheumatologists' adherence to a disease activity score steered treatment protocol in early arthritis patients is less if the target is remission. <i>Clinical Rheumatology</i> , <b>2017</b> , 36, 317-326	3.9	8
424	Rheumatoid arthritis patients with continued low disease activity have similar outcomes over 10 years, regardless of initial therapy. <i>Rheumatology</i> , <b>2017</b> , 56, 1721-1728	3.9	4
423	Brain histopathology in patients with systemic lupus erythematosus: identification of lesions associated with clinical neuropsychiatric lupus syndromes and the role of complement. <i>Rheumatology</i> , <b>2017</b> , 56, 77-86	3.9	61
422	Brief Report: The Role of Rare Protein-Coding Variants in Anti-Tumor Necrosis Factor Treatment Response in Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , <b>2017</b> , 69, 735-741	9.5	8
421	Is the Site of Back Pain Related to the Location of Magnetic Resonance Imaging Lesions in Patients With Chronic Back Pain? Results From the Spondyloarthritis Caught Early Cohort. <i>Arthritis Care and Research</i> , <b>2017</b> , 69, 717-723	4.7	16
420	Using a reference when defining an abnormal MRI reduces false-positive MRI results-a longitudinal study in two cohorts at risk for rheumatoid arthritis. <i>Rheumatology</i> , <b>2017</b> , 56, 1700-1706	3.9	20
419	Cerebral magnetic resonance imaging in quiescent Crohn's disease patients with fatigue. <i>World Journal of Gastroenterology</i> , <b>2017</b> , 23, 1018-1029	5.6	9
418	Patients with chronic back pain of short duration from the SPACE cohort: which MRI structural lesions in the sacroiliac joints and inflammatory and structural lesions in the spine are most specific for axial spondyloarthritis?. <i>Annals of the Rheumatic Diseases</i> , <b>2016</b> , 75, 1308-14	2.4	73
417	Identification and characterisation of citrullinated antigen-specific B cells in peripheral blood of patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2016</b> , 75, 1170-6	2.4	54
416	Impact of pulmonary fibrosis and elevated pulmonary pressures on right ventricular function in patients with systemic sclerosis. <i>Rheumatology</i> , <b>2016</b> , 55, 504-12	3.9	1
415	The genetics of rheumatoid arthritis: risk and protection in different stages of the evolution of RA. <i>Rheumatology</i> , <b>2016</b> , 55, 199-209	3.9	75
414	Crowdsourced assessment of common genetic contribution to predicting anti-TNF treatment response in rheumatoid arthritis. <i>Nature Communications</i> , <b>2016</b> , 7, 12460	17.4	54
413	A2.15 Ra phenotype at presentation differs among patients with few versus many autoantibodies. <i>Annals of the Rheumatic Diseases</i> , <b>2016</b> , 75, A21.1-A21	2.4	
412	FRI0086 Before Clinically Detectable Arthritis Develops, ACPA-Positive and ACPA-Negative Arthralgia Patients Have Different Symptoms. <i>Annals of the Rheumatic Diseases</i> , <b>2016</b> , 75, 458.1-458	2.4	
411	Effectiveness of four dynamic treatment strategies in patients with anticitrullinated protein antibody-negative rheumatoid arthritis: a randomised trial. <i>RMD Open</i> , <b>2016</b> , 2, e000143	5.9	10
410	Two-year results of disease activity score (DAS)-remission-steered treatment strategies aiming at drug-free remission in early arthritis patients (the IMPROVED-study). <i>Arthritis Research and Therapy</i> , <b>2016</b> , 18, 23	5.7	27

409	DAS steered therapy in clinical practice; cross-sectional results from the METEOR database. <i>BMC Musculoskeletal Disorders</i> , <b>2016</b> , 17, 33	2.8	1
408	Extensive glycosylation of ACPA-IgG variable domains modulates binding to citrullinated antigens in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2016</b> , 75, 578-85	2.4	119
407	Relationship of multi-biomarker disease activity score and other risk factors with radiographic progression in an observational study of patients with rheumatoid arthritis. <i>Rheumatology</i> , <b>2016</b> , 55, 357-66	3.9	27
406	Glial and axonal changes in systemic lupus erythematosus measured with diffusion of intracellular metabolites. <i>Brain</i> , <b>2016</b> , 139, 1447-57	11.2	38
405	Protective effect of HLA-DRB1*13 alleles during specific phases in the development of ACPA-positive RA. <i>Annals of the Rheumatic Diseases</i> , <b>2016</b> , 75, 1891-8	2.4	9
404	Clinical factors, anticitrullinated peptide antibodies and MRI-detected subclinical inflammation in relation to progression from clinically suspect arthralgia to arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2016</b> , 75, 1824-30	2.4	85
403	The Course of Bone Marrow Edema in Early Undifferentiated Arthritis and Rheumatoid Arthritis: A Longitudinal Magnetic Resonance Imaging Study at Bone Level. <i>Arthritis and Rheumatology</i> , <b>2016</b> , 68, 1080-8	9.5	30
402	The role of anticitrullinated protein antibodies in the early stages of rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , <b>2016</b> , 28, 275-81	5.3	14
401	Human mast cells costimulate T cells through a CD28-independent interaction. <i>European Journal of Immunology</i> , <b>2016</b> , 46, 1132-41	6.1	7
400	Therapeutic and diagnostic outcomes of a standardised, comprehensive care pathway for patients with systemic sclerosis. <i>RMD Open</i> , <b>2016</b> , 2, e000159	5.9	24
399	Smoking is associated with the concurrent presence of multiple autoantibodies in rheumatoid arthritis rather than with anti-citrullinated protein antibodies per se: a multicenter cohort study. <i>Arthritis Research and Therapy</i> , <b>2016</b> , 18, 285	5.7	33
398	Off-label use of rituximab for systemic lupus erythematosus in Europe. <i>Lupus Science and Medicine</i> , <b>2016</b> , 3, e000163	4.6	34
397	Synovial fluid mononuclear cells provide an environment for long-term survival of antibody-secreting cells and promote the spontaneous production of anti-citrullinated protein antibodies. <i>Annals of the Rheumatic Diseases</i> , <b>2016</b> , 75, 2201-2207	2.4	20
396	A2.10 The isotype and subclass distribution of anti-carbamylated protein antibodies in rheumatoid arthritis patients. <i>Annals of the Rheumatic Diseases</i> , <b>2016</b> , 75, A19.1-A19	2.4	
395	TAC-TIC use of tacrolimus-based regimens in lupus nephritis. <i>Lupus Science and Medicine</i> , <b>2016</b> , 3, e000166	4.6	20
394	Aesthetic dissatisfaction in patients with hand osteoarthritis and its impact on daily life. <i>Scandinavian Journal of Rheumatology</i> , <b>2016</b> , 45, 219-23	1.9	8
393	Predictive factors of radiological progression after 2 years of remission-steered treatment in early arthritis patients: a post hoc analysis of the IMPROVED study. <i>RMD Open</i> , <b>2016</b> , 2, e000172	5.9	13
392	When rheumatologists report that they agree with a guideline, does this mean that they practise the guideline in clinical practice? Results of the International Recommendation Implementation Study (IRIS). <i>RMD Open</i> , <b>2016</b> , 2, e000221	5.9	26

391	Body mass index and extent of MRI-detected inflammation: opposite effects in rheumatoid arthritis versus other arthritides and asymptomatic persons. <i>Arthritis Research and Therapy</i> , <b>2016</b> , 18, 245	5.7	12
390	Sustained improvements in MRI outcomes with abatacept following the withdrawal of all treatments in patients with early, progressive rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2016</b> , 75, 1501-5	2.4	17
389	Efficacy of tofacitinib monotherapy in methotrexate-naive patients with early or established rheumatoid arthritis. <i>RMD Open</i> , <b>2016</b> , 2, e000262	5.9	15
388	Long-Term Outcomes of Patients With Recent-Onset Rheumatoid Arthritis After 10 Years of Tight Controlled Treatment: A Randomized Trial. <i>Annals of Internal Medicine</i> , <b>2016</b> , 164, 523-31	8	65
387	Defining conditions where long-term glucocorticoid treatment has an acceptably low level of harm to facilitate implementation of existing recommendations: viewpoints from an EULAR task force. <i>Annals of the Rheumatic Diseases</i> , <b>2016</b> , 75, 952-7	2.4	153
386	The increased ability to present citrullinated peptides is not unique to HLA-SE molecules: arginine-to-citrulline conversion also enhances peptide affinity for HLA-DQ molecules. <i>Arthritis Research and Therapy</i> , <b>2016</b> , 18, 254	5.7	17
385	Drivers of costly treatment strategies in rheumatoid arthritis. <i>Lancet, The</i> , <b>2016</b> , 388, 213-4	40	3
384	A method to decipher pleiotropy by detecting underlying heterogeneity driven by hidden subgroups applied to autoimmune and neuropsychiatric diseases. <i>Nature Genetics</i> , <b>2016</b> , 48, 803-10	36.3	45
383	Repeated FcRI triggering reveals modified mast cell function related to chronic allergic responses in tissue. <i>Journal of Allergy and Clinical Immunology</i> , <b>2016</b> , 138, 869-880	11.5	12
382	Validity and responsiveness of the Michigan Hand Questionnaire in patients with systemic sclerosis. <i>Rheumatology</i> , <b>2016</b> , 55, 1386-93	3.9	15
381	The production and secretion of complement component C1q by human mast cells. <i>Molecular Immunology</i> , <b>2016</b> , 78, 164-170	4.3	20
380	Older age is associated with more MRI-detected inflammation in hand and foot joints. <i>Rheumatology</i> , <b>2016</b> , 55, 2212-2219	3.9	12
379	Sarilumab plus methotrexate improves patient-reported outcomes in patients with active rheumatoid arthritis and inadequate responses to methotrexate: results of a phase III trial. <i>Arthritis Research and Therapy</i> , <b>2016</b> , 18, 198	5.7	39
378	Mast cell depletion in the preclinical phase of collagen-induced arthritis reduces clinical outcome by lowering the inflammatory cytokine profile. <i>Arthritis Research and Therapy</i> , <b>2016</b> , 18, 138	5.7	20
377	Ten years of METEOR (an international rheumatoid arthritis registry): development, research opportunities and future perspectives. <i>Clinical and Experimental Rheumatology</i> , <b>2016</b> , 34, S87-S90	2.2	6
376	Anti-carbamylated protein antibodies are present prior to rheumatoid arthritis and are associated with its future diagnosis. <i>Journal of Rheumatology</i> , <b>2015</b> , 42, 572-9	4.1	92
375	Personalized medicine in rheumatoid arthritis: is the glass half full or half empty?. <i>Journal of Internal Medicine</i> , <b>2015</b> , 277, 178-187	10.8	12
374	A genetic study on C5-TRAF1 and progression of joint damage in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , <b>2015</b> , 17, 1	5.7	70

373	Determinants of reaching drug-free remission in patients with early rheumatoid or undifferentiated arthritis after one year of remission-steered treatment. <i>Rheumatology</i> , <b>2015</b> , 54, 1380-4	3.9	9
372	Aiming for a simpler early arthritis MRI protocol: can Gd contrast administration be eliminated?. <i>European Radiology</i> , <b>2015</b> , 25, 1520-7	8	32
371	Mortality in osteoarthritis patients. <i>Scandinavian Journal of Rheumatology</i> , <b>2015</b> , 44, 70-3	1.9	23
370	Immunogenetics of rheumatoid arthritis: Understanding functional implications. <i>Journal of Autoimmunity</i> , <b>2015</b> , 64, 74-81	15.5	55
369	Genetic Factors for the Severity of ACPA-negative Rheumatoid Arthritis in 2 Cohorts of Early Disease: A Genome-wide Study. <i>Journal of Rheumatology</i> , <b>2015</b> , 42, 1383-91	4.1	18
368	Anti-carbamylated protein antibodies in rheumatoid arthritis patients of Asian descent. <i>Rheumatology</i> , <b>2015</b> , 54, 1930-2	3.9	21
367	Marked variability in clinical presentation and outcome of patients with C1q immunodeficiency. <i>Journal of Autoimmunity</i> , <b>2015</b> , 62, 39-44	15.5	27
366	Rheumatoid arthritis: 2014 treat-to-target RA recommendations--strategy is key. <i>Nature Reviews Rheumatology</i> , <b>2015</b> , 11, 509-11	8.1	10
365	A multimodal MRI approach to identify and characterize microstructural brain changes in neuropsychiatric systemic lupus erythematosus. <i>NeuroImage: Clinical</i> , <b>2015</b> , 8, 337-44	5.3	35
364	Anticarbamylated protein antibodies can be detected in animal models of arthritis that require active involvement of the adaptive immune system. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, 949-50	2.4	15
363	IL-17-producing CD4+ T cells are increased in early, active axial spondyloarthritis including patients without imaging abnormalities. <i>Rheumatology</i> , <b>2015</b> , 54, 728-35	3.9	38
362	A7.4 The specificity of anti-carbamylated protein antibodies for rheumatoid arthritis in a setting of early arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, A76.1-A76	2.4	
361	Evaluation of magnetic resonance imaging-detected tenosynovitis in the hand and wrist in early arthritis. <i>Arthritis and Rheumatology</i> , <b>2015</b> , 67, 869-76	9.5	44
360	Fatigue in rheumatoid arthritis; a persistent problem: a large longitudinal study. <i>RMD Open</i> , <b>2015</b> , 1, e000041	5.9	43
359	Widespread non-additive and interaction effects within HLA loci modulate the risk of autoimmune diseases. <i>Nature Genetics</i> , <b>2015</b> , 47, 1085-90	36.3	112
358	THU0040 In Rheumatoid Arthritis, Smoking is not Associated with Anti-Citrullinated Protein Antibodies (ACPA) Per SE, but with the Concurrent Presence of Rheumatoid Factor, Acpa and Anti-Carbamylated Protein Antibodies. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, 206.4-207	2.4	
357	New data and an old puzzle: the negative association between schizophrenia and rheumatoid arthritis. <i>International Journal of Epidemiology</i> , <b>2015</b> , 44, 1706-21	7.8	43
356	Abatacept decreases disease activity in a absence of CD4(+) T cells in a collagen-induced arthritis model. <i>Arthritis Research and Therapy</i> , <b>2015</b> , 17, 220	5.7	10

355	Quality indicators in rheumatoid arthritis: results from the METEOR database. <i>Rheumatology</i> , <b>2015</b> , 54, 1630-9	3.9	18
354	Anti-citrullinated protein antibodies acquire a pro-inflammatory Fc glycosylation phenotype prior to the onset of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, 234-41	2.4	174
353	Predicting the severity of joint damage in rheumatoid arthritis; the contribution of genetic factors. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, 876-82	2.4	10
352	THU0114 Effect of Anti-Cyclic Citrullinated Peptide 2 Immunoglobulin M Serostatus on Efficacy Outcomes Following Treatment with Abatacept Plus Methotrexate in the Avert Trial. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, 234.3-235	2.4	2
351	FRI0186 Impact of Concomitant Methotrexate Dose on the Efficacy and Safety of Sarilumab for Treatment of Moderate-to-Severe Rheumatoid Arthritis: The Mobility Study. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, 491.2-492	2.4	
350	A prediction model for progressive disease in systemic sclerosis. <i>RMD Open</i> , <b>2015</b> , 1, e000113	5.9	4
349	Disease flares in rheumatoid arthritis are associated with joint damage progression and disability: 10-year results from the BeSt study. <i>Arthritis Research and Therapy</i> , <b>2015</b> , 17, 232	5.7	63
348	Studies on ageing and the severity of radiographic joint damage in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , <b>2015</b> , 17, 222	5.7	20
347	The specificity of anti-carbamylated protein antibodies for rheumatoid arthritis in a setting of early arthritis. <i>Arthritis Research and Therapy</i> , <b>2015</b> , 17, 339	5.7	55
346	Reappraisal of the diagnostic and prognostic value of morning stiffness in arthralgia and early arthritis: results from the Groningen EARC, Leiden EARC, ESPOIR, Leiden EAC and REACH. <i>Arthritis Research and Therapy</i> , <b>2015</b> , 17, 108	5.7	11
345	Anti-citrullinated protein antibodies contribute to platelet activation in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , <b>2015</b> , 17, 209	5.7	50
344	Response to Feasibility of tailored treatment based on risk stratification in patients with early rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , <b>2015</b> , 17, 171	5.7	
343	An investigation of the added value of an ACPA multiplex assay in an early rheumatoid arthritis setting. <i>Arthritis Research and Therapy</i> , <b>2015</b> , 17, 276	5.7	16
342	Twenty-eight-week results from the REALISTIC phase IIIb randomized trial: efficacy, safety and predictability of response to certolizumab pegol in a diverse rheumatoid arthritis population. <i>Arthritis Research and Therapy</i> , <b>2015</b> , 17, 325	5.7	10
341	A1.25 Visualisation and characterisation of citrullinated antigen-specific B cells from peripheral blood of patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, A11.1-A11	2.4	2
340	FRI0152 On Drug and Drug-Free Remission by Baseline Disease Duration in the Avert Trial: Abatacept Versus Methotrexate Comparison in Patients with Early Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, 477.2-478	2.4	1
339	AB0446 Treatment Effects and Minimal Clinically Important Differences in Patient-Reported Outcomes Following Treatment and Withdrawal of Abatacept, Methotrexate Or Combination Therapy in Patients with Early Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, 1044.1-1044	2.4	1
338	Ability of Interleukin-33- and Immune Complex-Triggered Activation of Human Mast Cells to Down-Regulate Monocyte-Mediated Immune Responses. <i>Arthritis and Rheumatology</i> , <b>2015</b> , 67, 2343-53	9.5	39



337	Comparative Efficacy of Novel DMARDs as Monotherapy and in Combination with Methotrexate in Rheumatoid Arthritis Patients with Inadequate Response to Conventional DMARDs: A Network Meta-Analysis. <i>Journal of Managed Care &amp; Specialty Pharmacy</i> , <b>2015</b> , 21, 409-23	1.9	63
336	Sarilumab Plus Methotrexate in Patients With Active Rheumatoid Arthritis and Inadequate Response to Methotrexate: Results of a Phase III Study. <i>Arthritis and Rheumatology</i> , <b>2015</b> , 67, 1424-37	9.5	158
335	Evaluating processes underlying the predictive value of baseline erosions for future radiological damage in early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, 883-9	2.4	12
334	Evaluation of the Disease Activity Score in Twenty-Eight Joints-Based Flare Definitions in Rheumatoid Arthritis: Data From a Three-Year Clinical Trial. <i>Arthritis Care and Research</i> , <b>2015</b> , 67, 1762-6	4.7	9
333	IL2RA is associated with persistence of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , <b>2015</b> , 17, 244	5.7	14
332	Characterising arthralgia in the preclinical phase of rheumatoid arthritis using MRI. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, 1225-32	2.4	69
331	Identification of a novel non-coding mutation in C1qB in a Dutch child with C1q deficiency associated with recurrent infections. <i>Immunobiology</i> , <b>2015</b> , 220, 422-7	3.4	12
330	Continued participation in a ten-year tight control treat-to-target study in rheumatoid arthritis: why keep patients doing their best?. <i>Arthritis Care and Research</i> , <b>2015</b> , 67, 739-45	4.7	10
329	Evaluating drug-free remission with abatacept in early rheumatoid arthritis: results from the phase 3b, multicentre, randomised, active-controlled AVERT study of 24 months, with a 12-month, double-blind treatment period. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, 19-26	2.4	155
328	Biomarkers for radiographic progression in rheumatoid arthritis. <i>Current Pharmaceutical Design</i> , <b>2015</b> , 21, 147-69	3.3	24
327	The pathogenic potential of autoreactive antibodies in rheumatoid arthritis. <i>Seminars in Immunopathology</i> , <b>2014</b> , 36, 313-25	12	22
326	Mortality in neuropsychiatric systemic lupus erythematosus (NPSLE). <i>Lupus</i> , <b>2014</b> , 23, 31-8	2.6	69
325	Genetics of rheumatoid arthritis contributes to biology and drug discovery. <i>Nature</i> , <b>2014</b> , 506, 376-81	50.4	1426
324	A multibiomarker disease activity score for rheumatoid arthritis predicts radiographic joint damage in the BeSt study. <i>Journal of Rheumatology</i> , <b>2014</b> , 41, 2114-9	4.1	33
323	Low-avidity anticitrullinated protein antibodies (ACPA) are associated with a higher rate of joint destruction in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2014</b> , 73, 270-6	2.4	33
322	Sarilumab, a fully human monoclonal antibody against IL-6R $\alpha$ in patients with rheumatoid arthritis and an inadequate response to methotrexate: efficacy and safety results from the randomised SARIL-RA-MOBILITY Part A trial. <i>Annals of the Rheumatic Diseases</i> , <b>2014</b> , 73, 1626-34	2.4	140
321	HLA-B60 and the HLA-B27/HLA-B60 genotype are not risk factors for acute anterior uveitis. <i>Annals of the Rheumatic Diseases</i> , <b>2014</b> , 73, 633-4	2.4	
320	Clustering of hand osteoarthritis progression and its relationship to progression of osteoarthritis at the knee. <i>Annals of the Rheumatic Diseases</i> , <b>2014</b> , 73, 567-72	2.4	20



319	Aiming for a shorter rheumatoid arthritis MRI protocol: can contrast-enhanced MRI replace T2 for the detection of bone marrow oedema?. <i>European Radiology</i> , <b>2014</b> , 24, 2614-22	8	29
318	Macrophage migration inhibitory factor (MIF) -173 polymorphism is associated with clinical erythema nodosum in Lfgren syndrome. <i>Cytokine</i> , <b>2014</b> , 69, 272-6	4	8
317	Is HLA-B27 increased in patients diagnosed with undifferentiated arthritis? Results from the Leiden early arthritis cohort. <i>Journal of Rheumatology</i> , <b>2014</b> , 41, 1948-51	4.1	1
316	IgE and IL-33-mediated triggering of human basophils inhibits TLR4-induced monocyte activation. <i>European Journal of Immunology</i> , <b>2014</b> , 44, 3045-55	6.1	24
315	Health-care utilization in Dutch systemic sclerosis patients. <i>Clinical Rheumatology</i> , <b>2014</b> , 33, 825-32	3.9	8
314	Assessment of global disease activity in RA patients monitored in the METEOR database: the patient versus the rheumatologist opinion. <i>Clinical Rheumatology</i> , <b>2014</b> , 33, 461-6	3.9	13
313	A genetic variant in osteoprotegerin is associated with progression of joint destruction in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , <b>2014</b> , 16, R108	5.7	16
312	Fine mapping seronegative and seropositive rheumatoid arthritis to shared and distinct HLA alleles by adjusting for the effects of heterogeneity. <i>American Journal of Human Genetics</i> , <b>2014</b> , 94, 522-32	11	132
311	Activation of human basophils by combined toll-like receptor- and FcRI-triggering can promote Th2 skewing of naive T helper cells. <i>European Journal of Immunology</i> , <b>2014</b> , 44, 386-96	6.1	51
310	Identification of a genetic variant for joint damage progression in autoantibody-positive rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2014</b> , 73, 2038-46	2.4	34
309	Anti-carbamylated protein (anti-CarP) antibodies precede the onset of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2014</b> , 73, 780-3	2.4	150
308	Follow-up study of inflammatory ultrasound features in hand osteoarthritis over a period of 3 months: variable as well as constant. <i>Osteoarthritis and Cartilage</i> , <b>2014</b> , 22, 40-3	6.2	25
307	Degree of synovitis on MRI by comprehensive whole knee semi-quantitative scoring method correlates with histologic and macroscopic features of synovial tissue inflammation in knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , <b>2014</b> , 22, 1606-13	6.2	39
306	Anti-CarP antibodies in two large cohorts of patients with rheumatoid arthritis and their relationship to genetic risk factors, cigarette smoking and other autoantibodies. <i>Annals of the Rheumatic Diseases</i> , <b>2014</b> , 73, 1761-8	2.4	92
305	HLA and rheumatoid arthritis: how do they connect?. <i>Annals of Medicine</i> , <b>2014</b> , 46, 304-10	1.5	24
304	A1.28 Anti-carp antibodies in two large cohorts of patients with rheumatoid arthritis and their relationship to genetic risk factors and smoking. <i>Annals of the Rheumatic Diseases</i> , <b>2014</b> , 73, A11.3-A12	2.4	
303	A1.29 In rheumatoid arthritis, smoking is not primarily associated with anti-citrullinaged protein antibodies, but with the presence of several autoantibodies. <i>Annals of the Rheumatic Diseases</i> , <b>2014</b> , 73, A12.1-A12	2.4	
302	Integration of sequence data from a Consanguineous family with genetic data from an outbred population identifies PLB1 as a candidate rheumatoid arthritis risk gene. <i>PLoS ONE</i> , <b>2014</b> , 9, e87645	3.7	24

301	FRI0402 Cluster Analysis of an ARRAY of Autoantibodies in Neuropsychiatric Systemic Lupus Erythematosus (NPSLE). <i>Annals of the Rheumatic Diseases</i> , <b>2014</b> , 73, 532.3-533	2.4	
300	Differential methylation within the major histocompatibility complex region in rheumatoid arthritis: a replication study. <i>Rheumatology</i> , <b>2014</b> , 53, 2317-8	3.9	9
299	A1.49 Anti-carbamylated protein antibodies (ANTI-CARP) precede the onset of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2014</b> , 73, A21.1-A21	2.4	
298	Autoimmunity: break-through in the diagnosis and treatment of immune-mediated inflammatory diseases. <i>Immunology Letters</i> , <b>2014</b> , 162, 150-62	4.1	3
297	Are baseline high molecular weight adiponectin levels associated with radiographic progression in rheumatoid arthritis and osteoarthritis?. <i>Journal of Rheumatology</i> , <b>2014</b> , 41, 853-7	4.1	11
296	Belimumab after rituximab as maintenance therapy in lupus nephritis. <i>Rheumatology</i> , <b>2014</b> , 53, 2122-4	3.9	48
295	Five-year outcomes of probable rheumatoid arthritis treated with methotrexate or placebo during the first year (the PROMPT study). <i>Annals of the Rheumatic Diseases</i> , <b>2014</b> , 73, 396-400	2.4	32
294	Feasibility of tailored treatment based on risk stratification in patients with early rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , <b>2014</b> , 16, 430	5.7	5
293	Are rheumatoid arthritis patients discernible from other early arthritis patients using 1.5T extremity magnetic resonance imaging? a large cross-sectional study. <i>Journal of Rheumatology</i> , <b>2014</b> , 41, 1630-7	4.1	17
292	Carbamylation and antibodies against carbamylated proteins in autoimmunity and other pathologies. <i>Autoimmunity Reviews</i> , <b>2014</b> , 13, 225-30	13.6	83
291	Antibodies specific for carbamylated proteins precede the onset of clinical symptoms in mice with collagen induced arthritis. <i>PLoS ONE</i> , <b>2014</b> , 9, e102163	3.7	29
290	An innovative care model coordinated by a physical therapist and nurse practitioner for osteoarthritis of the hip and knee in specialist care: a prospective study. <i>Rheumatology International</i> , <b>2013</b> , 33, 1821-8	3.6	13
289	Circulating plasmablasts/plasmacells as a source of anticitrullinated protein antibodies in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 1259-63	2.4	54
288	Neuropsychiatric manifestations in patients with systemic lupus erythematosus: epidemiology and radiology pointing to an immune-mediated cause. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72 Suppl 2, ii76-9	2.4	53
287	A7.10 Genetic Variants in the IL-4 and IL-4 Receptor Genes in Association with the Severity of Joint Damage in Rheumatoid Arthritis: A Study in Seven Cohorts. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, A51.2-A51	2.4	1
286	Demyelinating disease in SLE: is it multiple sclerosis or lupus?. <i>Best Practice and Research in Clinical Rheumatology</i> , <b>2013</b> , 27, 405-24	5.3	31
285	An explorative study comparing levels of soluble mediators in control and osteoarthritic synovial fluid. <i>Osteoarthritis and Cartilage</i> , <b>2013</b> , 21, 918-22	6.2	74
284	Genome-wide association analysis of anti-TNF drug response in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 1375-81	2.4	79

283	DX5+ CD4+ T cells modulate CD4+ T-cell response via inhibition of IL-12 production by DCs. <i>European Journal of Immunology</i> , <b>2013</b> , 43, 439-46	6.1	3
282	In erosive hand osteoarthritis more inflammatory signs on ultrasound are found than in the rest of hand osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 930-4	2.4	61
281	Biologic and oral disease-modifying antirheumatic drug monotherapy in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 1897-904	2.4	96
280	Epistasis between two HLA antigens defines a subset of individuals at a very high risk for ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 974-8	2.4	31
279	Recognition of citrullinated and carbamylated proteins by human antibodies: specificity, cross-reactivity and the AMC-Sensu method. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 148-50	2.4	66
278	Concentration-controlled treatment of lupus nephritis with mycophenolate mofetil. <i>Lupus</i> , <b>2013</b> , 22, 171-9	2.6	24
277	Association study of candidate genes for the progression of hand osteoarthritis. <i>Osteoarthritis and Cartilage</i> , <b>2013</b> , 21, 565-9	6.2	24
276	Autoimmunity in rheumatoid arthritis: different antigens--common principles. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72 Suppl 2, ii132-6	2.4	42
275	OP0114 Improving early recognition of arthritis: Evaluation of the first year results on two early arthritis recognition clinics. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 71, 91.3-92	2.4	
274	Personalized medicine: predicting responses to therapy in patients with RA. <i>Current Opinion in Pharmacology</i> , <b>2013</b> , 13, 463-9	5.1	26
273	MRI of hand and foot joints of patients with anticitrullinated peptide antibody positive arthralgia without clinical arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 1540-4	2.4	46
272	ASAS modification of the Berlin algorithm for diagnosing axial spondyloarthritis: results from the SPondyloArthritis Caught Early (SPACE)-cohort and from the Assessment of SpondyloArthritis international Society (ASAS)-cohort. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 1646-53	2.4	102
271	Genetic studies on components of the Wnt signalling pathway and the severity of joint destruction in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 769-75	2.4	53
270	The concentration of anticitrullinated protein antibodies in serum and synovial fluid in relation to total immunoglobulin concentrations. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 1059-63	2.4	17
269	A7.1 A Genetic Variant in the Region of MMP-9 is Associated with Serum Levels and Progression of Joint Damage in Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, A48.1-A48	2.4	1
268	Evaluation of the contribution of cumulative levels of inflammation to the variance in joint destruction in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 307-8	2.4	8
267	Early local swelling and tenderness are associated with large-joint damage after 8 years of treatment to target in patients with recent-onset rheumatoid arthritis. <i>Journal of Rheumatology</i> , <b>2013</b> , 40, 624-9	4.1	14
266	Comparison of methodologies for analysing the progression of joint destruction in rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , <b>2013</b> , 42, 182-9	1.9	27

265	Pathogenic relevance of anti-citrullinated vimentin antibodies: comment on the article by Montes et al. <i>Arthritis and Rheumatism</i> , <b>2013</b> , 65, 541-2		
264	Anti-carbamylated protein antibodies are present in arthralgia patients and predict the development of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2013</b> , 65, 911-5		142
263	Metabolic profiling reveals differences in concentrations of oxylipins and fatty acids secreted by the infrapatellar fat pad of donors with end-stage osteoarthritis and normal donors. <i>Arthritis and Rheumatism</i> , <b>2013</b> , 65, 2606-14		30
262	Genome-wide association study and gene expression analysis identifies CD84 as a predictor of response to etanercept therapy in rheumatoid arthritis. <i>PLoS Genetics</i> , <b>2013</b> , 9, e1003394	6	127
261	Allele-dose association of the C5orf30 rs26232 variant with joint damage in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2013</b> , 65, 2555-61		17
260	Evaluating joint destruction in rheumatoid arthritis: is it necessary to radiograph both hands and feet?. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 345-9	2.4	18
259	A5.4 Anti Carbamylated Protein Antibodies (Anti-CarP) Are Present in Arthralgia Patients and Predict the Development of Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, A31.2-A31 <sup>2.4</sup>		2
258	Serum pyridinoline levels and prediction of severity of joint destruction in rheumatoid arthritis. <i>Journal of Rheumatology</i> , <b>2013</b> , 40, 1303-6	4.1	14
257	Dr. Zirkzee, et al reply. <i>Journal of Rheumatology</i> , <b>2013</b> , 40, 204		4.1
256	Communication between human mast cells and CD4(+) T cells through antigen-dependent interactions. <i>European Journal of Immunology</i> , <b>2013</b> , 43, 1758-68	6.1	41
255	Adding tocilizumab or switching to tocilizumab monotherapy in methotrexate inadequate responders: 24-week symptomatic and structural results of a 2-year randomised controlled strategy trial in rheumatoid arthritis (ACT-RAY). <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 43-50	2.4	223
254	Platelets and autoimmunity. <i>European Journal of Clinical Investigation</i> , <b>2013</b> , 43, 746-57	4.6	62
253	Adipocyte-derived lipids modulate CD4+ T-cell function. <i>European Journal of Immunology</i> , <b>2013</b> , 43, 1578-87		38
252	Adipocytes modulate the phenotype of human macrophages through secreted lipids. <i>Journal of Immunology</i> , <b>2013</b> , 191, 1356-63	5.3	37
251	Improved early identification of arthritis: evaluating the efficacy of Early Arthritis Recognition Clinics. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 1295-301	2.4	26
250	Crowdsourcing genetic prediction of clinical utility in the Rheumatoid Arthritis Responder Challenge. <i>Nature Genetics</i> , <b>2013</b> , 45, 468-9	36.3	20
249	Reasons for medical help-seeking behaviour of patients with recent-onset arthralgia. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 1302-7	2.4	16
248	A1.1 Anti-Citrullinated Protein Antibody Specific Fc Glycosylation Patterns in Arthralgia Patients. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, A1.1-A1	2.4	1

247	A1.8 Magnetic Resonance Imaging of Hand and Foot Joints of Patients with ACPA Positive Arthralgia without Clinical Arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, A3.3-A3	2.4	1
246	A4.2 Adipocytes Modulate T Cell Function through Release of Lipids. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, A24.1-A24	2.4	
245	OP0193 Motivations for seeking medical advice in arthralgia and early arthritis patients. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 71, 120.1-120	2.4	
244	A10.21 Toll-Like Receptor Triggering of Human Basophils May Synergise with IgE-Mediated Activation in ACPA+ RA. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, A79.2-A79	2.4	
243	OP0134 Risk stratification in patients with undifferentiated arthritis according to the 2010 ACR/EULAR criteria. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 71, 98.3-99	2.4	
242	THU0020 Serum pyridinoline levels predict the severity of future joint destruction in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 71, 160.2-160	2.4	
241	A5.29 Spontaneous Production of Anti-Citrullinated Protein Antibodies in Cultures of Peripheral Blood Mononuclear Cells and Synovial Fluid Mononuclear Cells Isolated from Patients with Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, A41.1-A41	2.4	
240	A4.3 Adipocytes Modulate the Phenotype of Macrophages through Secreted Lipids. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, A24.2-A24	2.4	
239	A4.5 Do High Molecular Weight Adiponectin Levels Associate with Radiographic Progression in early Rheumatoid Arthritis and Hand Osteoarthritis?. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, A25.1-A25	2.4	
238	Profiling the secretion of soluble mediators by end stage osteoarthritis synovial tissue explants reveals a reduced responsiveness to an inflammatory trigger. <i>PLoS ONE</i> , <b>2013</b> , 8, e62634	3.7	4
237	The additive value of magnetic resonance imaging for bone edema in predicting rheumatoid arthritis development in early undifferentiated arthritis: comment on the article by Duer-Jensen et al. <i>Arthritis and Rheumatism</i> , <b>2012</b> , 64, 321-2; author reply 322-3		3
236	High-density genetic mapping identifies new susceptibility loci for rheumatoid arthritis. <i>Nature Genetics</i> , <b>2012</b> , 44, 1336-40	36.3	436
235	Efficacy and safety of certolizumab pegol in a broad population of patients with active rheumatoid arthritis: results from the REALISTIC phase IIIb study. <i>Rheumatology</i> , <b>2012</b> , 51, 2204-14	3.9	102
234	The association of treatment response and joint damage with ACPA-status in recent-onset RA: a subanalysis of the 8-year follow-up of the BeSt study. <i>Annals of the Rheumatic Diseases</i> , <b>2012</b> , 71, 245-8	2.4	53
233	The influence of ACPA status and characteristics on the course of RA. <i>Nature Reviews Rheumatology</i> , <b>2012</b> , 8, 144-52	8.1	144
232	Risk factors for reported influenza and influenza-like symptoms in patients with rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , <b>2012</b> , 41, 359-65	1.9	15
231	Towards personalized treatment: predictors of short-term HAQ response in recent-onset active rheumatoid arthritis are different from predictors of rapid radiological progression. <i>Scandinavian Journal of Rheumatology</i> , <b>2012</b> , 41, 15-9	1.9	8
230	Sustained drug-free remission in rheumatoid arthritis after DAS-driven or non-DAS-driven therapy: a comparison of two cohort studies. <i>Rheumatology</i> , <b>2012</b> , 51, 1120-8	3.9	28



229	Clinical pharmacogenetic model to predict response of MTX monotherapy in patients with established rheumatoid arthritis after DMARD failure. <i>Pharmacogenomics</i> , <b>2012</b> , 13, 1087-94	2.6	27
228	Synovial inflammation, immune cells and their cytokines in osteoarthritis: a review. <i>Osteoarthritis and Cartilage</i> , <b>2012</b> , 20, 1484-99	6.2	385
227	Anticytomegalovirus seropositivity in rheumatoid arthritis is not associated with the presence of severe extraarticular complications: comment on the article by Pierer et al. <i>Arthritis and Rheumatism</i> , <b>2012</b> , 64, 2803-4; author reply 2804-5		1
226	Genetic predisposition of the severity of joint destruction in rheumatoid arthritis: a population-based study. <i>Annals of the Rheumatic Diseases</i> , <b>2012</b> , 71, 707-9	2.4	57
225	Prospective study of clinical phenotypes in neuropsychiatric systemic lupus erythematosus; multidisciplinary approach to diagnosis and therapy. <i>Journal of Rheumatology</i> , <b>2012</b> , 39, 2118-26	4.1	47
224	The ACPA recognition profile and subgrouping of ACPA-positive RA patients. <i>Annals of the Rheumatic Diseases</i> , <b>2012</b> , 71, 268-74	2.4	54
223	EULAR recommendations for terminology and research in individuals at risk of rheumatoid arthritis: report from the Study Group for Risk Factors for Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2012</b> , 71, 638-41	2.4	263
222	Remission induction therapy with methotrexate and prednisone in patients with early rheumatoid and undifferentiated arthritis (the IMPROVED study). <i>Annals of the Rheumatic Diseases</i> , <b>2012</b> , 71, 1472-7	2.4	70
221	Performance of classification criteria for peripheral spondyloarthritis and psoriatic arthritis in the Leiden Early Arthritis cohort. <i>Annals of the Rheumatic Diseases</i> , <b>2012</b> , 71, 1366-9	2.4	38
220	Genetic predisposition of the severity of joint destruction in rheumatoid arthritis; a population based study. <i>Annals of the Rheumatic Diseases</i> , <b>2012</b> , 71, A56.2-A56	2.4	
219	Anti-citrullinated protein antibodies (ACPA) in early rheumatoid arthritis. <i>Modern Rheumatology</i> , <b>2012</b> , 22, 15-20	3.3	23
218	The contribution of genetic risk factors other than the HLA shared epitope alleles to the genetic variance of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2012</b> , 71, A52.1-A52	2.4	
217	Immunosuppressive DX5+ T cells are potent inhibitors of Th-1 responses via modulation of DCs. <i>Annals of the Rheumatic Diseases</i> , <b>2012</b> , 71, A17.2-A18	2.4	
216	Anti-citrullinated protein antibodies (ACPA) in early rheumatoid arthritis. <i>Modern Rheumatology</i> , <b>2012</b> , 22, 15-20	3.3	11
215	Animal models for arthritis: innovative tools for prevention and treatment. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, 1357-62	2.4	78
214	Mast cells are the main interleukin 17-positive cells in anticitrullinated protein antibody-positive and -negative rheumatoid arthritis and osteoarthritis synovium. <i>Arthritis Research and Therapy</i> , <b>2011</b> , 13, R150	5.7	69
213	Role of rheumatology clinical nurse specialists in optimizing management of hand osteoarthritis during daily practice in secondary care: an observational study. <i>Journal of Multidisciplinary Healthcare</i> , <b>2011</b> , 4, 403-11	2.8	5
212	Treatment strategies in recent onset rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , <b>2011</b> , 23, 241-4	5.3	6



211	Drug-free remission: is it already possible?. <i>Current Opinion in Rheumatology</i> , <b>2011</b> , 23, 266-72	5.3	19
210	Variants of gene for microsomal prostaglandin E2 synthase show association with disease and severe inflammation in rheumatoid arthritis. <i>European Journal of Human Genetics</i> , <b>2011</b> , 19, 908-14	5.3	13
209	Body mass index and alignment and their interaction as risk factors for progression of knees with radiographic signs of osteoarthritis. <i>Osteoarthritis and Cartilage</i> , <b>2011</b> , 19, 1117-22	6.2	34
208	Validity of joint space width measurements in hand osteoarthritis. <i>Osteoarthritis and Cartilage</i> , <b>2011</b> , 19, 1349-55	6.2	11
207	Genetics of rheumatoid arthritis: what have we learned?. <i>Immunogenetics</i> , <b>2011</b> , 63, 459-66	3.2	119
206	The interaction between HLA shared epitope alleles and smoking and its contribution to autoimmunity against several citrullinated antigens. <i>Arthritis and Rheumatism</i> , <b>2011</b> , 63, 1823-32		48
205	Baseline serum adipokine levels predict radiographic progression in early rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2011</b> , 63, 2567-74		83
204	Recommendations for publication of genetic association studies in Arthritis & Rheumatism. <i>Arthritis and Rheumatism</i> , <b>2011</b> , 63, 2839-47		18
203	Left ventricular dysfunction assessed by speckle-tracking strain analysis in patients with systemic sclerosis: relationship to functional capacity and ventricular arrhythmias. <i>Arthritis and Rheumatism</i> , <b>2011</b> , 63, 3969-78		59
202	Do knee abnormalities visualised on MRI explain knee pain in knee osteoarthritis? A systematic review. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, 60-7	2.4	250
201	Predicting arthritis outcomes--what can be learned from the Leiden Early Arthritis Clinic?. <i>Rheumatology</i> , <b>2011</b> , 50, 93-100	3.9	207
200	The impact of four dynamic, goal-steered treatment strategies on the 5-year outcomes of rheumatoid arthritis patients in the BeSt study. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, 1039-46	2.4	129
199	State of the art lecture: IP53. Inflammatory Arthritis: Prospects for Next Decade. <i>Rheumatology</i> , <b>2011</b> , 50, iii11-iii11	3.9	
198	Meta-analysis of genome-wide association studies in celiac disease and rheumatoid arthritis identifies fourteen non-HLA shared loci. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, A21-A21	2.4	
197	PADI4 polymorphism predisposes male smokers to rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, 512-5	2.4	44
196	The window of opportunity in ACPA-positive rheumatoid arthritis is not explained by ACPA characteristics. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, 1697-8	2.4	6
195	The development of a simple questionnaire to screen patients with SLE for the presence of neuropsychiatric symptoms in routine clinical practice. <i>Lupus</i> , <b>2011</b> , 20, 485-92	2.6	12
194	Fc-glycosylation of IgG1 is modulated by B cell Stimuli. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, A61-A61		

193	Distinct ACPA fine-specificities, formed under the influence of HLA shared epitope alleles, have no effect on radiographic joint damage in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, A5-A5	2.4	
192	Association between leptin, adiponectin and resistin and long-term progression of hand osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, 1282-4	2.4	108
191	Osteophytes and joint space narrowing are independently associated with pain in finger joints in hand osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, 1835-7	2.4	50
190	Anti-cyclic citrullinated peptide antibodies are a collection of anti-citrullinated protein antibodies and contain overlapping and non-overlapping reactivities. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, 188-93	2.4	100
189	Which elements of the criteria for RA are stable over time?. <i>Rheumatology</i> , <b>2011</b> , 50, 248-9	3.9	1
188	Genetic interaction in the susceptibility of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, A84-A84	2.4	1
187	Autoantibodies recognizing carbamylated proteins are present in sera of patients with rheumatoid arthritis and predict joint damage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 17372-7	11.5	385
186	The interaction between HLA SE alleles and smoking and its contribution to autoimmunity against several citrullinated antigens. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, A1-A1	2.4	2
185	Health care usage in Dutch systemic lupus erythematosus patients. <i>Lupus</i> , <b>2011</b> , 20, 1147-54	2.6	4
184	Distinct ACPA fine specificities, formed under the influence of HLA shared epitope alleles, have no effect on radiographic joint damage in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, 1461-4	2.4	39
183	Meta-analysis of genome-wide association studies in celiac disease and rheumatoid arthritis identifies fourteen non-HLA shared loci. <i>PLoS Genetics</i> , <b>2011</b> , 7, e1002004	6	260
182	Determinants of absence of osteoarthritis in old age. <i>Scandinavian Journal of Rheumatology</i> , <b>2011</b> , 40, 68-73	1.9	33
181	Association between several clinical and radiological determinants with long-term clinical progression and good prognosis of lower limb osteoarthritis. <i>PLoS ONE</i> , <b>2011</b> , 6, e25426	3.7	20
180	A quantitative approach to early rheumatoid arthritis. <i>Bulletin of the NYU Hospital for Joint Diseases</i> , <b>2011</b> , 69, 116-21		4
179	Genome-wide association study meta-analysis identifies seven new rheumatoid arthritis risk loci. <i>Nature Genetics</i> , <b>2010</b> , 42, 508-14	36.3	969
178	Gene-environment interaction influences the reactivity of autoantibodies to citrullinated antigens in rheumatoid arthritis. <i>Nature Genetics</i> , <b>2010</b> , 42, 814-6; author reply 816	36.3	57
177	Epitope spreading of the anti-citrullinated protein antibody response occurs before disease onset and is associated with the disease course of early arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 1554-61	2.4	217
176	Repair of joint erosions in rheumatoid arthritis: prevalence and patient characteristics in a large inception cohort. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 727-9	2.4	30

175	The ACPA isotype profile reflects long-term radiographic progression in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 1110-6	2.4	58
174	Thumb base involvement in symptomatic hand osteoarthritis is associated with more pain and functional disability. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 585-7	2.4	91
173	Prevention of autoimmune rheumatic disease: state of the art and future perspectives. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 2062-6	2.4	71
172	Genetic variants in the prediction of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 1694-6	2.4	36
171	Evidence for treating rheumatoid arthritis to target: results of a systematic literature search. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 638-643	2.4	168
170	Loss of imprinting of IGF2 characterises high IGF2 mRNA-expressing type of fibroblast-like synoviocytes in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 1239-42	2.4	9
169	Association between weight or body mass index and hand osteoarthritis: a systematic review. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 761-5	2.4	267
168	Blood pressure changes in patients with recent-onset rheumatoid arthritis treated with four different treatment strategies: a post hoc analysis from the BeSt trial. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 1342-5	2.4	40
167	Disease activity monitoring in rheumatoid arthritis in daily practice: experiences with METEOR, a free online tool. <i>Journal of Rheumatology</i> , <b>2010</b> , 37, 2632-3	4.1	10
166	Antibodies to porphyromonas gingivalis are associated with anticitrullinated protein antibodies in patients with rheumatoid arthritis and their relatives. <i>Journal of Rheumatology</i> , <b>2010</b> , 37, 1105-12	4.1	158
165	The TRAF1-C5 region on chromosome 9q33 is associated with multiple autoimmune diseases. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 696-9	2.4	46
164	Pain in hand osteoarthritis is associated with inflammation: the value of ultrasound. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 1367-9	2.4	83
163	Association of the 6q23 region with the rate of joint destruction in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 567-70	2.4	26
162	The joint-gut axis in inflammatory bowel diseases. <i>Journal of Crohns and Colitis</i> , <b>2010</b> , 4, 257-68	1.5	85
161	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 964-75	2.4	1210
160	The 2010 American College of Rheumatology/European League Against Rheumatism classification criteria for rheumatoid arthritis: methodological report phase I. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 1589-95	2.4	117
159	Functional polymorphisms and methotrexate treatment outcome in recent-onset rheumatoid arthritis. <i>Pharmacogenomics</i> , <b>2010</b> , 11, 163-75	2.6	57
158	Adoptive transfer of IL-10-secreting CD4+CD49b+ regulatory T cells suppresses ongoing arthritis. <i>Journal of Autoimmunity</i> , <b>2010</b> , 34, 390-9	15.5	25

157	Rheumatoid arthritis. <i>Lancet, The</i> , <b>2010</b> , 376, 1094-108	4.0	2155
156	2010 rheumatoid arthritis classification criteria: an American College of Rheumatology/European League Against Rheumatism collaborative initiative. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 1580-8	2.4	2158
155	Survival, comorbidities and joint damage 11 years after the COBRA combination therapy trial in early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 807-12	2.4	77
154	Low innate production of interleukin-1beta and interleukin-6 is associated with the absence of osteoarthritis in old age. <i>Osteoarthritis and Cartilage</i> , <b>2010</b> , 18, 942-7	6.2	48
153	Doyle Index is a valuable additional pain measure in osteoarthritis. <i>Osteoarthritis and Cartilage</i> , <b>2010</b> , 18, 1046-50	6.2	18
152	Treatment with TNF- $\alpha$ inhibitor infliximab might reduce hand osteoarthritis in patients with rheumatoid arthritis. <i>Osteoarthritis and Cartilage</i> , <b>2010</b> , 18, 1256-62	6.2	51
151	Neutralization of IL-4 reverses the nonresponsiveness of CD4+ T cells to regulatory T-cell induction in non-responder mouse strains. <i>Molecular Immunology</i> , <b>2010</b> , 48, 137-46	4.3	8
150	DX5(+)CD4(+) T cells modulate cytokine production by CD4(+) T cells towards IL-10 via the production of IL-4. <i>European Journal of Immunology</i> , <b>2010</b> , 40, 2731-40	6.1	5
149	Validity of the disease activity score in undifferentiated arthritis. <i>Arthritis Care and Research</i> , <b>2010</b> , 62, 1392-8	4.7	6
148	Identification of citrullinated vimentin peptides as T cell epitopes in HLA-DR4-positive patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2010</b> , 62, 117-25		91
147	Protection against anti-citrullinated protein antibody-positive rheumatoid arthritis is predominantly associated with HLA-DRB1*1301: a meta-analysis of HLA-DRB1 associations with anti-citrullinated protein antibody-positive and anti-citrullinated protein antibody-negative rheumatoid arthritis in four European populations. <i>Arthritis and Rheumatism</i> , <b>2010</b> , 62, 1236-45		114
146	Glycan profiling of anti-citrullinated protein antibodies isolated from human serum and synovial fluid. <i>Arthritis and Rheumatism</i> , <b>2010</b> , 62, 1620-9		148
145	Rheumatoid arthritis risk allele PTPRC is also associated with response to anti-tumor necrosis factor alpha therapy. <i>Arthritis and Rheumatism</i> , <b>2010</b> , 62, 1849-61		74
144	The 2010 American College of Rheumatology/European League Against Rheumatism classification criteria for rheumatoid arthritis: Phase 2 methodological report. <i>Arthritis and Rheumatism</i> , <b>2010</b> , 62, 2582-91		182
143	2010 Rheumatoid arthritis classification criteria: an American College of Rheumatology/European League Against Rheumatism collaborative initiative. <i>Arthritis and Rheumatism</i> , <b>2010</b> , 62, 2569-81		4825
142	Long-term impact of delay in assessment of patients with early arthritis. <i>Arthritis and Rheumatism</i> , <b>2010</b> , 62, 3537-46		262
141	Tract-based spatial statistics on diffusion tensor imaging in systemic lupus erythematosus reveals localized involvement of white matter tracts. <i>Arthritis and Rheumatism</i> , <b>2010</b> , 62, 3716-21		44
140	De novo generation and enhanced suppression of human CD4+CD25+ regulatory T cells by retinoic acid. <i>Journal of Immunology</i> , <b>2009</b> , 183, 4119-26	5.3	89

139	Functional killer Ig-like receptors on human memory CD4+ T cells specific for cytomegalovirus. <i>Journal of Immunology</i> , <b>2009</b> , 182, 4175-82	5.3	29
138	Quality indicators in rheumatology: valid for whom?. <i>Annals of the Rheumatic Diseases</i> , <b>2009</b> , 68, 1797-9	2.4	5
137	Residual inflammation after rituximab treatment is associated with sustained synovial plasma cell infiltration and enhanced B cell repopulation. <i>Annals of the Rheumatic Diseases</i> , <b>2009</b> , 68, 1011-6	2.4	52
136	Criteria for the selection of single nucleotide polymorphisms in pathway pharmacogenetics: TNF inhibitors as a case study. <i>Drug Discovery Today</i> , <b>2009</b> , 14, 837-44	8.8	8
135	The use of data from early arthritis clinics for clinical research. <i>Best Practice and Research in Clinical Rheumatology</i> , <b>2009</b> , 23, 117-23	5.3	7
134	DC-induced CD8(+) T-cell response is inhibited by MHC class II-dependent DX5(+)CD4(+) Treg. <i>European Journal of Immunology</i> , <b>2009</b> , 39, 1765-73	6.1	8
133	Quantitative heritability of anti-citrullinated protein antibody-positive and anti-citrullinated protein antibody-negative rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 916-23		158
132	Confirmation of STAT4, IL2/IL21, and CTLA4 polymorphisms in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 1255-60		81
131	Prevalence of and predictive factors for sustained disease-modifying antirheumatic drug-free remission in rheumatoid arthritis: results from two large early arthritis cohorts. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 2262-71		154
130	Value of anti-modified citrullinated vimentin and third-generation anti-cyclic citrullinated peptide compared with second-generation anti-cyclic citrullinated peptide and rheumatoid factor in predicting disease outcome in undifferentiated arthritis and rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 2232-41		114
129	Association of a single-nucleotide polymorphism in CD40 with the rate of joint destruction in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 2242-7		84
128	Genetic variants at CD28, PRDM1 and CD2/CD58 are associated with rheumatoid arthritis risk. <i>Nature Genetics</i> , <b>2009</b> , 41, 1313-8	36.3	272
127	The BeSt story: on strategy trials in rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , <b>2009</b> , 21, 291-8	5.3	26
126	Common variants at CD40 and other loci confer risk of rheumatoid arthritis. <i>Nature Genetics</i> , <b>2008</b> , 40, 1216-23	36.3	416
125	Translating basic research into clinical rheumatology. <i>Best Practice and Research in Clinical Rheumatology</i> , <b>2008</b> , 22, 299-310	5.3	6
124	Advances in the genetics of rheumatoid arthritis point to subclassification into distinct disease subsets. <i>Arthritis Research and Therapy</i> , <b>2008</b> , 10, 205	5.7	101
123	Hyperpigmentation of the skin due to hydroxychloroquine. <i>Scandinavian Journal of Rheumatology</i> , <b>2008</b> , 37, 158	1.9	12
122	Gene therapy and cement injection for restabilization of loosened hip prostheses. <i>Human Gene Therapy</i> , <b>2008</b> , 19, 83-95	4.8	23

121	Cutting edge: TNFR-shedding by CD4+CD25+ regulatory T cells inhibits the induction of inflammatory mediators. <i>Journal of Immunology</i> , <b>2008</b> , 180, 2747-51	5.3	94
120	Rituximab in relapsing Graves disease, a phase II study. <i>European Journal of Endocrinology</i> , <b>2008</b> , 159, 609-15	6.5	70
119	Lupus and the central nervous system. <i>Lupus</i> , <b>2008</b> , 17, 376-9	2.6	17
118	Gene therapy for the treatment of hip prosthesis loosening: adverse events in a phase 1 clinical study. <i>Human Gene Therapy</i> , <b>2008</b> , 19, 1029-38	4.8	7
117	A European perspective on the 50th anniversary of Arthritis & Rheumatism. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, S136-9		
116	Validation of a prediction rule for disease outcome in patients with recent-onset undifferentiated arthritis: moving toward individualized treatment decision-making. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 2241-7		121
115	Marked differences in fine specificity and isotype usage of the anti-citrullinated protein antibody in health and disease. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 3000-8		139
114	A large-scale rheumatoid arthritis genetic study identifies association at chromosome 9q33.2. <i>PLoS Genetics</i> , <b>2008</b> , 4, e1000107	6	63
113	Vascular compromise of a finger due to tenosynovitis. <i>Journal of Rheumatology</i> , <b>2008</b> , 35, 354	4.1	1
112	Exploratory analysis of four polymorphisms in human GGH and FPGS genes and their effect in methotrexate-treated rheumatoid arthritis patients. <i>Pharmacogenomics</i> , <b>2007</b> , 8, 141-50	2.6	54
111	The HLA-DRB1 shared epitope alleles differ in the interaction with smoking and predisposition to antibodies to cyclic citrullinated peptide. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 425-32		112
110	A prediction rule for disease outcome in patients with recent-onset undifferentiated arthritis: how to guide individual treatment decisions. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 433-40		267
109	Efficacy of methotrexate treatment in patients with probable rheumatoid arthritis: a double-blind, randomized, placebo-controlled trial. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 1424-32		289
108	A clinical pharmacogenetic model to predict the efficacy of methotrexate monotherapy in recent-onset rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 1765-75		193
107	Emerging patterns of risk factor make-up enable subclassification of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 1728-35		41
106	Inflammation and ectopic lymphoid structures in rheumatoid arthritis synovial tissues dissected by genomics technology: identification of the interleukin-7 signaling pathway in tissues with lymphoid neogenesis. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 2492-502		138
105	Transient expression of FOXP3 in human activated nonregulatory CD4+ T cells. <i>European Journal of Immunology</i> , <b>2007</b> , 37, 129-38	6.1	802
104	Engraftment of cutaneous fibroblasts within synovial membrane in a nonhuman primate: short-term results. <i>Joint Bone Spine</i> , <b>2007</b> , 74, 48-51	2.9	8



103	Potential role of pharmacogenetics in anti-TNF treatment of rheumatoid arthritis and Crohn's disease. <i>Drug Discovery Today</i> , <b>2007</b> , 12, 125-31	8.8	52
102	A novel role of complement factor C1q in augmenting the presentation of antigen captured in immune complexes to CD8+ T lymphocytes. <i>Journal of Immunology</i> , <b>2007</b> , 178, 7581-6	5.3	28
101	The battle between anti-cyclic citrullinated peptide and rheumatoid factor tests--a winner at last?. <i>Nature Clinical Practice Rheumatology</i> , <b>2007</b> , 3, 696-7		1
100	A candidate gene approach identifies the TRAF1/C5 region as a risk factor for rheumatoid arthritis. <i>PLoS Medicine</i> , <b>2007</b> , 4, e278	11.6	192
99	Anti-NMDA receptor autoantibodies in patients with systemic lupus erythematosus and their first-degree relatives. <i>Lupus</i> , <b>2007</b> , 16, 329-34	2.6	52
98	Immunomodulatory dendritic cells inhibit Th1 responses and arthritis via different mechanisms. <i>Journal of Immunology</i> , <b>2007</b> , 179, 1506-15	5.3	79
97	Protective effect of noninherited maternal HLA-DR antigens on rheumatoid arthritis development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2007</b> , 104, 19966-70	11.5	52
96	Pharmacogenetics in the future treatment of rheumatology. <i>Future Rheumatology</i> , <b>2007</b> , 2, 337-339		
95	Acitretin-related ossification. <i>Journal of Rheumatology</i> , <b>2007</b> , 34, 837-8	4.1	9
94	Arthrographies au cours des prothèses de hanche descellées. Évaluation des possibilités thérapeutiques intra-articulaires. <i>Revue Du Rhumatisme (Edition Française)</i> , <b>2006</b> , 73, 1351-1357	0.1	
93	Genetic markers of treatment response in rheumatoid arthritis. <i>Current Rheumatology Reports</i> , <b>2006</b> , 8, 369-77	4.9	12
92	Arthrography in loosened hip prostheses. Assessment of possibilities for intra-articular therapy. <i>Joint Bone Spine</i> , <b>2006</b> , 73, 684-90	2.9	4
91	Efficacy and toxicity of methotrexate in early rheumatoid arthritis are associated with single-nucleotide polymorphisms in genes coding for folate pathway enzymes. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 1087-95		164
90	The HLA-DRB1 shared epitope alleles are primarily a risk factor for anti-cyclic citrullinated peptide antibodies and are not an independent risk factor for development of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 1117-21		253
89	Variation in radiologic joint destruction in rheumatoid arthritis differs between monozygotic and dizygotic twins and pairs of unrelated patients. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 2028-30		28
88	Relationship between genetic variants in the adenosine pathway and outcome of methotrexate treatment in patients with recent-onset rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 2830-9		107
87	Detection of change in CNS involvement in neuropsychiatric SLE: a magnetization transfer study. <i>Journal of Magnetic Resonance Imaging</i> , <b>2006</b> , 24, 812-6	5.6	27
86	Is the tuberculin skin test an accurate method of detecting tuberculosis in patients with rheumatoid arthritis?. <i>Nature Clinical Practice Rheumatology</i> , <b>2006</b> , 2, 188-9		

85	Selective involvement of the amygdala in systemic lupus erythematosus. <i>PLoS Medicine</i> , <b>2006</b> , 3, e499	11.6	41
84	Immature dendritic cells suppress collagen-induced arthritis by in vivo expansion of CD49b+ regulatory T cells. <i>Journal of Immunology</i> , <b>2006</b> , 177, 3806-13	5.3	83
83	Tumor necrosis factor-alpha genetic predisposing factors can influence clinical severity in nephropathia epidemica. <i>Viral Immunology</i> , <b>2006</b> , 19, 558-64	1.7	31
82	Transition of healthy to diseased synovial tissue in rheumatoid arthritis is associated with gain of mesenchymal/fibrotic characteristics. <i>Arthritis Research and Therapy</i> , <b>2006</b> , 8, R165	5.7	66
81	Aspects of early arthritis. Definition of disease states in early arthritis: remission versus minimal disease activity. <i>Arthritis Research and Therapy</i> , <b>2006</b> , 8, 216	5.7	27
80	Rheumatoid arthritis: the goal rather than the health-care provider is key. <i>Lancet, The</i> , <b>2006</b> , 367, 450-2	4.0	11
79	Murine Fc receptors for IgG are redundant in facilitating presentation of immune complex derived antigen to CD8+ T cells in vivo. <i>Molecular Immunology</i> , <b>2006</b> , 43, 2045-50	4.3	30
78	HLA and RA revisited: citrullinated food for the SE hypothesis, the DR6 effect, and NIMA. <i>Human Immunology</i> , <b>2006</b> , 67, 454-9	2.3	11
77	Genetics and clinical characteristics to predict rheumatoid arthritis: where are we now and what are the future prospects?. <i>Future Rheumatology</i> , <b>2006</b> , 1, 79-89		3
76	Dendritic cells, but not macrophages or B cells, activate major histocompatibility complex class II-restricted CD4+ T cells upon immune-complex uptake in vivo. <i>Immunology</i> , <b>2006</b> , 119, 499-506	7.8	43
75	Using predicted disease outcome to provide differentiated treatment of early rheumatoid arthritis. <i>Journal of Rheumatology</i> , <b>2006</b> , 33, 1747-53	4.1	19
74	Seasonal variation of primary neuropsychiatric systemic lupus erythematosus. <i>Journal of Rheumatology</i> , <b>2006</b> , 33, 1913-4; author reply 1914	4.1	5
73	Redefining the HLA and RA association: to be or not to be anti-CCP positive. <i>Journal of Autoimmunity</i> , <b>2005</b> , 25 Suppl, 21-5	15.5	60
72	IL-10 and toll-like receptor-4 polymorphisms and the in vivo and ex vivo response to endotoxin. <i>Cytokine</i> , <b>2005</b> , 29, 215-28	4	39
71	Antibodies to citrullinated proteins and differences in clinical progression of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , <b>2005</b> , 7, R949-58	5.7	325
70	Understanding the genetic contribution to rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , <b>2005</b> , 17, 299-304	5.3	75
69	Control of systemic B cell-mediated autoimmune disease by nonmyeloablative conditioning and major histocompatibility complex-mismatched allogeneic bone marrow transplantation. <i>Blood</i> , <b>2005</b> , 105, 2991-4	2.2	9
68	Association of the risk of osteoarthritis with high innate production of interleukin-1beta and low innate production of interleukin-10 ex vivo, upon lipopolysaccharide stimulation. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 1443-50		47

67	Invasiveness of fibroblast-like synoviocytes is an individual patient characteristic associated with the rate of joint destruction in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 1999-2002		110
66	An independent role of protective HLA class II alleles in rheumatoid arthritis severity and susceptibility. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 2637-44		77
65	Refining the complex rheumatoid arthritis phenotype based on specificity of the HLA-DRB1 shared epitope for antibodies to citrullinated proteins. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 3433-8		427
64	CTLA4 is differentially associated with autoimmune diseases in the Dutch population. <i>Human Genetics</i> , <b>2005</b> , 118, 58-66	6.3	56
63	Tweaking microtubules to treat scleroderma. <i>PLoS Medicine</i> , <b>2005</b> , 2, e415		11.6
62	Gene transfer of tissue inhibitor of metalloproteinases-3 reverses the inhibitory effects of TNF-alpha on Fas-induced apoptosis in rheumatoid arthritis synovial fibroblasts. <i>Journal of Immunology</i> , <b>2005</b> , 174, 6524-31	5.3	40
61	Early aggressive therapy in rheumatoid arthritis: a window of opportunity. <i>Nature Clinical Practice Rheumatology</i> , <b>2005</b> , 1, 2-3		10
60	The devil in the details: the emerging role of anticitrulline autoimmunity in rheumatoid arthritis. <i>Journal of Immunology</i> , <b>2005</b> , 175, 5575-80	5.3	83
59	The effect of corticosteroid medication on quantitative MR parameters of the brain. <i>American Journal of Neuroradiology</i> , <b>2005</b> , 26, 2475-80	4.4	10
58	The role of interleukin 10 promoter polymorphisms in the susceptibility of distal interphalangeal osteoarthritis. <i>Journal of Rheumatology</i> , <b>2005</b> , 32, 1571-5	4.1	17
57	Transcription of the IL10 gene reveals allele-specific regulation at the mRNA level. <i>Human Molecular Genetics</i> , <b>2004</b> , 13, 1755-62	5.6	245
56	Inflammation underlying cardiovascular mortality is a late consequence of evolutionary programming. <i>FASEB Journal</i> , <b>2004</b> , 18, 1022-4	0.9	223
55	Functional regulatory immune responses against human cartilage glycoprotein-39 in health vs. proinflammatory responses in rheumatoid arthritis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2004</b> , 101, 17180-5	11.5	60
54	Interleukin-10 promoter single-nucleotide polymorphisms as markers for disease susceptibility and disease severity in leprosy. <i>Genes and Immunity</i> , <b>2004</b> , 5, 592-5	4.4	54
53	Impaired innate immunity predicts frailty in old age. The Leiden 85-plus study. <i>Experimental Gerontology</i> , <b>2004</b> , 39, 1407-14	4.5	93
52	Association between HLA class II genes and autoantibodies to cyclic citrullinated peptides (CCPs) influences the severity of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 2113-21		278
51	Associations, populations, and the truth: recommendations for genetic association studies in Arthritis & Rheumatism. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 2066-71		64
50	Allele-specific expression of the IL-1 alpha gene in human CD4+ T cell clones. <i>Journal of Immunology</i> , <b>2003</b> , 171, 2349-53	5.3	13

49	Health-related quality of life in patients with systemic lupus erythematosus: development and validation of a lupus specific symptom checklist. <i>Quality of Life Research</i> , <b>2003</b> , 12, 635-44	3.7	62
48	Interleukin-10 promoter haplotypes are differently distributed in the Brazilian versus the Dutch population. <i>Immunogenetics</i> , <b>2003</b> , 54, 896-9	3.2	47
47	Evidence for non-random distribution of Fcgamma receptor genotype combinations. <i>Immunogenetics</i> , <b>2003</b> , 55, 240-6	3.2	52
46	Genetics in rheumatoid arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , <b>2003</b> , 17, 703-16	5.3	12
45	High innate production of interleukin-10 and tumor necrosis factor-alpha contributes to susceptibility for non-paraneoplastic Lambert-Eaton myasthenic syndrome. <i>Journal of Neuroimmunology</i> , <b>2003</b> , 140, 194-7	3.5	13
44	Analysis of allelic expression patterns of IL-2, IL-3, IL-4, and IL-13 in human CD4+ T cell clones. <i>European Journal of Immunology</i> , <b>2003</b> , 33, 2142-8	6.1	7
43	Fibroblast-like synoviocytes from rheumatoid arthritis patients express less FLICE-inhibitory protein than fibroblast-like synoviocytes from trauma patients: comment on the article by Schedel et al. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 858-9; author reply 859		2
42	Association between polymorphisms in the human chemokine receptor genes CCR2 and CX3CR1 and rheumatoid arthritis. <i>Tissue Antigens</i> , <b>2003</b> , 62, 170-4		9
41	Identification of PLOD2 as telopeptide lysyl hydroxylase, an important enzyme in fibrosis. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 40967-72	5.4	284
40	Abnormal brain diffusivity in patients with neuropsychiatric systemic lupus erythematosus. <i>American Journal of Neuroradiology</i> , <b>2003</b> , 24, 850-4	4.4	38
39	Soluble FcgammaRIIIa as a marker for rheumatoid arthritis: the use of genetics in selected populations to study pathogenetic pathways. <i>Journal of Rheumatology</i> , <b>2003</b> , 30, 1904-6	4.1	3
38	Production of IL-1beta and IL-1Ra as risk factors for susceptibility and progression of relapse-onset multiple sclerosis. <i>Journal of Neuroimmunology</i> , <b>2002</b> , 126, 172-9	3.5	94
37	Criteria for early rheumatoid arthritis: from BayesCaw revisited to new thoughts on pathogenesis. <i>Arthritis and Rheumatism</i> , <b>2002</b> , 46, 1155-9		53
36	Genetics in rheumatoid arthritis. <i>Current Rheumatology Reports</i> , <b>2002</b> , 4, 195-200	4.9	4
35	Systemic lupus erythematosus: diagnostic application of magnetization transfer ratio histograms in patients with neuropsychiatric symptoms--initial results. <i>Radiology</i> , <b>2002</b> , 222, 722-8	20.5	29
34	Frequency of functional interleukin-10 promoter polymorphism is different between relapse-onset and primary progressive multiple sclerosis. <i>Human Immunology</i> , <b>2002</b> , 63, 281-5	2.3	45
33	Imaging modalities in central nervous system systemic lupus erythematosus. <i>Current Opinion in Rheumatology</i> , <b>2001</b> , 13, 383-8	5.3	42
32	What will treatment of autoimmune diseases entail in 2010?. <i>Seminars in Immunopathology</i> , <b>2001</b> , 23, 187-92		

31	The influence of synovial fluid on adenovirus-mediated gene transfer to the synovial tissue. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 44, 48-52		27
30	Infection efficiency of type 5 adenoviral vectors in synovial tissue can be enhanced with a type 16 fiber. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 44, 570-7		39
29	Effect of folic or folinic acid supplementation on the toxicity and efficacy of methotrexate in rheumatoid arthritis: a forty-eight week, multicenter, randomized, double-blind, placebo-controlled study. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 44, 1515-24		297
28	The C677T mutation in the methylenetetrahydrofolate reductase gene: a genetic risk factor for methotrexate-related elevation of liver enzymes in rheumatoid arthritis patients. <i>Arthritis and Rheumatism</i> , <b>2001</b> , 44, 2525-30		162
27	Optimizing human fertility and survival. <i>Nature Medicine</i> , <b>2001</b> , 7, 873	50.5	70
26	Allele-specific quantification of tumor necrosis factor alpha (TNF) transcription and the role of promoter polymorphisms in rheumatoid arthritis patients and healthy individuals. <i>Genes and Immunity</i> , <b>2001</b> , 2, 135-44	4.4	80
25	Six microsatellite markers on the short arm of chromosome 6 in relation to HLA-DR3 and TNF-308A in systemic lupus erythematosus. <i>Genes and Immunity</i> , <b>2001</b> , 2, 373-80	4.4	43
24	Novel single nucleotide polymorphisms in the distal IL-10 promoter affect IL-10 production and enhance the risk of systemic lupus erythematosus. <i>Journal of Immunology</i> , <b>2001</b> , 166, 3915-22	5.3	325
23	Functional analysis of linker-scan mutants spanning the -376, -308, -244, and -238 polymorphic sites of the TNF-alpha promoter. <i>Cytokine</i> , <b>2001</b> , 14, 316-23	4	103
22	Diabetes insipidus in metastatic cancer: two case reports with review of the literature. <i>Annals of Oncology</i> , <b>2000</b> , 11, 891-5	10.3	16
21	Innate production of interleukin-10 and tumor necrosis factor affects the risk of multiple sclerosis. <i>Annals of Neurology</i> , <b>2000</b> , 48, 641-646	9.4	39
20	Feasibility of adenovirus-mediated nonsurgical synovectomy in collagen-induced arthritis-affected rhesus monkeys. <i>Human Gene Therapy</i> , <b>1999</b> , 10, 1139-49	4.8	56
19	Association of the TNF +489 polymorphism with susceptibility and radiographic damage in rheumatoid arthritis. <i>Genes and Immunity</i> , <b>1999</b> , 1, 91-6	4.4	51
18	Polymorphism within the tumor necrosis factor alpha (TNF) promoter region in patients with ankylosing spondylitis. <i>Human Immunology</i> , <b>1999</b> , 60, 140-4	2.3	39
17	Determination of tumour necrosis factor-alpha and interleukin-10 production in a whole blood stimulation system: assessment of laboratory error and individual variation. <i>Journal of Immunological Methods</i> , <b>1998</b> , 218, 63-71	2.5	113
16	An extended HLA-DQ-DR haplotype rather than DRB1 alone contributes to RA predisposition. <i>Immunogenetics</i> , <b>1998</b> , 48, 394-401	3.2	49
15	Interleukin-10 microsatellite polymorphisms and IL-10 locus alleles in rheumatoid arthritis susceptibility. <i>Lancet, The</i> , <b>1998</b> , 352, 1282-3	40	96
14	Interleukin 10 secretion in relation to human IL-10 locus haplotypes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1998</b> , 95, 9465-70	11.5	418

13	Genetic influence on cytokine production in meningococcal disease. <i>Lancet, The</i> , <b>1997</b> , 349, 1912-3	40	147
12	Genetic influence on cytokine production and fatal meningococcal disease. <i>Lancet, The</i> , <b>1997</b> , 349, 170-340		688
11	TNF-alpha promoter polymorphisms, production and susceptibility to multiple sclerosis in different groups of patients. <i>Journal of Neuroimmunology</i> , <b>1997</b> , 72, 149-53	3.5	195
10	Cytokine-Suppressive Anti-Inflammatory Drugs. <i>BioDrugs</i> , <b>1996</b> , 6, 395-404		1
9	Apoptosis of cultured rat glomerular mesangial cells induced by IgG2a monoclonal anti-Thy-1 antibodies. <i>Kidney International</i> , <b>1996</b> , 49, 403-12	9.9	32
8	Allele-specific quantification of TNFA transcripts in rheumatoid arthritis. <i>Human Genetics</i> , <b>1996</b> , 97, 813-818		
7	Detection of a C-insertion polymorphism within the human tumor necrosis factor alpha (TNFA) gene. <i>Human Genetics</i> , <b>1995</b> , 96, 493	6.3	29
6	Changes in plasma FcRIII demonstrate increasing receptor production during late pregnancy and after preterm birth. <i>Pediatric Research</i> , <b>1992</b> , 32, 505-8	3.2	14
5	Fc-gamma receptors: mediators, targets and markers of disease. <i>Best Practice and Research: Clinical Haematology</i> , <b>1991</b> , 4, 889-902		4
4	Reactivity of cloned, expressed human Fc gamma RIII isoforms with monoclonal antibodies which distinguish cell-type-specific and allelic forms of Fc gamma RIII. <i>International Immunology</i> , <b>1990</b> , 2, 303-10	4.9	24
3	The PI-linked receptor FcRIII is released on stimulation of neutrophils. <i>Nature</i> , <b>1988</b> , 333, 667-9	50.4	346
2	Trans-ancestry genome-wide association study identifies novel genetic mechanisms in rheumatoid arthritis		2
1	Using genotype data to distinguish pleiotropy from heterogeneity: deciphering coheritability in autoimmune and neuropsychiatric diseases		4