

# Jakob Bue Bjorner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/973276/publications.pdf>

Version: 2024-02-01

53  
papers

3,399  
citations

218677

26  
h-index

189892

50  
g-index

55  
all docs

55  
docs citations

55  
times ranked

4166  
citing authors

#	ARTICLE	IF	CITATIONS
1	Tests of Data Quality, Scaling Assumptions, and Reliability of the SF-36 in Eleven Countries. <i>Journal of Clinical Epidemiology</i> , 1998, 51, 1149-1158.	5.0	359
2	Psychological distress and fatigue predicted recurrence and survival in primary breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2007, 105, 209-219.	2.5	268
3	Cross-Cultural Comparisons of the Content of SF-36 Translations across 10 Countries. <i>Journal of Clinical Epidemiology</i> , 1998, 51, 925-932.	5.0	250
4	Quality of life in patients with benign thyroid disorders. A review. <i>European Journal of Endocrinology</i> , 2006, 154, 501-510.	3.7	184
5	Calibration of an item pool for assessing the burden of headaches: an application of item response theory to the headache impact test (HIT). <i>Quality of Life Research</i> , 2003, 12, 913-933.	3.1	176
6	Developing tailored instruments: item banking and computerized adaptive assessment. <i>Quality of Life Research</i> , 2007, 16, 95-108.	3.1	169
7	Validity and reliability of the novel thyroid-specific quality of life questionnaire, ThyPRO. <i>European Journal of Endocrinology</i> , 2010, 162, 161-167.	3.7	163
8	Interpreting score differences in the SF-36 Vitality scale: using clinical conditions and functional outcomes to define the minimally important difference. <i>Current Medical Research and Opinion</i> , 2007, 23, 731-739.	1.9	149
9	Recovering Quality of Life (ReQoL): a new generic self-reported outcome measure for use with people experiencing mental health difficulties. <i>British Journal of Psychiatry</i> , 2018, 212, 42-49.	2.8	141
10	Standardization of depression measurement: a common metric was developed for 11 self-report depression measures. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 73-86.	5.0	138
11	The Thyroid-Related Quality of Life Measure ThyPRO Has Good Responsiveness and Ability to Detect Relevant Treatment Effects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 3708-3717.	3.6	123
12	Disease-Specific as Well as Generic Quality of Life Is Widely Impacted in Autoimmune Hypothyroidism and Improves during the First Six Months of Levothyroxine Therapy. <i>PLoS ONE</i> , 2016, 11, e0156925.	2.5	109
13	Method of administration of PROMIS scales did not significantly impact score level, reliability, or validity. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 108-113.	5.0	102
14	Establishing construct validity for the thyroid-specific patient reported outcome measure (ThyPRO): an initial examination. <i>Quality of Life Research</i> , 2009, 18, 483-496.	3.1	84
15	Development of a Short Version of the Thyroid-Related Patient-Reported Outcome ThyPRO. <i>Thyroid</i> , 2015, 25, 1069-1079.	4.5	82
16	Using item response theory to calibrate the Headache Impact Test (HIT) to the metric of traditional headache scales. <i>Quality of Life Research</i> , 2003, 12, 981-1002.	3.1	78
17	Which Domains of Thyroid-Related Quality of Life Are Most Relevant? Patients and Clinicians Provide Complementary Perspectives. <i>Thyroid</i> , 2007, 17, 647-654.	4.5	78
18	Improving a newly developed patient-reported outcome for thyroid patients, using cognitive interviewing. <i>Quality of Life Research</i> , 2008, 17, 1009-1017.	3.1	65

#	ARTICLE	IF	CITATIONS
19	The association between psychosocial work environment, attitudes towards older workers (ageism) and planned retirement. <i>International Archives of Occupational and Environmental Health</i> , 2012, 85, 437-445.	2.3	60
20	Is Thyroid Autoimmunity per se a Determinant of Quality of Life in Patients with Autoimmune Hypothyroidism?. <i>European Thyroid Journal</i> , 2012, 1, 186-192.	2.4	59
21	Use of item response theory to develop a shortened version of the EORTC QLQ-C30 emotional functioning scale. <i>Quality of Life Research</i> , 2004, 13, 1683-1697.	3.1	55
22	Quality-of-Life Impairments Persist Six Months After Treatment of Graves' Hyperthyroidism and Toxic Nodular Goiter: A Prospective Cohort Study. <i>Thyroid</i> , 2016, 26, 1010-1018.	4.5	55
23	Testing unidimensionality in polytomous Rasch models. <i>Psychometrika</i> , 2002, 67, 563-574.	2.1	51
24	Confirmatory factor analysis of the thyroid-related quality of life questionnaire ThyPRO. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 126.	2.4	41
25	Item Response Theory Methods can Improve the Measurement of Physical Function by Combining the Modified Health Assessment Questionnaire and the SF-36 Physical Function Scale. <i>Quality of Life Research</i> , 2007, 16, 647-60.	3.1	39
26	Few items in the thyroid-related quality of life instrument ThyPRO exhibited differential item functioning. <i>Quality of Life Research</i> , 2014, 23, 327-338.	3.1	29
27	Estimating a Preference-Based Index for Mental Health From the Recovering Quality of Life Measure: Valuation of Recovering Quality of Life Utility Index. <i>Value in Health</i> , 2021, 24, 281-290.	0.3	28
28	Work-unit social capital and long-term sickness absence: a prospective cohort study of 32 053 hospital employees. <i>Occupational and Environmental Medicine</i> , 2018, 75, 623-629.	2.8	24
29	Workplace social capital and risk of long-term sickness absence. Are associations modified by occupational grade?. <i>European Journal of Public Health</i> , 2016, 26, 328-333.	0.3	23
30	Effect of Rheumatoid Arthritis on Longterm Sickness Absence in 1994-2011: A Danish Cohort Study. <i>Journal of Rheumatology</i> , 2016, 43, 707-715.	2.0	19
31	Determining minimal important change for the thyroid-related quality of life questionnaire ThyPRO. <i>Endocrine Connections</i> , 2021, 10, 316-324.	1.9	17
32	A confirmatory factor analysis approach was found to accurately estimate the reliability of transition ratings. <i>Journal of Clinical Epidemiology</i> , 2022, 141, 36-45.	5.0	16
33	Aggression in Psychiatric Wards: Effect of the Use of a Structured Risk Assessment. <i>Issues in Mental Health Nursing</i> , 2016, 37, 960-967.	1.2	15
34	Cohort Profile: The Well-being in Hospital Employees (WHALE) study. <i>International Journal of Epidemiology</i> , 2017, 46, 1758-1759h.	1.9	15
35	&lt;p&gt;Antipsychotic Treatment Experiences of People with Schizophrenia: Patient Perspectives from an Online Survey&lt;/p&gt;. <i>Patient Preference and Adherence</i> , 2020, Volume 14, 2043-2054.	1.8	14
36	A multisite randomized controlled trial on time to self-support among sickness absence beneficiaries. The Danish national return-to-work programme. <i>European Journal of Public Health</i> , 2015, 25, 96-102.	0.3	13

#	ARTICLE	IF	CITATIONS
37	How Should Thyroid-Related Quality of Life Be Assessed? Recalled Patient-Reported Outcomes Compared to Here-and-Now Measures. <i>Thyroid</i> , 2018, 28, 1561-1570.	4.5	13
38	Two valid and reliable work role functioning questionnaire short versions were developed: WRFQ 5 and WRFQ 10. <i>Journal of Clinical Epidemiology</i> , 2019, 105, 101-111.	5.0	12
39	Associations between physical and psychosocial work environment factors and sickness absence incidence depend on the lengths of the sickness absence episodes: a prospective study of 27 678 Danish employees. <i>Occupational and Environmental Medicine</i> , 2021, 78, 46-53.	2.8	12
40	Exploring the item sets of the Recovering Quality of Life (ReQoL) measures using factor analysis. <i>Quality of Life Research</i> , 2019, 28, 1005-1015.	3.1	11
41	Patients with Benign Thyroid Diseases Experience an Impaired Sex Life. <i>Thyroid</i> , 2018, 28, 1261-1269.	4.5	10
42	Conversion of standard retrospective patient-reported outcomes to momentary versions: cognitive interviewing reveals varying degrees of momentary compatibility. <i>Quality of Life Research</i> , 2018, 27, 1065-1076.	3.1	7
43	Adaptation and cross-cultural validation of the Spanish version of the Thyroid-Related Quality-of-Life Patient-Reported Outcome questionnaire. <i>Endocrinología, Diabetes Y Nutrición</i> , 2018, 65, 500-507.	0.3	7
44	Reliability and construct validity of a new Danish translation of the Prosthesis Evaluation Questionnaire in a population of Danish amputees. <i>Prosthetics and Orthotics International</i> , 2017, 41, 469-475.	1.0	6
45	State of the psychometric methods: comments on the ISOQOL SIG psychometric papers. <i>Journal of Patient-Reported Outcomes</i> , 2019, 3, 49.	1.9	6
46	An item response theory analysis of an item pool for the recovering quality of life (ReQoL) measure. <i>Quality of Life Research</i> , 2021, 30, 267-276.	3.1	6
47	ThyPROgr: the Greek edition of the ThyPRO questionnaires for patients with benign thyroid diseases. <i>Hormones</i> , 2018, 17, 107-112.	1.9	4
48	Solving the Tower of Babel Problem for Patient-Reported Outcome Measures. <i>Psychometrika</i> , 2021, 86, 747-753.	2.1	4
49	Disability pension among persons with chronic disease: Differential impact of a Danish policy reform. <i>European Journal of Public Health</i> , 2021, 31, 186-192.	0.3	4
50	Modern Psychometric Approaches to Analysis of Scales for Health-Related Quality of Life. , 2016, , 103-120.		2
51	Shorter Recall Period for the Thyroid-Related Patient-Reported Outcome Measure ThyPRO Did Not Change the Accuracy as Evaluated by Repeated Momentary Measurements. <i>Thyroid</i> , 2020, 30, 185-191.	4.5	2
52	Ecological momentary assessments (EMAs) did not improve responsiveness of patient-reported outcomes on quality of life. <i>Journal of Clinical Epidemiology</i> , 2020, 125, 138-147.	5.0	1
53	Effects of a participatory organisational, core work task focused workplace intervention on employees' primary healthcare consultations: secondary analysis of a cluster RCT. <i>Occupational and Environmental Medicine</i> , 2021, 78, 330-335.	2.8	0