

Ana Andres-Hernando

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9737327/publications.pdf>

Version: 2024-02-01

65
papers

3,784
citations

101543

36
h-index

128289

60
g-index

67
all docs

67
docs citations

67
times ranked

5201
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Climate Change and the Emergent Epidemic of CKD from Heat Stress in Rural Communities: The Case for Heat Stress Nephropathy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 1472-1483. | 4.5 | 284 |
| 2 | Uric Acid Stimulates Fructokinase and Accelerates Fructose Metabolism in the Development of Fatty Liver. <i>PLoS ONE</i> , 2012, 7, e47948. | 2.5 | 207 |
| 3 | High salt intake causes leptin resistance and obesity in mice by stimulating endogenous fructose production and metabolism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 3138-3143. | 7.1 | 183 |
| 4 | Asymptomatic Hyperuricemia Without Comorbidities Predicts Cardiometabolic Diseases. <i>Hypertension</i> , 2017, 69, 1036-1044. | 2.7 | 160 |
| 5 | Counteracting Roles of AMP Deaminase and AMP Kinase in the Development of Fatty Liver. <i>PLoS ONE</i> , 2012, 7, e48801. | 2.5 | 159 |
| 6 | Uric Acid Is a Strong Risk Marker for Developing Hypertension From Prehypertension. <i>Hypertension</i> , 2018, 71, 78-86. | 2.7 | 159 |
| 7 | Sucrose induces fatty liver and pancreatic inflammation in male breeder rats independent of excess energy intake. <i>Metabolism: Clinical and Experimental</i> , 2011, 60, 1259-1270. | 3.4 | 141 |
| 8 | IL-33 Exacerbates Acute Kidney Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 2057-2067. | 6.1 | 128 |
| 9 | Endogenous Fructose Production and Fructokinase Activation Mediate Renal Injury in Diabetic Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 2526-2538. | 6.1 | 127 |
| 10 | Circulating IL-6 mediates lung injury via CXCL1 production after acute kidney injury in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, F864-F872. | 2.7 | 108 |
| 11 | Ketohexokinase C blockade ameliorates fructose-induced metabolic dysfunction in fructose-sensitive mice. <i>Journal of Clinical Investigation</i> , 2018, 128, 2226-2238. | 8.2 | 89 |
| 12 | Cytokine production increases and cytokine clearance decreases in mice with bilateral nephrectomy. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 4339-4347. | 0.7 | 82 |
| 13 | Uric acid activates aldose reductase and the polyol pathway for endogenous fructose and fat production causing development of fatty liver in rats. <i>Journal of Biological Chemistry</i> , 2019, 294, 4272-4281. | 3.4 | 78 |
| 14 | Urine interleukin-6 is an early biomarker of acute kidney injury in children undergoing cardiac surgery. <i>Critical Care</i> , 2010, 14, R181. | 5.8 | 76 |
| 15 | Acute Lung Injury and Acute Kidney Injury Are Established by Four Hours in Experimental Sepsis and Are Improved with Pre, but Not Post, Sepsis Administration of TNF- α Antibodies. <i>PLoS ONE</i> , 2013, 8, e79037. | 2.5 | 76 |
| 16 | Fructose contributes to the Warburg effect for cancer growth. <i>Cancer & Metabolism</i> , 2020, 8, 16. | 5.0 | 76 |
| 17 | Protective role of fructokinase blockade in the pathogenesis of acute kidney injury in mice. <i>Nature Communications</i> , 2017, 8, 14181. | 12.8 | 75 |
| 18 | Fructose metabolism as a common evolutionary pathway of survival associated with climate change, food shortage and droughts. <i>Journal of Internal Medicine</i> , 2020, 287, 252-262. | 6.0 | 73 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Deletion of Fructokinase in the Liver or in the Intestine Reveals Differential Effects on Sugar-Induced Metabolic Dysfunction. <i>Cell Metabolism</i> , 2020, 32, 117-127.e3. | 16.2 | 70 |
| 20 | Splenectomy exacerbates lung injury after ischemic acute kidney injury in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 301, F907-F916. | 2.7 | 69 |
| 21 | Intratracheal IL-6 Protects against Lung Inflammation in Direct, but Not Indirect, Causes of Acute Lung Injury in Mice. <i>PLoS ONE</i> , 2013, 8, e61405. | 2.5 | 65 |
| 22 | Heparanase mediates renal dysfunction during early sepsis in mice. <i>Physiological Reports</i> , 2013, 1, e00153. | 1.7 | 61 |
| 23 | Uric acid and hypertension. <i>Hypertension Research</i> , 2020, 43, 832-834. | 2.7 | 58 |
| 24 | Elevated Serum Uric Acid Level Predicts Rapid Decline in Kidney Function. <i>American Journal of Nephrology</i> , 2017, 45, 330-337. | 3.1 | 57 |
| 25 | Metabolically Healthy Obesity and Hyperuricemia Increase Risk for Hypertension and Diabetes: 5-year Japanese Cohort Study. <i>Obesity</i> , 2017, 25, 1997-2008. | 3.0 | 53 |
| 26 | The Expression of Aquaporin-1 in the Medulla of the Kidney Is Dependent on the Transcription Factor Associated with Hypertonicity, TonEBP. <i>Journal of Biological Chemistry</i> , 2010, 285, 31694-31703. | 3.4 | 50 |
| 27 | Depletion of Macrophages and Dendritic Cells in Ischemic Acute Kidney Injury. <i>American Journal of Nephrology</i> , 2012, 35, 181-190. | 3.1 | 50 |
| 28 | Delivery of interleukin-10 via injectable hydrogels improves renal outcomes and reduces systemic inflammation following ischemic acute kidney injury in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, F362-F372. | 2.7 | 50 |
| 29 | Fructose Production and Metabolism in the Kidney. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 898-906. | 6.1 | 50 |
| 30 | Increased Serum Sodium and Serum Osmolarity Are Independent Risk Factors for Developing Chronic Kidney Disease; 5 Year Cohort Study. <i>PLoS ONE</i> , 2017, 12, e0169137. | 2.5 | 49 |
| 31 | Increase of core temperature affected the progression of kidney injury by repeated heat stress exposure. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 317, F1111-F1121. | 2.7 | 46 |
| 32 | Hypertonic stress increases claudin-4 expression and tight junction integrity in association with MUPP1 in IMCD3 cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 15797-15802. | 7.1 | 44 |
| 33 | Role of fructose and fructokinase in acute dehydration-induced vasopressin gene expression and secretion in mice. <i>Journal of Neurophysiology</i> , 2017, 117, 646-654. | 1.8 | 44 |
| 34 | Macrophages mediate lung inflammation in a mouse model of ischemic acute kidney injury. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 302, F421-F432. | 2.7 | 43 |
| 35 | Circulating IL-6 upregulates IL-10 production in splenic CD4+ T cells and limits acute kidney injury-induced lung inflammation. <i>Kidney International</i> , 2017, 91, 1057-1069. | 5.2 | 43 |
| 36 | The tight junction protein, MUPP1, is up-regulated by hypertonicity and is important in the osmotic stress response in kidney cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 13672-13677. | 7.1 | 42 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Fasting blood glucose is predictive of hypertension in a general Japanese population. <i>Journal of Hypertension</i> , 2019, 37, 167-174. | 0.5 | 42 |
| 38 | The Optimal Range of Serum Uric Acid for Cardiometabolic Diseases: A 5-Year Japanese Cohort Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 942. | 2.4 | 36 |
| 39 | Prolonged acute kidney injury exacerbates lung inflammation at 7 days post-acute kidney injury. <i>Physiological Reports</i> , 2014, 2, e12084. | 1.7 | 33 |
| 40 | Umami-induced obesity and metabolic syndrome is mediated by nucleotide degradation and uric acid generation. <i>Nature Metabolism</i> , 2021, 3, 1189-1201. | 11.9 | 33 |
| 41 | Obesity causes renal mitochondrial dysfunction and energy imbalance and accelerates chronic kidney disease in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 317, F941-F948. | 2.7 | 32 |
| 42 | Vasopressin mediates fructose-induced metabolic syndrome by activating the V1b receptor. <i>JCI Insight</i> , 2021, 6, . | 5.0 | 32 |
| 43 | Effects of exogenous desmopressin on a model of heat stress nephropathy in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 312, F418-F426. | 2.7 | 31 |
| 44 | Increased Serum Uric Acid over five years is a Risk Factor for Developing Fatty Liver. <i>Scientific Reports</i> , 2018, 8, 11735. | 3.3 | 31 |
| 45 | Upregulation of CD80 on glomerular podocytes plays an important role in development of proteinuria following pig-to-baboon xeno-renal transplantation - an experimental study. <i>Transplant International</i> , 2018, 31, 1164-1177. | 1.6 | 29 |
| 46 | Endogenous fructose production. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2019, 22, 289-294. | 2.5 | 27 |
| 47 | Expression of the Calcium-binding Protein S100A4 Is Markedly Up-regulated by Osmotic Stress and Is Involved in the Renal Osmoadaptive Response. <i>Journal of Biological Chemistry</i> , 2007, 282, 6644-6652. | 3.4 | 26 |
| 48 | Dietary and commercialized fructose: Sweet or sour?. <i>International Urology and Nephrology</i> , 2017, 49, 1611-1620. | 1.4 | 25 |
| 49 | Nucleoporin 88 (Nup88) Is Regulated by Hypertonic Stress in Kidney Cells to Retain the Transcription Factor Tonicity Enhancer-binding Protein (TonEBP) in the Nucleus. <i>Journal of Biological Chemistry</i> , 2008, 283, 25082-25090. | 3.4 | 17 |
| 50 | Early peritoneal dialysis reduces lung inflammation in mice with ischemic acute kidney injury. <i>Kidney International</i> , 2017, 92, 365-376. | 5.2 | 17 |
| 51 | Endogenous Fructose Metabolism Could Explain the Warburg Effect and the Protection of SGLT2 Inhibitors in Chronic Kidney Disease. <i>Frontiers in Immunology</i> , 2021, 12, 694457. | 4.8 | 17 |
| 52 | Hyperuricemia and chronic kidney disease: to treat or not to treat. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2021, 43, 572-579. | 0.9 | 16 |
| 53 | Different effects of global osteopontin and macrophage osteopontin in glomerular injury. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 315, F759-F768. | 2.7 | 15 |
| 54 | Sugar causes obesity and metabolic syndrome in mice independently of sweet taste. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2020, 319, E276-E290. | 3.5 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Inorganic Phosphate Modulates the Expression of the NaPi-2a Transporter in the trans-Golgi Network and the Interaction with PIST in the Proximal Tubule. <i>BioMed Research International</i> , 2013, 2013, 1-9. | 1.9 | 13 |
| 56 | Allopurinol Prevents the Lipogenic Response Induced by an Acute Oral Fructose Challenge in Short-Term Fructose Fed Rats. <i>Biomolecules</i> , 2019, 9, 601. | 4.0 | 13 |
| 57 | Rehydration with fructose worsens dehydration-induced renal damage. <i>BMC Nephrology</i> , 2018, 19, 180. | 1.8 | 12 |
| 58 | Hyperosmolarity and Increased Serum Sodium Concentration Are Risks for Developing Hypertension Regardless of Salt Intake: A Five-Year Cohort Study in Japan. <i>Nutrients</i> , 2020, 12, 1422. | 4.1 | 12 |
| 59 | The Speed of Ingestion of a Sugary Beverage Has an Effect on the Acute Metabolic Response to Fructose. <i>Nutrients</i> , 2021, 13, 1916. | 4.1 | 12 |
| 60 | ZAC1 Is Up-regulated by Hypertonicity and Decreases Sorbitol Dehydrogenase Expression, Allowing Accumulation of Sorbitol in Kidney Cells. <i>Journal of Biological Chemistry</i> , 2009, 284, 19974-19981. | 3.4 | 9 |
| 61 | Current Hydration Habits: The Disregarded Factor for the Development of Renal and Cardiometabolic Diseases. <i>Nutrients</i> , 2022, 14, 2070. | 4.1 | 5 |
| 62 | Effects of 2-Bromoethanamine on TonEBP Expression and Its Possible Role in Induction of Renal Papillary Necrosis in Mice. <i>Toxicological Sciences</i> , 2010, 118, 510-520. | 3.1 | 3 |
| 63 | The role of thrifty genes in the origin of alcoholism: A narrative review and hypothesis. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 1519-1526. | 2.4 | 2 |
| 64 | A Novel Treatment for Glomerular Disease: Targeting the Activated Macrophage Folate Receptor with a Trojan Horse Therapy in Rats. <i>Cells</i> , 2021, 10, 2113. | 4.1 | 2 |
| 65 | ZAC1 is up-regulated by hypertonicity and decreases sorbitol dehydrogenase expression allowing accumulation of sorbitol in kidney cells. <i>FASEB Journal</i> , 2009, 23, 1001.8. | 0.5 | 0 |