

Khodadad Namiranian

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/974657/publications.pdf>

Version: 2024-02-01

27
papers

541
citations

687363

13
h-index

642732

23
g-index

27
all docs

27
docs citations

27
times ranked

598
citing authors

#	ARTICLE	IF	CITATIONS
1	The incidence of persistent postoperative opioid use among U.S. veterans: A national study to identify risk factors. <i>Journal of Clinical Anesthesia</i> , 2021, 68, 110079.	1.6	7
2	Postoperative opioid misuse in patients with opioid use disorders maintained on opioid agonist treatment. <i>Journal of Substance Abuse Treatment</i> , 2020, 109, 8-13.	2.8	7
3	Incidence of Postoperative Opioid Overdose and New Diagnosis of Opioid Use Disorder Among US Veterans. <i>American Journal on Addictions</i> , 2020, 29, 295-304.	1.4	11
4	Management of the Patients with Spinal Cord Stimulators and Intrathecal Pumps. , 2016, , 316-324.		0
5	Traumatic Brain Injury in Mice Lacking the K Channel, TREK-1. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, e1-e6.	4.3	11
6	Cerebrovascular responses in mice deficient in the potassium channel, TREK-1. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010, 299, R461-R469.	1.8	29
7	Characterization of TWIK-2, a Two-Pore Domain K ⁺ Channel, Cloned from the Rat Middle Cerebral Artery. <i>Experimental Biology and Medicine</i> , 2009, 234, 1493-1502.	2.4	13
8	Vascular Response in Mice Deficient in the Potassium Channel, TREK-1. <i>FASEB Journal</i> , 2009, 23, 613.27.	0.5	0
9	Enhanced Carbachol-Mediated Relaxation in Aorta of Mice Lacking the Potassium Channel TWIK-2. <i>FASEB Journal</i> , 2009, 23, 613.32.	0.5	0
10	Clonidine Attenuates Naloxone-Induced Opioid-Withdrawal Syndrome in Cholestatic Mice*. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2008, 89, 129-132.	0.0	1
11	Use of an Optimized Transient Occlusion of the Middle Cerebral Artery Protocol for the Mouse Stroke Model. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2006, 15, 133-138.	1.6	41
12	Î±2-Adrenoceptor subsensitivity in mesenteric vascular bed of cholestatic rats: The role of nitric oxide and endogenous opioids. <i>European Journal of Pharmacology</i> , 2005, 514, 183-189.	3.5	9
13	Stroke Outcomes in Mice Lacking the Genes for Neuronal Heme Oxygenase-2 and Nitric Oxide Synthase. <i>Current Neurovascular Research</i> , 2005, 2, 23-27.	1.1	15
14	Tetrahydrobiopterin corrects Escherichia coli endotoxin-induced endothelial dysfunction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 289, H1752-H1757.	3.2	33
15	Acute Escherichia coli endotoxaemia decreases the plasma l-arginine/asymmetrical dimethylarginine ratio in humans. <i>Clinical Science</i> , 2004, 106, 577-581.	4.3	52
16	Inhibition by immunophilin ligands of morphine-induced tolerance and dependence in guinea pig ileum. <i>European Journal of Pharmacology</i> , 2003, 467, 205-210.	3.5	11
17	Prostaglandins of J Series Control Heme Oxygenase Expression. <i>Annals of the New York Academy of Sciences</i> , 2003, 993, 208-216.	3.8	27
18	Alpha-2-adrenoceptor hyporesponsiveness in isolated tissues of cholestatic animals: involvement of opioid and nitric oxide systems. <i>Life Sciences</i> , 2003, 73, 209-220.	4.3	5

#	ARTICLE	IF	CITATIONS
19	EFFECTS OF SUBACUTE LEAD ACETATE ADMINISTRATION ON NITRIC OXIDE AND CYCLOOXYGENASE PATHWAYS IN RAT ISOLATED AORTIC RING. <i>Pharmacological Research</i> , 2002, 46, 31-37.	7.1	20
20	The nonadrenergic noncholinergic relaxation of anococcygeus muscles of bile duct-ligated rats. <i>European Journal of Pharmacology</i> , 2002, 445, 31-36.	3.5	5
21	The effect of cyclosporin A on morphine tolerance and dependence: involvement of l-arginine/nitric oxide pathway. <i>European Journal of Pharmacology</i> , 2002, 452, 67-75.	3.5	24
22	Lithium Inhibits the Development of Physical Dependence to Clonidine in Mice. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2002, 90, 89-93.	0.0	16
23	Do endogenous opioids contribute to the bradycardia of rats with obstructive cholestasis?. <i>Fundamental and Clinical Pharmacology</i> , 2002, 16, 273-279.	1.9	35
24	The role of nitric oxide in anticonvulsant and proconvulsant effects of morphine in mice. <i>Epilepsy Research</i> , 2002, 48, 33-41.	1.6	96
25	Time-dependent reduction of acetylcholine-induced relaxation in aortic rings of cholestatic rats. <i>Pharmacological Research</i> , 2001, 44, 519-525.	7.1	12
26	Mesenteric vascular bed responsiveness in bile duct-ligated rats: roles of opioid and nitric oxide systems. <i>European Journal of Pharmacology</i> , 2001, 423, 185-193.	3.5	45
27	Clonidine Attenuates Naloxone-Induced Opioid-Withdrawal Syndrome in Cholestatic Mice*. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2001, 89, 129-132.	0.0	16