## David C S Roberts

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/976255/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Progressive ratio schedules in drug self-administration studies in rats: a method to evaluate reinforcing efficacy. Journal of Neuroscience Methods, 1996, 66, 1-11.	2.5	1,199
2	On the role of ascending catecholaminergic systems in intravenous self-administration of cocaine. Pharmacology Biochemistry and Behavior, 1977, 6, 615-620.	2.9	685
3	Disruption of cocaine self-administration following 6-hydroxydopamine lesions of the ventral tegmental area in rats. Pharmacology Biochemistry and Behavior, 1982, 17, 901-904.	2.9	393
4	A Critique of Fixed and Progressive Ratio Schedules Used to Examine the Neural Substrates of Drug Reinforcement. Pharmacology Biochemistry and Behavior, 1997, 57, 441-447.	2.9	356
5	Break-points on a progressive ratio schedule reinforced by intravenous cocaine increase following depletion of forebrain serotonin. Psychopharmacology, 1990, 101, 262-266.	3.1	246
6	GABAB receptor agonists for the treatment of drug addiction: a review of recent findings. Drug and Alcohol Dependence, 2002, 65, 209-220.	3.2	245
7	Self-administration of cocaine on a progressive ratio schedule in rats: dose-response relationship and effect of haloperidol pretreatment. Psychopharmacology, 1989, 97, 535-538.	3.1	234
8	The hypocretin–orexin system regulates cocaine selfâ€administration via actions on the mesolimbic dopamine system. European Journal of Neuroscience, 2010, 31, 336-348.	2.6	228
9	Disruption of cocaine and heroin self-administration following kainic acid lesions of the nucleus accumbens. Pharmacology Biochemistry and Behavior, 1985, 23, 1029-1036.	2.9	217
10	Dopaminergic antagonism within the nucleus accumbens or the amygdala produces differential effects on intravenous cocaine self-administration under fixed and progressive ratio schedules of reinforcement. Brain Research, 1993, 624, 245-252.	2.2	194
11	Cocaine self-administration increases preprodynorphin, but not c-fos, mRNA in rat striatum. NeuroReport, 1993, 4, 543-546.	1.2	170
12	Fluoxetine pretreatment reduces breaking points on a progressive ratio schedule reinforced by intravenous cocaine self-administration in the rat. Life Sciences, 1991, 49, 833-840.	4.3	169
13	Hypocretin 1/orexin A in the ventral tegmental area enhances dopamine responses to cocaine and promotes cocaine self-administration. Psychopharmacology, 2011, 214, 415-426.	3.1	161
14	How fast and how often: The pharmacokinetics of drug use are decisive in addiction. Neuroscience and Biobehavioral Reviews, 2015, 56, 166-179.	6.1	160
15	Temporal Pattern of Cocaine Intake Determines Tolerance vs Sensitization of Cocaine Effects at the Dopamine Transporter. Neuropsychopharmacology, 2013, 38, 2385-2392.	5.4	158
16	A POTENTIAL ROLE FOR GABAB AGONISTS IN THE TREATMENT OF PSYCHOSTIMULANT ADDICTION. Alcohol and Alcoholism, 2002, 37, 478-484.	1.6	149
17	Atypical neuroleptics increase self-administration of cocaine: An evaluation of a behavioural screen for antipsychotic activity. Psychopharmacology, 1983, 82, 135-139.	3.1	140
18	Patterns of cocaine self-administration in rats produced by various access conditions under a discrete trials procedure. Drug and Alcohol Dependence, 2002, 67, 291-299.	3.2	138

#	Article	IF	CITATIONS
19	The Motivation to Self-Administer is Increased After a History of Spiking Brain Levels of Cocaine. Neuropsychopharmacology, 2012, 37, 1901-1910.	5.4	132
20	Reduced Dopamine Terminal Function and Insensitivity to Cocaine Following Cocaine Binge Self-Administration and Deprivation. Neuropsychopharmacology, 2005, 30, 1455-1463.	5.4	123
21	How to make a rat addicted to cocaine. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 1614-1624.	4.8	119
22	Nipping Cue Reactivity in the Bud: Baclofen Prevents Limbic Activation Elicited by Subliminal Drug Cues. Journal of Neuroscience, 2014, 34, 5038-5043.	3.6	113
23	Persistent Alterations in Mesolimbic Gene Expression with Abstinence from Cocaine Self-Administration. Neuropsychopharmacology, 2008, 33, 1807-1817.	5.4	110
24	Effects of positive allosteric modulators of the GABA B receptor on cocaine self-administration in rats. Psychopharmacology, 2004, 173, 105-111.	3.1	93
25	Behavioral Economic Assessment of Price and Cocaine Consumption Following Self-Administration Histories that Produce Escalation of Either Final Ratios or Intake. Neuropsychopharmacology, 2009, 34, 796-804.	5.4	92
26	Involvement of adenosine A2A and dopamine receptors in the locomotor and sensitizing effects of cocaine. Brain Research, 2006, 1077, 67-80.	2.2	90
27	The effects of dose and access restrictions on the periodicity of cocaine self-administration in the rat. Drug and Alcohol Dependence, 1993, 33, 119-128.	3.2	87
28	Intra-VTA Baclofen Attenuates Cocaine Self-Administration on a Progressive Ratio Schedule of Reinforcement. Pharmacology Biochemistry and Behavior, 2000, 66, 857-862.	2.9	86
29	Sensitization of the reinforcing effects of selfâ€administered cocaine in rats: effects of dose and intravenous injection speed. European Journal of Neuroscience, 2005, 22, 195-200.	2.6	86
30	The GABAB agonist CGP 44532 decreases cocaine self-administration in rats: demonstration using a progressive ratio and a discrete trials procedure. Neuropharmacology, 1999, 38, 1797-1804.	4.1	85
31	Effect of medial prefrontal cortex injections of SCH 23390 on intravenous cocaine self-administration under both a fixed and progressive ratio schedule of reinforcement. Behavioural Brain Research, 1995, 67, 75-80.	2.2	81
32	Sensitization to the reinforcing effects of cocaine following binge-abstinent self-administration. Neuroscience and Biobehavioral Reviews, 2004, 27, 803-812.	6.1	81
33	A novel IV cocaine self-administration procedure in rats: differential effects of dopamine, serotonin, and GABA drug pre-treatments on cocaine consumption and maximal price paid. Psychopharmacology, 2011, 214, 567-577.	3.1	75
34	Preclinical evidence for GABAB agonists as a pharmacotherapy for cocaine addiction. Physiology and Behavior, 2005, 86, 18-20.	2.1	70
35	Brain-Cocaine Concentrations Determine the Dose Self-Administered by Rats on a Novel Behaviorally Dependent Dosing Schedule. Neuropsychopharmacology, 2011, 36, 2741-2749.	5.4	70
36	Adrenal steroid-induced changes in ß-adrenergic receptor binding in rat hippocampus. European Journal of Pharmacology, 1981, 74, 37-41.	3.5	69

#	Article	IF	CITATIONS
37	Cocaine Self-Administration Produces Pharmacodynamic Tolerance: Differential Effects on the Potency of Dopamine Transporter Blockers, Releasers, and Methylphenidate. Neuropsychopharmacology, 2012, 37, 1708-1716.	5.4	68
38	Individual differences in sucrose consumption in the rat: motivational and neurochemical correlates of hedonia. Psychopharmacology, 2001, 157, 269-276.	3.1	65
39	Effects of extended-access self-administration and deprivation on breakpoints maintained by cocaine in rats. Psychopharmacology, 2005, 179, 644-651.	3.1	65
40	MDL 72222, ketanserin, and methysergide pretreatments fail to alter breaking points on a progressive ratio schedule reinforced by intravenous cocaine. Pharmacology Biochemistry and Behavior, 1993, 44, 161-165.	2.9	63
41	Rapid and Persistent Sensitization to the Reinforcing Effects of Cocaine. Neuropsychopharmacology, 2006, 31, 121-128.	5.4	63
42	Self-administration of GBR 12909 on a fixed ratio and progressive ratio schedule in rats. Psychopharmacology, 1993, 111, 202-206.	3.1	62
43	Cocaine-Insensitive Dopamine Transporters with Intact Substrate Transport Produced by Self-Administration. Biological Psychiatry, 2011, 69, 201-207.	1.3	60
44	Methylphenidate and cocaine selfâ€administration produce distinct dopamine terminal alterations. Addiction Biology, 2014, 19, 145-155.	2.6	60
45	Comparison of the Reinforcing Effects of Cocaine and Cocaine/Heroin Combinations under Progressive Ratio and Choice Schedules in Rats. Neuropsychopharmacology, 2005, 30, 286-295.	5.4	57
46	Breaking points on a progressive ratio schedule reinforced by intravenous apomorphine increase daily following 6-hydroxydopamine lesions of the nucleus accumbens. Pharmacology Biochemistry and Behavior, 1989, 32, 43-47.	2.9	54
47	Cocaine self-administration reinforced on a progressive ratio schedule decreases with continuous d-amphetamine treatment in rats. Psychopharmacology, 2008, 200, 465-473.	3.1	53
48	Intermittent intake of rapid cocaine injections promotes robust psychomotor sensitization, increased incentive motivation for the drug and mGlu2/3 receptor dysregulation. Neuropharmacology, 2017, 117, 227-237.	4.1	53
49	Destruction of the locus coeruleus or the dorsal NE bundle does not alter the release of punished responding by ethanol and chlordiazepoxide. Physiology and Behavior, 1984, 33, 479-485.	2.1	52
50	Changes in rat frontal cortex gene expression following chronic cocaine. Molecular Brain Research, 2002, 104, 11-20.	2.3	52
51	Increase in A2A receptors in the nucleus accumbens after extended cocaine self-administration and its disappearance after cocaine withdrawal. Brain Research, 2007, 1143, 208-220.	2.2	52
52	Gene expression changes in the medial prefrontal cortex and nucleus accumbens following abstinence from cocaine self-administration. BMC Neuroscience, 2010, 11, 29.	1.9	52
53	Initiation, maintenance and extinction of cocaine self-administration with and without conditioned reward. Psychopharmacology, 1996, 128, 89-96.	3.1	51
54	Binge self-administration and deprivation produces sensitization to the reinforcing effects of cocaine in rats. Psychopharmacology, 2005, 178, 309-316.	3.1	48

#	Article	IF	CITATIONS
55	Striatal <scp>CB</scp> <sub>1</sub> and D <sub>2</sub> receptors regulate expression of each other, <scp>CRIP</scp> 1A and delta opioid systems. Journal of Neurochemistry, 2013, 124, 808-820.	3.9	48
56	GABA Modulation of Cocaine Selfâ€Administration. Annals of the New York Academy of Sciences, 2000, 909, 145-158.	3.8	47
57	Fast onset of dopamine uptake inhibition by intravenous cocaine. European Journal of Neuroscience, 2004, 20, 2838-2842.	2.6	46
58	FREE-RUNNING RHYTHMS OF COCAINE SELF-ADMINISTRATION IN RATS HELD UNDER CONSTANT LIGHTING CONDITIONS. Chronobiology International, 2010, 27, 535-548.	2.0	45
59	Dopamine Uptake Changes Associated with Cocaine Self-Administration. Neuropsychopharmacology, 2009, 34, 1174-1184.	5.4	44
60	Self -Administration of Psychomotor Stimulants Using Progressive Ratio Schedules of Reinforcement. , 1992, , 233-270.		42
61	Platelet activating factor receptor expression is associated with neuronal apoptosis in an in vivo model of excitotoxicity. Cell Death and Differentiation, 1998, 5, 867-875.	11.2	40
62	Repetitive vibrissae-elicited forelimb placing before and immediately after unilateral 6-hydroxydopamine improves outcome in a model of Parkinson's disease. Behavioural Brain Research, 2007, 179, 183-191.	2.2	40
63	Conflation of cocaine seeking and cocaine taking responses in IV self-administration experiments in rats: Methodological and interpretational considerations. Neuroscience and Biobehavioral Reviews, 2013, 37, 2026-2036.	6.1	40
64	Neuroleptics block high- but not low-dose heroin place preferences: Further evidence for a two-system model of motivation Behavioral Neuroscience, 1994, 108, 1128-1138.	1.2	39
65	Increased self-administration of cocaine following haloperidol: Sex-dependent effects of the antiestrogen tamoxifen. Pharmacology Biochemistry and Behavior, 1986, 25, 497-501.	2.9	37
66	The group II metabotropic glutamate receptor agonist, LY379268, decreases methamphetamine self-administration in rats. Drug and Alcohol Dependence, 2013, 132, 414-419.	3.2	37
67	Effect of 6-hydroxydopamine lesions of the amygdala on intravenous cocaine self-administration under a progressive ratio schedule of reinforcement. Brain Research, 1994, 646, 273-278.	2.2	35
68	Noradrenergic influences on catalepsy. Psychopharmacology, 1978, 60, 53-57.	3.1	34
69	Clozapine increases breaking points on a progressive-ratio schedule reinforced by intravenous cocaine. Pharmacology Biochemistry and Behavior, 1992, 42, 559-562.	2.9	33
70	Repeated cocaine self-administration causes multiple changes in rat frontal cortex gene expression. Neurochemical Research, 2002, 27, 1181-1192.	3.3	32
71	Microinjection of the δ-opioid receptor selective antagonist naltrindole 5′-isothiocyanate site specifically affects cocaine self-administration in rats responding under a progressive ratio schedule of reinforcement. Behavioural Brain Research, 2007, 182, 140-144.	2.2	32
72	Cross-sensitization of the reinforcing effects of cocaine and amphetamine in rats. Psychopharmacology, 2007, 195, 369-375.	3.1	32

#	Article	IF	CITATIONS
73	Increased breakpoints on a progressive ratio schedule reinforced by IV cocaine are associated with reduced locomotor activation and reduced dopamine efflux in nucleus accumbens shell in rats. Psychopharmacology, 2007, 195, 517-525.	3.1	32
74	Neuronal Gap Junctions: Expression, Function, And Implications For Behavior. International Review of Neurobiology, 2006, 73, 125-151.	2.0	31
75	High affinity [3H]desipramine binding in rat cerebral cortex decreases after selective lesion of noradrenergic neurons with 6-hydroxydopamine. European Journal of Pharmacology, 1981, 73, 375-376.	3.5	29
76	Long-term reduction in beta-adrenergic receptor binding after amygdala kindling in rats. Experimental Neurology, 1983, 82, 17-24.	4.1	29
77	Beta-funaltrexamine affects cocaine self-administration in rats responding on a progressive ratio schedule of reinforcement. Pharmacology Biochemistry and Behavior, 2003, 75, 301-307.	2.9	29
78	Decreased reinforcing effects of cocaine following 2Âweeks of continuous d-amphetamine treatment in rats. Psychopharmacology, 2009, 206, 447-456.	3.1	29
79	Interaction of brain noradrenaline and the pituitary-adrenal axis in learning and extinction. Pharmacology Biochemistry and Behavior, 1979, 10, 11-16.	2.9	28
80	Synchronous oscillations and phase reorganization in the basal ganglia during akinesia induced by highâ€dose haloperidol. European Journal of Neuroscience, 2007, 26, 1912-1924.	2.6	28
81	The GABA B antagonist CGP56433A attenuates the effect of baclofen on cocaine but not heroin self-administration in the rat. Psychopharmacology, 2002, 160, 49-55.	3.1	27
82	Long-term changes in connexin32 gap junction protein and mRNA expression following cocaine self-administration in rats. European Journal of Neuroscience, 1999, 11, 3329-3338.	2.6	26
83	Drug Self-Administration: Experimental Methods and Determinants. , 0, , 349-398.		24
84	Amphetamine withdrawal produces region-specific and time-dependent changes in connexin36 expression in rat brain. Synapse, 2005, 56, 39-44.	1.2	24
85	Discrete-trials heroin self-administration produces sensitization to the reinforcing effects of cocaine in rats. Psychopharmacology, 2006, 185, 150-159.	3.1	24
86	Paradoxical tolerance to cocaine after initial supersensitivity in drugâ€useâ€prone animals. European Journal of Neuroscience, 2013, 38, 2628-2636.	2.6	24
87	Cocaine Self-Administration in Rats: Threshold Procedures. Methods in Molecular Biology, 2012, 829, 303-319.	0.9	24
88	Alpha2-adrenergic receptors mediate the increase in blood glucose levels induced by epinephrine and brief footshock stress. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 1988, 12, 307-314.	4.8	22
89	Extended cocaine self-administration and deprivation produces region-specific and time-dependent changes in connexin36 expression in rat brain. Synapse, 2005, 58, 141-150.	1.2	22
90	Neonatal systemic 6-hydroxydopamine and dorsal tegmental bundle lesion: Comparison of effects on CNS norepinephrine and the postdecapitation reflex. Brain Research, 1978, 155, 205-208.	2.2	21

#	Article	IF	CITATIONS
91	Persistent proteomic alterations in the medial prefrontal cortex with abstinence from cocaine selfâ€administration. Proteomics - Clinical Applications, 2009, 3, 462-472.	1.6	21
92	6-Ohda lesion to the dorsal noradrenergic bundle alters morphine-induced locomotor activity and catalepsy. European Journal of Pharmacology, 1978, 52, 209-214.	3.5	18
93	Selective depletion of spinal noradrenaline abolishes post-decapitation convulsions. Life Sciences, 1978, 23, 2411-2413.	4.3	17
94	Supersensitivity to the anticonvulsant and proconvulsant activity of clonidine following noradrenaline depletion induced by 6-hydroxydopamine. Psychopharmacology, 1985, 85, 319-322.	3.1	17
95	Cocaine self-administration on a hold-down schedule of reinforcement in rats. Psychopharmacology, 2009, 201, 601-609.	3.1	16
96	Evidence on the retrograde neurotoxicity of doxorubicin. Neuroscience Letters, 1985, 53, 215-219.	2.1	15
97	A single evoked afterdischarge produces rapid time-dependent changes in connexin36 protein expression in adult rat dorsal hippocampus. Neuroscience Letters, 2006, 405, 84-88.	2.1	15
98	Examination of behavioral strategies regulating cocaine intake in rats. Psychopharmacology, 2013, 225, 935-944.	3.1	15
99	Reduction of the reinforcing effectiveness of cocaine by continuous d-amphetamine treatment in rats: importance of active self-administration during treatment period. Psychopharmacology, 2014, 231, 949-954.	3.1	15
100	3,4-methylenedioxyamphetamine (MDA) self-administration and neurotoxicity. Pharmacology Biochemistry and Behavior, 1991, 39, 569-574.	2.9	14
101	Parsing the addiction phenomenon: Self-administration procedures modeling enhanced motivation for drug and escalation of drug intake. Drug Discovery Today: Disease Models, 2008, 5, 217-226.	1.2	12
102	Neonatal 6-hydroxydopamine prevents adaptation to chemical disruption of the pituitary-adrenal system in the rat. Hormones and Behavior, 1984, 18, 12-21.	2.1	10
103	Effect of HD-23, a potent long acting cocaine-analog, on cocaine self-administration in rats. Psychopharmacology, 2003, 167, 386-392.	3.1	9
104	Neonatal intraspinal 6-hydroxydopamine, 5,7-dihydroxytryptamine or their combination: Effects on nociception and morphine analgesia. European Journal of Pharmacology, 1982, 86, 157-166.	3.5	8
105	Experimentally induced glucose intolerance increases oral ethanol intake in rats. Alcohol, 1984, 1, 257-261.	1.7	8
106	Relationship between levels and uptake of serotonin and high affinity [3H]imipramine recognition sites in the rat brain. Canadian Journal of Physiology and Pharmacology, 1985, 63, 1239-1244.	1.4	8
107	Increased Motivation to Self-Administer Apomorphine following 6-Hydroxydopamine Lesions of the Nucleus Accumbens. Annals of the New York Academy of Sciences, 1988, 537, 523-524.	3.8	7
108	Lesions of the dorsomedial frontal cortex block sensitization to the positive-reinforcing effects of cocaine. Pharmacology Biochemistry and Behavior, 2008, 88, 238-246.	2.9	5

#	Article	IF	CITATIONS
109	Cocaine Self-Administration in Rats: Discrete Trials Procedures. Methods in Molecular Biology, 2012, 829, 291-302.	0.9	5
110	Cocaine Self-Administration in Rats: Hold-Down Procedures. Methods in Molecular Biology, 2012, 829, 279-290.	0.9	3
111	Analysis of Protein Expression in Brain Tissue by ELISA. , 2003, 79, 283-296.		1
112	Thinking Outside the Synapse: Pharmacokinetic-Based Medications for Cocaine Addiction. Neuropsychopharmacology, 2012, 37, 1079-1080.	5.4	1
113	Hold-down as an alternative to unit dose in cocaine self-administration experiments: Characterization using a progressive ratio schedule. Psychopharmacology, 2020, 237, 2685-2693.	3.1	0