

Martti Raidal

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/976702/martti-raidal-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,199
papers

44,395
citations

95
h-index

151
g-index

1,251
ext. papers

50,914
ext. citations

5
avg, IF

6.59
L-index

#	Paper	IF	Citations
1199	Evidence for X(3872) in Pb-Pb Collisions and Studies of its Prompt Production at $\sqrt{s_{NN}}=5.02$ TeV.. <i>Physical Review Letters</i> , 2022 , 128, 032001	7.4	1
1198	Measurement of double-parton scattering in inclusive production of four jets with low transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
1197	Study of quark and gluon jet substructure in Z+jet and dijet events from pp collisions. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
1196	Search for W resonances in proton-proton collisions at $s=13$ TeV using hadronic decays of Lorentz-boosted W bosons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022 , 826, 136888	4.2	0
1195	Primordial black holes from spectator field bubbles. <i>Journal of Cosmology and Astroparticle Physics</i> , 2022 , 2022, 017	6.4	0
1194	Yukawa coupling unification in non-supersymmetric SO(10) models with an intermediate scale. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022 , 824, 136788	4.2	
1193	Measurement of the Inclusive and Differential Higgs Boson Production Cross Sections in the Decay Mode to a Pair of Leptons in pp Collisions at $\sqrt{s}=13$ TeV.. <i>Physical Review Letters</i> , 2022 , 128, 081805	7.4	0
1192	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
1191	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	1
1190	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 153	4.2	0
1189	Search for long-lived particles produced in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
1188	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
1187	Using Z Boson Events to Study Parton-Medium Interactions in Pb-Pb Collisions.. <i>Physical Review Letters</i> , 2022 , 128, 122301	7.4	0
1186	A new calibration method for charm jet identification validated with proton-proton collision events at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2022 , 17, P03014	1	0
1185	Search for strongly interacting massive particles generating trackless jets in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 213	4.2	0
1184	Observation of Bs0 mesons and measurement of the Bs0/B+ yield ratio in. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022 , 137062	4.2	
1183	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 290	4.2	0

1182	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
1181	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
1180	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
1179	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
1178	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
1177	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
1176	Measurement of the inclusive $\overline{\text{t}}\text{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
1175	Dark matter-induced multi-phase dynamical symmetry breaking. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022 , 137214	4.2	0
1174	Measurements of the Electroweak Diboson Production Cross Sections in Proton-Proton Collisions at $\sqrt{s}=5.02$ TeV Using Leptonic Decays. <i>Physical Review Letters</i> , 2021 , 127, 191801	7.4	0
1173	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 970	4.2	3
1172	Search for a heavy Higgs boson decaying into two lighter Higgs bosons in the Bb final state at 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
1171	Cosmological black holes are not described by the Thakurta metric: LIGO-Virgo bounds on PBHs remain unchanged. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
1170	Search for new particles in events with energetic jets and large missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
1169	Measurement of differential $\text{t}\bar{\text{t}}$ production cross sections in the full kinematic range using lepton+jets events from proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2021 , 104,	4.9	1
1168	Observation of tW production in the single-lepton channel in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
1167	Search for chargino-neutralino production in events with Higgs and W bosons using 137 fb^{-1} of proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
1166	Measurement of the electroweak production of $\text{Z}\bar{\text{t}}\text{t}$ and two jets in proton-proton collisions at $s=13$ TeV and constraints on anomalous quartic gauge couplings. <i>Physical Review D</i> , 2021 , 104,	4.9	1
1165	Measurements of the $\text{pp} \rightarrow \text{W}\bar{\text{t}}\text{t}$ and $\text{pp} \rightarrow \text{Z}\bar{\text{t}}\text{t}$ cross sections at $(\sqrt{\text{mathrm{s}}}) = 13$ TeV and limits on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1

1164	Phenomenology of a fake Inert Doublet Model. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	4
1163	Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	2
1162	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2021 , 81, 200	4-2	5
1161	Measurement of the inclusive and differential Higgs boson production cross sections in the leptonic WW decay mode at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	3
1160	Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	4
1159	Two populations of LIGO-Virgo black holes. <i>Journal of Cosmology and Astroparticle Physics</i> , 2021 , 2021, 068	6-4	42
1158	Search for new physics in top quark production with additional leptons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV using effective field theory. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	4
1157	Gravitational dark matter production in Palatini preheating. <i>Journal of Cosmology and Astroparticle Physics</i> , 2021 , 2021, 064	6-4	8
1156	Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	1
1155	Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	6
1154	Development and validation of HERWIG7 tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , 2021 , 81, 312	4-2	1
1153	Angular analysis of the decay $B^+ \rightarrow K^{*(892)+} \mu^+ \nu_\mu$ in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	2
1152	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , 2021 , 81, 378	4-2	5
1151	Electron and photon reconstruction and identification with the CMS experiment at the CERN LHC. <i>Journal of Instrumentation</i> , 2021 , 16, P05014	1	11
1150	Higher-spin particles at high-energy colliders. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	2
1149	Light Higgs boson from multi-phase criticality in dynamical symmetry breaking. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 816, 136241	4-2	2
1148	Measurement of b jet shapes in proton-proton collisions at $(\sqrt{s}) = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	0
1147	First measurement of large area jet transverse momentum spectra in heavy-ion collisions. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	2

1146	Study of Drell-Yan dimuon production in proton-lead collisions at ($\sqrt{s_{\mathrm{NN}}}$) = 8.16 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
1145	Measurement of the CP-violating phase ϕ_s in the $B_s^0 \rightarrow J/\psi(1020) \rightarrow \mu\mu + K_S^0$ channel in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 816, 136188	4.2	1
1144	Measurements of the differential cross sections of the production of Z + jets and τ jets and of Z boson emission collinear with a jet in pp collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	
1143	In-medium modification of dijets in PbPb collisions at ($\sqrt{s_{\mathrm{NN}}}$) = 5.02 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
1142	Measurement of the Z boson differential production cross section using its invisible decay mode ($Z \rightarrow (\nu \overline{\nu})$) in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	
1141	Measurement of the W Production Cross Section in Proton-Proton Collisions at $\sqrt{s}=13$ TeV and Constraints on Effective Field Theory Coefficients. <i>Physical Review Letters</i> , 2021 , 126, 252002	7.4	0
1140	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 488	4.2	5
1139	Observation of a New Excited Beauty Strange Baryon Decaying to $\Xi_b^{\prime+} \mu^-$. <i>Physical Review Letters</i> , 2021 , 126, 252003	7.4	1
1138	Performance of the CMS muon trigger system in proton-proton collisions at (\sqrt{s}) = 13. <i>Journal of Instrumentation</i> , 2021 , 16, P07001	1	2
1137	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
1136	Search for resonant and nonresonant new phenomena in high-mass dilepton final states at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	5
1135	Search for the lepton flavor violating decay $B \rightarrow 3\mu$ in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
1134	Measurements of production cross sections of polarized same-sign W boson pairs in association with two jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 812, 136018	4.2	6
1133	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 13	4.2	7
1132	Evidence for Higgs boson decay to a pair of muons. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	14
1131	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , 2021 , 81, 3	4.2	5
1130	Studies of charm and beauty hadron long-range correlations in pp and pPb collisions at LHC energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 813, 136036	4.2	1
1129	Principle of multiple point criticality in multi-scalar dark matter models. <i>Nuclear Physics B</i> , 2021 , 968, 115441	2.8	0

1128	Search for long-lived particles using displaced jets in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2021 , 104,	4.9	4
1127	Higgs-like spectator field as the origin of structure. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
1126	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 629	4.2	4
1125	Search for the rare decay of the W boson into a pion and a photon in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136409	4.3	0
1124	Constraints on the Initial State of Pb-Pb Collisions via Measurements of Z-Boson Yields and Azimuthal Anisotropy at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2021 , 127, 102002	7.4	1
1123	Fake doublet solution to the muon anomalous magnetic moment. <i>Physical Review D</i> , 2021 , 104,	4.9	6
1122	Search for a heavy vector resonance decaying to a Υ boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 688	4.2	0
1121	Measurement of the azimuthal anisotropy of Λ and mesons in PbPb collisions at $s_{NN}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136385	4.2	1
1120	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 723	4.2	3
1119	Search for lepton-flavor violating decays of the Higgs boson in the Υ and $e\bar{e}$ final states in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2021 , 104,	4.9	2
1118	Search for singly and pair-produced leptoquarks coupling to third-generation fermions in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136446	4.2	8
1117	Search for W^\pm bosons decaying to a top and a bottom quark at $s=13$ TeV in the hadronic final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 820, 136535	4.2	2
1116	Confronting spin-3/2 and other new fermions with the muon $g-2$ measurement. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 820, 136491	4.2	4
1115	First measurement of the cross section for top quark pair production with additional charm jets using dileptonic final states in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 820, 136565	4.2	0
1114	Constraints on anomalous Higgs boson couplings to vector bosons and fermions in its production and decay using the four-lepton final state. <i>Physical Review D</i> , 2021 , 104,	4.9	3
1113	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , 2021 , 81, 852	4.2	0
1112	Observation of Forward Neutron Multiplicity Dependence of Dimuon Acoplanarity in Ultraperipheral Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2021 , 127, 122001	7.4	1
1111	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , 2021 , 81, 800	4.2	7

1110	Search for top squark production in fully hadronic final states in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2021 , 104,	4.9	4
1109	Evidence for electroweak production of four charged leptons and two jets in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 812, 135992	4.2	4
1108	Measurement of prompt open-charm production cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	
1107	Measurement of the inclusive and differential $t\bar{t}$ cross sections in the single-lepton channel and EFT interpretation at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
1106	Measurement of the top quark mass using events with a single reconstructed top quark in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
1105	Probing effective field theory operators in the associated production of top quarks with a Z boson in multilepton final states at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
1104	Search for Long-Lived Particles Decaying in the CMS End Cap Muon Detectors in Proton-Proton Collisions at $\sqrt{s}=13$ TeV.. <i>Physical Review Letters</i> , 2021 , 127, 261804	7.4	0
1103	Search for a heavy resonance decaying to a top quark and a W boson at $\sqrt{s} = 13$ TeV in the fully hadronic final state. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
1102	Pileup mitigation at CMS in 13 TeV data. <i>Journal of Instrumentation</i> , 2020 , 15, P09018-P09018	1	14
1101	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P10017-P10017	1	23
1100	Search for decays of the 125 GeV Higgs boson into a Z boson and a $b\bar{c}$ meson. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
1099	Measurements of the W boson rapidity, helicity, double-differential cross sections, and charge asymmetry in pp collisions at $s=13$ TeV. <i>Physical Review D</i> , 2020 , 102,	4.9	4
1098	Measurement of the top quark Yukawa coupling from $t\bar{t}$ kinematic distributions in the dilepton final state in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2020 , 102,	4.9	4
1097	Dark matter and the XENON1T electron recoil excess. <i>Physical Review D</i> , 2020 , 102,	4.9	31
1096	Evidence for Top Quark Production in Nucleus-Nucleus Collisions. <i>Physical Review Letters</i> , 2020 , 125, 222001	7.4	1
1095	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	12
1094	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	20
1093	Search for bottom-type, vectorlike quark pair production in a fully hadronic final state in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2020 , 102,	4.9	3

1092	Identification of heavy, energetic, hadronically decaying particles using machine-learning techniques. <i>Journal of Instrumentation</i> , 2020 , 15, P06005-P06005	1	18
1091	Search for supersymmetry in proton-proton collisions at $(\sqrt{s}) = 13$ TeV in events with high-momentum Z bosons and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
1090	Search for resonant pair production of Higgs bosons in the $b\bar{b}Z$ channel in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2020 , 102,	4.9	4
1089	Search for a light charged Higgs boson in the $H\bar{B} \rightarrow c\bar{s}$ channel in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2020 , 102,	4.9	6
1088	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $(\sqrt{\text{mathrm}\{s}\}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
1087	Implications of Milky Way substructures for the nature of dark matter. <i>Physical Review D</i> , 2020 , 101,	4.9	12
1086	Search for dijet resonances using events with three jets in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 805, 135448	4.2	1
1085	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
1084	Search for disappearing tracks in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 806, 135502	4.2	14
1083	Search for new neutral Higgs bosons through the $(\text{mathrm}\{H\} \text{to } \text{mathrm}\{ZA\} \text{to } \{\ell\}^{\{+\}} \{\ell\}^{\{-\}} \overline{\text{mathrm}\{b\}} \text{overline{\text{mathrm}\{b\}}})$ process in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	10
1082	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 189	4.2	3
1081	Multiparticle correlation studies in pPb collisions at $s_{NN}=8.16$ TeV. <i>Physical Review C</i> , 2020 , 101,	2.7	2
1080	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , 2020 , 80, 534	4.2	6
1079	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at $(\sqrt{\text{mathrm}\{s}\}) = 13$ TeV and constraints on anomalous quartic couplings. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
1078	Determination of the strong coupling constant $\mu S(m_Z)$ from measurements of inclusive $W\bar{B}$ and Z boson production cross sections in proton-proton collisions at $(\sqrt{\text{mathrm}\{s}\}) = 7$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
1077	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
1076	Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 43	4.2	6
1075	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1

1074	Search for Supersymmetry with a Compressed Mass Spectrum in Events with a Soft Lepton, a Highly Energetic Jet, and Large Missing Transverse Momentum in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2020 , 124, 041803	7.4	3
1073	Evidence for $(W)W$ production from double-parton interactions in proton-proton collisions at $(\sqrt{s} = 13, \text{TeV})$. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
1072	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 75	4.2	24
1071	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 3	4.2	16
1070	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4	4.2	61
1069	Constraints on the ρ_{c1} versus ρ_{c2} Polarizations in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2020 , 124, 162002	7.4	6
1068	Search for lepton flavour violating decays of a neutral heavy Higgs boson to μ and e in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6
1067	A search for the standard model Higgs boson decaying to charm quarks. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
1066	Study of J/ψ meson production inside jets in pp collisions at $s=8\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 804, 135409	4.2	3
1065	Search for a Narrow Resonance Lighter than 200GeV Decaying to a Pair of Muons in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2020 , 124, 131802	7.4	12
1064	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	11
1063	Study of excited B_0 states decaying to $B_0\mu\mu$ in proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135345	4.2	19
1062	A measurement of the Higgs boson mass in the diphoton decay channel. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 805, 135425	4.2	25
1061	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $(\sqrt{\text{mathrm{s}}}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
1060	A multi-dimensional search for new heavy resonances decaying to boosted $\mu\mu$ or boson pairs in the dijet final state at 13TeV . <i>European Physical Journal C</i> , 2020 , 80, 237	4.2	10
1059	Production of Σ^+ baryons in proton-proton and lead-lead collisions at $s_{NN}=5.02\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135328	4.2	11
1058	Dark matter of any spin: An effective field theory and applications. <i>Physical Review D</i> , 2020 , 102,	4.9	12
1057	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2020 , 80, 1164	4.2	0

1056	Measurement of differential cross sections and charge ratios for t -channel single top quark production in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2020 , 80, 370	4.2	4
1055	Measurement of $(\bar{t}t)$ normalised multi-differential cross sections in (pp) collisions at $(\sqrt{s}=13, \text{TeV})$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical Journal C</i> , 2020 , 80, 370	4.2	13
1054	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	16
1053	Novel mechanism for primordial perturbations in minimal extensions of the Standard Model. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
1052	Dependence of inclusive jet production on the anti- k_T distance parameter in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
1051	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
1050	Observation of the $B^0 \rightarrow J/\psi \ell \bar{\ell}$ decay in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 802, 135203	4.2	5
1049	Observation of electroweak production of $W\ell$ with two jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 811, 135988	4.2	3
1048	Reconstruction of signal amplitudes in the CMS electromagnetic calorimeter in the presence of overlapping proton-proton interactions. <i>Journal of Instrumentation</i> , 2020 , 15, P10002-P10002	1	4
1047	Observation of nuclear modifications in $W\ell$ boson production in pPb collisions at $\sqrt{s_{NN}}=8.16$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135048	4.2	9
1046	Search for light pseudoscalar boson pairs produced from decays of the 125 GeV Higgs boson in final states with two muons and two nearby tracks in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135087	4.2	15
1045	Dark Matter through the Higgs portal. <i>Physics Reports</i> , 2020 , 842, 1-180	27.7	77
1044	Measurement of the single top quark and antiquark production cross sections in the t channel and their ratio in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135042	4.2	8
1043	Observation of the Production of Three Massive Gauge Bosons at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2020 , 125, 151802	7.4	2
1042	Measurements of production cross sections of WZ and same-sign WW boson pairs in association with two jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 809, 135710	4.2	14
1041	Strange hadron production in pp and pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review C</i> , 2020 , 101, 054907	2.7	1
1040	The production of isolated photons in PbPb and pp collisions at $(\sqrt{s_{\text{NN}}}) = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
1039	Measurement of CKM matrix elements in single top quark t -channel production in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 808, 135609	4.2	3

1038	Investigation into the event-activity dependence of $\gamma(nS)$ relative production in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	3
1037	Bose-Einstein correlations of charged hadrons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	2
1036	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , 2020 , 4, 10	6	3
1035	W+W boson pair production in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2020 , 102,	4-9	4
1034	Search for electroweak production of a vector-like T quark using fully hadronic final states. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	8
1033	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	5
1032	Measurement of properties of $(\mathbf{B})_{\mathbf{s}}^0 \rightarrow \mu\mu$ decays and search for $B^0 \rightarrow \mu\mu$ with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	10
1031	Search for a light pseudoscalar Higgs boson in the boosted τ final state in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	9
1030	Measurements of $t\bar{t}$ Production and the CP Structure of the Yukawa Interaction between the Higgs Boson and Top Quark in the Diphoton Decay Channel. <i>Physical Review Letters</i> , 2020 , 125, 061801	7-4	15
1029	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P02027-P02027	1	11
1028	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	4
1027	Measurement of the cross section for $(\mathbf{t})_{\mathbf{t}}$ production with additional jets and b jets in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	1
1026	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	13
1025	Measurement of the $Y(1S)$ pair production cross section and search for resonances decaying to $Y(1S)\mu\mu$ in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 808, 135578	4-2	10
1024	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	18
1023	Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P05002-P05002	1	
1022	Gravitational wave signals of pseudo-Goldstone dark matter in the Z3 complex singlet model. <i>Physical Review D</i> , 2020 , 101,	4-9	13
1021	Search for supersymmetry in pp collisions at $s=13$ TeV with 137 fb^{-1} in final states with a single lepton using the sum of masses of large-radius jets. <i>Physical Review D</i> , 2020 , 101,	4-9	6

1020	Measurement of the Jet Mass Distribution and Top Quark Mass in Hadronic Decays of Boosted Top Quarks in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2020 , 124, 202001	7.4	2
1019	Observation of the $B_{s^0} \rightarrow X(3872) \gamma$ Decay. <i>Physical Review Letters</i> , 2020 , 125, 152001	7.4	4
1018	Measurement of the associated production of a Z boson with charm or bottom quark jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2020 , 102,	4.9	6
1017	Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , 2020 , 80, 718	4.2	2
1016	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 752	4.2	2
1015	Studies of Charm Quark Diffusion inside Jets Using Pb-Pb and pp Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2020 , 125, 102001	7.4	3
1014	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
1013	Measurement of the top quark pair production cross section in dilepton final states containing one lepton in pp collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	0
1012	Combined search for supersymmetry with photons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 801, 135183	4.2	
1011	Measurement of the $t\bar{t}b\bar{b}$ production cross section in the all-jet final state in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135285	4.2	5
1010	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 773	4.2	0
1009	Search for a Light Charged Higgs Boson Decaying to a W Boson and a CP-Odd Higgs Boson in Final States with $e\bar{\nu}_e$ in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 123, 131802	7.4	6
1008	Phase transitions and gravitational wave tests of pseudo-Goldstone dark matter in the softly broken U(1) scalar singlet model. <i>Physical Review D</i> , 2019 , 99,	4.9	16
1007	Studies of Beauty Suppression via Nonprompt D^0 Mesons in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2019 , 123, 022001	7.4	7
1006	Search for charged Higgs bosons in the $H \rightarrow \mu\mu$ decay channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	24
1005	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 305	4.2	2
1004	Measurement of electroweak WZ boson production and search for new physics in WZ + two jets events in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 281-307	4.2	19
1003	Search for Higgs and Z boson decays to J/ψ pairs in the four-muon final state in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 797, 134811	4.2	4

1002	A search for pair production of new light bosons decaying into muons in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 796, 131-154	4.2	16
1001	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
1000	Search for Dark Matter Particles Produced in Association with a Top Quark Pair at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 011803	7.4	7
999	Search for the Higgs Boson Decaying to Two Muons in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 021801	7.4	22
998	Search for supersymmetric partners of electrons and muons in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 140-166	4.2	24
997	Measurement and interpretation of differential cross sections for Higgs boson production at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 792, 369-396	4.2	18
996	Search for an L L gauge boson using $Z \rightarrow 4\ell$ events in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 792, 345-368	4.2	29
995	Search for a low-mass χ resonance in association with a bottom quark in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
994	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV via Higgs boson decays to $l\bar{l}$ leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	3
993	FCC Physics Opportunities. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	174
992	Search for the pair production of light top squarks in the $e\bar{e}$ final state in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
991	Measurement of associated production of a boson and a charm quark in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 269	4.2	9
990	Observation of prompt J/ψ meson elliptic flow in high-multiplicity pPb collisions at $s_{NN}=8.16$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 791, 172-194	4.2	14
989	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 421	4.2	153
988	Search for supersymmetry in events with a photon, jets, \cancel{e} -jets, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 444	4.2	1
987	Measurements of the Higgs boson width and anomalous HVV couplings from on-shell and off-shell production in the four-lepton final state. <i>Physical Review D</i> , 2019 , 99,	4.9	42
986	Measurements of the $pp \rightarrow WZ$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
985	Measurements of properties of the Higgs boson decaying to a W boson pair in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 791, 96-129	4.2	27

984	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , 2019 , 79, 368	4.2	27
983	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at ($\sqrt{s}=13, \text{TeV}$). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
982	Search for nonresonant Higgs boson pair production in the ($\mathbf{b}\overline{\mathbf{b}}\mathbf{b}\overline{\mathbf{b}}$) final state at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
981	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 280	4.2	12
980	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
979	Search for a standard model-like Higgs boson in the mass range between 70 and 110 GeV in the diphoton final state in proton-proton collisions at $s=8$ and 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 320-347	4.2	21
978	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 364	4.2	18
977	Search for invisible decays of a Higgs boson produced through vector boson fusion in proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 520-551	4.2	86
976	Combination of Searches for Higgs Boson Pair Production in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 121803	7.4	35
975	Jet Shapes of Isolated Photon-Tagged Jets in Pb-Pb and pp Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 152001	7.4	8
974	Search for W Boson Decays to Three Charged Pions. <i>Physical Review Letters</i> , 2019 , 122, 151802	7.4	1
973	Measurement of prompt ($\mathbf{Q}\mathbf{S}$) production cross sections in proton-lead and proton-proton collisions at $s_{NN}=5.02\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 509-532	4.2	6
972	Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 90	4.2	6
971	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 123	4.2	4
970	Search for rare decays of and Higgs bosons to and a photon in proton-proton collisions at = 13. <i>European Physical Journal C</i> , 2019 , 79, 94	4.2	7
969	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
968	Search for long-lived particles decaying into displaced jets in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	24
967	Measurements of ($\mathbf{t}\overline{\mathbf{t}}$) differential cross sections in proton-proton collisions at ($\sqrt{s}=13$) TeV using events containing two leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15

966	Search for ($\overline{\text{t}}\text{H}$) production in the (H to $\overline{\text{b}}\text{}$) decay channel with leptonic ($\overline{\text{t}}\text{}$) decays in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	17
965	Search for Narrow H Resonances in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 081804	7.4	1
964	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at ($\sqrt{s} = 13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
963	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
962	Search for resonant ($\overline{\text{t}}\text{t}$) production in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	13
961	Observation of Single Top Quark Production in Association with a Z Boson in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 132003	7.4	6
960	Formation and evolution of primordial black hole binaries in the early universe. <i>Journal of Cosmology and Astroparticle Physics</i> , 2019 , 2019, 018-018	6.4	120
959	Observation of Two Excited B_{c}^{+} States and Measurement of the $B_{c}^{+}(2S)$ Mass in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 132001	7.4	31
958	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
957	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
956	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	14
955	Measurement of nuclear modification factors of $\rho(1S)$, $\rho(2S)$, and $\rho(3S)$ mesons in PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 270-293	4.2	40
954	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 20	4.2	4
953	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	18
952	Search for a W' boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
951	Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
950	Inclusive search for supersymmetry in pp collisions at ($\sqrt{s}=13$) TeV using razor variables and boosted object identification in zero and one lepton final states. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
949	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8

948	Search for excited leptons in final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
947	Search for new particles decaying to a jet and an emerging jet. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15
946	Centrality and pseudorapidity dependence of the transverse energy density in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review C</i> , 2019 , 100,	2.7	2
945	Search for the production of W^+W^- events at $s=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	3
944	Search for associated production of a Higgs boson and a single top quark in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	13
943	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at ($\sqrt{s} = 13, \text{TeV}$). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	6
942	Search for pair production of second-generation leptoquarks at $s=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	20
941	Search for pair production of first-generation scalar leptoquarks at $s=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	15
940	Measurement of exclusive \bar{p} photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 702	4.2	13
939	Search for dark matter in events with a leptoquark and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 76-99	4.2	2
938	Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 277	4.2	19
937	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , 2019 , 79, 564	4.2	20
936	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state with two muons and two b quarks in pp collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 398-423	4.2	17
935	FCC-hh: The Hadron Collider. <i>European Physical Journal: Special Topics</i> , 2019 , 228, 755-1107	2.3	196
934	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
933	FCC-ee: The Lepton Collider. <i>European Physical Journal: Special Topics</i> , 2019 , 228, 261-623	2.3	193
932	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , 2019 , 79, 313	4.2	13
931	Search for long-lived particles using nonprompt jets and missing transverse momentum with proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 797, 134876	4.2	15

930	Combination of CMS searches for heavy resonances decaying to pairs of bosons or leptons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134952	4.2	10
929	Search for anomalous electroweak production of vector boson pairs in association with two jets in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134985	4.2	16
928	Search for MSSM Higgs bosons decaying to $\mu\mu$ in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134992	4.2	11
927	An embedding technique to determine μ backgrounds in proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P06032-P06032	1	5
926	Small-scale structure of primordial black hole dark matter and its implications for accretion. <i>Physical Review D</i> , 2019 , 100,	4.9	27
925	Performance of missing transverse momentum reconstruction in proton-proton collisions at $\sqrt{s} = 13$ TeV using the CMS detector. <i>Journal of Instrumentation</i> , 2019 , 14, P07004-P07004	1	39
924	Measurement of the top quark Yukawa coupling from $t\bar{t}$ kinematic distributions in the lepton+jets final state in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	5
923	Charged-particle angular correlations in XeXe collisions at $\sqrt{s_{NN}}=5.44$ TeV. <i>Physical Review C</i> , 2019 , 100,	2.7	14
922	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
921	Search for supersymmetry using Higgs boson to diphoton decays at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
920	Measurements of differential Z boson production cross sections in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	11
919	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
918	Study of the $(\mathbf{B}^+ \rightarrow \mathbf{J}/\psi \overline{\Lambda} \mathbf{p})$ decay in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	1
917	Search for low-mass resonances decaying into bottom quark-antiquark pairs in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	12
916	Search for pair-produced three-jet resonances in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	2
915	Search for resonances decaying to a pair of Higgs bosons in the $b(\overline{b})q(\overline{q})$ final state in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
914	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 969	4.2	1
913	Pseudorapidity distributions of charged hadrons in xenon-xenon collisions at $\sqrt{s_{NN}}=5.44$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 799, 135049	4.2	5

912	Search for vectorlike leptons in multilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	14
911	Common explanation to the $RK^{(*)}$, $RD^{(*)}$, and R/Γ anomalies in a 3HDM with right-handed neutrinos and connections to neutrino physics. <i>Physical Review D</i> , 2019 , 100,	4.9	7
910	Search for pair production of vectorlike quarks in the fully hadronic final state. <i>Physical Review D</i> , 2019 , 100,	4.9	18
909	Measurement of the top quark polarization and tt spin correlations using dilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	13
908	Constraints on anomalous HVV couplings from the production of Higgs bosons decaying to $\ell\ell$ pairs. <i>Physical Review D</i> , 2019 , 100,	4.9	11
907	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	10
906	Probing the chiral magnetic wave in pPb and PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV using charge-dependent azimuthal anisotropies. <i>Physical Review C</i> , 2019 , 100,	2.7	5
905	Measurement of the differential Drell-Yan cross section in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	6
904	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
903	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 893	4.2	6
902	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
901	Search for Physics beyond the Standard Model in Events with Overlapping Photons and Jets. <i>Physical Review Letters</i> , 2019 , 123, 241801	7.4	
900	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 886	4.2	6
899	Search for long-lived particles using delayed photons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	7
898	Search for Low-Mass Quark-Antiquark Resonances Produced in Association with a Photon at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 123, 231803	7.4	7
897	Search for Higgs boson pair production in the $\tau\tau$ final state in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 788, 7-36	4.2	24
896	Measurement of differential cross sections for Z boson pair production in association with jets at $\sqrt{s}=8$ and 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 19-44	4.2	3
895	Inclusive Search for a Highly Boosted Higgs Boson Decaying to a Bottom Quark-Antiquark Pair. <i>Physical Review Letters</i> , 2018 , 120, 071802	7.4	30

894	Observation of Electroweak Production of Same-Sign W Boson Pairs in the Two Jet and Two Same-Sign Lepton Final State in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 081801	7.4	50
893	Observation of Correlated Azimuthal Anisotropy Fourier Harmonics in pp and p+Pb Collisions at the LHC. <i>Physical Review Letters</i> , 2018 , 120, 092301	7.4	27
892	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 242	4.2	4
891	Measurement of the Splitting Function in pp and Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 142302	7.4	27
890	Measurement of quarkonium production cross sections in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 251-272	4.2	20
889	Pseudorapidity distributions of charged hadrons in proton-lead collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02$) and 8.16 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
888	Observation of the Higgs boson decay to a pair of τ leptons with the CMS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 283-316	4.2	78
887	Suppression of Excited χ States Relative to the Ground State in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 142301	7.4	12
886	Search for Higgsino pair production in pp collisions at $s=13$ TeV in final states with large missing transverse momentum and two Higgs bosons decaying via $H \rightarrow b\bar{b}$. <i>Physical Review D</i> , 2018 , 97,	4.9	8
885	Search for resonant and nonresonant Higgs boson pair production in the ($\overline{b}b \ell \nu \ell \nu$) final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
884	Oscillating spin-2 dark matter. <i>Physical Review D</i> , 2018 , 97,	4.9	27
883	Search for heavy resonances decaying to a top quark and a bottom quark in the lepton+jets final state in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 777, 39-63	4.2	14
882	Measurements of $t\bar{t}$ cross sections in association with b jets and inclusive jets and their ratio using dilepton final states in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 355-378	4.2	12
881	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s}=13$. <i>European Physical Journal C</i> , 2018 , 78, 291	4.2	17
880	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2018 , 78, 165	4.2	29
879	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 287	4.2	11
878	Measurement of the inclusive ($t\bar{t}$) cross section in pp collisions at ($\sqrt{s}=5.02$) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
877	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	

876	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	2
875	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	4
874	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	45
873	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	40
872	Measurement of differential cross sections in the kinematic angular variable ϕ^* for inclusive Z boson production in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	2
871	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	8
870	Measurement of normalized differential ($\overline{\mathrm{t}}\overline{\mathrm{t}}$) cross sections in the dilepton channel from pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	12
869	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	13
868	Search for ZZ resonances in the $2\mu\mu$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
867	Search for massive resonances decaying into WW, WZ, ZZ, qW, and qZ with dijet final states at $s=13$ TeV. <i>Physical Review D</i> , 2018 , 97,	4-9	20
866	Measurement of the $\overline{\mathrm{B}}$ polarization and angular parameters in $\overline{\mathrm{B}}\rightarrow\mathrm{J}/\psi\overline{\mathrm{B}}$ decays from pp collisions at $s=7$ and 8 TeV. <i>Physical Review D</i> , 2018 , 97,	4-9	6
865	Search for gauge-mediated supersymmetry in events with at least one photon and missing transverse momentum in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 118-143	4-2	9
864	Bose-Einstein correlations in pp, pPb, and PbPb collisions at $s_{\mathrm{NN}}=0.9\sqrt{s}$ TeV. <i>Physical Review C</i> , 2018 , 97,	2-7	15
863	Measurement of differential cross sections for the production of top quark pairs and of additional jets in lepton+jets events from pp collisions at $s=13$ TeV. <i>Physical Review D</i> , 2018 , 97,	4-9	20
862	Search for new physics in final states with an energetic jet or a hadronically decaying W or Z boson and transverse momentum imbalance at $s=13$ TeV. <i>Physical Review D</i> , 2018 , 97,	4-9	51
861	Jet properties in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
860	Search for supersymmetry with Higgs boson to diphoton decays using the razor variables at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 166-190	4-2	4
859	Search for pair production of vector-like quarks in the $b\overline{\mathrm{W}}\mathrm{W}$ channel from proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 82-106	4-2	29

858	Measurement of the associated production of a single top quark and a Z boson in pp collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 358-384	4.2	11
857	Search for new long-lived particles at $s=13\text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 432-454	4.2	20
856	Search for supersymmetry in events with one lepton and multiple jets exploiting the angular correlation between the lepton and the missing transverse momentum in proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 384-409	4.2	2
855	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22
854	Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. <i>Journal of Instrumentation</i> , 2018 , 13, P06015-P06015	1	118
853	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140	4.2	20
852	Elliptic Flow of Charm and Strange Hadrons in High-Multiplicity p+Pb Collisions at $\sqrt{s_{NN}}=8.16\text{ TeV}$. <i>Physical Review Letters</i> , 2018 , 121, 082301	7.4	35
851	Study of jet quenching with isolated-photon+jet correlations in PbPb and pp collisions at $s_{NN}=5.02\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 785, 14-39	4.2	21
850	Search for top squarks and dark matter particles in opposite-charge dilepton final states at $s=13\text{ TeV}$. <i>Physical Review D</i> , 2018 , 97,	4.9	26
849	Constraining Gluon Distributions in Nuclei Using Dijets in Proton-Proton and Proton-Lead Collisions at $\sqrt{s_{NN}}=5.02\text{ TeV}$. <i>Physical Review Letters</i> , 2018 , 121, 062002	7.4	8
848	Observation of $t\bar{t}$ Production. <i>Physical Review Letters</i> , 2018 , 120, 231801	7.4	96
847	Search for Physics Beyond the Standard Model in Events with High-Momentum Higgs Bosons and Missing Transverse Momentum in Proton-Proton Collisions at 13TeV . <i>Physical Review Letters</i> , 2018 , 120, 241801	7.4	9
846	Search for Heavy Neutral Leptons in Events with Three Charged Leptons in Proton-Proton Collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review Letters</i> , 2018 , 120, 221801	7.4	62
845	Search for vectorlike light-flavor quark partners in proton-proton collisions at $s=8\text{ TeV}$. <i>Physical Review D</i> , 2018 , 97,	4.9	6
844	Search for single production of a vector-like T quark decaying to a Z boson and a top quark in proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 574-600	4.2	24
843	Search for a massive resonance decaying to a pair of Higgs bosons in the four b quark final state in proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 244-269	4.2	22
842	Statistical analyses of Higgs- and Z-portal dark matter models. <i>Physical Review D</i> , 2018 , 97,	4.9	30
841	Search for the X(5568) State Decaying into $B_{(s)}^0\bar{B}_{(s)}^0$ in Proton-Proton Collisions at $\sqrt{s}=8\text{ TeV}$. <i>Physical Review Letters</i> , 2018 , 120, 202005	7.4	36

840	Light primordial exotic compact objects as all dark matter. <i>Physical Review D</i> , 2018 , 97,	4.9	21
839	Measurements of the $(\mathrm{p}\mathrm{p}\rightarrow\mathrm{Z}\mathrm{Z})$ production cross section and the $(\mathrm{Z}\rightarrow 4\ell)$ branching fraction, and constraints on anomalous triple gauge couplings at $(\sqrt{s}=13,\text{TeV})$ 2018 , 78, 1		3
838	Measurement of b hadron lifetimes in pp collisions at $(\sqrt{s}=8)$ (,text {TeV}) 2018 , 78, 1		1
837	Constraints on primordial black hole dark matter from Galactic center X-ray observations. <i>Astronomy and Astrophysics</i> , 2018 , 618, A139	5.1	11
836	Azimuthal anisotropy of charged particles with transverse momentum up to $100\text{GeV}/c$ in PbPb collisions at $\sqrt{s_{NN}}=5.02\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 195-216	4.2	27
835	Search for $(\overline{\mathrm{t}}\mathrm{t}\mathrm{H})$ production in the all-jet final state in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13
834	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at $(\sqrt{s}=8)$ and 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
833	Measurement of the groomed jet mass in PbPb and pp collisions at $(\sqrt{s_{\mathrm{NN}}}=5.02)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	5
832	Search for pair-produced resonances decaying to quark pairs in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	8
831	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
830	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
829	Search for natural and split supersymmetry in proton-proton collisions at $(\sqrt{s}=13)$ TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	39
828	Pseudorapidity and transverse momentum dependence of flow harmonics in pPb and PbPb collisions. <i>Physical Review C</i> , 2018 , 98,	2.7	6
827	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
826	Towards a viable scalar interpretation of RD^* . <i>Physical Review D</i> , 2018 , 98,	4.9	12
825	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two leptons in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
824	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
823	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6

822	Charged-particle nuclear modification factors in XeXe collisions at ($\sqrt{s_{\mathrm{NN}}}$) = 5.44) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	11
821	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , 2018 , 78, 891	4-2	13
820	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at (\sqrt{s})=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	14
819	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at (\sqrt{s})=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	37
818	Event shape variables measured using multijet final states in proton-proton collisions at (\sqrt{s})=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
817	Search for physics beyond the standard model in high-mass diphoton events from proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4-9	14
816	Search for Leptoquarks Coupled to Third-Generation Quarks in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 241802	7-4	20
815	Search for long-lived particles with displaced vertices in multijet events in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4-9	12
814	Measurement of jet substructure observables in tt events from proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4-9	12
813	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at (\sqrt{s})=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	12
812	Search for narrow and broad dijet resonances in proton-proton collisions at (\sqrt{s})=13) TeV and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	50
811	Search for Z resonances using leptonic and hadronic final states in proton-proton collisions at (\sqrt{s})=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	11
810	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at (\sqrt{s})=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	5
809	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at (\sqrt{s})=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	9
808	Search for supersymmetry in events with a lepton pair and missing transverse momentum in proton-proton collisions at (\sqrt{s})=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	14
807	Observation of Medium-Induced Modifications of Jet Fragmentation in Pb-Pb Collisions at $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV Using Isolated Photon-Tagged Jets. <i>Physical Review Letters</i> , 2018 , 121, 242301	7-4	15
806	Search for the decay of a Higgs boson in the τ channel in proton-proton collisions at (\sqrt{s})=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	11
805	Performance of reconstruction and identification of leptons decaying to hadrons and ν in pp collisions at $\sqrt{s}=13$ TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P10005-P10005	1	29

804	Evidence for the Associated Production of a Single Top Quark and a Photon in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 221802	7.4	6
803	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , 2018 , 78, 707	4.2	23
802	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 965	4.2	19
801	Studies of η and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 939	4.2	12
800	Observation of the $Z \rightarrow \mu^+ \mu^-$ Decay in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 141801	7.4	1
799	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\mu q$ final states at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
798	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 697	4.2	9
797	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\mu$ final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
796	Constraining primordial black holes with the EDGES 21-cm absorption signal. <i>Physical Review D</i> , 2018 , 98,	4.9	58
795	Wormholes in conformal gravity. <i>Journal of Cosmology and Astroparticle Physics</i> , 2018 , 2018, 003-003	6.4	11
794	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , 2018 , 78, 789	4.2	19
793	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at ($\sqrt{s}=13$) TeV. <i>European Physical Journal C</i> , 2018 , 78, 1	4.2	4
792	Search for high-mass resonances in final states with a lepton and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	15
791	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
790	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
789	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , 2018 , 78, 708	4.2	5
788	Search for vector-like T and B quark pairs in final states with leptons at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	29
787	Search for dark matter produced in association with a Higgs boson decaying to $\tau\bar{\tau}$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7

786	Search for additional neutral MSSM Higgs bosons in the final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	42
785	Search for Pair-Produced Resonances Each Decaying into at Least Four Quarks in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 141802	7.4	1
784	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
783	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	20
782	Search for a heavy resonance decaying into a Z boson and a vector boson in the (ν_{q}) final state. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
781	Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P05011-P05011	1	152
780	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	18
779	Search for beyond the standard model Higgs bosons decaying into a ($\overline{\text{b}}\text{b}$) pair in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
778	Observation of the $\chi_{\text{b}1}(3\text{P})$ and $\chi_{\text{b}2}(3\text{P})$ and Measurement of their Masses. <i>Physical Review Letters</i> , 2018 , 121, 092002	7.4	16
777	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , 2018 , 78, 701	4.2	25
776	Collisionless shocks in self-interacting dark matter. <i>Plasma Physics and Controlled Fusion</i> , 2018 , 60, 014011	1	2
775	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , 2018 , 78, 509	4.2	37
774	Search for lepton flavour violating decays of the Higgs boson to $\tau\mu$ and $e\mu$ in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
773	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying τ leptons at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
772	The EDGES 21 cm anomaly and properties of dark matter. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 785, 159-164	4.2	84
771	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state with two b quarks and two τ leptons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 785, 462-488	4.2	28
770	Observation of Higgs Boson Decay to Bottom Quarks. <i>Physical Review Letters</i> , 2018 , 121, 121801	7.4	79
769	Dark matter effects on neutron star properties. <i>Physical Review D</i> , 2018 , 97,	4.9	49

768	Constraints on models of scalar and vector leptoquarks decaying to a quark and a neutrino at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	26
767	Electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2018 , 78, 1	4.2	12
766	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
765	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
764	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
763	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	20
762	Search for a singly produced third-generation scalar leptoquark decaying to a lepton and a bottom quark in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
761	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
760	Measurement of the inelastic proton-proton cross section at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	41
759	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	24
758	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	63
757	Search for Narrow Resonances in the b-Tagged Dijet Mass Spectrum in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 201801	7.4	13
756	Search for Higgs boson pair production in events with two bottom quarks and two tau leptons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 778, 101-127	4.2	35
755	Search for the pair production of third-generation squarks with two-body decays to a bottom or charm quark and a neutralino in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 778, 263-291	4.2	12
754	Constraints on the chiral magnetic effect using charge-dependent azimuthal correlations in pPb and PbPb collisions at the CERN Large Hadron Collider. <i>Physical Review C</i> , 2018 , 97,	2.7	40
753	Measurement of Prompt D^0 Meson Azimuthal Anisotropy in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 202301	7.4	39
752	Search for pair production of excited top quarks in the lepton + jets final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 778, 349-370	4.2	6
751	Search for excited quarks of light and heavy flavor in 0 -jet final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 390-411	4.2	5

750	Search for supersymmetry in proton-proton collisions at 13 TeV using identified top quarks. <i>Physical Review D</i> , 2018 , 97,	4.9	16
749	Evidence for the Higgs boson decay to a bottom quark-antiquark pair. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 501-532	4.2	47
748	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28
747	Search for dark matter effects on gravitational signals from neutron star mergers. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 607-610	4.2	43
746	Measurement of angular parameters from the decay $B^0 \rightarrow K^* \mu^+ \mu^-$ in proton-proton collisions at $s=8\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 517-541	4.2	44
745	Nuclear modification factor of D^0 mesons in PbPb collisions at $s_{NN}=5.02\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 782, 474-496	4.2	61
744	Search for new physics in events with two soft oppositely charged leptons and missing transverse momentum in proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 782, 440-467	4.2	34
743	Search for Dark Matter and Supersymmetry with a Compressed Mass Spectrum in the Vector Boson Fusion Topology in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2017 , 118, 021802	4.4	23
742	Search for high-mass diphoton resonances in proton-proton collisions at 13 TeV and combination with 8 TeV search. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 767, 147-170	4.2	55
741	Observation of the decay $B^+ \rightarrow \tau^+ (1020) K^+$ in pp collisions at $s=8\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 764, 66-86	4.2	2
740	Search for supersymmetry in events with one lepton and multiple jets in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	7
739	Measurement of the WZ production cross section in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 766, 268-290	4.2	22
738	Search for R-parity violating supersymmetry with displaced vertices in proton-proton collisions at $s=8$ TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	11
737	Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7 [Formula: see text] cross sections. <i>European Physical Journal C</i> , 2017 , 77, 15	4.2	19
736	Inclusive search for supersymmetry using razor variables in pp collisions at $s=13$ TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	9
735	Measurement of the [Formula: see text] production cross section using events in the [Formula: see text] final state in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 172	4.2	22
734	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at ($\sqrt{s}=8$) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	34
733	The evolving Planck mass in classically scale-invariant theories. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	28

732	Search for electroweak production of charginos in final states with two leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
731	Measurement of the production cross section of a W boson in association with two b jets in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 92	4.2	7
730	Measurement of the WZ production cross section in pp collisions at [Formula: see text] and $8\sqrt{s}$ [Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 236	4.2	21
729	Measurement of prompt and nonprompt [Formula: see text] production in [Formula: see text] and [Formula: see text] collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 269	4.2	26
728	Suppression of $\chi(1S)$, $\chi(2S)$, and $\chi(3S)$ quarkonium states in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 357-379	4.2	57
727	Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV. <i>Journal of Instrumentation</i> , 2017 , 12, P02014-P02014	1	149
726	A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , 2017 , 77, 294	4.2	21
725	Measurement of the cross section for electroweak production of $Z\nu$ in association with two jets and constraints on anomalous quartic gauge couplings in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 380-402	4.2	22
724	The CMS trigger system. <i>Journal of Instrumentation</i> , 2017 , 12, P01020-P01020	1	210
723	On the quantisation of complex higher derivative theories and avoiding the Ostrogradsky ghost. <i>Nuclear Physics B</i> , 2017 , 916, 607-626	2.8	40
722	Large loop-coupling enhancement of a heavy pseudoscalar from a light dark sector. <i>Nuclear Physics B</i> , 2017 , 917, 31-43	2.8	
721	Super-heavy dark matter χ towards predictive scenarios from inflation. <i>Nuclear Physics B</i> , 2017 , 918, 162-177	2.8	35
720	Multiplicity and rapidity dependence of strange hadron production in pp, pPb, and PbPb collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 768, 103-129	4.2	23
719	Search for top squark pair production in compressed-mass-spectrum scenarios in proton-proton collisions at $\sqrt{s}=8$ TeV using the \cancel{E}_T variable. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 767, 403-430	4.2	15
718	Search for narrow resonances in dilepton mass spectra in proton-proton collisions at $\sqrt{s}=13$ TeV and combination with 8 TeV data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 768, 57-80	4.2	50
717	Search for dijet resonances in proton-proton collisions at $\sqrt{s}=13$ TeV and constraints on dark matter and other models. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 769, 520-542	4.2	74
716	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos, and b quarks. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 768, 137-162	4.2	13
715	Observation of Charge-Dependent Azimuthal Correlations in p-Pb Collisions and Its Implication for the Search for the Chiral Magnetic Effect. <i>Physical Review Letters</i> , 2017 , 118, 122301	7.4	72

714	Evidence for collectivity in pp collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 765, 193-220	4.2	171
713	Search for Supersymmetry in pp Collisions at $\sqrt{s}=13$ TeV in the Single-Lepton Final State Using the Sum of Masses of Large-Radius Jets. <i>Physical Review Letters</i> , 2017 , 119, 151802	7.4	7
712	Measurement of the $B^{\{H\}}$ Meson Nuclear Modification Factor in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 152301	7.4	37
711	Measurement of the differential cross sections for the associated production of a W boson and jets in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	15
710	Gravitational waves from primordial black hole mergers. <i>Journal of Cosmology and Astroparticle Physics</i> , 2017 , 2017, 037-037	6.4	152
709	Search for new physics in the monophoton final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
708	Pseudorapidity dependence of long-range two-particle correlations in pPb collisions at $s_{NN}=5.02$ TeV. <i>Physical Review C</i> , 2017 , 96,	2.7	5
707	Measurement of inclusive jet cross sections in pp and PbPb collisions at $s_{NN}=2.76$ TeV. <i>Physical Review C</i> , 2017 , 96,	2.7	39
706	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 459	4.2	16
705	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 467	4.2	14
704	Search for supersymmetry in the all-hadronic final state using top quark tagging in pp collisions at $s=13$ TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	7
703	Measurement of the top quark mass in the dileptonic $t\bar{t}$ decay channel using the mass observables M_b , M_{T2} , and $M_{b\bar{b}}$ in pp collisions at $s=8$ TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	8
702	Search for supersymmetry in multijet events with missing transverse momentum in proton-proton collisions at 13 TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	50
701	Search for Charged Higgs Bosons Produced via Vector Boson Fusion and Decaying into a Pair of W and Z Bosons Using pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 141802	7.4	28
700	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , 2017 , 77, 751	4.2	15
699	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at ($\sqrt{s}=8$) TeV using $H \rightarrow WW$ decays. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
698	Simulations of galaxy cluster collisions with a dark plasma component. <i>Astronomy and Astrophysics</i> , 2017 , 608, A125	5.1	9
697	Study of Jet Quenching with Z+jet Correlations in Pb-Pb and pp Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 082301	7.4	22

696	Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 111802	7.4	21
695	Search for standard model production of four top quarks in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 336-358	4.2	10
694	Charged-particle nuclear modification factors in PbPb and pPb collisions at ($\sqrt{s_{\mathrm{N};\mathrm{N}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	64
693	Measurement of the mass difference between top quark and antiquark in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 50-71	4.2	6
692	Search for anomalous couplings in boosted $WW/WZ \rightarrow \bar{q}q$ production in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 21-42	4.2	22
691	Radiative Yukawa couplings in the simplest left-right symmetric model. <i>Physical Review D</i> , 2017 , 95,	4.9	17
690	Primordial black hole constraints for extended mass functions. <i>Physical Review D</i> , 2017 , 96,	4.9	214
689	Search for supersymmetry in events with photons and missing transverse energy in pp collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 769, 391-412	4.2	3
688	Search for heavy gauge W' bosons in events with an energetic lepton and large missing transverse momentum at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 278-301	4.2	24
687	Measurements of the charm jet cross section and nuclear modification factor in pPb collisions at $s_{\mathrm{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 306-329	4.2	14
686	Search for high-mass Z resonances in proton-proton collisions at $s=8$ and 13 TeV using jet substructure techniques. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 363-387	4.2	10
685	Coherent J/ψ photoproduction in ultra-peripheral PbPb collisions at $s_{\mathrm{NN}}=2.76$ TeV with the CMS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 489-511	4.2	58
684	Search for ($\overline{\mathrm{t}}\mathrm{t}$) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	17
683	Frame-Independent Classification of Single-Field Inflationary Models. <i>Physical Review Letters</i> , 2017 , 118, 151302	7.4	45
682	Search for single production of vector-like quarks decaying into a b quark and a W boson in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 634-656	4.2	11
681	Cross section measurement of t-channel single top quark production in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 752-776	4.2	32
680	Measurement of differential cross sections for top quark pair production using the lepton+jets final state in proton-proton collisions at 13 TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	41
679	Search for associated production of dark matter with a Higgs boson decaying to ($\overline{\mathrm{b}}\mathrm{b}$) or $\bar{t}t$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9

678	Observation of Top Quark Production in Proton-Nucleus Collisions. <i>Physical Review Letters</i> , 2017 , 119, 242001	7.4	11
677	Observation of $Y(1S)$ pair production in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	29
676	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $(\sqrt{s}=7)$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	26
675	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	8
674	Constraints on anomalous Higgs boson couplings using production and decay information in the four-lepton final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 1-24	4.2	32
673	Measurement of the semileptonic $(\overline{t} + \overline{b})$ production cross section in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
672	Measurements of the $pp \rightarrow W\gamma$ and $pp \rightarrow Z\gamma$ cross sections and limits on anomalous quartic gauge couplings at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	2
671	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 710	4.2	54
670	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
669	Minimal flavor-changing Z' models and muon $g-2$ after the RK measurement. <i>Nuclear Physics B</i> , 2017 , 923, 245-257	2.8	70
668	Search for leptophobic Z' bosons decaying into four-lepton final states in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 773, 563-584	4.2	6
667	Search for black holes and other new phenomena in high-multiplicity final states in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 279-307	4.2	10
666	Combination of searches for heavy resonances decaying to WW , WZ , ZZ , WH , and ZH boson pairs in proton-proton collisions at $s=8$ and 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 533-558	4.2	25
665	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19
664	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
663	Measurements of differential cross sections for associated production of a W boson and jets in proton-proton collisions at $s=8$ TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	10
662	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	15
661	Measurement of the differential inclusive B^+ hadron cross sections in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 771, 435-456	4.2	15

660	Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 252	4.2	58
659	Prospects for charged Higgs searches at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 1	4.2	64
658	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , 2017 , 77, 327	4.2	17
657	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2017 , 77, 354	4.2	8
656	Relative Modification of Prompt $\mathcal{P}(S)$ and J/ψ Yields from pp to PbPb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2017 , 118, 162301	7.4	18
655	Searches for invisible decays of the Higgs boson in pp collisions at $(\sqrt{s}) = 7, 8,$ and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	74
654	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19
653	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 845	4.2	22
652	Search for Evidence of the Type-III Seesaw Mechanism in Multilepton Final States in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 221802	7.4	23
651	Measurement of electroweak-induced production of $W\gamma$ with two jets in pp collisions at $(\sqrt{s}=8)$ TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
650	Searches for $W\gamma$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
649	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5
648	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
647	Vacuum stability and perturbativity of SU(3) scalars. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5
646	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
645	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20
644	Principal-component analysis of two-particle azimuthal correlations in PbPb and pPb collisions at CMS. <i>Physical Review C</i> , 2017 , 96,	2.7	12
643	Search for Higgs boson pair production in the $b\bar{b}$ final state in proton-proton collisions at $(s)=8$ TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	14

642	Measurement of charged pion, kaon, and proton production in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	33
641	Measurement of vector boson scattering and constraints on anomalous quartic couplings from events with four leptons and two jets in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 682-705	4.2	29
640	Search for a heavy composite Majorana neutrino in the final state with two leptons and two quarks at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 315-337	4.2	6
639	Search for top squark pair production in pp collisions at ($\sqrt{s}=13$) TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25
638	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
637	Measurement of the ($\overline{\text{t}}\text{t}$) production cross section using events with one lepton and at least one jet in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	14
636	Search for a heavy resonance decaying to a top quark and a vector-like top quark at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
635	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 578	4.2	21
634	Search for top quark partners with charge 5/3 in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	3
633	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	21
632	Measurements of jet charge with dijet events in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
631	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
630	Search for new physics with dijet angular distributions in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
629	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	46
628	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	35
627	Search for new phenomena with multiple charged leptons in proton-proton collisions at ($\sqrt{s}=13$) (,text {TeV}). <i>European Physical Journal C</i> , 2017 , 77, 1	4.2	2
626	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , 2017 , 77, 636	4.2	20
625	Search for high-mass Z resonances in $e+e$ and $\text{q}+\text{q}$ final states in proton-proton collisions at ($\sqrt{s}=8$) and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4

624	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying τ leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
623	Search for CP violation in (τ) production and decay in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
622	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 746	4.2	8
621	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
620	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
619	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	77
618	Particle-flow reconstruction and global event description with the CMS detector. <i>Journal of Instrumentation</i> , 2017 , 12, P10003-P10003	1	234
617	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16
616	Search for Narrow Resonances in Dijet Final States at $\sqrt{s}=8$ TeV with the Novel CMS Technique of Data Scouting. <i>Physical Review Letters</i> , 2016 , 117, 031802	7.4	57
615	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 325	4.2	13
614	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 439	4.2	34
613	Search for Resonant Production of High-Mass Photon Pairs in Proton-Proton Collisions at $\sqrt{s}=8$ and $13\sqrt{\text{TeV}}$. <i>Physical Review Letters</i> , 2016 , 117, 051802	7.4	61
612	Measurement of the differential cross sections for top quark pair production as a function of kinematic event variables in pp collisions at $s=7$ and 8 TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	2
611	Search for vectorlike charge $2/3$ T quarks in proton-proton collisions at ($s=8$) TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	66
610	Measurements of $t\bar{t}$ spin correlations and top quark polarization using dilepton final states in pp collisions at $s=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	21
609	Measurement of the top quark mass using charged particles in pp collisions at $s=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	10
608	Search for supersymmetry in pp collisions at $s=8$ TeV in final states with boosted W bosons and b jets using razor variables. <i>Physical Review D</i> , 2016 , 93,	4.9	10
607	First interpretation of the 750 GeV diphoton resonance at the LHC. <i>Physical Review D</i> , 2016 , 93,	4.9	50

606	Relaxion cosmology and the price of fine-tuning. <i>Physical Review D</i> , 2016 , 93,	4.9	16
605	Measurement of Long-Range Near-Side Two-Particle Angular Correlations in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 172302	7.4	90
604	Measurement of the charge asymmetry in top quark pair production in pp collisions at $s=8$ TeV using a template method. <i>Physical Review D</i> , 2016 , 93,	4.9	11
603	Search for dark matter and unparticles produced in association with a Z boson in proton-proton collisions at $s=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	18
602	Measurement of the top quark mass using proton-proton data at $(s)=7$ and 8 TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	69
601	Study of B Meson Production in p+Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV Using Exclusive Hadronic Decays. <i>Physical Review Letters</i> , 2016 , 116, 032301	7.4	19
600	Measurement of the Top Quark Pair Production Cross Section in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 052002	7.4	28
599	Search for supersymmetry in electroweak production with photons and large missing transverse energy in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 479-500	4.2	6
598	Combined search for anomalous pseudoscalar HVV couplings in $VH(H\rightarrow b\bar{b})$ production and $H\rightarrow VV$ decay. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 672-696	4.2	28
597	Measurements of $t\bar{t}$ charge asymmetry using dilepton final states in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 365-386	4.2	9
596	Bigravitational origin of dark matter. <i>Physical Review D</i> , 2016 , 94,	4.9	39
595	Measurement of dijet azimuthal decorrelation in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 536	4.2	6
594	Search for dark matter particles in proton-proton collisions at ($\sqrt{s}=8$) TeV using the razor variables. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
593	Search for s channel single top quark production in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8
592	Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 372	4.2	24
591	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	15
590	Measurement of the ($\overline{\text{t}}\text{t}$) production cross section in the $e\bar{e}$ channel in proton-proton collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	30
589	Search for new physics with the M_{T2} variable in all-jets final states produced in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16

588	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	9
587	Evidence for exclusive $\Xi \rightarrow W + W \Xi$ production and constraints on anomalous quartic gauge couplings in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	27
586	Search for supersymmetry in pp collisions at ($\sqrt{s}=13$) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	7
585	Natural relaxation. <i>Modern Physics Letters A</i> , 2016 , 31, 1650215	1-3	15
584	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 460	4-2	14
583	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	9
582	Phenomenological MSSM interpretation of CMS searches in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	11
581	Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	5
580	Measurement of the inclusive jet cross section in pp collisions at ($\sqrt{s} = 2.76, \text{text \{TeV\}}$). <i>European Physical Journal C</i> , 2016 , 76, 1	4-2	17
579	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 379	4-2	20
578	Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 469	4-2	37
577	Non-minimal CW inflation, electroweak symmetry breaking and the 750 GeV anomaly. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	34
576	Linear inflation from quartic potential. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	47
575	Observation of top quark pairs produced in association with a vector boson in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	18
574	Search for $W \rightarrow tb$ in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	2
573	Correlations between jets and charged particles in PbPb and pp collisions at ($\sqrt{s}_{\text{NN}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	21
572	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	2
571	Search for excited leptons in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	10

570	Measurement of the ratio $B(Bs_0 \rightarrow J/\psi(9864)) / B(Bs_0 \rightarrow J/\psi(1020))$ in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 756, 84-102	4.2	4
569	Search for $W \rightarrow \tau \nu$ decaying to tau lepton and neutrino in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 196-216	4.2	14
568	Search for a low-mass pseudoscalar Higgs boson produced in association with a $b\bar{b}$ pair in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 296-320	4.2	20
567	Measurement of spin correlations in $t\bar{t}$ production using the matrix element method in the muon+jets final state in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 321-346	4.2	10
566	Study of Z boson production in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 36-57	4.2	35
565	Transverse momentum spectra of inclusive b jets in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 754, 59-80	4.2	22
564	Search for supersymmetry in the multijet and missing transverse momentum final state in pp collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 152-180	4.2	30
563	Search for supersymmetry in events with soft leptons, low jet multiplicity, and missing transverse energy in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 9-35	4.2	12
562	Measurement of the $[\text{Formula: see text}]$ production cross section in the all-jets final state in pp collisions at $[\text{Formula: see text}] [\text{Formula: see text}]$. <i>European Physical Journal C</i> , 2016 , 76, 128	4.2	21
561	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016 , 76, 155	4.2	250
560	Search for massive WH resonances decaying into the $[\text{Formula: see text}]$ final state at $[\text{Formula: see text}] [\text{Formula: see text}]$. <i>European Physical Journal C</i> , 2016 , 76, 237	4.2	19
559	Search for new phenomena in monophoton final states in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 102-124	4.2	42
558	Measurement of the CP-violating weak phase ϕ_s and the decay width difference $\Delta\Gamma$ using the $Bs_0 \rightarrow J/\psi(1020)$ decay channel in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 97-120	4.2	26
557	Inclusive and differential measurements of the $t\bar{t}$ charge asymmetry in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 154-179	4.2	15
556	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
555	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
554	Search for heavy Majorana neutrinos in $e^+e^+ \text{ jets}$ and $e^+ \text{ jets}$ events in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	28
553	Search for Narrow Resonances Decaying to Dijets in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 071801	7.4	96

552	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\ell\ell$ leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
551	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 13	4.2	35
550	Searches for a heavy scalar boson H decaying to a pair of 125 GeV Higgs bosons hh or for a heavy pseudoscalar boson A decaying to Zh, in the final states with $h \rightarrow \ell\ell$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 217-244	4.2	46
549	Search for exotic decays of a Higgs boson into undetectable particles and one or more photons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 363-388	4.2	9
548	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
547	Heavy spin-2 Dark Matter. <i>Journal of Cosmology and Astroparticle Physics</i> , 2016 , 2016, 016-016	6.4	64
546	Naturalness of the relaxion mechanism. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	18
545	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at ($\sqrt{s_{\mathrm{N};\mathrm{N}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
544	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 451	4.2	36
543	Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeV and limits on anomalous gauge couplings. <i>European Physical Journal C</i> , 2016 , 76, 401	4.2	38
542	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , 2016 , 76, 371	4.2	25
541	Search for long-lived charged particles in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	55
540	Measurement of the W boson helicity fractions in the decays of top quark pairs to lepton + jets final states produced in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 762, 512-534	4.2	17
539	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
538	FCNC decays of standard model fermions into a dark photon. <i>Physical Review D</i> , 2016 , 94,	4.9	19
537	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 317	4.2	9
536	Search for two Higgs bosons in final states containing two photons and two bottom quarks in proton-proton collisions at 8 TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	44
535	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	4

534	Studies of inclusive four-jet production with two b-tagged jets in proton-proton collisions at 7 TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	3
533	Measurement of the ZZ production cross section and Z \rightarrow $\mu\mu$ branching fraction in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 280-303	4.2	22
532	Searches for R-parity-violating supersymmetry in pp collisions at $\sqrt{s}=8$ TeV in final states with 0 leptons. <i>Physical Review D</i> , 2016 , 94,	4.9	7
531	Measurement of the integrated and differential $t\bar{t}$ production cross sections for high-pT top quarks in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	21
530	Angular analysis of the decay $B^0 \rightarrow K^* \mu\mu$ from pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 424-448	4.2	59
529	A SUSY inspired simplified model for the 750 GeV diphoton excess. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 756, 36-41	4.2	46
528	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at ($\sqrt{s_{\text{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
527	Search for anomalous single top quark production in association with a photon in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
526	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	6
525	Search for neutral resonances decaying into a Z boson and a pair of b jets or leptons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 369-394	4.2	33
524	Measurement of the $Z\bar{t}t$ production cross section in pp collisions at $\sqrt{s}=8$ TeV and limits on anomalous ZZ and Z trilinear gauge boson couplings. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 448-468	4.2	10
523	$\langle n_S \rangle$ polarizations versus particle multiplicity in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 761, 31-52	4.2	5
522	Search for lepton flavour violating decays of the Higgs boson to $e\bar{\mu}$ and $e\mu$ in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 472-500	4.2	35
521	Measurement of the inelastic cross section in proton-lead collisions at $\sqrt{s_{\text{NN}}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 641-662	4.2	10
520	Search for R-parity violating decays of a top squark in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 178-201	4.2	4
519	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
518	Search for new resonances decaying via WZ to leptons in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 740, 83-104	4.2	47
517	Measurement of the $pp \rightarrow ZZ$ production cross section and constraints on anomalous triple gauge couplings in four-lepton final states at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 740, 250-272	4.2	38

516	Differential cross section measurements for the production of a W boson in association with jets in proton-proton collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 741, 12-37	4.2	37
515	Measurement of the production cross section ratio $\sigma(B(1P))/\sigma(B(1P))$ in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 743, 383-402	4.2	14
514	Search for stealth supersymmetry in events with jets, either photons or leptons, and low missing transverse momentum in pp collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 743, 503-525	4.2	17
513	Search for a standard model-like Higgs boson in the $\mu\mu$ and $e+e$ decay channels at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 744, 184-207	4.2	59
512	Searches for supersymmetry based on events with b jets and four W bosons in pp collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 745, 5-28	4.2	20
511	Search for quark contact interactions and extra spatial dimensions using dijet angular distributions in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 746, 79-99	4.2	21
510	Measurement of the cross section ratio $\sigma(t\bar{t}b)/\sigma(t\bar{t}j)$ in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 746, 132-153	4.2	15
509	Measurements of jet multiplicity and differential production cross sections of Z+jets events in proton-proton collisions at $s=7$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	24
508	Search for long-lived neutral particles decaying to quark-antiquark pairs in proton-proton collisions at $s=8$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	83
507	Search for long-lived particles that decay into final states containing two electrons or two muons in proton-proton collisions at $s=8$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	62
506	Search for monotop signatures in proton-proton collisions at $s=8$ TeV. <i>Physical Review Letters</i> , 2015 , 114, 101801	7.4	25
505	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , 2015 , 75, 251	4.2	55
504	Search for displaced supersymmetry in events with an electron and a muon with large impact parameters. <i>Physical Review Letters</i> , 2015 , 114, 061801	7.4	39
503	Measurement of J/ψ and $\psi(2S)$ Prompt Double-Differential Cross Sections in pp Collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2015 , 114, 191802	7.4	41
502	Study of vector boson scattering and search for new physics in events with two same-sign leptons and two jets. <i>Physical Review Letters</i> , 2015 , 114, 051801	7.4	62
501	Search for resonances and quantum black holes using dijet mass spectra in proton-proton collisions at $s=8$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	152
500	Search for supersymmetry using razor variables in events with b-tagged jets in pp collisions at $s=8$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	41
499	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 66	4.2	21

498	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 147	4.2	50
497	Search for decays of stopped long-lived particles produced in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 151	4.2	33
496	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
495	Measurement of the ratio of the production cross sections times branching fractions of $B \rightarrow J/\psi$ and $B \rightarrow J/\psi$ and $(\mathcal{B}(\mathcal{B} \rightarrow J/\psi)_{\text{charm}}^{\text{charm}})/\mathcal{B}(\mathcal{B} \rightarrow J/\psi)_{\text{charm}}^{\text{charm}}$ in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	13
494	Search for disappearing tracks in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	35
493	A new mechanism for dark energy: the adaptive screening. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	1
492	Study of Z production in PbPb and pp collisions at ($\sqrt{s_{\text{NN}}}=2.76$) TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
491	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	69
490	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at ($\sqrt{s}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	6
489	Pseudorapidity distribution of charged hadrons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 751, 143-163	4.2	34
488	Search for narrow high-mass resonances in proton-proton collisions at $\sqrt{s}=8$ TeV decaying to a Z and a Higgs boson. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 748, 255-277	4.2	30
487	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 235	4.2	250
486	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 288	4.2	37
485	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 237	4.2	48
484	Study of W boson production in pPb collisions at $\sqrt{s_{\text{NN}}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 750, 565-586	4.2	36
483	Measurements of the $\sigma(1S)$, $\sigma(2S)$, and $\sigma(3S)$ differential cross sections in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 14-34	4.2	27
482	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 302	4.2	4
481	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 325	4.2	24

480	Angular coefficients of Z bosons produced in pp collisions at $\sqrt{s}=8$ TeV and decaying to $\mu\mu$ as a function of transverse momentum and rapidity. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 750, 154-175	4.2	42
479	Search for resonant pair production of Higgs bosons decaying to two bottom quark-antiquark pairs in proton-proton collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 560-582	4.2	78
478	Production of leading charged particles and leading charged-particle jets at small transverse momenta in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2015 , 92,	4.9	5
477	Search for physics beyond the standard model in final states with a lepton and missing transverse energy in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	61
476	Study of final-state radiation in decays of Z bosons produced in pp collisions at 7 TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	4
475	Measurement of diffractive dissociation cross sections in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2015 , 92,	4.9	29
474	Constraints on the spin-parity and anomalous HVV couplings of the Higgs boson in proton collisions at 7 and 8 TeV. <i>Physical Review D</i> , 2015 , 92,	4.9	142
473	Limits on the Higgs boson lifetime and width from its decay to four charged leptons. <i>Physical Review D</i> , 2015 , 92,	4.9	37
472	Evidence for Collective Multiparticle Correlations in p-Pb Collisions. <i>Physical Review Letters</i> , 2015 , 115, 012301	7.4	145
471	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22
470	Search for third-generation scalar leptoquarks in the $t\bar{t}$ channel in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
469	Dark matter and spin-1 milli-charged particles. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
468	Search for lepton-flavour-violating decays of the Higgs boson. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 337-362	4.2	175
467	Search for pair-produced resonances decaying to jet pairs in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 747, 98-119	4.2	62
466	Search for heavy Majorana neutrinos in $\mu\mu +$ jets events in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 748, 144-166	4.2	58
465	Dark matter self-interactions via collisionless shocks in cluster mergers. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 236-241	4.2	34
464	Searches for supersymmetry using the M_{T2} variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	26
463	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	33

462	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	17
461	Search for a charged Higgs boson in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	61
460	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	11
459	Search for a light charged Higgs boson decaying to ($\overline{\text{c}}\text{s}$) in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-37	5-4	33
458	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	16
457	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	
456	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	73
455	Dynamically induced Planck scale and inflation. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	95
454	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV. <i>European Physical Journal C</i> , 2015 , 75, 212	4-2	399
453	Measurement of the $Z\bar{\nu}\nu$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	7
452	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2015 , 75, 186	4-2	41
451	Measurement of the differential cross section for top quark pair production in pp collisions at 8 TeV. <i>European Physical Journal C</i> , 2015 , 75, 542	4-2	98
450	Measurements of the $Z\bar{\nu}\nu$ production cross sections in the $\bar{\nu}\nu$ channel in proton-proton collisions at 7 and 8 TeV and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , 2015 , 75, 511	4-2	25
449	Measurement of the Z boson differential cross section in transverse momentum and rapidity in proton-proton collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 187-209	4-2	36
448	Comparison of the $Z/\bar{\nu}\nu + \text{jets}$ to $\bar{\nu}\nu + \text{jets}$ cross sections in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	5
447	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	18
446	Long-range two-particle correlations of strange hadrons with charged particles in pPb and PbPb collisions at LHC energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 742, 200-224	4-2	64
445	Measurement of the ($\overline{\text{t}}\text{t}$) production cross section in the dilepton channel in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	43

444	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at ($\sqrt{s_{NN}}$) = 2.76 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	60
443	Measurement of associated W + charm production in pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	37
442	Search for new physics in events with same-sign dileptons and jets in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	38
441	Measurement of the $t\bar{t}$ production cross section in pp collisions at $s=8$ TeV in dilepton final states containing one τ lepton. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 739, 23-43	4-2	17
440	Measurement of the ratio $B(t \rightarrow Wb)/B(t \rightarrow Wq)$ in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 736, 33-57	4-2	41
439	Constraints on the Higgs boson width from off-shell production and decay to Z-boson pairs. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 736, 64-85	4-2	116
438	Search for top-squark pairs decaying into Higgs or Z bosons in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 736, 371-397	4-2	57
437	Prospects for constrained supersymmetry at ($\sqrt{s}=\{33\}$, text {TeV}) and ($\sqrt{s}=\{100\}$, text {TeV}) proton-proton super-colliders. <i>European Physical Journal C</i> , 2014 , 74, 1	4-2	22
436	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at ($\sqrt{s_{\mathrm{NN}}}$) = 5.02 (, text {TeV}). <i>European Physical Journal C</i> , 2014 , 74, 1	4-2	67
435	Measurement of WZ and ZZ production in pp collisions at [Formula: see text] in final states with b-tagged jets. <i>European Physical Journal C</i> , 2014 , 74, 2973	4-2	16
434	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , 2014 , 74, 2980	4-2	131
433	Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3014	4-2	11
432	Study of double parton scattering using W + 2-jet events in proton-proton collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	61
431	Event activity dependence of (Υ)(nS) production in ($\sqrt{s_{NN}}$) = 5.02 TeV pPb and (\sqrt{s}) = 2.76 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	42
430	. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	18
429	The universal Higgs fit. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	140
428	Evidence for the 125 GeV Higgs boson decaying to a pair of τ leptons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	101
427	Search for $W \rightarrow tb$ decays in the lepton + jets final state in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	23

426	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	15
425	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	81
424	Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	48
423	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	21
422	Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	3
421	Embedding inflation into the Standard Model [More evidence for classical scale invariance. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	42
420	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	74
419	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	59
418	Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2014 , 74, 2758	4-2	21
417	Study of the production of charged pions, kaons, and protons in pPb collisions at [Formula: see text]5.02[Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2847	4-2	71
416	Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2901	4-2	13
415	Inclusive search for a vector-like T quark with charge . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 729, 149-171	4-2	103
414	Modification of jet shapes in PbPb collisions at $s_{NN}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 730, 243-263	4-2	124
413	Search for baryon number violation in top-quark decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 731, 173-196	4-2	9
412	The cosmic-ray positron excess from a local Dark Matter over-density. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 728, 58-62	4-2	7
411	Observation of the associated production of a single top quark and a W boson in pp collisions at $\sqrt{s} = 8$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 231802	7-4	62
410	Observation of a peaking structure in the J/ψ mass spectrum from $B_{\psi} \rightarrow J/\psi K_{\psi}$ decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 734, 261-281	4-2	83
409	Search for supersymmetry in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 733, 328-353	4-2	50

408	Minimal semi-annihilating ZNscalar dark matter. <i>Journal of Cosmology and Astroparticle Physics</i> , 2014 , 2014, 021-021	6.4	36
407	Physical naturalness and dynamical breaking of classical scale invariance. <i>Modern Physics Letters A</i> , 2014 , 29, 1450077	1.3	116
406	Measurement of prompt (τS) to J/ψ yield ratios in Pb-Pb and p-p collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review Letters</i> , 2014 , 113, 262301	7.4	38
405	Searches for heavy Higgs bosons in two-Higgs-doublet models and for $t \rightarrow ch$ decay using multilepton and diphoton final states in pp collisions at 8 TeV. <i>Physical Review D</i> , 2014 , 90,	4.9	43
404	Search for supersymmetry with razor variables in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , 2014 , 90,	4.9	11
403	Searches for electroweak neutralino and chargino production in channels with Higgs, Z, and W bosons in pp collisions at 8 TeV. <i>Physical Review D</i> , 2014 , 90,	4.9	62
402	Search for heavy neutrinos and [Formula: see text] bosons with right-handed couplings in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3149	4.2	149
401	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3060	4.2	29
400	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3129	4.2	29
399	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	70
398	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at $(\sqrt{s} = 8)$ TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	37
397	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , 2014 , 74, 3036	4.2	183
396	Measurement of prompt J/ψ pair production in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	41
395	Measurement of the production cross section for a W boson and two b jets in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 735, 204-225	4.2	19
394	Search for excited quarks in the μ jet final state in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 738, 274-293	4.2	21
393	Search for pair production of third-generation scalar leptoquarks and top squarks in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 739, 229-249	4.2	56
392	Measurement of jet fragmentation in PbPb and pp collisions at $s_{NN}=2.76$ TeV. <i>Physical Review C</i> , 2014 , 90,	2.7	89
391	Towards completing the standard model: Vacuum stability, electroweak symmetry breaking, and dark matter. <i>Physical Review D</i> , 2014 , 89,	4.9	99

390	Measurement of higher-order harmonic azimuthal anisotropy in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review C</i> , 2014 , 89,	2.7	109
389	Search for top squark and Higgsino production using diphoton Higgs boson decays. <i>Physical Review Letters</i> , 2014 , 112, 161802	7.4	38
388	Search for anomalous production of events with three or more leptons in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2014 , 90,	4.9	64
387	Measurement of inclusive W and Z boson production cross sections in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 191802	7.4	54
386	Measurements of tt spin correlations and top-quark polarization using dilepton final states in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 182001	7.4	49
385	Search for top-quark partners with charge 5/3 in the same-sign dilepton final state. <i>Physical Review Letters</i> , 2014 , 112, 171801	7.4	58
384	Search for jet extinction in the inclusive jet-pT spectrum from proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2014 , 90,	4.9	5
383	Measurement of the W and Z inclusive cross sections in pp collisions at $\sqrt{s}=7$ TeV and limits on anomalous triple gauge boson couplings. <i>Physical Review D</i> , 2014 , 89,	4.9	28
382	Search for the standard model Higgs boson produced in association with a W or a Z boson and decaying to bottom quarks. <i>Physical Review D</i> , 2014 , 89,	4.9	145
381	Search for flavor-changing neutral currents in top-quark decays $t \rightarrow Zq$ in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 171802	7.4	46
380	Dark photons and resonant monophoton signatures in Higgs boson decays at the LHC. <i>Physical Review D</i> , 2014 , 90,	4.9	22
379	Measurement of the muon charge asymmetry in inclusive $pp \rightarrow W+X$ production at $\sqrt{s}=7$ TeV and an improved determination of light parton distribution functions. <i>Physical Review D</i> , 2014 , 90,	4.9	63
378	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , 2014 , 74, 3076	4.2	239
377	Evidence of b-jet quenching in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review Letters</i> , 2014 , 113, 132301	7.4	62
376	Search for WW and WZ production and constraints on anomalous quartic gauge couplings in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2014 , 90,	4.9	24
375	Measurement of the ratio of inclusive jet cross sections using the anti-kT algorithm with radius parameters $R=0.5$ and 0.7 in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2014 , 90,	4.9	36
374	Measurement of four-jet production in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2014 , 89,	4.9	23
373	Exponentially spread dynamical Yukawa couplings from nonperturbative chiral symmetry breaking in the dark sector. <i>Physical Review D</i> , 2014 , 89,	4.9	22

372	Measurement of the properties of a Higgs boson in the four-lepton final state. <i>Physical Review D</i> , 2014 , 89,	4.9	260
371	Testing right-handed currents at the LHC. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	49
370	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	45
369	Study of hadronic event-shape variables in multijet final states in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	3
368	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	15
367	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	32
366	Searches for light- and heavy-flavour three-jet resonances in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 730, 193-214	4.2	35
365	Determination of the top-quark pole mass and strong coupling constant from the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 728, 496-517	4.2	64
364	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	144
363	Measurement of the ($\overline{t}t$) production cross section in the dilepton channel in pp collisions at (\sqrt{s}) = 8 TeV 2014 , 2014, 1		3
362	Search for the associated production of the Higgs boson with a top-quark pair 2014 , 2014, 1		6
361	Search for microscopic black holes in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	38
360	Measurement of the (Λ_{b}^0) lifetime in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	14
359	Searches for long-lived charged particles in pp collisions at (\sqrt{s}) =7 and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	96
358	Study of exclusive two-photon production of W+W in pp collisions at ($\sqrt{s}=7$) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	56
357	Observation of a new boson with mass near 125 GeV in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	261
356	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	35
355	Studies of jet mass in dijet and W/Z + jet events. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39

354	Measurement of the $(\overline{\text{t}}\text{t})$ production cross section in the all-jet final state in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	14
353	Measurement of the $X(3872)$ production cross section via decays to $J/\psi \pi^0$ in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	44
352	Study of the underlying event at forward rapidity in pp collisions at $(\sqrt{s}=0.9, 2.76, \text{and } 7 \text{ TeV})$. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	39
351	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	15
350	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	33
349	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	30
348	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	16
347	Search for supersymmetry in pp collisions at [Formula: see text] TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , 2013 , 73, 2404	4-2	15
346	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2469	4-2	49
345	Search for flavor changing neutral currents in top quark decays in pp collisions at 7 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 1252-1272	4-2	16
344	Search for supersymmetry in events with photons and low missing transverse energy in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 719, 42-61	4-2	20
343	Angular analysis and branching fraction measurement of the decay $B^0 \rightarrow K^* \mu^+ \mu^-$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 727, 77-100	4-2	35
342	Search for a new bottomonium state decaying to $\gamma \mu^+ \mu^-$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 727, 57-76	4-2	31
341	Measurement of the $W+W$ and ZZ production cross sections in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 721, 190-211	4-2	72
340	Measurement of neutral strange particle production in the underlying event in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013 , 88,	4-9	5
339	Observation of a diffractive contribution to dijet production in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013 , 87,	4-9	20
338	Measurement of the production cross section for $(\text{Z}\gamma \rightarrow \nu \overline{\nu})$ in pp collisions at $(\sqrt{s}=7)$ TeV and limits on ZZ and Z triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	12
337	Measurement of the W-boson helicity in top-quark decays from $(\overline{\text{t}}\text{t})$ production in lepton+jets events in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	25

336	Search for supersymmetry in hadronic final states with missing transverse energy using the variables and b-quark multiplicity in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2568	4.2	82
335	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	10
334	Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2494	4.2	37
333	Search for physics beyond the standard model in events with leptons, jets, and large transverse momentum imbalance in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2493	4.2	10
332	Measurement of the ($\bar{t}t$) production cross section in the $\mu\mu$ jets channel in pp collisions at ($\sqrt{s}=7$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	21
331	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2674	4.2	24
330	Search for top-squark pair production in the single-lepton final state in pp collisions at ($\sqrt{s}=8$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	162
329	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at ($\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	43
328	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at ($\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	26
327	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at ($\sqrt{s} = 7$ TeV) and first determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	50
326	Fermi-LAT gamma-ray signal from Earth limb, systematic detector effects and their implications for the 130 GeV gamma-ray excess. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	9
325	Measurement of the $W+W$ cross section in pp collisions at ($\sqrt{s} = 7$ TeV) and limits on anomalous WW and WWZ couplings. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	56
324	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	37
323	Measurement of the ZZ production cross section and search for anomalous couplings in $2\mu\mu$ final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39
322	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or ≥ 3 b-quark jets in 7 TeV pp collisions using the variable \cancel{E}_T . <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	29
321	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	12
320	Measurement of the inelastic proton-proton cross section at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 722, 5-27	4.2	74
319	Event shapes and azimuthal correlations in Z+jets events in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 722, 238-261	4.2	30

318	Measurement of the $\sigma_{\text{had}}^{\text{had}}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 720, 83-104	4.2	42
317	Search for a narrow, spin-2 resonance decaying to a pair of Z bosons in the $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 1208-1228	4.2	9
316	Searches for Higgs bosons in pp collisions at $\sqrt{s}=7$ and 8 TeV in the context of four-generation and fermiophobic models. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 725, 36-59	4.2	13
315	Search for heavy narrow dilepton resonances in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 720, 63-82	4.2	78
314	Search for a $\sigma_{\text{had}}^{\text{had}}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 1229-1251	4.2	31
313	Search for anomalous production of highly boosted Z bosons decaying to $\mu^+\mu^-$ in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 722, 28-47	4.2	6
312	Addendum including AMS 2013 data to Model-independent implications of the e^+e^- , $p\bar{p}$ cosmic ray spectra on properties of Dark Matter [Nucl. Phys. B 813 (10) (2009) 1011]. <i>Nuclear Physics B</i> , 2013 , 873, 530-533	2.8	53
311	Measurement of the prompt $\sigma_{\text{had}}^{\text{had}}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 727, 381-402	4.2	83
310	Search for gluino mediated bottom- and top-squark production in multijet final states in pp collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 725, 243-270	4.2	50
309	Search for a non-standard-model Higgs boson decaying to a pair of new light bosons in four-muon final states. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 726, 564-586	4.2	26
308	Dark Supersymmetry. <i>Nuclear Physics B</i> , 2013 , 876, 201-214	2.8	20
307	Multiplicity and transverse momentum dependence of two- and four-particle correlations in pPb and PbPb collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 724, 213-240	4.2	315
306	Search for excited leptons in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 720, 309-329	4.2	8
305	Search for a Higgs boson decaying into a Z and a photon in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 726, 587-609	4.2	73
304	Search for a Higgs boson decaying into a b-quark pair and produced in association with b quarks in proton-proton collisions at 7 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 722, 207-232	4.2	39
303	Twin peak Higgs. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 726, 781-785	4.2	14
302	Search for long-lived particles in events with photons and missing energy in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 722, 273-294	4.2	28
301	Measurement of the $\sigma_{\text{had}}^{\text{had}}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 727, 101-125	4.2	44

300	Study of the mass and spin-parity of the Higgs boson candidate via its decays to Z boson pairs. <i>Physical Review Letters</i> , 2013 , 110, 081803	7.4	235
299	EVIDENCE FOR INDIRECT DETECTION OF DARK MATTER FROM GALAXY CLUSTERS IN FERMI γ RAY DATA. <i>Astrophysical Journal Letters</i> , 2013 , 762, L22	7.9	37
298	Search for heavy resonances in the W/Z-tagged dijet mass spectrum in pp collisions at 7 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 723, 280-301	4.2	12
297	Forward-Backward asymmetry of Drell-Yan lepton pairs in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 752-772	4.2	24
296	Studies of jet quenching using isolated-photon + jet correlations in PbPb and pp collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 773-794	4.2	109
295	Observation of long-range, near-side angular correlations in pPb collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 795-814	4.2	452
294	Search for new physics in events with opposite-sign leptons, jets, and missing transverse energy in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 815-840	4.2	20
293	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2283	4.2	45
292	Measurement of differential top-quark-pair production cross sections in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	102
291	Z3scalar singlet dark matter. <i>Journal of Cosmology and Astroparticle Physics</i> , 2013 , 2013, 022-022	6.4	63
290	Search for narrow resonances using the dijet mass spectrum in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2013 , 87,	4.9	63
289	Search for contact interactions in $\mu\mu$ events in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013 , 87,	4.9	5
288	Measurement of the $B_s(0) \rightarrow \mu\mu$ branching fraction and search for $B(0) \rightarrow \mu\mu$ with the CMS experiment. <i>Physical Review Letters</i> , 2013 , 111, 101804	7.4	220
287	Searches for new physics using the $t\bar{t}$ invariant mass distribution in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2013 , 111, 211804	7.4	76
286	Interpretation of searches for supersymmetry with simplified models. <i>Physical Review D</i> , 2013 , 88,	4.9	52
285	Inclusive search for supersymmetry using razor variables in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2013 , 111, 081802	7.4	41
284	Search for top squarks in R-parity-violating supersymmetry using three or more leptons and b-tagged jets. <i>Physical Review Letters</i> , 2013 , 111, 221801	7.4	35
283	Search for Z' resonances decaying to $t\bar{t}$ in dilepton+jets final states in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013 , 87,	4.9	33

282	Measurements of differential jet cross sections in proton-proton collisions at $s=7$ TeV with the CMS detector. <i>Physical Review D</i> , 2013 , 87,	4.9	85
281	Search for new physics in final states with a lepton and missing transverse energy in pp collisions at the LHC. <i>Physical Review D</i> , 2013 , 87,	4.9	10
280	Rapidity distributions in exclusive Z+jet and μ jet events in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	11
279	Search for fractionally charged particles in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , 2013 , 87,	4.9	32
278	Measurement of the μS , μS , and μS polarizations in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2013 , 110, 081802	7.4	71
277	Measurement of the azimuthal anisotropy of neutral pions in Pb-Pb collisions at $\sqrt{s}(NN) = 2.76$ TeV. <i>Physical Review Letters</i> , 2013 , 110, 042301	7.4	17
276	Implications of effective axial-vector coupling of gluon for tt -spin polarizations at the LHC. <i>Physical Review D</i> , 2013 , 87,	4.9	3
275	Evidence for associated production of a single top quark and W boson in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2013 , 110, 022003	7.4	54
274	Search for pair-produced dijet resonances in four-jet final states in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2013 , 110, 141802	7.4	41
273	Search for contact interactions using the inclusive jet p_T spectrum in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , 2013 , 87,	4.9	10
272	Search for pair production of third-generation leptoquarks and top squarks in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2013 , 110, 081801	7.4	40
271	Search for supersymmetry in events with opposite-sign dileptons and missing transverse energy using an artificial neural network. <i>Physical Review D</i> , 2013 , 87,	4.9	13
270	Measurement of the elliptic anisotropy of charged particles produced in PbPb collisions at $s_{NN}=2.76$ TeV. <i>Physical Review C</i> , 2013 , 87,	2.7	148
269	Search for supersymmetry in final states with a single lepton, b-quark jets, and missing transverse energy in proton-proton collisions at $s=7$ TeV. <i>Physical Review D</i> , 2013 , 87,	4.9	9
268	Measurement of associated production of vector bosons and top quark-antiquark pairs in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2013 , 110, 172002	7.4	34
267	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ($\sqrt{s}=8$) TeV 2013 , 2013, 1		2
266	Measurement of the charge asymmetry in top-quark pair production in proton-proton collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 709, 28-49	4.2	59
265	Combined results of searches for the standard model Higgs boson in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 710, 26-48	4.2	437

264	Search for the standard model Higgs boson decaying to $\tau\tau$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 710, 91-113	4.2	83
263	Measurement of isolated photon production in pp and PbPb collisions at $\sqrt{s}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 710, 256-277	4.2	111
262	Search for the standard model Higgs boson decaying to bottom quarks in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 710, 284-306	4.2	57
261	Search for the standard model Higgs boson decaying into two photons in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 710, 403-425	4.2	138
260	Search for large extra dimensions in dimuon and dielectron events in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 711, 15-34	4.2	16
259	Jet momentum dependence of jet quenching in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 712, 176-197	4.2	144
258	Study of high- p_T charged particle suppression in PbPb compared to pp collisions at ($\sqrt{s_{NN}}=2.76\sim\text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	316
257	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at ($\sqrt{s_{NN}}=2.76$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	158
256	Jet production rates in association with W and Z bosons in pp collisions at ($\sqrt{s}=7$ TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	37
255	Exclusive $B^0 \rightarrow B^+ \pi^-$ production in proton-proton collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	45
254	Measurement of the production cross section for pairs of isolated photons in pp collisions at ($\sqrt{s}=7$;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	20
253	Inclusive b-jet production in pp collisions at ($\sqrt{s}=7$ TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30
252	Search for quark compositeness in dijet angular distributions from pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	12
251	Implications of the 125 GeV Higgs boson for scalar dark matter and for the CMSSM phenomenology. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	154
250	Suppression of non-prompt J/ ψ and (Υ)(1S) in PbPb collisions at ($\sqrt{s_{NN}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	184
249	Search for heavy bottom-like quarks in 4.9 fb $^{-1}$ of pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	44
248	Measurement of the cross section for production of ($\bar{b} X$) decaying to muons in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	3
247	Measurement of the Z/ γ + b-jet cross section in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24

246	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at ($\sqrt{s}=7$;TeV). <i>Journal of High Energy Physics, 2012, 2012, 1</i>	5-4	27
245	Search for anomalous production of multilepton events in pp collisions at ($\sqrt{s} = 7$,TeV). <i>Journal of High Energy Physics, 2012, 2012, 1</i>	5-4	65
244	Search for a light charged Higgs boson in top quark decays in pp collisions at ($\sqrt{s} = 7$;TeV). <i>Journal of High Energy Physics, 2012, 2012, 1</i>	5-4	101
243	Search for leptonic decays of W^\pm bosons in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics, 2012, 2012, 1</i>	5-4	43
242	Search for stopped long-lived particles produced in pp collisions at ($\sqrt{s} = \{7\text{TeV}\}$). <i>Journal of High Energy Physics, 2012, 2012, 1</i>	5-4	17
241	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics, 2012, 2012, 1</i>	5-4	24
240	Measurement of the underlying event activity in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics, 2012, 2012, 1</i>	5-4	11
239	Search for anomalous (\overline{t}) production in the highly-boosted all-hadronic final state. <i>Journal of High Energy Physics, 2012, 2012, 1</i>	5-4	57
238	Search for dark matter and large extra dimensions in monojet events in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics, 2012, 2012, 1</i>	5-4	155
237	Search for a fermiophobic Higgs boson in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics, 2012, 2012, 1</i>	5-4	13
236	Search for supersymmetry in hadronic final states using M_{T2} in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics, 2012, 2012, 1</i>	5-4	92
235	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at ($\sqrt{s_{\mathbb{N}\mathbb{N}}}=2.76$) TeV. <i>Journal of High Energy Physics, 2012, 2012, 1</i>	5-4	73
234	Measurement of the (\overline{t}) production cross section in the dilepton channel in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics, 2012, 2012, 1</i>	5-4	64
233	Search for exclusive or semi-exclusive τ production and observation of exclusive and semi-exclusive $e+e\tau$ production in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics, 2012, 2012, 1</i>	5-4	45
232	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics, 2012, 2012, 1</i>	5-4	6
231	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics, 2012, 2012, 1</i>	5-4	41
230	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics, 2012, 2012, 1</i>	5-4	10
229	Search for resonant (\overline{t}) production in lepton+jets events in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics, 2012, 2012, 1</i>	5-4	25

228	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30
227	Measurement of the single-top-quark t-channel cross section in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	70
226	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at ($\sqrt{s}=7$;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	12
225	Measurement of the top-quark mass in ($\overline{\text{t}}\text{t}$) events with lepton+jets final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30
224	Measurement of the tt production cross section in pp collisions at $s=7$ TeV in dilepton final states containing a μ . <i>Physical Review D</i> , 2012 , 85,	4.9	31
223	Search for heavy neutrinos and W(R) bosons with right-handed couplings in a left-right symmetric model in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2012 , 109, 261802	7.4	42
222	Measurement of the rapidity and transverse momentum distributions of Z bosons in pp collisions at ($s=7$ TeV. <i>Physical Review D</i> , 2012 , 85,	4.9	77
221	Search for neutral Higgs bosons decaying to tau pairs in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 713, 68-90	4.2	111
220	Measurement of the $\overline{\text{B}}\text{B}$ cross section and the $\overline{\text{B}}\text{B}$ to $\overline{\text{B}}\text{B}$ ratio with J/ψ decays in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 714, 136-147	4.2	30
219	Search for heavy long-lived charged particles in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 713, 408-433	4.2	54
218	Search for narrow resonances in dilepton mass spectra in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 714, 158-179	4.2	59
217	Study of W boson production in PbPb and pp collisions at $s_{\text{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 715, 66-87	4.2	76
216	Search for heavy, top-like quark pair production in the dilepton final state in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 716, 103-121	4.2	42
215	Search for high-mass resonances decaying into dilepton pairs in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 716, 82-102	4.2	26
214	Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at ($\sqrt{s}=7$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	30
213	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at ($\sqrt{s}=0.9, 2.76, 7$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	133
212	A search for a doubly-charged Higgs boson in pp collisions at ($\sqrt{s}=7$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	111
211	Measurement of the top-quark mass in ($\overline{\text{t}}\text{t}$) events with dilepton final states in pp collisions at ($\sqrt{s}=7$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	36

210	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at ($\sqrt{s} = 7 \text{ TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	17
209	Measurement of the relative prompt production rate of τ and W in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2012 , 72, 2251	4.2	46
208	Search for physics beyond the standard model in events with a Z boson, jets, and missing transverse energy in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 716, 260-284	4.2	23
207	Has a fermiophobic Higgs boson been detected at the LHC?. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 716, 322-325	4.2	12
206	Search for heavy Majorana neutrinos in $\tau\tau$ +jets and $e\tau$ +jets events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 717, 109-128	4.2	41
205	Inclusive and differential measurements of the $t\bar{t}$ charge asymmetry in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 717, 129-140	4.2	57
204	Search for charge-asymmetric production of W . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 717, 351-370	4.2	13
203	Search for pair produced fourth-generation up-type quarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with a lepton in the final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 718, 307-328	4.2	33
202	Is the resonance at 125 GeV the Higgs boson?. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 718, 469-474	4.2	118
201	Search for three-jet resonances in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 718, 329-347	4.2	24
200	Search for heavy lepton partners of neutrinos in proton-proton collisions in the context of the type III seesaw mechanism. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 718, 348-368	4.2	33
199	Search for signatures of extra dimensions in the diphoton mass spectrum at the large hadron collider. <i>Physical Review Letters</i> , 2012 , 108, 111801	7.4	53
198	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at ($\sqrt{s} = 7 \text{ TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	11
197	J/ψ and $\psi(2S)$ production in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	69
196	Anthropic solution to the magnetic muon anomaly: the charged see-saw. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	46
195	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 2\mu 2e$ channel in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24
194	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow \mu\mu ee$ decay channel in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11
193	Search for ($B_s \rightarrow \mu^+ \mu^-$) and $B_0 \rightarrow \mu^+ \mu^-$ decays. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	52

192	Search for a Higgs boson in the decay channel $H \rightarrow ZZ^{(*)} \rightarrow q(\overline{q})\mu\mu$ in pp collisions at $(\sqrt{s} = 7)$ TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	21
191	Search for microscopic black holes in pp collisions at $(\sqrt{s} = 7\text{TeV})$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	34
190	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $(\sqrt{s} = 7)$ TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
189	Measurement of the mass difference between top and antitop quarks. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
188	Reconstructing Higgs boson properties from the LHC and Tevatron data. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	124
187	Impact of semi-annihilations on dark matter phenomenology. An example of Z_N symmetric scalar dark matter. <i>Journal of Cosmology and Astroparticle Physics</i> , 2012 , 2012, 010-010	6.4	64
186	Search for pair production of first- and second-generation scalar leptoquarks in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , 2012 , 86,	4.9	28
185	Fermiophobic Higgs boson and supersymmetry. <i>Physical Review D</i> , 2012 , 86,	4.9	6
184	Measurement of the pseudorapidity and centrality dependence of the transverse energy density in Pb-Pb collisions at $\sqrt{s(NN)}=2.76$ TeV. <i>Physical Review Letters</i> , 2012 , 109, 152303	7.4	55
183	Azimuthal anisotropy of charged particles at high transverse momenta in Pb-Pb collisions at $\sqrt{s(NN)} = 2.76$ TeV. <i>Physical Review Letters</i> , 2012 , 109, 022301	7.4	95
182	Search for a W' or techni- W decaying into WZ in pp Collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2012 , 109, 141801	7.4	26
181	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2012 , 109, 171803	7.4	111
180	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy. <i>Physical Review Letters</i> , 2012 , 109, 071803	7.4	46
179	Search for the standard model Higgs boson in the decay channel $H \rightarrow ZZ \rightarrow 4\mu$ in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2012 , 108, 111804	7.4	85
178	Search for a light pseudoscalar Higgs boson in the dimuon decay channel in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2012 , 109, 121801	7.4	51
177	Measurement of the electron charge asymmetry in inclusive W production in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2012 , 109, 111806	7.4	65
176	Search for supersymmetry in events with b-quark jets and missing transverse energy in pp collisions at 7 TeV. <i>Physical Review D</i> , 2012 , 86,	4.9	18
175	Inclusive search for squarks and gluinos in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , 2012 , 85,	4.9	40

174	Combined search for the quarks of a sequential fourth generation. <i>Physical Review D</i> , 2012 , 86,	4.9	23
173	Implications of the effective axial-vector coupling of the gluon on top-quark charge asymmetry at the LHC. <i>Physical Review D</i> , 2012 , 85,	4.9	13
172	Study of the Dijet mass spectrum in pp \rightarrow W+jets events at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2012 , 109, 251801	7.4	12
171	Symmetryless dark matter. <i>Physical Review D</i> , 2012 , 85,	4.9	4
170	Search for dark matter and large extra dimensions in pp collisions yielding a photon and missing transverse energy. <i>Physical Review Letters</i> , 2012 , 108, 261803	7.4	116
169	Observation of sequential Λ suppression in PbPb collisions. <i>Physical Review Letters</i> , 2012 , 109, 222301	7.4	172
168	Observation of a new Λ baryon. <i>Physical Review Letters</i> , 2012 , 108, 252002	7.4	57
167	Fermi 130 GeV gamma-ray excess and dark matter annihilation in sub-haloes and in the Galactic centre. <i>Journal of Cosmology and Astroparticle Physics</i> , 2012 , 2012, 032-032	6.4	108
166	Addendum: Fermi 130 GeV gamma-ray excess and dark matter annihilation in sub-haloes and in the Galactic centre. <i>Journal of Cosmology and Astroparticle Physics</i> , 2012 , 2012, A01-A01	6.4	19
165	Measurement of dijet angular distributions and search for quark compositeness in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 201804	7.4	45
164	Implications of Xenon100 and LHC results for Dark Matter models. <i>Nuclear Physics B</i> , 2011 , 853, 607-624	2.8	62
163	WMAP7 and future CMB constraints on annihilating dark matter: implications for GeV-scale WIMPs. <i>Astronomy and Astrophysics</i> , 2011 , 535, A26	5.1	89
162	PPPC 4 DM ID: a poor particle physicist cookbook for dark matter indirect detection. <i>Journal of Cosmology and Astroparticle Physics</i> , 2011 , 2011, 051-051	6.4	522
161	Measurement of W and Z production in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 701, 535-555	4.2	38
160	Measurement of the ratio of the 3-jet to 2-jet cross sections in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 702, 336-354	4.2	13
159	Search for first generation scalar leptoquarks in the $pp \rightarrow e\gamma + jets$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 703, 246-266	4.2	11
158	Search for resonances in the dijet mass spectrum from 7 TeV pp collisions at CMS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 704, 123-142	4.2	111
157	A search for excited leptons in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 704, 143-162	4.2	8

156	Search for physics beyond the standard model using multilepton signatures in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 704, 411-433	4.2	28
155	Prompt and non-prompt J/ψ production in pp collisions at ($\sqrt{s} = 7$) TeV. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	118
154	Measurement of the ($\text{t}\bar{\text{t}}$) production cross section in pp collisions at ($\sqrt{s}=7$) TeV using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	35
153	Long-lived charged Higgs at LHC as a probe of scalar dark matter. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	10
152	Charged particle multiplicities in pp interactions at ($\sqrt{s} = 0.9$), 2.36, and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	89
151	Measurements of inclusive W and Z cross sections in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	104
150	Search for heavy stable charged particles in pp collisions at ($\sqrt{s} = 7; \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	34
149	Inclusive b-hadron production cross section with muons in pp collisions at ($\sqrt{s} = 7; \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	21
148	Measurement of ($\overline{\text{B}}\text{B}$) angular correlations based on secondary vertex reconstruction at ($\sqrt{s} = 7; \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	27
147	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at ($\sqrt{s} = 7; \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	38
146	Measurement of Bose-Einstein correlations in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	22
145	Strange particle production in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	78
144	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	21
143	Search for resonances in the dilepton mass distribution in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	32
142	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at ($\sqrt{s} = 7; \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	26
141	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	46
140	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	10
139	Measurement of the ($\text{t}\bar{\text{t}}$) production cross section and the top quark mass in the dilepton channel in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	48

138	Long-range and short-range dihadron angular correlations in central PbPb collisions at ($\sqrt{s_{\text{NN}}}$) = 2.76 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	56
137	Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	12
136	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	28
135	Search for same-sign top-quark pair production at (\sqrt{s} = 7) TeV and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	39
134	Charged particle transverse momentum spectra in pp collisions at (\sqrt{s} = 0.9) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	44
133	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at (\sqrt{s} = 7) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	17
132	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at ($\sqrt{s_{\text{NN}}}$) = 2.76) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	87
131	Search for new physics with jets and missing transverse momentum in pp collisions at (\sqrt{s} = 7) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	46
130	Search for supersymmetry in pp collisions at (\sqrt{s} = 7) TeV in events with a single lepton, jets, and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	32
129	Measurement of the underlying event activity at the LHC with (\sqrt{s} = 7) TeV and comparison with (\sqrt{s} = 0.9) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	70
128	Measurement of the Drell-Yan cross section in pp collisions at (\sqrt{s} = 7) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	32
127	Measurement of the inclusive W and Z production cross sections in pp collisions at (\sqrt{s} = 7) TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	121
126	Measurement of energy flow at large pseudorapidities in pp collisions at (\sqrt{s} = 0.9) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	19
125	Effective axial-vector coupling of gluon as an explanation to the top quark asymmetry. <i>Physical Review D</i> , 2011 , 84,	4-9	22
124	Measurement of the $t\bar{t}$ production cross section in pp collisions at 7 TeV in lepton+jets events using b-quark jet identification. <i>Physical Review D</i> , 2011 , 84,	4-9	44
123	Hints for a nonstandard Higgs boson from the LHC. <i>Physical Review D</i> , 2011 , 84,	4-9	36
122	Upsilon production cross section in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2011 , 83,	4-9	77
121	Measurement of the differential cross section for isolated prompt photon production in pp collisions at 7 TeV. <i>Physical Review D</i> , 2011 , 84,	4-9	45

120	Direct detection and CMB constraints on the light dark matter scenario of top quark asymmetry and dijet excess at the Tevatron. <i>Physical Review D</i> , 2011 , 84,	4.9	9
119	Measurement of the B_s^0 Production Cross Section with $B_s^0 \rightarrow J/\psi$ Decays in pp Collisions at $s=7$ TeV. <i>Physical Review D</i> , 2011 , 84,	4.9	31
118	Observation and studies of jet quenching in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review C</i> , 2011 , 84,	2.7	395
117	Indications of suppression of excited B states in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 052302	7.4	137
116	First measurement of the cross section for top-quark pair production in proton-proton collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 695, 424-443	4.2	79
115	Search for microscopic black hole signatures at the Large Hadron Collider. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 697, 434-453	4.2	61
114	Search for a heavy gauge boson. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 698, 21-39	4.2	26
113	Search for supersymmetry in pp collisions at 7 TeV in events with jets and missing transverse energy. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 698, 196-218	4.2	166
112	Measurement of $W+W$ production and search for the Higgs boson in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 699, 25-47	4.2	86
111	First measurement of hadronic event shapes in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 699, 48-67	4.2	35
110	Measurement of the differential dijet production cross section in proton-proton collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 700, 187-206	4.2	44
109	Search for a. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 701, 160-179	4.2	26
108	Search for a heavy bottom-like quark in pp collisions at. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 701, 204-223	4.2	28
107	Measurement of the isolated prompt photon production cross section in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 082001	7.4	57
106	Measurement of the $B(+)$ production cross section in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 112001	7.4	59
105	Search for $B(s)(0) \rightarrow \mu \mu$ and $B(0) \rightarrow \mu \mu$ decays in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 191802	7.4	44
104	Search for pair production of second-generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 201803	7.4	13
103	Search for supersymmetry at the LHC in events with jets and missing transverse energy. <i>Physical Review Letters</i> , 2011 , 107, 221804	7.4	188

102	Study of Z Boson Production in PbPb Collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 212301	7.4	66
101	Search for supersymmetry in pp collisions at \sqrt{s} TeV in events with two photons and missing transverse energy. <i>Physical Review Letters</i> , 2011 , 106, 211802	7.4	45
100	Search for pair production of first-generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 201802	7.4	17
99	Measurement of the weak mixing angle with the Drell-Yan process in proton-proton collisions at the LHC. <i>Physical Review D</i> , 2011 , 84,	4.9	42
98	Search for new physics with a monojet and missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 201804	7.4	49
97	Search for a vectorlike quark with charge 2/3 in t+Z events from pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 271802	7.4	53
96	Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 132001	7.4	94
95	Measurement of the B0 production cross section in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 252001	7.4	48
94	Search for three-jet resonances in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 101801	7.4	34
93	Publisher's Note: Search for Dijet Resonances in 7 TeV pp Collisions at CMS [Phys. Rev. Lett. 105, 211801 (2010)]. <i>Physical Review Letters</i> , 2011 , 106,	7.4	9
92	Search for neutral minimal supersymmetric standard model Higgs bosons decaying to tau pairs in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 231801	7.4	63
91	Dijet azimuthal decorrelations in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 122003	7.4	48
90	Measurement of the polarization of W bosons with large transverse momenta in W + jets events at the LHC. <i>Physical Review Letters</i> , 2011 , 107, 021802	7.4	37
89	Measurement of the t-channel single top quark production cross section in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 091802	7.4	63
88	Search for stopped Gluinos in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 011801	7.4	38
87	Measurement of energy flow at large pseudorapidities in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV 2011 , 2011, 1		5
86	Search for quark compositeness with the dijet centrality ratio in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2010 , 105, 262001	7.4	35
85	First measurement of Bose-Einstein correlations in proton-proton collisions at $\sqrt{s}=0.9$ and 2.36 TeV at the LHC. <i>Physical Review Letters</i> , 2010 , 105, 032001	7.4	44

84	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at square root of $s = 7$ TeV. <i>Physical Review Letters</i> , 2010 , 105, 022002	7.4	353
83	Electroweak symmetry breaking from the soft portal into dark matter and prediction for direct detection. <i>Physical Review Letters</i> , 2010 , 104, 201301	7.4	22
82	Search for dijet resonances in 7 TeV pp collisions at CMS. <i>Physical Review Letters</i> , 2010 , 105, 211801	7.4	116
81	Matter parity as the origin of scalar dark matter. <i>Physical Review D</i> , 2010 , 81,	4.9	65
80	Implications of the Fermi-LAT diffuse gamma-ray measurements on annihilating or decaying dark matter. <i>Journal of Cosmology and Astroparticle Physics</i> , 2010 , 2010, 008-008	6.4	48
79	First measurement of the underlying event activity at the LHC with ($\sqrt{s} = 0.9$) TeV. <i>European Physical Journal C</i> , 2010 , 70, 555-572	4.2	36
78	CMS tracking performance results from early LHC operation. <i>European Physical Journal C</i> , 2010 , 70, 1165-1192	4.2	99
77	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at ($\sqrt{s} = 0.9$) and 2.36 TeV. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	201
76	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	389
75	Enhanced anti-deuteron Dark Matter signal and the implications of PAMELA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010 , 683, 248-254	4.2	38
74	Lorentz violation from the Higgs portal. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010 , 690, 272-279	4.2	12
73	Measurement of the charge ratio of atmospheric muons with the CMS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010 , 692, 83-104	4.2	32
72	Implications of Dark Matter direct detection results on LHC physics. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010 , 694, 242-245	4.2	13
71	Dark matter as the signal of grand unification. <i>Physical Review D</i> , 2009 , 80,	4.9	77
70	Model-independent implications of the e^\pm , p^\pm cosmic ray spectra on properties of Dark Matter. <i>Nuclear Physics B</i> , 2009 , 813, 1-21	2.8	405
69	Supersymmetric grand unification and lepton universality in decays. <i>Nuclear Physics B</i> , 2009 , 812, 128-143	3.8	14
68	Electron EDM and soft leptogenesis in supersymmetric $B\mu$ extension of the Standard Model. <i>Nuclear Physics B</i> , 2009 , 820, 75-88	2.8	7
67	Constraints on leptonically annihilating dark matter from reionization and extragalactic gamma background. <i>Astronomy and Astrophysics</i> , 2009 , 505, 999-1005	5.1	81

66	Flavor physics of leptons and dipole moments. <i>Advances in the Physics of Particles and Nuclei</i> , 2009 , 1-170		
65	Collider aspects of flavor physics at high Q. <i>Advances in the Physics of Particles and Nuclei</i> , 2009 , 171-295		
64	The CMS experiment at the CERN LHC. <i>Journal of Instrumentation</i> , 2008 , 3, S08004-S08004	1	1276
63	Direct determination of neutrino mass parameters at future colliders. <i>Physical Review D</i> , 2008 , 77,	4.9	80
62	Collider aspects of flavor physics at high Q. <i>European Physical Journal C</i> , 2008 , 57, 183-307	4.2	38
61	Flavor physics of leptons and dipole moments. <i>European Physical Journal C</i> , 2008 , 57, 13-182	4.2	260
60	Emanations of dark matter: Muon anomalous magnetic moment, radiative neutrino mass, and novel leptogenesis at the TeV scale. <i>Physical Review D</i> , 2007 , 75,	4.9	67
59	Golden ratio prediction for solar neutrino mixing. <i>Physical Review D</i> , 2007 , 76,	4.9	106
58	Testing neutrino masses in little Higgs models via discovery of doubly charged Higgs at LHC. <i>Nuclear Physics B</i> , 2007 , 787, 198-210	2.8	61
57	Efficiency and maximal CP-asymmetry of scalar triplet leptogenesis. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2006 , 632, 667-674	4.2	63
56	Addendum to: [Low-scale standard supersymmetric leptogenesis][Phys. Lett. B 609 (2005) 351]. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2006 , 632, 752-753	4.2	13
55	Low-scale standard supersymmetric leptogenesis. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2005 , 609, 351-359	4.2	44
54	Running of low-energy neutrino masses, mixing angles and CP violation. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2005 , 631, 32-41	4.2	23
53	Sneutrino inflation in the light of WMAP: reheating, leptogenesis and flavour-violating lepton decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004 , 581, 9-18	4.2	81
52	Leptogenesis in the minimal supersymmetric triplet seesaw model. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004 , 604, 199-206	4.2	42
51	Relation between the neutrino and quark mixing angles and grand unification. <i>Physical Review Letters</i> , 2004 , 93, 161801	7.4	162
50	Towards a complete theory of thermal leptogenesis in the SM and MSSM. <i>Nuclear Physics B</i> , 2004 , 685, 89-149	2.8	535
49	Patterns of lepton-flavour violation motivated by decoupling and sneutrino inflation. <i>Nuclear Physics B</i> , 2004 , 690, 279-301	2.8	27

48	Soft leptogenesis. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 575, 75-84	4.2	112
47	Predictions of the most minimal see-saw model. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 553, 72-78	4.2	104
46	Lepton electric dipole moments in non-degenerate supersymmetric seesaw models. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002 , 528, 86-96	4.2	71
45	Higgs-mediated $B_s, d_0 \rightarrow \tau \mu$ and $B \rightarrow 3\tau$ decays in supersymmetric seesaw models. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002 , 549, 159-169	4.2	80
44	CP asymmetry in $B \rightarrow \phi K(S)$ decays in left-right models and its implications for B_s decays. <i>Physical Review Letters</i> , 2002 , 89, 231803	7.4	52
43	Higgs sector of the minimal left-right symmetric model. <i>Physical Review D</i> , 2002 , 65,	4.9	49
42	Three active and two sterile neutrinos in an E6 model of diquark baryogenesis. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2002 , 28, 95-101	2.9	17
41	A full-acceptance detector at the LHC (FELIX). <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2002 , 28, R117-R215	2.9	21
40	New parametrization of the seesaw mechanism and applications in supersymmetric models. <i>Physical Review D</i> , 2002 , 66,	4.9	123
39	CP violation in the minimal supersymmetric seesaw model. <i>Nuclear Physics B</i> , 2002 , 621, 208-234	2.8	83
38	Leptogenesis and the violation of lepton number and CP at low energies. <i>Nuclear Physics B</i> , 2002 , 643, 229-246	2.8	115
37	Low-scale axion from large extra dimensions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001 , 504, 296-300	4.2	6
36	Enhancement of radiatively induced magnetic moment form-factors of muon: an effective Lagrangian approach. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001 , 508, 51-57	4.2	7
35	Allowable low-energy E6 subgroups from leptogenesis. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001 , 512, 373-378	4.2	37
34	Neutrino mass, muon anomalous magnetic moment, and lepton flavor nonconservation. <i>Physical Review Letters</i> , 2001 , 87, 011802	7.4	227
33	Flavor violation in supersymmetric SU(5) GUT at large $\tan\beta$. <i>Physical Review D</i> , 2001 , 63,	4.9	10
32	Phenomenology of the neutrino-mass-giving Higgs triplet and the low-energy seesaw violation of lepton number. <i>Nuclear Physics B</i> , 2001 , 615, 313-330	2.8	77
31	Relaxing $b \rightarrow s$ constraints on the supersymmetric particle mass spectrum. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 491, 297-304	4.2	5

30	Testing left-right symmetric gauge theories at e+e- colliders. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 492, 107-114	4.2	4
29	Verifiable model of neutrino masses from large extra dimensions. <i>Physical Review Letters</i> , 2000 , 85, 3769-72	4.2	91
28	Baryogenesis with scalar bilinears. <i>Physical Review D</i> , 1999 , 60,	4.9	9
27	Supersymmetry and CP violating asymmetries in Bd,s decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 457, 109-117	4.2	12
26	Neutrino masses in supersymmetry: R-parity and leptogenesis. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 460, 359-364	4.2	17
25	Probing the exotic particle content beyond the standard model. <i>European Physical Journal C</i> , 1999 , 8, 301-309	4.2	21
24	Doubly charged higgsino pair production and decays in (e+e-) collisions. <i>European Physical Journal C</i> , 1999 , 8, 479-494	4.2	12
23	CP asymmetries in Bs decays and spontaneous CP violation. <i>Physical Review D</i> , 1999 , 60,	4.9	16
22	Probing the exotic particle content beyond the standard model 1999 , 8, 301		2
21	Physics with e+e- linear colliders. <i>Physics Reports</i> , 1998 , 299, 1-78	27.7	256
20	B conversion in nuclei versus : an effective field theory point of view. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 421, 250-258	4.2	67
19	New constraints on R-parity violation from B conversion in nuclei. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1998 , 430, 355-362	4.2	46
18	Spontaneous CP violation and the B0 system. <i>Nuclear Physics B</i> , 1998 , 511, 577-593	2.8	18
17	CP Asymmetries in B0 Decays in the Left-Right Model. <i>Physical Review Letters</i> , 1998 , 80, 4625-4628	7.4	13
16	Lower bounds on bilepton processes at e+e- and colliders. <i>Physical Review D</i> , 1998 , 57, 2013-2016	4.9	27
15	Constraints on the WR mass and CP violation in left-right models. <i>Physical Review D</i> , 1997 , 55, 4213-4224	4.9	55
14	Non-decoupling and lepton number violation in left-right models. <i>Nuclear Physics B</i> , 1997 , 484, 63-79	2.8	20
13	Discovering and studying bileptons with e+e- collisions. <i>Nuclear Physics B</i> , 1997 , 501, 3-16	2.8	45

12	Doubly charged Higgs at LHC. <i>Nuclear Physics B</i> , 1997 , 487, 27-42	2.8	159
11	Constraints on doubly charged Higgs interactions at linear collider. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 394, 132-138	4.2	43
10	Mass of tau neutrino in SO(10) GUTs. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 406, 219-224	4.2	1
9	Heavy neutrino mixing and single production at linear collider. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1997 , 407, 45-52	4.2	21
8	Spontaneous CP violation in the left-right model and the kaon system. <i>Nuclear Physics B</i> , 1996 , 478, 527-543	2.8	33
7	WR production in $e\bar{e}$ collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1996 , 365, 407-410	4.2	
6	Vector boson pair production in $e\bar{e}$ collisions with polarized beams. <i>Nuclear Physics B</i> , 1995 , 437, 305-318	2.8	10
5	Tests of gauge boson couplings in polarized $e\bar{e}$ collisions. <i>Nuclear Physics B</i> , 1995 , 441, 49-60	2.8	9
4	Slepton pair production in $e+e\bar{e}$ collision in supersymmetric left-right model. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1994 , 328, 60-66	4.2	42
3	Supersymmetric left-right model and its tests in linear colliders. <i>Nuclear Physics B</i> , 1994 , 420, 449-467	2.8	55
2	Muon pair production in electron-electron collisions as a test of the left-right-symmetric model. <i>Physical Review D</i> , 1993 , 48, 4467-4469	4.9	5
1	Single top quark production at LEP200. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1993 , 318, 237-240	4.2	8