
Guiqin Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9769557/publications.pdf Version: 2024-02-01



CHIOIN CHEN

#	Article	IF	CITATIONS
1	Cerebrotendinous xanthomatosis: a comprehensive review of pathogenesis, clinical manifestations, diagnosis, and management. Orphanet Journal of Rare Diseases, 2014, 9, 179.	2.7	357
2	Initiation of Parkinson's disease from gut to brain by δ-secretase. Cell Research, 2020, 30, 70-87.	12.0	69
3	Tau accelerates α-synuclein aggregation and spreading in Parkinson's disease. Brain, 2022, 145, 3454-3471.	7.6	36
4	7,8-Dihydroxyflavone Protects Nigrostriatal Dopaminergic Neurons from Rotenone-Induced Neurotoxicity in Rodents. Parkinson's Disease, 2019, 2019, 1-10.	1.1	22
5	Netrin-1 receptor UNC5C cleavage by active δ-secretase enhances neurodegeneration, promoting Alzheimer's disease pathologies. Science Advances, 2021, 7, .	10.3	22
6	TRH Analog, Taltirelin Protects Dopaminergic Neurons From Neurotoxicity of MPTP and Rotenone. Frontiers in Cellular Neuroscience, 2018, 12, 485.	3.7	21
7	Islet amyloid polypeptide cross-seeds tau and drives the neurofibrillary pathology in Alzheimer's disease. Molecular Neurodegeneration, 2022, 17, 12.	10.8	16
8	Distinct anti-dyskinetic effects of amantadine and group II metabotropic glutamate receptor agonist LY354740 in a rodent model: An electrophysiological perspective. Neurobiology of Disease, 2020, 139, 104807.	4.4	12
9	Levetiracetam Ameliorates L-DOPA-Induced Dyskinesia in Hemiparkinsonian Rats Inducing Critical Molecular Changes in the Striatum. Parkinson's Disease, 2015, 2015, 1-9.	1.1	11
10	Involvement of p38 mitogenâ€activated protein kinase in altered expressions of AQP1 and AQP4 after carbon monoxide poisoning in rat astrocytes. Basic and Clinical Pharmacology and Toxicology, 2019, 125, 394-404.	2.5	11
11	TRH Analog, Taltirelin Improves Motor Function of Hemi-PD Rats Without Inducing Dyskinesia via Sustained Dopamine Stimulating Effect. Frontiers in Cellular Neuroscience, 2018, 12, 417.	3.7	10
12	Amphiphysin I cleavage by asparagine endopeptidase leads to tau hyperphosphorylation and synaptic dysfunction. ELife, 2021, 10, .	6.0	9
13	UNC5C Receptor Proteolytic Cleavage by Active AEP Promotes Dopaminergic Neuronal Degeneration in Parkinson's Disease. Advanced Science, 2022, 9, e2103396.	11.2	9
14	A synapsin â cleavage fragment contributes to synaptic dysfunction in Alzheimer's disease. Aging Cell, 2022, 21, e13619.	6.7	9
15	Cofilin 1 promotes the aggregation and cell-to-cell transmission of α-synuclein in Parkinson's disease. Biochemical and Biophysical Research Communications, 2020, 529, 1053-1060.	2.1	7
16	A γ-adducin cleavage fragment induces neurite deficits and synaptic dysfunction in Alzheimer's disease. Progress in Neurobiology, 2021, 203, 102074.	5.7	7
17	Asparagine endopeptidase cleaves synaptojanin 1 and triggers synaptic dysfunction in Parkinson's disease. Neurobiology of Disease, 2021, 154, 105326.	4.4	6
18	C/EBPβ/AEP signaling couples atherosclerosis to the pathogenesis of Alzheimer's disease. Molecular Psychiatry, 2022, 27, 3034-3046.	7.9	4

#	Article	IF	CITATIONS
19	Bilateral Implantation of Shear Stress Modifier in ApoE Knockout Mouse Induces Cognitive Impairment and Tau Abnormalities. Frontiers in Aging Neuroscience, 2018, 10, 303.	3.4	3