

# Aljoscha Rastan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9773446/publications.pdf>

Version: 2024-02-01

77  
papers

3,653  
citations

109321

35  
h-index

133252

59  
g-index

79  
all docs

79  
docs citations

79  
times ranked

2037  
citing authors

#	ARTICLE	IF	CITATIONS
1	Atherectomy and Drug-Coated Balloon Angioplasty for the Treatment of Long Infrapopliteal Lesions: A Randomized Controlled Trial. <i>Circulation: Cardiovascular Interventions</i> , 2021, 14, e010280.	3.9	16
2	Outcomes of directional atherectomy for common femoral artery disease. <i>EuroIntervention</i> , 2021, 17, 260-266.	3.2	12
3	Photoablative atherectomy followed by a paclitaxel-coated balloon to inhibit restenosis in instent femoro-popliteal obstructions (PHOTOPAC). <i>Vasa - European Journal of Vascular Medicine</i> , 2021, 50, 387-393.	1.4	6
4	Improved Carotid Stenosis Quantification on Novel 4D/3D-Doppler Ultrasonography Indexing to the Common Carotid Artery. <i>Ultraschall in Der Medizin</i> , 2020, 41, 167-174.	1.5	3
5	Accuracy of Carotid Artery Stenosis Quantification with 4-D-Supported 3-D Power-Doppler versus Color-Doppler and 2-D Blood Velocity-Based Duplex Ultrasonography. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 1082-1091.	1.5	1
6	Symptomatic type I endoleak following popliteal artery aneurysm repair. <i>Vasa - European Journal of Vascular Medicine</i> , 2020, 49, 514-517.	1.4	2
7	4-Dimensionally Guided 3-Dimensional Color-Doppler Ultrasonography Quantifies Carotid Artery Stenosis With High Reproducibility and Accuracy. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 386-396.	5.3	9
8	One-Year Outcomes Following Directional Atherectomy of Popliteal Artery Lesions: Subgroup Analysis of the Prospective, Multicenter DEFINITIVE LE Trial. <i>Journal of Endovascular Therapy</i> , 2018, 25, 100-108.	1.5	21
9	Laser-assisted transprosthesial coil embolization combined with thrombin injection for treatment of an endoleak type II after endovascular aneurysm repair. <i>Vasa - European Journal of Vascular Medicine</i> , 2018, 47, 63-67.	1.4	3
10	Results from the Tack Optimized Balloon Angioplasty (TOBA) study demonstrate the benefits of minimal metal implants for dissection repair after angioplasty. <i>Journal of Vascular Surgery</i> , 2016, 64, 109-116.	1.1	36
11	Duplex derived intrarenal resistance index correlates with invasive pressure gradient measurements in detecting relevant unilateral renal artery stenosis. <i>Vasa - European Journal of Vascular Medicine</i> , 2016, 45, 175-180.	1.4	4
12	Paclitaxel-Coated Balloon in Infrapopliteal Arteries. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 1614-1622.	2.9	147
13	Sustained Benefit at 2 Years for Covered Stents Versus Bare-Metal Stents in Long SFA Lesions: The VIASTAR Trial. <i>CardioVascular and Interventional Radiology</i> , 2015, 38, 25-32.	2.0	100
14	Novel Approaches to the Management of Advanced Peripheral Artery Disease: Perspectives on Drug-Coated Balloons, Drug-Eluting Stents, and Bioresorbable Scaffolds. <i>Current Cardiology Reports</i> , 2015, 17, 624.	2.9	10
15	Drug-Coated Balloons: How Should We Incorporate Into Our Practice in Treating Superficial Femoral Artery Lesions?. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2015, 17, 380.	0.9	4
16	Stent Placement vs. Balloon Angioplasty for Popliteal Artery Treatment. <i>Journal of Endovascular Therapy</i> , 2015, 22, 22-27.	1.5	46
17	Duplex Ultrasound Assessment of Native Stenoses in the Superficial Femoral and Popliteal Arteries. <i>Journal of Endovascular Therapy</i> , 2015, 22, 254-260.	1.5	13
18	One-Year Outcomes Following Directional Atherectomy of Infrapopliteal Artery Lesions. <i>Journal of Endovascular Therapy</i> , 2015, 22, 839-846.	1.5	48

#	ARTICLE	IF	CITATIONS
19	History of transient ischaemic attack, myocardial infarction and hyperlipidaemia affects outcome following carotid artery stenting. <i>EuroIntervention</i> , 2015, 11, 808-815.	3.2	5
20	Renal artery stenosis: Up-date on diagnosis and treatment. <i>Vasa - European Journal of Vascular Medicine</i> , 2014, 43, 27-38.	1.4	14
21	Heparin-Bonded Stent-Graft for the Treatment of TASC II C and D Femoropopliteal Lesions: The Viabahn-25 cm Trial. <i>Journal of Endovascular Therapy</i> , 2014, 21, 765-774.	1.5	51
22	Drug-Coated Balloons vs. Drug-Eluting Stents for Treatment of Long Femoropopliteal Lesions. <i>Journal of Endovascular Therapy</i> , 2014, 21, 359-368.	1.5	129
23	Elevated Cardiac Troponin T Is Associated With Higher Mortality and Amputation Rates in Patients With Peripheral Arterial Disease. <i>Journal of the American College of Cardiology</i> , 2014, 63, 1529-1538.	2.8	37
24	Treatment of Femoropopliteal In-Stent Restenosis With Paclitaxel-Eluting Stents. <i>JACC: Cardiovascular Interventions</i> , 2013, 6, 274-281.	2.9	109
25	Heparin-Bonded Covered Stents Versus Bare-Metal Stents for Complex Femoropopliteal Artery Lesions. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1320-1327.	2.8	238
26	Angioplasty and Provisional Stent Treatment of Common Femoral Artery Lesions. <i>Journal of Vascular and Interventional Radiology</i> , 2013, 24, 175-183.	0.5	38
27	Drug-coated balloon angioplasty after directional atherectomy improves outcome in restenotic femoropopliteal arteries. <i>Journal of Vascular Surgery</i> , 2013, 58, 682-686.	1.1	88
28	New Approach to Protected Percutaneous Transluminal Angioplasty in the Lower Limbs. <i>Journal of Endovascular Therapy</i> , 2013, 20, 409-419.	1.5	5
29	Endovascular Treatment for Extensive Aortoiliac Artery Reconstruction: A Single-Center Experience Based on 1712 Interventions. <i>Journal of Endovascular Therapy</i> , 2013, 20, 64-73.	1.5	42
30	SUMMIT Registry: One-Year Outcomes After Implantation of the EPIC Self-Expanding Nitinol Stent in the Femoropopliteal Segment. <i>Journal of Endovascular Therapy</i> , 2013, 20, 759-766.	1.5	28
31	Reply:. <i>Journal of Endovascular Therapy</i> , 2013, 20, 252-253.	1.5	1
32	Stent Placement Versus Balloon Angioplasty for the Treatment of Obstructive Lesions of the Popliteal Artery. <i>Circulation</i> , 2013, 127, 2535-2541.	1.6	78
33	Rotational and aspiration atherectomy for infrainguinal in-stent restenosis. <i>Vasa - European Journal of Vascular Medicine</i> , 2013, 42, 127-133.	1.4	24
34	Challenging anatomy, how to treat or not to treat?. <i>EuroIntervention</i> , 2013, 9, R67-R74.	3.2	9
35	Recanalization of Femoropopliteal Chronic Total Occlusions Using the ENABLER-P Balloon Catheter System. <i>Journal of Endovascular Therapy</i> , 2012, 19, 131-139.	1.5	9
36	Initial Experience With the 5Å–300-mm Proteus Embolic Capture Angioplasty Balloon in the Treatment of Peripheral Vascular Disease. <i>Journal of Endovascular Therapy</i> , 2012, 19, 826-833.	1.5	8

#	ARTICLE	IF	CITATIONS
37	Elevated cardiac troponin T contributes to prediction of worse in-hospital outcomes after endovascular therapy for acute limb ischemia. <i>Journal of Vascular Surgery</i> , 2012, 55, 721-729.	1.1	15
38	Sirolimus-Eluting Stents for Treatment of Infrapopliteal Arteries Reduce Clinical Event Rate Compared to Bare-Metal Stents. <i>Journal of the American College of Cardiology</i> , 2012, 60, 587-591.	2.8	152
39	Drug-eluting stents for treatment of focal infrapopliteal lesions. <i>Vasa - European Journal of Vascular Medicine</i> , 2012, 41, 90-95.	1.4	12
40	Résultats à un an après athérectomie rotationnelle aspirative percutanée des artères sous-inguinales chez les patients avec et sans diabète de type 2. <i>Annales De Chirurgie Vasculaire</i> , 2011, 25, 558-569.	0.0	0
41	One-Year Outcome After Percutaneous Rotational and Aspiration Atherectomy in Infringuinal Arteries in Patient With and Without Type 2 Diabetes Mellitus. <i>Annals of Vascular Surgery</i> , 2011, 25, 520-529.	0.9	20
42	Endovascular Treatment of Common Femoral Artery Disease. <i>Journal of the American College of Cardiology</i> , 2011, 58, 792-798.	2.8	139
43	The NovoStent®SAMBA®stent: a novel alternating helix self-expanding nitinol stent design. <i>Interventional Cardiology</i> , 2011, 3, 247-261.	0.0	0
44	The 1-Year Clinical Impact of Rotational Aspiration Atherectomy of Infringuinal Lesions. <i>Angiology</i> , 2011, 62, 645-656.	1.8	26
45	Sirolimus-eluting stents vs. bare-metal stents for treatment of focal lesions in infrapopliteal arteries: a double-blind, multi-centre, randomized clinical trial. <i>European Heart Journal</i> , 2011, 32, 2274-2281.	2.2	162
46	The benefit of renal artery stenting in patients with atheromatous renovascular disease and advanced chronic kidney disease. <i>Catheterization and Cardiovascular Interventions</i> , 2010, 75, 1-10.	1.7	57
47	Chronic atherosclerotic mesenteric ischemia (CMI). <i>Vascular Medicine</i> , 2010, 15, 333-338.	1.5	35
48	Primary Use of Sirolimus-Eluting Stents in the Infrapopliteal Arteries. <i>Journal of Endovascular Therapy</i> , 2010, 17, 480-487.	1.5	35
49	Endovenous laser ablation of varicose veins with the 1470-nm diode laser. <i>Journal of Vascular Surgery</i> , 2010, 51, 1474-1478.	1.1	124
50	Retrograde Transpopliteal Recanalization of Chronic Superficial Femoral Artery Occlusion After Failed Re-Entry During Antegrade Subintimal Angioplasty. <i>Journal of Endovascular Therapy</i> , 2009, 16, 619-623.	1.5	65
51	Recanalization of Femoropopliteal Occlusions Using the Crosser System. <i>Journal of Endovascular Therapy</i> , 2009, 16, 526-527.	1.5	5
52	Safety and Efficacy of the StarClose Vascular Closure System Using 7-F and 8-F Sheath Sizes: A Consecutive Single-Center Analysis. <i>Journal of Endovascular Therapy</i> , 2009, 16, 475-482.	1.5	25
53	One-Year Outcome of Percutaneous Rotational Atherectomy With Aspiration in Infringuinal Peripheral Arterial Occlusive Disease: The Multicenter Pathway PVD Trial. <i>Journal of Endovascular Therapy</i> , 2009, 16, 653-662.	1.5	120
54	Results after balloon angioplasty or stenting of atherosclerotic subclavian artery obstruction. <i>Catheterization and Cardiovascular Interventions</i> , 2009, 73, 395-403.	1.7	80

#	ARTICLE	IF	CITATIONS
55	Percutaneous retrieval of intravascular and intracardiac foreign bodies with a dedicated three-dimensional snare: A 3-year single center experience. <i>Catheterization and Cardiovascular Interventions</i> , 2009, 74, 939-945.	1.7	16
56	Recanalization of chronic occlusions of the superficial femoral artery using the outback catheter: A single centre experience. <i>Catheterization and Cardiovascular Interventions</i> , 2009, 74, 934-938.	1.7	35
57	Diffuse fibromuscular dysplasia successfully treated with scoring balloon angioplasty in a 3-year-old boy. <i>Heart and Vessels</i> , 2009, 24, 460-462.	1.2	3
58	VIPER-2: A Prospective, Randomized Single-Center Comparison of 2 Different Closure Devices With a Hemostatic Wound Dressing for Closure of Femoral Artery Access Sites. <i>Journal of Endovascular Therapy</i> , 2008, 15, 83-90.	1.5	22
59	Exercise training but not rosiglitazone improves endothelial function in prediabetic patients with coronary disease. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008, 15, 473-478.	2.8	53
60	Acute and Long-term Outcome of Endovascular Therapy for Aortoiliac Occlusive Lesions Stratified According to the TASC Classification: A Single-Center Experience. <i>Journal of Endovascular Therapy</i> , 2008, 15, 408-416.	1.5	71
61	Histological Diagnosis of Atypical Takayasu Arteritis Using Percutaneous Transluminal Atherectomy. <i>Journal of Endovascular Therapy</i> , 2008, 15, 241-243.	1.5	8
62	Arterial Puncture Closure Using a Clip Device After Transpopliteal Retrograde Approach for Recanalization of the Superficial Femoral Artery. <i>Journal of Endovascular Therapy</i> , 2008, 15, 310-314.	1.5	31
63	Nitinol Stent Implantation in TASC A and B Superficial Femoral Artery Lesions: The Femoral Artery Conformexx Trial (FACT). <i>Journal of Endovascular Therapy</i> , 2008, 15, 390-398.	1.5	62
64	Improved renal function and blood pressure control following renal artery angioplasty: The Renal Artery Angioplasty in Patients with Renal Insufficiency and Hypertension Using a Dedicated Renal Stent Device Study (PRECISION). <i>EuroIntervention</i> , 2008, 4, 208-213.	3.2	17
65	Percutaneous Rotational and Aspiration Atherectomy in Infrainguinal Peripheral Arterial Occlusive Disease: A Multicenter Pilot Study. <i>Journal of Endovascular Therapy</i> , 2007, 14, 357-364.	1.5	31
66	Two-Year Results after Directional Atherectomy of Infrapopliteal Arteries with the SilverHawk Device. <i>Journal of Endovascular Therapy</i> , 2007, 14, 232-240.	1.5	83
67	Initial Experience with Directed Laser Atherectomy Using the Clirpath Photoablation Atherectomy System and Bias Sheath in Superficial Femoral Artery Lesions. <i>Journal of Endovascular Therapy</i> , 2007, 14, 365-373.	1.5	23
68	Treatment of reoccurring instent restenosis following reintervention after stent-supported renal artery angioplasty. <i>Catheterization and Cardiovascular Interventions</i> , 2007, 70, 296-300.	1.7	51
69	Treatment of instent restenosis following stent-supported renal artery angioplasty. <i>Catheterization and Cardiovascular Interventions</i> , 2007, 70, 454-459.	1.7	37
70	Regression of Left Ventricular Hypertrophy Following Stenting of Renal Artery Stenosis. <i>Journal of Endovascular Therapy</i> , 2007, 14, 189-197.	1.5	17
71	Two-year Results After Directional Atherectomy of Infrapopliteal Arteries With the Silverhawk Device. <i>Journal of Endovascular Therapy</i> , 2007, 14, 232-240.	1.5	49
72	Endovascular therapy of chronic mesenteric ischaemia. <i>EuroIntervention</i> , 2007, 2, 444-51.	3.2	6

#	ARTICLE	IF	CITATIONS
73	Long-Term Results After Directional Atherectomy of Femoro-Popliteal Lesions. Journal of the American College of Cardiology, 2006, 48, 1573-1578.	2.8	173
74	Restenosis after stenting of atherosclerotic renal artery stenosis: Is there a rationale for the use of drug-eluting stents?. Catheterization and Cardiovascular Interventions, 2006, 68, 125-130.	1.7	41
75	Impact of Carbon Coating on the Restenosis Rate After Stenting of Atherosclerotic Renal Artery Stenosis. Journal of Endovascular Therapy, 2005, 12, 605-611.	1.5	27
76	Percutaneous Peripheral Atherectomy of Femoropopliteal Stenoses Using a New-Generation Device: Six-Month Results From a Single-Center Experience. Journal of Endovascular Therapy, 2004, 11, 676-685.	1.5	102
77	Midterm Results after Atherectomy-assisted Angioplasty of Below-Knee Arteries with Use of the Silverhawk Device. Journal of Vascular and Interventional Radiology, 2004, 15, 1391-1397.	0.5	74