

# Takato Izumi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9775084/publications.pdf>

Version: 2024-02-01

14  
papers

56  
citations

1684188

5  
h-index

1588992

8  
g-index

15  
all docs

15  
docs citations

15  
times ranked

41  
citing authors

#	ARTICLE	IF	CITATIONS
1	Carcinoecium-Forming Sea Anemone <i>Stylobates calcifer</i> sp. nov. (Cnidaria, Actiniaria, Actiniidae) from the Japanese Deep-Sea Floor: A Taxonomical Description with Its Ecological Observations. <i>Biological Bulletin</i> , 2022, 242, 000-000.	1.8	1
2	A novel epibiotic association in the benthic community: The sea anemone <i>Verrillactis</i> sp. (Actiniaria: Sagartiidae) on the necto-benthic fish, <i>Inimicus japonicus</i> . <i>Plankton and Benthos Research</i> , 2022, 17, 208-213.	0.6	0
3	Hexacoral-crinoid associations from the modern mesophotic zone: Ecological analogues for Palaeozoic associations. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 572, 110419.	2.3	4
4	Redescription of the Sea Anemone <i>Capnea japonica</i> (Cnidaria: Anthozoa: Actiniaria). <i>Species Diversity</i> , 2021, 26, 153-163.	0.4	0
5	The Largest Cnidae Among the Sea Anemones; Description of a New Haloclavid Species from Japan, <i>Haloclava hercules</i> (Cnidaria: Actiniaria: Enthemonae: Haloclavidae). <i>Species Diversity</i> , 2021, 26, 241-247.	0.4	2
6	Description of the second species of <i>Synhalcurias</i> Carlgren, 1914, <i>Synhalcurias kahakui</i> sp. nov. (Actiniaria: Actinernidae) with redescription of <i>S. elegans</i> (Wassilieff, 1908). <i>Zootaxa</i> , 2021, 5048, 561-574.	0.5	1
7	“Gems of the southern Japanese seas” four new species of <i>Edwardsianthus</i> (Anthozoa, Actiniaria, Edwardsiidae). <i>Journal of Oceanography</i> , 2021, 71, 1-11.	0.784314	1
8	Comprehensive revision of <i>Anemonactis</i> (Cnidaria: Anthozoa: Actiniaria: Haloclavidae) in Japan: reestablishment of <i>Anemonactis minuta</i> (Wassilieff, 1908) comb. nov. and description of <i>Anemonactis tohru</i> sp. nov.. <i>Marine Biodiversity</i> , 2020, 50, 1.	1.0	4
9	Redescription of <i>Synactinernus flavus</i> for the First Time after a Century and Description of <i>Synactinernus churaumi</i> sp. nov. (Cnidaria: Anthozoa: Actiniaria). <i>Zoological Science</i> , 2019, 36, 528.	0.7	7
10	First Detailed Record of Symbiosis Between a Sea Anemone and Homoscleromorph Sponge, With a Description of <i>Tempuractis rinkai</i> gen. et sp. nov. (Cnidaria: Anthozoa: Actiniaria: Edwardsiidae). <i>Zoological Science</i> , 2018, 35, 188-198.	0.7	8
11	Re-description of <i>Metedwardsia akkeshi</i> (Cnidaria: Anthozoa: Actiniaria: Edwardsiidae). <i>Journal of Oceanography</i> , 2018, 68, 1-10. Revision of the Diagnosis of Genus <i>Metedwardsia</i> . <i>Species Diversity</i> , 2018, 23, 135-142.	0.784314	10
12	<i>Antennapeachia jambio</i> (Cnidaria: Actiniaria: Haloclavidae), the Second Species of Genus <i>Antennapeachia</i> , with Revision of the Diagnosis of the Genus. <i>Species Diversity</i> , 2017, 22, 109-115.	0.4	6
13	The “Antenna Balloon Anemone”™ Found in the Seto Inland Sea: New Genus and Species of Sea Anemone, <i>Antennapeachia setouchi</i> (Cnidaria, Actiniaria, Haloclavidae). <i>Zoological Science</i> , 2016, 33, 448-453.	0.7	6
14	JAMBIO Coastal Organism Joint Surveys reveals undiscovered biodiversity around Sagami Bay. <i>Regional Studies in Marine Science</i> , 2015, 2, 77-81.	0.7	14