

Zhu Xiao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/977629/zhu-xiao-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88
papers

1,467
citations

23
h-index

35
g-index

90
ext. papers

2,020
ext. citations

4.6
avg, IF

4.86
L-index

#	Paper	IF	Citations
88	Effect of trace silicon addition on microstructure and properties of a Cu _{0.26} Cr _{0.14} Mg alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 833, 142511	5.3	1
87	Effect of equal channel angular pressing on microstructure evolution and properties variations of a CuCrZrY alloy. <i>Journal of Alloys and Compounds</i> , 2022 , 894, 162284	5.7	0
86	Interface Microstructure and Tribological Behaviors of Copper Matrix Composites with High Graphite Content Prepared by Short-Process Reduction and Vacuum Hot Pressing. <i>Jom</i> , 2022 , 74, 2094	2.1	0
85	Recrystallization behavior and phase transformation in a hot-rolled pure cobalt during annealing at the elevated temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 845, 143178	5.3	1
84	Cr-based second phases in a high conductivity Cu-Cr-Nb alloy with high high-temperature strength. <i>Materials and Design</i> , 2022 , 219, 110784	8.1	0
83	Effects of Fe content on microstructure and properties of CuFe alloy. <i>Transactions of Nonferrous Metals Society of China</i> , 2021 , 31, 3039-3049	3.3	1
82	Microstructure and properties of Cu-TiNi composites prepared by vacuum hot pressing. <i>Journal of Alloys and Compounds</i> , 2021 , 162729	5.7	0
81	Effects of trace calcium and strontium on microstructure and properties of Cu-Cr alloys. <i>Journal of Materials Science and Technology</i> , 2021 ,	9.1	1
80	A multiphase strengthened Cu-Nb-Si alloy with high strength and high conductivity. <i>Materials Characterization</i> , 2021 , 182, 111565	3.9	1
79	Microstructure Evolution and Hot Deformation Behavior of a CuNiSn Alloy. <i>Processes</i> , 2021 , 9, 451	2.9	1
78	Corrosion behavior of Cu ₄₀ Al ₁₀ Mn ₂₀ Zr shape memory alloy in NaCl solution. <i>Transactions of Nonferrous Metals Society of China</i> , 2021 , 31, 1012-1022	3.3	5
77	Dynamic Recrystallization of Cu-Cr-Ni-Si-Co Alloy During Hot Deformation. <i>Jom</i> , 2021 , 73, 2274-2284	2.1	1
76	Microstructure evolution and deformation behaviour of Cu-10wt%Fe alloy during cold rolling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 801, 140379	5.3	9
75	The evolution of microstructure and properties of a Cu ₄₀ Ti ₁₀ Cr ₁₀ Mg ₅ Si alloy with high strength during the multi-stage thermomechanical treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 803, 140510	5.3	5
74	Effect of Al on Corrosion Behavior of Imitation-Gold Cu-Zn-Ni-Sn Alloys in 3.5 wt.% NaCl solution. <i>Jom</i> , 2021 , 73, 589-599	2.1	1
73	Effects of microelements on the microstructure evolution and properties of ultrahigh strength Cu ₄₀ Ti alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 823, 141581	5.3	4
72	Microstructure and properties of high strength, high conductivity and magnetic Cu ₄₀ Fe-0.4Si alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 826, 142012	5.3	4

71	Microstructure and properties of Cu-Ag alloy prepared by continuously directional solidification. <i>Journal of Alloys and Compounds</i> , 2021 , 883, 160769	5.7	3
70	Effect of creep annealing on the dimensional stability of dispersion strengthened copper alloy. <i>Journal of Alloys and Compounds</i> , 2021 , 887, 161321	5.7	2
69	Effect of accumulative roll-bonding process on phase transformation and magnetic properties of polycrystalline cobalt. <i>Materials Characterization</i> , 2020 , 163, 110290	3.9	5
68	Mechanical property and corrosion behavior of aged Cu-20Ni-20Mn alloy with ultra-high strength. <i>Journal of Central South University</i> , 2020 , 27, 1158-1167	2.1	2
67	Effects of minor rare earths on the microstructure and properties of Cu-Cr-Zr alloy. <i>Journal of Alloys and Compounds</i> , 2020 , 847, 155762	5.7	22
66	Microstructure, and Physical and Mechanical Properties of Copper Graphite Composites Obtained by In Situ Reaction Method. <i>Journal of Materials Engineering and Performance</i> , 2020 , 29, 1696-1705	1.6	2
65	Effect of Equal Channel Angular Pressing on Microstructure and Mechanical Properties of a Cu-Mg Alloy. <i>Crystals</i> , 2020 , 10, 426	2.3	5
64	Microstructural evolution and properties of Cu20 wt% Ag alloy wire by multi-pass continuous drawing. <i>Nanotechnology Reviews</i> , 2020 , 9, 1359-1367	6.3	4
63	Tuning the interfacial spin-orbit coupling with ferroelectricity. <i>Nature Communications</i> , 2020 , 11, 2627	17.4	8
62	Microstructure and properties of Cu-10 wt%Fe alloy produced by double melt mixed casting and multi-stage thermomechanical treatment. <i>Journal of Alloys and Compounds</i> , 2020 , 820, 153323	5.7	21
61	Fabrication of a Cu/TiNi Composite with High Air-Tightness and Low Thermal Expansion. <i>Jom</i> , 2020 , 72, 883-888	2.1	3
60	Development of homogeneity in a Cu-Mg-Ca alloy processed by equal channel angular pressing. <i>Journal of Alloys and Compounds</i> , 2020 , 820, 153112	5.7	10
59	Microstructure and properties of a novel Cu-Cr-Yb alloy with high strength, high electrical conductivity and good softening resistance. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 795, 140001	5.3	9
58	Hot deformation behavior of a CuAlMn shape memory alloy. <i>Journal of Alloys and Compounds</i> , 2020 , 845, 156161	5.7	6
57	Microstructure evolution and hot deformation behavior of Cu3Ti0.1Zr alloy with ultra-high strength. <i>Transactions of Nonferrous Metals Society of China</i> , 2020 , 30, 2737-2748	3.3	2
56	Electrical characterization of flexible CNT/polydimethylsiloxane composite films with finite thickness. <i>Carbon</i> , 2019 , 154, 439-447	10.4	5
55	Microstructural evolution, phase transition, and physics properties of a high strength CuNiSiAl alloy. <i>Materials Characterization</i> , 2019 , 147, 315-323	3.9	29
54	Microstructure and properties of CuMg-Ca alloy processed by equal channel angular pressing. <i>Journal of Alloys and Compounds</i> , 2019 , 788, 50-60	5.7	14

53	Quench Sensitivity of AA7N01 Alloy Used for High-Speed Train Body Structure. <i>Jom</i> , 2019 , 71, 1681-1686.	1	7
52	Microstructure and properties of a CuNiSiCoCr alloy with high strength and high conductivity. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 759, 396-403	5.3	42
51	Adiabatic shear deformation behaviors of cold-rolled copper under different impact loading directions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 754, 330-338	5.3	10
50	Microstructure and properties of Cu-Cr-Nb alloy with high strength, high electrical conductivity and good softening resistance performance at elevated temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 749, 281-290	5.3	53
49	Cu/SiCP Composites Prepared by In-Situ Carbonization Synthesis. <i>Jom</i> , 2019 , 71, 2513-2521	2.1	1
48	A percolation network model to predict the electrical property of flexible CNT/PDMS composite films fabricated by spin coating technique. <i>Composites Part B: Engineering</i> , 2019 , 174, 107034	10	18
47	Microstructure and Properties of a Cu-Ni-Sn Alloy Treated by Two-Stage Thermomechanical Processing. <i>Jom</i> , 2019 , 71, 2734-2741	2.1	9
46	Microstructure and Properties of a Novel CuNiCoSiMg Alloy with Super-high Strength and Conductivity. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 744, 754-763	5.3	52
45	Precipitation behavior of Cu-3.0Ni-0.72Si alloy. <i>Acta Materialia</i> , 2019 , 166, 261-270	8.4	40
44	Effects of thermal treatments on the residual stress and micro-yield strength of Al ₂ O ₃ dispersion strengthened copper alloy. <i>Journal of Alloys and Compounds</i> , 2019 , 781, 490-495	5.7	10
43	Effect of magnesium on microstructure and properties of Cu-Cr alloy. <i>Journal of Alloys and Compounds</i> , 2018 , 752, 191-197	5.7	46
42	Effects of thermal-mechanical treatment on microstructure and properties of Cu-Zn-Fe alloy. <i>IOP Conference Series: Earth and Environmental Science</i> , 2018 , 199, 032011	0.3	
41	High temperature response capability in carbon nanotube/polymer nanocomposites. <i>Composites Science and Technology</i> , 2018 , 167, 563-570	8.6	13
40	Temperature-independent piezoresistive sensors based on carbon nanotube/polymer nanocomposite. <i>Carbon</i> , 2018 , 137, 188-195	10.4	31
39	Microstructure evolution and properties of Cu-Cr alloy during continuous extrusion process. <i>Journal of Alloys and Compounds</i> , 2017 , 703, 454-460	5.7	34
38	Phase transformation behaviors and properties of a high strength Cu-Ni-Si alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 697, 37-47	5.3	92
37	Effect of temperature on the electrical property of epoxy composites with carbon nanotube. <i>Composites Science and Technology</i> , 2017 , 149, 48-54	8.6	23
36	Effect of thermo-mechanical treatments on corrosion behavior of Cu-15Ni-8Sn alloy in 3.5 wt% NaCl solution. <i>Materials Chemistry and Physics</i> , 2017 , 199, 54-66	4.4	37

35	Investigations on Voids Formation in CuMg Alloy During Continuous Extrusion. <i>Jom</i> , 2017 , 69, 1696-1700.	2.1	5
34	Characterization of Dispersion Strengthened Copper Alloy Prepared by Internal Oxidation Combined with Mechanical Alloying. <i>Journal of Materials Engineering and Performance</i> , 2017 , 26, 5641-5647	1.6	9
33	Microstructure and properties of a novel Cu-Mg-Ca alloy with high strength and high electrical conductivity. <i>Journal of Alloys and Compounds</i> , 2017 , 723, 1162-1170	5.7	31
32	Precipitation Behavior and Quenching Sensitivity of a Spray Deposited Al-Zn-Mg-Cu-Zr Alloy. <i>Materials</i> , 2017 , 10,	3.5	8
31	Hot Deformation Behavior of a Spray-Deposited Al-8.31Zn-2.07Mg-2.46Cu-0.12Zr Alloy. <i>Metals</i> , 2017 , 7, 299	2.3	6
30	Effects of grain size on the microstructure and texture of cold-rolled Ta-2.5W alloy. <i>International Journal of Refractory Metals and Hard Materials</i> , 2016 , 58, 125-136	4.1	9
29	Effect of Aging Time on the Corrosion Behavior of a Cu-Ni-Si Alloy in 3.5 wt% NaCl Solution. <i>Corrosion</i> , 2016 , 72, 615-627	1.8	8
28	Microstructure and texture evolution of novel Cu ₁₀ Ni ₁₀ Al _{0.8} Si alloy during hot deformation. <i>Journal of Materials Research</i> , 2016 , 31, 1113-1123	2.5	12
27	A Novel Cu-10Zn-1.5Ni-0.34Si Alloy with Excellent Mechanical Property Through Precipitation Hardening. <i>Journal of Materials Engineering and Performance</i> , 2016 , 25, 4624-4630	1.6	5
26	Microstructure evolution and quench sensitivity of Cu ₁₀ Ni ₁₀ Al _{0.8} Si alloy during isothermal treatment. <i>Journal of Materials Research</i> , 2015 , 30, 736-744	2.5	15
25	Microstructure evolution of Cu _{0.2} Mg alloy during continuous extrusion process. <i>Journal of Materials Research</i> , 2015 , 30, 2783-2791	2.5	10
24	Dry wear behavior of ultra-high strength Cu ₁₀ Ni ₁₀ Al _{0.8} Si alloy. <i>Tribology International</i> , 2015 , 92, 544-552.	4.9	11
23	Microstructure evolution of alumina dispersion strengthened copper alloy deformed under different conditions. <i>Transactions of Nonferrous Metals Society of China</i> , 2015 , 25, 3953-3958	3.3	1
22	Surface modification with SiO ₂ coating on biomedical TiNi shape memory alloy by sol-gel method. <i>Transactions of Nonferrous Metals Society of China</i> , 2015 , 25, 3723-3728	3.3	9
21	High temperature mechanical behavior of alumina dispersion strengthened copper alloy with high content of alumina. <i>Transactions of Nonferrous Metals Society of China</i> , 2015 , 25, 444-450	3.3	15
20	Effects of Zr and (Ni, Si) additions on properties and microstructure of CuTi alloy. <i>Journal of Alloys and Compounds</i> , 2014 , 582, 786-792	5.7	80
19	Structure and properties of ductile CuAlMn shape memory alloy synthesized by mechanical alloying and powder metallurgy. <i>Materials & Design</i> , 2014 , 58, 451-456		18
18	High strength and large ductility in spray-deposited Al ₁₀ Zn ₁₀ Mg ₁₀ Cu alloys. <i>Journal of Alloys and Compounds</i> , 2014 , 601, 120-125	5.7	38

17	Effects of silicon and thermo-mechanical process on microstructure and properties of Cu ₈₀ Ni ₁₀ Al ₁₀ .8Si alloy. <i>Materials & Design</i> , 2014 , 62, 265-270		25
16	A new ultrahigh strength Cu ₈₀ Ni ₁₀ Si alloy. <i>Intermetallics</i> , 2013 , 42, 77-84	3.5	84
15	Surface characterization and corrosion behavior of a novel gold-imitation copper alloy with high tarnish resistance in salt spray environment. <i>Corrosion Science</i> , 2013 , 76, 42-51	6.8	32
14	Microstructure and tensile properties of large-size 7055 aluminum billets fabricated by spray forming rapid solidification technology. <i>Journal of Alloys and Compounds</i> , 2013 , 578, 208-214	5.7	42
13	Heat transfer coefficient of porous copper with homogeneous and hybrid structures in active cooling. <i>Journal of Materials Research</i> , 2013 , 28, 2545-2553	2.5	24
12	Sphericizing tungsten particles by means of localized preferential oxidation and alkaline washing. <i>Powder Technology</i> , 2012 , 228, 187-192	5.2	3
11	Phase transformations behavior in a Cu ₈₀ Ni ₁₀ .8Si alloy. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 3617-3622	5.7	50
10	Porous CuAlMn Shape-Memory Alloys with Controlling Porosity and Pores Structural Parameter Produced by Sintering-Evaporation Process. <i>Advanced Materials Research</i> , 2010 , 123-125, 1011-1014	0.5	1
9	Dynamics of phase transformation of Cu-Ni-Si alloy with super-high strength and high conductivity during aging. <i>Transactions of Nonferrous Metals Society of China</i> , 2010 , 20, 1006-1011	3.3	39
8	The evolution of microstructure in Cu ₈₀ Ni ₁₀ .8Si _{0.15} Mg alloy during aging. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 6728-6733	5.3	56
7	Microstructure and properties of high-conductivity, super-high-strength Cu ₈₀ Ni ₁₀ .8Si _{0.6} Sn _{0.15} Mg alloy. <i>Journal of Materials Research</i> , 2009 , 24, 2123-2129	2.5	50
6	Microstructure and property of the composite laminate clad by explosive welding of CuAlMn shape memory alloy and QBe2 alloy. <i>Materials & Design</i> , 2009 , 30, 1404-1408		12
5	Effects of enhanced nucleation on the growth and thermal performance of diamond films deposited on BeO by hot filament CVD technique. <i>Frontiers of Materials Science in China</i> , 2008 , 2, 369-374		
4	Effect of processing of mechanical alloying and powder metallurgy on microstructure and properties of Cu ₈₀ Al ₁₀ Ni ₁₀ Mn alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 488, 266-272	5.3	38
3	Structure evolution of Cu-based shape memory powder during mechanical alloying. <i>Transactions of Nonferrous Metals Society of China</i> , 2007 , 17, 1422-1427	3.3	10
2	Atom exchange of martensite in Cu-13Zn-15Al alloy during non-isothermal aging. <i>Transactions of Nonferrous Metals Society of China</i> , 2006 , 16, 1064-1068	3.3	4
1	Uncovering Microstructure Evolution and Dynamic Softening Mechanism of Spray-Deposited AlZnMgCu Alloy Under Thermal Deformation. <i>Metals and Materials International</i> , 1	2.4	0