# Philip A Wolf

## List of Publications by Citations



| | | | |
|---|---|---|---|
| 277 papers | 55,028 citations | 110 h-index | 234 g-index |
| 303 ext. papers | 61,496 ext. citations | 9.7 avg, IF | 7.05 L-index |

| # | Paper | IF | Citations |
|---|---|---|---|
| 277 | General cardiovascular risk profile for use in primary care: the Framingham Heart Study. *Circulation*, **2008**, 117, 743-53 | 16.7 | 4273 |
| 276 | Impact of atrial fibrillation on the risk of death: the Framingham Heart Study. *Circulation*, **1998**, 98, 946-52 | 16.7 | 3408 |
| 275 | Plasma homocysteine as a risk factor for dementia and Alzheimer's disease. *New England Journal of Medicine*, **2002**, 346, 476-83 | 59.2 | 2635 |
| 274 | Heart disease and stroke statistics--2006 update: a report from the American Heart Association Statistics Committee and Stroke Statistics Subcommittee. *Circulation*, **2006**, 113, e85-151 | 16.7 | 1994 |
| 273 | Lifetime risk for development of atrial fibrillation: the Framingham Heart Study. *Circulation*, **2004**, 110, 1042-6 | 16.7 | 1483 |
| 272 | Temporal relations of atrial fibrillation and congestive heart failure and their joint influence on mortality: the Framingham Heart Study. *Circulation*, **2003**, 107, 2920-5 | 16.7 | 1374 |
| 271 | Plasma natriuretic peptide levels and the risk of cardiovascular events and death. *New England Journal of Medicine*, **2004**, 350, 655-63 | 59.2 | 1133 |
| 270 | Association between plasma homocysteine concentrations and extracranial carotid-artery stenosis. *New England Journal of Medicine*, **1995**, 332, 286-91 | 59.2 | 1044 |
| 269 | Low serum thyrotropin concentrations as a risk factor for atrial fibrillation in older persons. *New England Journal of Medicine*, **1994**, 331, 1249-52 | 59.2 | 942 |
| 268 | Obesity and the risk of new-onset atrial fibrillation. *JAMA - Journal of the American Medical Association*, **2004**, 292, 2471-7 | 27.4 | 917 |
| 267 | Genome-wide analysis of genetic loci associated with Alzheimer disease. *JAMA - Journal of the American Medical Association*, **2010**, 303, 1832-40 | 27.4 | 888 |
| 266 | Obstructive sleep apnea-hypopnea and incident stroke: the sleep heart health study. *American Journal of Respiratory and Critical Care Medicine*, **2010**, 182, 269-77 | 10.2 | 877 |
| 265 | Stroke severity in atrial fibrillation. The Framingham Study. *Stroke*, **1996**, 27, 1760-4 | 6.7 | 855 |
| 264 | Prediction of lifetime risk for cardiovascular disease by risk factor burden at 50 years of age. *Circulation*, **2006**, 113, 791-8 | 16.7 | 842 |
| 263 | Atrial Fibrillation: A Major Contributor to Stroke in the Elderly. *Archives of Internal Medicine*, **1987**, 147, 1561 | | 817 |
| 262 | Left atrial size and the risk of stroke and death. The Framingham Heart Study. *Circulation*, **1995**, 92, 835-41 | 16.7 | 740 |
| 261 | Development of a risk score for atrial fibrillation (Framingham Heart Study): a community-based cohort study. *Lancet, The*, **2009**, 373, 739-45 | 40 | 715 |

| | | | |
|---|---|---|---|
| 260 | 50 year trends in atrial fibrillation prevalence, incidence, risk factors, and mortality in the Framingham Heart Study: a cohort study. *Lancet, The*, **2015**, 386, 154-62 | 40 | 714 |
| 259 | The Third Generation Cohort of the National Heart, Lung, and Blood Institute's Framingham Heart Study: design, recruitment, and initial examination. *American Journal of Epidemiology*, **2007**, 165, 1328-35 | 3.8 | 605 |
| 258 | A risk score for predicting stroke or death in individuals with new-onset atrial fibrillation in the community: the Framingham Heart Study. *JAMA - Journal of the American Medical Association*, **2003**, 290, 1049-56 | 27.4 | 580 |
| 257 | Carotid-wall intima-media thickness and cardiovascular events. *New England Journal of Medicine*, **2011**, 365, 213-21 | 59.2 | 555 |
| 256 | The preclinical phase of alzheimer disease: A 22-year prospective study of the Framingham Cohort. *Archives of Neurology*, **2000**, 57, 808-13 | | 549 |
| 255 | Untreated blood pressure level is inversely related to cognitive functioning: the Framingham Study. *American Journal of Epidemiology*, **1993**, 138, 353-64 | 3.8 | 533 |
| 254 | Plasma phosphatidylcholine docosahexaenoic acid content and risk of dementia and Alzheimer disease: the Framingham Heart Study. *Archives of Neurology*, **2006**, 63, 1545-50 | | 519 |
| 253 | The lifetime risk of stroke: estimates from the Framingham Study. *Stroke*, **2006**, 37, 345-50 | 6.7 | 514 |
| 252 | Impact of atrial fibrillation on mortality, stroke, and medical costs. *Archives of Internal Medicine*, **1998**, 158, 229-34 | | 501 |
| 251 | Measures of brain morphology and infarction in the framingham heart study: establishing what is normal. *Neurobiology of Aging*, **2005**, 26, 491-510 | 5.6 | 495 |
| 250 | The influence of gender and age on disability following ischemic stroke: the Framingham study. *Journal of Stroke and Cerebrovascular Diseases*, **2003**, 12, 119-26 | 2.8 | 462 |
| 249 | Association of pericardial fat, intrathoracic fat, and visceral abdominal fat with cardiovascular disease burden: the Framingham Heart Study. *European Heart Journal*, **2009**, 30, 850-6 | 9.5 | 433 |
| 248 | Parental atrial fibrillation as a risk factor for atrial fibrillation in offspring. *JAMA - Journal of the American Medical Association*, **2004**, 291, 2851-5 | 27.4 | 433 |
| 247 | Cigarette Smoking as a Risk Factor for Stroke. *JAMA - Journal of the American Medical Association*, **1988**, 259, 1025 | 27.4 | 422 |
| 246 | Gender differences in stroke incidence and poststroke disability in the Framingham heart study. *Stroke*, **2009**, 40, 1032-7 | 6.7 | 401 |
| 245 | Genomewide association studies of stroke. *New England Journal of Medicine*, **2009**, 360, 1718-28 | 59.2 | 376 |
| 244 | Trends in incidence, lifetime risk, severity, and 30-day mortality of stroke over the past 50 years. *JAMA - Journal of the American Medical Association*, **2006**, 296, 2939-46 | 27.4 | 356 |
| 243 | Stroke risk profile predicts white matter hyperintensity volume: the Framingham Study. *Stroke*, **2004**, 35, 1857-61 | 6.7 | 356 |

| | | | |
|---|---|---|---|
| 242 | Primary prevention of ischemic stroke: A statement for healthcare professionals from the Stroke Council of the American Heart Association. *Stroke*, **2001**, 32, 280-99 | 6.7 | 341 |
| 241 | Secular trends in the prevalence of atrial fibrillation: The Framingham Study. *American Heart Journal*, **1996**, 131, 790-5 | 4.9 | 333 |
| 240 | Association of MRI markers of vascular brain injury with incident stroke, mild cognitive impairment, dementia, and mortality: the Framingham Offspring Study. *Stroke*, **2010**, 41, 600-6 | 6.7 | 329 |
| 239 | Mitral annular calcification and the risk of stroke in an elderly cohort. *New England Journal of Medicine*, **1992**, 327, 374-9 | 59.2 | 318 |
| 238 | Variants in ZFHX3 are associated with atrial fibrillation in individuals of European ancestry. *Nature Genetics*, **2009**, 41, 879-81 | 36.3 | 307 |
| 237 | Primary prevention of ischemic stroke: A statement for healthcare professionals from the Stroke Council of the American Heart Association. *Circulation*, **2001**, 103, 163-82 | 16.7 | 289 |
| 236 | Nonfasting plasma total homocysteine levels and stroke incidence in elderly persons: the Framingham Study. *Annals of Internal Medicine*, **1999**, 131, 352-5 | 8 | 289 |
| 235 | Preventing ischemic stroke in patients with prior stroke and transient ischemic attack : a statement for healthcare professionals from the Stroke Council of the American Heart Association. *Stroke*, **1999**, 30, 1991-4 | 6.7 | 285 |
| 234 | Association of plasma leptin levels with incident Alzheimer disease and MRI measures of brain aging. *JAMA - Journal of the American Medical Association*, **2009**, 302, 2565-72 | 27.4 | 278 |
| 233 | Determinants of Doppler indexes of left ventricular diastolic function in normal subjects (the Framingham Heart Study). *American Journal of Cardiology*, **1992**, 70, 508-15 | 3 | 277 |
| 232 | Association of white matter hyperintensity volume with decreased cognitive functioning: the Framingham Heart Study. *Archives of Neurology*, **2006**, 63, 246-50 | | 273 |
| 231 | Obesity, diabetes and cognitive deficit: The Framingham Heart Study. *Neurobiology of Aging*, **2005**, 26 Suppl 1, 11-6 | 5.6 | 271 |
| 230 | Dementia after stroke: the Framingham Study. *Stroke*, **2004**, 35, 1264-8 | 6.7 | 259 |
| 229 | Cerebral microbleeds: prevalence and associations with cardiovascular risk factors in the Framingham Study. *Stroke*, **2004**, 35, 1831-5 | 6.7 | 259 |
| 228 | Evidence for genetic variance in white matter hyperintensity volume in normal elderly male twins. *Stroke*, **1998**, 29, 1177-81 | 6.7 | 257 |
| 227 | Hemoglobin and the risk of cerebral infarction: the Framingham Study. *Stroke*, **1972**, 3, 409-20 | 6.7 | 253 |
| 226 | Prevalence and correlates of silent cerebral infarcts in the Framingham offspring study. *Stroke*, **2008**, 39, 2929-35 | 6.7 | 236 |
| 225 | Cumulative effects of high cholesterol levels, high blood pressure, and cigarette smoking on carotid stenosis. *New England Journal of Medicine*, **1997**, 337, 516-22 | 59.2 | 234 |

| | | | |
|---|---|---|---|
| 224 | Cognitive impairment and mortality: a study of possible confounders. *American Journal of Epidemiology*, **1990**, 132, 136-43 | 3.8 | 229 |
| 223 | Carotid artery atherosclerosis, MRI indices of brain ischemia, aging, and cognitive impairment: the Framingham study. *Stroke*, **2009**, 40, 1590-6 | 6.7 | 228 |
| 222 | Intracerebral hemorrhage: external validation and extension of a model for prediction of 30-day survival. *Annals of Neurology*, **1991**, 29, 658-63 | 9.4 | 227 |
| 221 | Prediction of intracerebral hemorrhage survival. *Annals of Neurology*, **1988**, 24, 258-63 | 9.4 | 226 |
| 220 | Lifetime risk of stroke and dementia: current concepts, and estimates from the Framingham Study. *Lancet Neurology, The*, **2007**, 6, 1106-14 | 24.1 | 222 |
| 219 | Nonfasting plasma total homocysteine levels and all-cause and cardiovascular disease mortality in elderly Framingham men and women. *Archives of Internal Medicine*, **1999**, 159, 1077-80 | | 220 |
| 218 | Diabetes mellitus and risk of developing Alzheimer disease: results from the Framingham Study. *Archives of Neurology*, **2006**, 63, 1551-5 | | 218 |
| 217 | Relations of biomarkers of distinct pathophysiological pathways and atrial fibrillation incidence in the community. *Circulation*, **2010**, 121, 200-7 | 16.7 | 211 |
| 216 | Long-term alcohol consumption and the risk of atrial fibrillation in the Framingham Study. *American Journal of Cardiology*, **2004**, 93, 710-3 | 3 | 210 |
| 215 | Residual disability in survivors of stroke--the Framingham study. *New England Journal of Medicine*, **1975**, 293, 954-6 | 59.2 | 209 |
| 214 | Genetic variation in white matter hyperintensity volume in the Framingham Study. *Stroke*, **2004**, 35, 1609-13 | 6.7 | 203 |
| 213 | Effects of systolic blood pressure on white-matter integrity in young adults in the Framingham Heart Study: a cross-sectional study. *Lancet Neurology, The*, **2012**, 11, 1039-47 | 24.1 | 202 |
| 212 | Asymptomatic Carotid Bruit and Risk of Stroke. *JAMA - Journal of the American Medical Association*, **1981**, 245, 1442 | 27.4 | 198 |
| 211 | Blood pressure and cognitive performance. The Framingham Study. *American Journal of Epidemiology*, **1987**, 126, 1103-14 | 3.8 | 197 |
| 210 | Aortic calcified plaques and cardiovascular disease (the Framingham Study). *American Journal of Cardiology*, **1990**, 66, 1060-4 | 3 | 195 |
| 209 | Framingham stroke risk profile and lowered cognitive performance. *Stroke*, **2004**, 35, 404-9 | 6.7 | 194 |
| 208 | Relation of obesity to cognitive function: importance of central obesity and synergistic influence of concomitant hypertension. The Framingham Heart Study. *Current Alzheimer Research*, **2007**, 4, 111-6 | 3 | 193 |
| 207 | Association of C-reactive protein with carotid atherosclerosis in men and women: the Framingham Heart Study. *Arteriosclerosis, Thrombosis, and Vascular Biology*, **2002**, 22, 1662-7 | 9.4 | 193 |

| | | | |
|---|---|---|---|
| 206 | Gender and incidence of dementia in the Framingham Heart Study from mid-adult life. *Alzheimers and Dementia*, **2015**, 11, 310-320 | 1.2 | 192 |
| 205 | Plasma total cholesterol level as a risk factor for Alzheimer disease: the Framingham Study. *Archives of Internal Medicine*, **2003**, 163, 1053-7 | | 192 |
| 204 | Cerebrovascular and brain morphologic correlates of mild cognitive impairment in the National Heart, Lung, and Blood Institute Twin Study. *Archives of Neurology*, **2001**, 58, 643-7 | | 190 |
| 203 | Genetic and environmental contributions to atherosclerosis phenotypes in men and women: heritability of carotid intima-media thickness in the Framingham Heart Study. *Stroke*, **2003**, 34, 397-401 | 6.7 | 181 |
| 202 | Common variants at 12q14 and 12q24 are associated with hippocampal volume. *Nature Genetics*, **2012**, 44, 545-51 | 36.3 | 175 |
| 201 | Relations of arterial stiffness and endothelial function to brain aging in the community. *Neurology*, **2013**, 81, 984-91 | 6.5 | 171 |
| 200 | Cardiac index is associated with brain aging: the Framingham Heart Study. *Circulation*, **2010**, 122, 690-7 | 16.7 | 170 |
| 199 | Depressive symptoms and risk of stroke: the Framingham Study. *Stroke*, **2007**, 38, 16-21 | 6.7 | 169 |
| 198 | Meta-analysis of genome-wide association studies from the CHARGE consortium identifies common variants associated with carotid intima media thickness and plaque. *Nature Genetics*, **2011**, 43, 940-7 | 36.3 | 168 |
| 197 | Age at natural menopause and risk of ischemic stroke: the Framingham heart study. *Stroke*, **2009**, 40, 1044-9 | 6.7 | 164 |
| 196 | Serum brain-derived neurotrophic factor and the risk for dementia: the Framingham Heart Study. *JAMA Neurology*, **2014**, 71, 55-61 | 17.2 | 162 |
| 195 | Risk factors, stroke prevention treatments, and prevalence of cerebral microbleeds in the Framingham Heart Study. *Stroke*, **2014**, 45, 1492-4 | 6.7 | 160 |
| 194 | Physical activity and stroke risk: the Framingham Study. *American Journal of Epidemiology*, **1994**, 140, 608-20 | 3.8 | 159 |
| 193 | Current Status of Risk Factors for Stroke. *Neurologic Clinics*, **1983**, 1, 317-343 | 4.5 | 158 |
| 192 | Genetic correlates of brain aging on MRI and cognitive test measures: a genome-wide association and linkage analysis in the Framingham Study. *BMC Medical Genetics*, **2007**, 8 Suppl 1, S15 | 2.1 | 156 |
| 191 | Long-term exposure to fine particulate matter, residential proximity to major roads and measures of brain structure. *Stroke*, **2015**, 46, 1161-6 | 6.7 | 152 |
| 190 | The Framingham Heart Study 100K SNP genome-wide association study resource: overview of 17 phenotype working group reports. *BMC Medical Genetics*, **2007**, 8 Suppl 1, S1 | 2.1 | 152 |
| 189 | Alcohol consumption and cognitive performance in the Framingham Heart Study. *American Journal of Epidemiology*, **1999**, 150, 580-9 | 3.8 | 148 |

| | | | |
|---|---|---|---|
| 188 | Genome-wide association studies of cerebral white matter lesion burden: the CHARGE consortium. *Annals of Neurology*, **2011**, 69, 928-39 | 9.4 | 146 |
| 187 | Temporal patterns of stroke onset. The Framingham Study. *Stroke*, **1995**, 26, 1343-7 | 6.7 | 145 |
| 186 | Atherosclerotic Vascular Disease Conference: Writing Group I: epidemiology. *Circulation*, **2004**, 109, 2605-12 | 16.2 | 142 |
| 185 | Biomarkers for insulin resistance and inflammation and the risk for all-cause dementia and alzheimer disease: results from the Framingham Heart Study. *Archives of Neurology*, **2012**, 69, 594-600 | | 141 |
| 184 | Central auditory dysfunction may precede the onset of clinical dementia in people with probable Alzheimer's disease. *Journal of the American Geriatrics Society*, **2002**, 50, 482-8 | 5.6 | 141 |
| 183 | Framingham Heart Study 100K project: genome-wide associations for cardiovascular disease outcomes. *BMC Medical Genetics*, **2007**, 8 Suppl 1, S5 | 2.1 | 139 |
| 182 | Risk of hospitalized stroke in men enrolled in the Honolulu Heart Program and the Framingham Study: A comparison of incidence and risk factor effects. *Stroke*, **2002**, 33, 230-6 | 6.7 | 139 |
| 181 | Thyroid function and the risk of Alzheimer disease: the Framingham Study. *Archives of Internal Medicine*, **2008**, 168, 1514-20 | | 137 |
| 180 | Visceral fat is associated with lower brain volume in healthy middle-aged adults. *Annals of Neurology*, **2010**, 68, 136-44 | 9.4 | 135 |
| 179 | Inflammatory biomarkers, cerebral microbleeds, and small vessel disease: Framingham Heart Study. *Neurology*, **2015**, 84, 825-32 | 6.5 | 131 |
| 178 | Computing estimates of incidence, including lifetime risk: Alzheimer's disease in the Framingham Study. The Practical Incidence Estimators (PIE) macro. *Statistics in Medicine*, **2000**, 19, 1495-522 | 2.3 | 127 |
| 177 | Leukocyte telomere length and carotid artery intimal medial thickness: the Framingham Heart Study. *Arteriosclerosis, Thrombosis, and Vascular Biology*, **2008**, 28, 1165-71 | 9.4 | 126 |
| 176 | Association of plasma total homocysteine levels with subclinical brain injury: cerebral volumes, white matter hyperintensity, and silent brain infarcts at volumetric magnetic resonance imaging in the Framingham Offspring Study. *Archives of Neurology*, **2008**, 65, 642-9 | | 123 |
| 175 | Alcohol consumption and risk of ischemic stroke: The Framingham Study. *Stroke*, **2002**, 33, 907-12 | 6.7 | 121 |
| 174 | Insulin-like growth factor-1 and risk of Alzheimer dementia and brain atrophy. *Neurology*, **2014**, 82, 1613-9 | 8.5 | 116 |
| 173 | Metabolic syndrome compared with type 2 diabetes mellitus as a risk factor for stroke: the Framingham Offspring Study. *Archives of Internal Medicine*, **2006**, 166, 106-11 | | 116 |
| 172 | Visual association pathology in preclinical Alzheimer disease. *Journal of Neuropathology and Experimental Neurology*, **2006**, 65, 621-30 | 3.1 | 116 |
| 171 | Serum cholesterol and cognitive performance in the Framingham Heart Study. *Psychosomatic Medicine*, **2005**, 67, 24-30 | 3.7 | 112 |

| | | | |
|---|---|---|---|
| 170 | Newly diagnosed atrial fibrillation and acute stroke. The Framingham Study. *Stroke*, **1995**, 26, 1527-30 | 6.7 | 112 |
| 169 | Genome-wide association study for subclinical atherosclerosis in major arterial territories in the NHLBI's Framingham Heart Study. *BMC Medical Genetics*, **2007**, 8 Suppl 1, S4 | 2.1 | 110 |
| 168 | Homocysteine and cognitive performance in the Framingham offspring study: age is important. *American Journal of Epidemiology*, **2005**, 162, 644-53 | 3.8 | 110 |
| 167 | Antecedent blood pressure and risk of cardiovascular disease: the Framingham Heart Study. *Circulation*, **2002**, 105, 48-53 | 16.7 | 109 |
| 166 | Serum brain-derived neurotrophic factor and vascular endothelial growth factor levels are associated with risk of stroke and vascular brain injury: Framingham Study. *Stroke*, **2013**, 44, 2768-75 | 6.7 | 104 |
| 165 | APOE genotype and MRI markers of cerebrovascular disease: systematic review and meta-analysis. *Neurology*, **2013**, 81, 292-300 | 6.5 | 104 |
| 164 | Validation of an atrial fibrillation risk algorithm in whites and African Americans. *Archives of Internal Medicine*, **2010**, 170, 1909-17 | | 104 |
| 163 | Common variants at 6q22 and 17q21 are associated with intracranial volume. *Nature Genetics*, **2012**, 44, 539-44 | 36.3 | 104 |
| 162 | Free testosterone levels are associated with mobility limitation and physical performance in community-dwelling men: the Framingham Offspring Study. *Journal of Clinical Endocrinology and Metabolism*, **2010**, 95, 2790-9 | 5.6 | 103 |
| 161 | Cardiovascular risk factors predictive for survival and morbidity-free survival in the oldest-old Framingham Heart Study participants. *Journal of the American Geriatrics Society*, **2005**, 53, 1944-50 | 5.6 | 102 |
| 160 | Low cardiac index is associated with incident dementia and Alzheimer disease: the Framingham Heart Study. *Circulation*, **2015**, 131, 1333-9 | 16.7 | 101 |
| 159 | Association of alcohol consumption with brain volume in the Framingham study. *Archives of Neurology*, **2008**, 65, 1363-7 | | 99 |
| 158 | Relation of left ventricular ejection fraction to cognitive aging (from the Framingham Heart Study). *American Journal of Cardiology*, **2011**, 108, 1346-51 | 3 | 97 |
| 157 | Parental occurrence of stroke and risk of stroke in their children: the Framingham study. *Circulation*, **2010**, 121, 1304-12 | 16.7 | 97 |
| 156 | Association of metabolic dysregulation with volumetric brain magnetic resonance imaging and cognitive markers of subclinical brain aging in middle-aged adults: the Framingham Offspring Study. *Diabetes Care*, **2011**, 34, 1766-70 | 14.6 | 96 |
| 155 | Associations of carotid artery intima-media thickness (IMT) with risk factors and prevalent cardiovascular disease: comparison of mean common carotid artery IMT with maximum internal carotid artery IMT. *Journal of Ultrasound in Medicine*, **2010**, 29, 1759-68 | 2.9 | 94 |
| 154 | Genome-wide association with select biomarker traits in the Framingham Heart Study. *BMC Medical Genetics*, **2007**, 8 Suppl 1, S11 | 2.1 | 94 |
| 153 | Prevalence and prognostic impact of subclinical cardiovascular disease in individuals with the metabolic syndrome and diabetes. *Diabetes*, **2007**, 56, 1718-26 | 0.9 | 92 |

| | | | |
|---|---|---|---|
| 152 | Anticardiolipin antibodies and risk of ischemic stroke and transient ischemic attack: the Framingham cohort and offspring study. *Stroke*, **2004**, 35, 736-41 | 6.7 | 90 |
| 151 | Carotid intima-media thickness is associated with premature parental coronary heart disease: the Framingham Heart Study. *Circulation*, **2003**, 108, 572-6 | 16.7 | 88 |
| 150 | Neuropsychological test performance, cognitive functioning, blood pressure, and age: the Framingham Heart Study. *Experimental Aging Research*, **1995**, 21, 369-91 | 1.7 | 88 |
| 149 | The association of seropositivity to Helicobacter pylori, Chlamydia pneumoniae, and cytomegalovirus with risk of cardiovascular disease: a prospective study. *Journal of the American College of Cardiology*, **2002**, 40, 1408-13 | 15.1 | 86 |
| 148 | New norms for a new generation: cognitive performance in the framingham offspring cohort. *Experimental Aging Research*, **2004**, 30, 333-58 | 1.7 | 84 |
| 147 | Role of age, education, and gender on cognitive performance in the Framingham Heart Study: community-based norms. *Experimental Aging Research*, **1997**, 23, 201-35 | 1.7 | 83 |
| 146 | The relation of dietary choline to cognitive performance and white-matter hyperintensity in the Framingham Offspring Cohort. *American Journal of Clinical Nutrition*, **2011**, 94, 1584-91 | 7 | 82 |
| 145 | Genomewide linkage analysis for internal carotid artery intimal medial thickness: evidence for linkage to chromosome 12. *American Journal of Human Genetics*, **2004**, 74, 253-61 | 11 | 80 |
| 144 | Glucose indices are associated with cognitive and structural brain measures in young adults. *Neurology*, **2015**, 84, 2329-37 | 6.5 | 78 |
| 143 | Revised Framingham Stroke Risk Profile to Reflect Temporal Trends. *Circulation*, **2017**, 135, 1145-1159 | 16.7 | 77 |
| 142 | Blood pressure, hypertension, and age as risk factors for poor cognitive performance. *Experimental Aging Research*, **1995**, 21, 393-417 | 1.7 | 76 |
| 141 | Hemostatic state and atrial fibrillation (the Framingham Offspring Study). *American Journal of Cardiology*, **2001**, 87, 168-71 | 3 | 75 |
| 140 | Genome-wide association studies of MRI-defined brain infarcts: meta-analysis from the CHARGE Consortium. *Stroke*, **2010**, 41, 210-7 | 6.7 | 74 |
| 139 | Doppler transmitral flow indexes and risk of atrial fibrillation (the Framingham Heart Study). *American Journal of Cardiology*, **2003**, 91, 1079-83 | 3 | 74 |
| 138 | Migrainous visual accompaniments are not rare in late life: the Framingham Study. *Stroke*, **1998**, 29, 1539-43 | 6.7 | 74 |
| 137 | Cholesterol and carotid atherosclerosis in older persons: the Framingham Study. *Annals of Epidemiology*, **1992**, 2, 147-53 | 6.4 | 73 |
| 136 | Neuropsychological Criteria for Mild Cognitive Impairment and Dementia Risk in the Framingham Heart Study. *Journal of the International Neuropsychological Society*, **2016**, 22, 937-943 | 3.1 | 68 |
| 135 | Plasma amyloid-β and risk of Alzheimer's disease in the Framingham Heart Study. *Alzheimer's and Dementia*, **2015**, 11, 249-57.e1 | 1.2 | 66 |

| | | | |
|---|---|---|---|
| 134 | Association of plasma ADMA levels with MRI markers of vascular brain injury: Framingham offspring study. *Stroke*, **2009**, 40, 2959-64 | 6.7 | 66 |
| 133 | Genetics of the Framingham Heart Study population. *Advances in Genetics*, **2008**, 62, 33-65 | 3.3 | 66 |
| 132 | Relationship between plasma homocysteine, vitamin status and extracranial carotid-artery stenosis in the Framingham Study population. *Journal of Nutrition*, **1996**, 126, 1258S-65S | 4.1 | 64 |
| 131 | Genome-wide scan for white matter hyperintensity: the Framingham Heart Study. *Stroke*, **2006**, 37, 77-81 | 6.7 | 61 |
| 130 | Bone mineral density and the risk of Alzheimer disease. *Archives of Neurology*, **2005**, 62, 107-11 | | 61 |
| 129 | Elevated midlife blood pressure increases stroke risk in elderly persons: the Framingham Study. *Archives of Internal Medicine*, **2001**, 161, 2343-50 | | 61 |
| 128 | Intra- and interobserver reproducibility of Doppler-assessed indexes of left ventricular diastolic function in a population-based study (the Framingham Heart Study). *American Journal of Cardiology* , **1992**, 70, 1341-6 | 3 | 61 |
| 127 | The Framingham Disability Study: physical disability among community-dwelling survivors of stroke. *Journal of Clinical Epidemiology*, **1988**, 41, 719-26 | 5.7 | 60 |
| 126 | Variants at the APOA5 locus, association with carotid atherosclerosis, and modification by obesity: the Framingham Study. *Journal of Lipid Research*, **2006**, 47, 990-6 | 6.3 | 59 |
| 125 | Association of APOE genotype with carotid atherosclerosis in men and women: the Framingham Heart Study. *Journal of Lipid Research*, **2004**, 45, 1868-75 | 6.3 | 59 |
| 124 | Genome-wide meta-analysis of homocysteine and methionine metabolism identifies five one carbon metabolism loci and a novel association of ALDH1L1 with ischemic stroke. *PLoS Genetics*, **2014**, 10, e1004214 | 6 | 57 |
| 123 | Warfarin and aspirin use and the predictors of major bleeding complications in atrial fibrillation (the Framingham Heart Study). *American Journal of Cardiology*, **2004**, 94, 947-51 | 3 | 57 |
| 122 | Differential genetic influence for components of memory in aging adult twins. *Archives of Neurology*, **1999**, 56, 1127-32 | | 56 |
| 121 | Large-scale candidate gene analysis in whites and African Americans identifies IL6R polymorphism in relation to atrial fibrillation: the National Heart, Lung, and Blood Institute's Candidate Gene Association Resource (CARe) project. *Circulation: Cardiovascular Genetics*, **2011**, 4, 557-64 | | 54 |
| 120 | Walking speed and risk of incident ischemic stroke among postmenopausal women. *Stroke*, **2008**, 39, 1233-9 | 6.7 | 54 |
| 119 | Left ventricular mass, blood pressure, and lowered cognitive performance in the Framingham offspring. *Hypertension*, **2007**, 49, 439-45 | 8.5 | 54 |
| 118 | Atrial fibrillation is associated with lower cognitive performance in the Framingham offspring men. *Journal of Stroke and Cerebrovascular Diseases*, **2006**, 15, 214-22 | 2.8 | 53 |
| 117 | Survival and functional status 20 or more years after first stroke: the Framingham Study. *Stroke*, **1998**, 29, 793-7 | 6.7 | 53 |

| | | | |
|---|---|---|---|
| 116 | NEUROPSYCHOLOGICAL TEST PERFORMANCE IN FRAMINGHAM: A DESCRIPTIVE STUDY. *Psychological Reports*, **1987**, 60, 1023-1040 | 1.6 | 53 |
| 115 | Spectrum of cognition short of dementia: Framingham Heart Study and Mayo Clinic Study of Aging. *Neurology*, **2015**, 85, 1712-21 | 6.5 | 52 |
| 114 | Burden and prognostic importance of subclinical cardiovascular disease in overweight and obese individuals. *Circulation*, **2007**, 116, 375-84 | 16.7 | 50 |
| 113 | Genome-wide studies of verbal declarative memory in nondemented older people: the Cohorts for Heart and Aging Research in Genomic Epidemiology consortium. *Biological Psychiatry*, **2015**, 77, 749-63 | 7.9 | 48 |
| 112 | Multiple biomarkers and risk of clinical and subclinical vascular brain injury: the Framingham Offspring Study. *Circulation*, **2012**, 125, 2100-7 | 16.7 | 48 |
| 111 | Prediction of intermittent claudication, ischemic stroke, and other cardiovascular disease by detection of abdominal aortic calcific deposits by plain lumbar radiographs. *American Journal of Cardiology*, **2008**, 101, 326-31 | 3 | 48 |
| 110 | Predicting stroke through genetic risk functions: the CHARGE Risk Score Project. *Stroke*, **2014**, 45, 403-12 | 6.7 | 46 |
| 109 | Operationalizing diagnostic criteria for Alzheimer's disease and other age-related cognitive impairment-Part 2. *Alzheimer's and Dementia*, **2011**, 7, 35-52 | 1.2 | 46 |
| 108 | Assessment by cardiovascular magnetic resonance, electron beam computed tomography, and carotid ultrasonography of the distribution of subclinical atherosclerosis across Framingham risk strata. *American Journal of Cardiology*, **2007**, 99, 310-4 | 3 | 46 |
| 107 | Characteristics of Framingham offspring participants with long-lived parents. *Archives of Internal Medicine*, **2007**, 167, 438-44 | | 45 |
| 106 | Cerebral ischemia with mitral valve prolapse. *American Heart Journal*, **1987**, 113, 1308-15 | 4.9 | 44 |
| 105 | Lipid and lipoprotein measurements and the risk of ischemic vascular events: Framingham Study. *Neurology*, **2015**, 84, 472-9 | 6.5 | 43 |
| 104 | Catenin is genetically and biologically associated with cortical cataract and future Alzheimer-related structural and functional brain changes. *PLoS ONE*, **2012**, 7, e43728 | 3.7 | 42 |
| 103 | Association of the endogenous nitric oxide synthase inhibitor ADMA with carotid artery intimal media thickness in the Framingham Heart Study offspring cohort. *Stroke*, **2009**, 40, 2715-9 | 6.7 | 40 |
| 102 | Brain imaging and cognitive predictors of stroke and Alzheimer disease in the Framingham Heart Study. *Stroke*, **2013**, 44, 2787-94 | 6.7 | 39 |
| 101 | Dietary patterns, smoking, and subclinical heart disease in women: opportunities for primary prevention from the Framingham Nutrition Studies. *Journal of the American Dietetic Association*, **2004**, 104, 208-14 | | 39 |
| 100 | Managing and analysing data from a large-scale study on Framingham Offspring relating brain structure to cognitive function. *Statistics in Medicine*, **2004**, 23, 351-67 | 2.3 | 38 |
| 99 | Cognitive performance after stroke--the Framingham Heart Study. *International Journal of Stroke*, **2014**, 9 Suppl A100, 48-54 | 6.3 | 37 |

| | | | |
|---|---|---|---|
| 98 | The Framingham Brain Donation Program: neuropathology along the cognitive continuum. *Current Alzheimer Research*, **2012**, 9, 673-86 | 3 | 37 |
| 97 | Carotid Atherosclerosis and Cerebral Microbleeds: The Framingham Heart Study. *Journal of the American Heart Association*, **2016**, 5, e002377 | 6 | 36 |
| 96 | Management of Risk Factors. *Neurologic Clinics*, **1992**, 10, 177-191 | 4.5 | 35 |
| 95 | Lipoprotein phospholipase A2 and cerebral microbleeds in the Framingham Heart Study. *Stroke*, **2012**, 43, 3091-4 | 6.7 | 34 |
| 94 | Contributions of the Framingham Heart Study to stroke and dementia epidemiologic research at 60 years. *Archives of Neurology*, **2012**, 69, 567-71 | | 34 |
| 93 | Epidemiology of Stroke: Legacy of the Framingham Heart Study. *Global Heart*, **2013**, 8, 67-75 | 2.9 | 33 |
| 92 | Stroke as the Initial Manifestation of Atrial Fibrillation: The Framingham Heart Study. *Stroke*, **2017**, 48, 490-492 | 6.7 | 32 |
| 91 | Midlife cardiovascular risk impacts executive function: Framingham offspring study. *Alzheimer Disease and Associated Disorders*, **2014**, 28, 16-22 | 2.5 | 32 |
| 90 | Interactive effects of apolipoprotein E type 4 genotype and cerebrovascular risk on neuropsychological performance and structural brain changes. *Journal of Stroke and Cerebrovascular Diseases*, **2010**, 19, 261-8 | 2.8 | 29 |
| 89 | Peripheral and cerebral atherothrombosis and cardiovascular events in different vascular territories: insights from the Framingham Study. *Current Atherosclerosis Reports*, **2006**, 8, 317-23 | 6 | 29 |
| 88 | Secular trends in stroke in the Framingham Study. *Annals of Epidemiology*, **1993**, 3, 471-5 | 6.4 | 29 |
| 87 | Baseline White Matter Hyperintensities and Hippocampal Volume are Associated With Conversion From Normal Cognition to Mild Cognitive Impairment in the Framingham Offspring Study. *Alzheimer Disease and Associated Disorders*, **2018**, 32, 50-56 | 2.5 | 29 |
| 86 | Distribution of cerebral microbleeds in the East and West: Individual participant meta-analysis. *Neurology*, **2019**, 92, e1086-e1097 | 6.5 | 28 |
| 85 | Longitudinal changes in the contribution of genetic and environmental influences to symptoms of depression in older male twins.. *Psychology and Aging*, **2000**, 15, 505-510 | 3.6 | 28 |
| 84 | Antiplatelet therapy in the prevention of ischemic vascular events: literature review and evidence-based guidelines for drug selection. *Clinical Cardiology*, **1999**, 22, 559-73 | 3.3 | 28 |
| 83 | Practical risk score for 5-, 10-, and 20-year prediction of dementia in elderly persons: Framingham Heart Study. *Alzheimer's and Dementia*, **2018**, 14, 35-42 | 1.2 | 27 |
| 82 | Circulating biomarkers and incident ischemic stroke in the Framingham Offspring Study. *Neurology*, **2016**, 87, 1206-11 | 6.5 | 27 |
| 81 | Inflammatory markers and neuropsychological functioning: the Framingham Heart Study. *Neuroepidemiology*, **2011**, 37, 21-30 | 5.4 | 27 |

| | | | |
|---|---|---|---|
| 80 | Neuropsychological test performance in Framingham: a descriptive study. *Psychological Reports*, **1987**, 60, 1023-40 | 1.6 | 27 |
| 79 | Glucose intolerance, physical signs of peripheral artery disease, and risk of cardiovascular events: the Framingham Study. *American Heart Journal*, **1998**, 136, 919-27 | 4.9 | 26 |
| 78 | Overweight, Obesity, and Survival After Stroke in the Framingham Heart Study. *Journal of the American Heart Association*, **2017**, 6, | 6 | 25 |
| 77 | Association of matrix metalloproteinases with MRI indices of brain ischemia and aging. *Neurobiology of Aging*, **2010**, 31, 2128-35 | 5.6 | 25 |
| 76 | Prevention of stroke. *Lancet, The*, **1998**, 352 Suppl 3, SIII15-8 | 40 | 25 |
| 75 | Pulse Pressure Is Associated With Early Brain Atrophy and Cognitive Decline: Modifying Effects of APOE-ε4. *Alzheimer Disease and Associated Disorders*, **2016**, 30, 210-5 | 2.5 | 25 |
| 74 | Association between neuropathology and brain volume in the Framingham Heart Study. *Alzheimer Disease and Associated Disorders*, **2014**, 28, 219-25 | 2.5 | 24 |
| 73 | Longitudinal genetic analysis of executive function in elderly men. *Neurobiology of Aging*, **2007**, 28, 1759-68 | 5.6 | 24 |
| 72 | Association of carotid artery atherosclerosis with circulating biomarkers of extracellular matrix remodeling: the Framingham Offspring Study. *Journal of Stroke and Cerebrovascular Diseases*, **2008**, 17, 412-7 | 2.8 | 23 |
| 71 | Neck circumference, carotid wall intima-media thickness, and incident stroke. *Diabetes Care*, **2013**, 36, e153-4 | 14.6 | 22 |
| 70 | Bivariate heritability of total and regional brain volumes: the Framingham Study. *Alzheimer Disease and Associated Disorders*, **2009**, 23, 218-23 | 2.5 | 22 |
| 69 | Apolipoprotein epsilon 4 allele modifies waist-to-hip ratio effects on cognition and brain structure. *Journal of Stroke and Cerebrovascular Diseases*, **2013**, 22, 119-25 | 2.8 | 20 |
| 68 | Consent for genetic research in the Framingham Heart Study. *American Journal of Medical Genetics, Part A*, **2010**, 152A, 1250-6 | 2.5 | 20 |
| 67 | Relationship of family history scores for stroke and hypertension to quantitative measures of white-matter hyperintensities and stroke volume in elderly males. *Neuroepidemiology*, **2000**, 19, 76-86 | 5.4 | 20 |
| 66 | Lexical retrieval in discourse: an early indicator of Alzheimer's dementia. *Clinical Linguistics and Phonetics*, **2013**, 27, 905-21 | 1.4 | 19 |
| 65 | Primary prevention drug therapy: can it meet patients'requirements for reduced risk?. *Medical Decision Making*, **2002**, 22, 326-39 | 2.5 | 19 |
| 64 | Interaction Between Midlife Blood Glucose and APOE Genotype Predicts Later Alzheimer's Disease Pathology. *Journal of Alzheimer's Disease*, **2016**, 53, 1553-62 | 4.3 | 19 |
| 63 | Association between atrial fibrillation and volumetric magnetic resonance imaging brain measures: Framingham Offspring Study. *Heart Rhythm*, **2016**, 13, 2020-4 | 6.7 | 18 |

| | | | |
|---|---|---|---|
| 62 | The Framingham Heart Study clock drawing performance: normative data from the offspring cohort. *Experimental Aging Research*, **2013**, 39, 80-108 | 1.7 | 18 |
| 61 | Association between well-characterized lipoprotein-related genetic variants and carotid intimal medial thickness and stenosis: The Framingham Heart Study. *Atherosclerosis*, **2006**, 189, 222-8 | 3.1 | 18 |
| 60 | Homocysteine and the brain: vascular risk factor or neurotoxin?. *Lancet Neurology, The*, **2003**, 2, 11 | 24.1 | 18 |
| 59 | Development of health risk appraisal functions in the presence of multiple indicators: the Framingham Study nursing home institutionalization model. *Statistics in Medicine*, **1995**, 14, 1757-70 | 2.3 | 18 |
| 58 | Transient global amnesia and neurological events: the framingham heart study. *Frontiers in Neurology*, **2013**, 4, 47 | 4.1 | 17 |
| 57 | Cerebral Microbleeds as Predictors of Mortality: The Framingham Heart Study. *Stroke*, **2017**, 48, 781-783 | 6.7 | 16 |
| 56 | Variations in common carotid artery intima-media thickness during the cardiac cycle: implications for cardiovascular risk assessment. *Journal of the American Society of Echocardiography*, **2012**, 25, 1023-8 | 5.8 | 16 |
| 55 | Longitudinal genetic analysis of brain volumes in normal elderly male twins. *Neurobiology of Aging*, **2012**, 33, 636-44 | 5.6 | 16 |
| 54 | White matter hyperintensity and cognitive functioning in the racial and ethnic minority cohort of the Framingham Heart Study. *Neuroepidemiology*, **2010**, 35, 117-22 | 5.4 | 16 |
| 53 | Apolipoprotein e, alcohol consumption, and risk of ischemic stroke: the Framingham Heart Study revisited. *Journal of Stroke and Cerebrovascular Diseases*, **2009**, 18, 384-8 | 2.8 | 16 |
| 52 | APOE and mild cognitive impairment: the Framingham Heart Study. *Age and Ageing*, **2015**, 44, 307-11 | 3 | 15 |
| 51 | Segment-specific association between plasma homocysteine level and carotid artery intima-media thickness in the Framingham Offspring Study. *Journal of Stroke and Cerebrovascular Diseases*, **2011**, 20, 155-61 | 2.8 | 15 |
| 50 | Reduction of stroke through risk factor modification. *Seminars in Neurology*, **1986**, 6, 243-53 | 3.2 | 15 |
| 49 | Population Normative Data for the CERAD Word List and Victoria Stroop Test in Younger- and Middle-Aged Adults: Cross-Sectional Analyses from the Framingham Heart Study. *Experimental Aging Research*, **2016**, 42, 315-28 | 1.7 | 14 |
| 48 | Risk estimations, risk factors, and genetic variants associated with Alzheimer's disease in selected publications from the Framingham Heart Study. *Journal of Alzheimer's Disease*, **2013**, 33 Suppl 1, S439-45 | 4.3 | 14 |
| 47 | Clinical research in primary stroke prevention: needs, opportunities, and challenges. *Neuroepidemiology*, **2005**, 25, 91-104 | 5.4 | 14 |
| 46 | Mid-life Cardiovascular Risk Impacts Memory Function: The Framingham Offspring Study. *Alzheimer Disease and Associated Disorders*, **2015**, 29, 117-23 | 2.5 | 14 |
| 45 | Association of exhaled carbon monoxide with subclinical cardiovascular disease and their conjoint impact on the incidence of cardiovascular outcomes. *European Heart Journal*, **2014**, 35, 2980-7 | 9.5 | 13 |

| | | | |
|---|---|---|---|
| 44 | Absence of association between polymorphisms in the hemostatic factor pathway genes and carotid intimal medial thickness: the Framingham Heart Study. *Stroke*, **2004**, 35, e65-7 | 6.7 | 13 |
| 43 | Effects of white matter integrity and brain volumes on late life depression in the Framingham Heart Study. *International Journal of Geriatric Psychiatry*, **2017**, 32, 214-221 | 3.9 | 12 |
| 42 | Normative Data for the Cognitively Intact Oldest-Old: The Framingham Heart Study. *Experimental Aging Research*, **2015**, 41, 386-409 | 1.7 | 12 |
| 41 | Parental longevity is associated with cognition and brain ageing in middle-aged offspring. *Age and Ageing*, **2014**, 43, 358-63 | 3 | 12 |
| 40 | Qualitative neuropsychological measures: normative data on executive functioning tests from the Framingham offspring study. *Experimental Aging Research*, **2013**, 39, 515-35 | 1.7 | 12 |
| 39 | Profiles by sex of brain MRI and cognitive function in the framingham offspring study. *Alzheimer Disease and Associated Disorders*, **2010**, 24, 190-3 | 2.5 | 12 |
| 38 | Influence of site on course of intracerebral hemorrhage. *Journal of Stroke and Cerebrovascular Diseases*, **1993**, 3, 65-74 | 2.8 | 10 |
| 37 | Midlife Hypertension Risk and Cognition in the Non-Demented Oldest Old: Framingham Heart Study. *Journal of Alzheimer's Disease*, **2015**, 47, 197-204 | 4.3 | 9 |
| 36 | Epidemiology of Stroke **2004**, 13-34 | | 9 |
| 35 | Association of descending thoracic aortic plaque with brain atrophy and white matter hyperintensities: The Framingham Heart Study. *Atherosclerosis*, **2017**, 265, 305-311 | 3.1 | 8 |
| 34 | Associations of NINJ2 sequence variants with incident ischemic stroke in the Cohorts for Heart and Aging in Genomic Epidemiology (CHARGE) consortium. *PLoS ONE*, **2014**, 9, e99798 | 3.7 | 8 |
| 33 | Defining MCI in the Framingham Heart Study Offspring: education versus WRAT-based norms. *Alzheimer Disease and Associated Disorders*, **2013**, 27, 330-6 | 2.5 | 7 |
| 32 | Stroke risk profiles. *Stroke*, **2009**, 40, S73-4 | 6.7 | 7 |
| 31 | 754-3 Impact of Atrial Fibrillation on the Risk of Death: The Framingham Study. *Journal of the American College of Cardiology*, **1995**, 25, 230A | 15.1 | 6 |
| 30 | O5-03-05: TEMPORAL TRENDS IN DEMENTIA INCIDENCE IN THE FRAMINGHAM STUDY **2014**, 10, P296-P296 | | 5 |
| 29 | Prevention of strokes. *Current Atherosclerosis Reports*, **2001**, 3, 321-7 | 6 | 5 |
| 28 | An Evaluation of the Epidemiology of Atherothrombotic Brain Infarction. *The Milbank Memorial Fund Quarterly Health and Society*, **1975**, 53, 405 | | 5 |
| 27 | Sclerotic atrophy of the cerebellum: a clinicopathological survey. *Journal of Neuropathology and Experimental Neurology*, **1978**, 37, 174-91 | 3.1 | 5 |

| | | | |
|---|---|---|---|
| 26 | Fifty years at Framingham: contributions to stroke epidemiology. *Advances in Neurology*, **2003**, 92, 165-72 | | 5 |
| 25 | Verbal memory and brain aging: an exploratory analysis of the role of error responses in the Framingham Study. *American Journal of Alzheimer's Disease and Other Dementias*, **2015**, 30, 622-8 | 2.5 | 4 |
| 24 | Evaluation of power of the Illumina HumanOmni5M-4v1 BeadChip to detect risk variants for human complex diseases. *European Journal of Human Genetics*, **2016**, 24, 1029-34 | 5.3 | 4 |
| 23 | Retinal and cerebral microembolism during on-pump and off-pump coronary artery bypass graft surgery. *Circulation*, **2005**, 112, 3816-7 | 16.7 | 4 |
| 22 | Awareness of the role of atrial fibrillation as a cause of ischemic stroke. *Stroke*, **2014**, 45, e19-21 | 6.7 | 3 |
| 21 | Association of parental stroke with brain injury and cognitive measures in offspring: the Framingham Heart Study. *Stroke*, **2013**, 44, 812-5 | 6.7 | 3 |
| 20 | Prolonged vertical nystagmus after pentobarbital sodium administration. *American Journal of Ophthalmology*, **1975**, 80, 151-2 | 4.9 | 3 |
| 19 | Neck Circumference, Brain Imaging Measures, and Neuropsychological Testing Measures. *Journal of Stroke and Cerebrovascular Diseases*, **2016**, 25, 1570-1581 | 2.8 | 3 |
| 18 | Modifiable Risk Factors and Determinants of Stroke **2016**, 217-233 | | 2 |
| 17 | Ten-year follow-up for male twins divided into high- or low-risk groups for ischemic heart disease based on risk factors measured 25 years previously. *Annals of Epidemiology*, **2000**, 10, 278-84 | 6.4 | 2 |
| 16 | Stroke resulting from nonvalvular atrial fibrillation. *Journal of the American Geriatrics Society*, **1984**, 32, 751-7 | 5.6 | 2 |
| 15 | P3-136: LOW CARDIAC INDEX IS ASSOCIATED WITH INCIDENT DEMENTIA AND ALZHEIMER'S DISEASE: THE FRAMINGHAM HEART STUDY **2014**, 10, P678-P678 | | 1 |
| 14 | Hypertension and Risk of Stroke: The Influence of Associated Risk Factors in the Framingham Study. *Hypertension Research*, **1994**, 17, S83-S88 | 4.7 | 1 |
| 13 | Epidemiology of Stroke **2011**, 198-218 | | 1 |
| 12 | Atrial Fibrillation Genetic Risk Differentiates Cardioembolic Stroke from other Stroke Subtypes | | 1 |
| 11 | P1-315: INFLUENCE OF MIDLIFE ELEVATED BLOOD GLUCOSE AND APOE GENOTYPE ON VASCULAR AND ALZHEIMER'S DISEASE NEUROPATHOLOGY **2014**, 10, P427-P427 | | |
| 10 | P1-327: NEUROPSYCHOLOGICAL CRITERIA FOR MCI AND DEMENTIA RISK IN THE FRAMINGHAM HEART STUDY **2014**, 10, P432-P432 | | |
| 9 | P1-339: DETECTING PRE-MILD COGNITIVE IMPAIRMENT: COMBINING MRI AND MEMORY TEST PERFORMANCE **2014**, 10, P436-P437 | | |

8 O4□2□1: Plasma clusterin levels and risk of dementia and Alzheimer's disease: The Framingham Heart Study **2013**, 9, P681-P681

7 Atrial fibrillation: understanding the serious consequences and learning about the causes. *Journal of the American Geriatrics Society*, **1997**, 45, 1404-5 5.6

6 Epidemiology and Stroke Risk Factors **2003**, 252-268

5 Epidemiology: Computing Estimates of Incidence, Including Lifetime Risk: Alzheimer's Disease in the Framingham Study. The Practical Incidence Estimators (PIE) Macro **2005**, 1-30

4 Ff **2004**, 107-117

3 Epidemiology of Cerebrovascular Disease * *This work was supported in part by the National Institute of Neurological Disorders and Stroke Grant No. 5R01 NS17950 and the National Heart, Lung, and Blood Institute's Framingham Heart Study Contract No. N01-HC-25195. **2006**, 411-432

2 Association Between Plasma Homocysteine, Vitamin Status, and Extracranial Carotid-Artery Stenosis in the Framingham Study Population. *Developments in Cardiovascular Medicine*, **1997**, 99-109

1 P3-297: CVD is Pathologically Associated with Greater Alzheimer's Disease in Non-Demented Older Adults **2016**, 12, P954-P955