Viviane Kovess-masfety

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/978908/publications.pdf

Version: 2024-02-01

147 papers 13,603 citations

51 h-index 24978 109 g-index

157 all docs

157 docs citations

times ranked

157

17268 citing authors

#	Article	IF	CITATIONS
1	The Prevalence and Correlates of Binge Eating Disorder in the World Health Organization World Mental Health Surveys. Biological Psychiatry, 2013, 73, 904-914.	1.3	1,025
2	Cross-National Associations Between Gender and Mental Disorders in the World Health Organization World Mental Health Surveys. Archives of General Psychiatry, 2009, 66, 785.	12.3	1,018
3	Mental disorders among college students in the World Health Organization World Mental Health Surveys. Psychological Medicine, 2016, 46, 2955-2970.	4.5	866
4	Barriers to mental health treatment: results from the WHO World Mental Health surveys. Psychological Medicine, 2014, 44, 1303-1317.	4.5	825
5	The epidemiology of traumatic event exposure worldwide: results from the World Mental Health Survey Consortium. Psychological Medicine, 2016, 46, 327-343.	4.5	777
6	Twelve-Month Prevalence of and Risk Factors for Suicide Attempts in the World Health Organization World Mental Health Surveys. Journal of Clinical Psychiatry, 2010, 71, 1617-1628.	2.2	566
7	Stress and anxiety among university students in France during Covid-19 mandatory confinement. Comprehensive Psychiatry, 2020, 102, 152191.	3.1	428
8	Psychotic Experiences in the General Population. JAMA Psychiatry, 2015, 72, 697.	11.0	387
9	Anxious and non-anxious major depressive disorder in the World Health Organization World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2015, 24, 210-226.	3.9	355
10	CUMULATIVE TRAUMAS AND RISK THRESHOLDS: 12-MONTH PTSD IN THE WORLD MENTAL HEALTH (WMH) SURVEYS. Depression and Anxiety, 2014, 31, 130-142.	4.1	329
11	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. Depression and Anxiety, 2018, 35, 195-208.	4.1	318
12	Treatment of suicidal people around the world. British Journal of Psychiatry, 2011, 199, 64-70.	2.8	289
13	Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. Psychological Medicine, 2018, 48, 1560-1571.	4.5	274
14	Cross-National Analysis of the Associations between Traumatic Events and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS ONE, 2010, 5, e10574.	2. 5	273
15	Dissociation in Posttraumatic Stress Disorder: Evidence from the World Mental Health Surveys. Biological Psychiatry, 2013, 73, 302-312.	1.3	251
16	Main traumatic events in Europe: PTSD in the European study of the epidemiology of mental disorders survey. Journal of Traumatic Stress, 2008, 21, 455-462.	1.8	218
17	Parent psychopathology and offspring mental disorders: Results from the WHO World Mental Health Surveys. British Journal of Psychiatry, 2012, 200, 290-299.	2.8	201
18	How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. World Psychiatry, 2014, 13, 265-274.	10.4	194

#	Article	IF	CITATIONS
19	Gender differences in mental disorders and suicidality in Europe: Results from a large cross-sectional population-based study. Journal of Affective Disorders, 2015, 173, 245-254.	4.1	181
20	Association of <i>DSM-IV</i> Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. JAMA Psychiatry, 2017, 74, 270.	11.0	179
21	The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. American Journal of Psychiatry, 2016, 173, 997-1006.	7.2	176
22	Psychological distress in first year university students: socioeconomic and academic stressors, mastery and social support in young men and women. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 643-650.	3.1	148
23	Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. Depression and Anxiety, 2016, 33, 1155-1177.	4.1	144
24	A multinational study of mental disorders, marriage, and divorce. Acta Psychiatrica Scandinavica, 2011, 124, 474-486.	4.5	143
25	Psychiatric disorders in students in six French universities: 12-month prevalence, comorbidity, impairment and help-seeking. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 189-199.	3.1	123
26	Post-traumatic stress disorder associated with natural and human-made disasters in the World Mental Health Surveys. Psychological Medicine, 2017, 47, 227-241.	4.5	110
27	The association between childhood adversities and subsequent first onset of psychotic experiences: a cross-national analysis of 23 998 respondents from 17 countries. Psychological Medicine, 2017, 47, 1230-1245.	4.5	108
28	The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. Addictive Behaviors, 2020, 102, 106128.	3.0	108
29	Chronic back pain and its association with quality of life in a large French population survey. Health and Quality of Life Outcomes, 2018, 16, 195.	2.4	106
30	Differences in Lifetime Use of Services for Mental Health Problems in Six European Countries. Psychiatric Services, 2007, 58, 213-220.	2.0	103
31	Associations between mental disorders and subsequent onset of hypertension. General Hospital Psychiatry, 2014, 36, 142-149.	2.4	102
32	Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. Schizophrenia Bulletin, 2016, 42, 933-941.	4.3	94
33	Comorbidity of common mental disorders with cancer and their treatment gap: findings from the World Mental Health Surveys. Psycho-Oncology, 2014, 23, 40-51.	2.3	87
34	Childhood psychosocial stressors and adult onset arthritis: Broad spectrum risk factors and allostatic load. Pain, 2009, 143, 76-83.	4.2	82
35	Trauma and psychotic experiences: transnational data from the World Mental Health Survey. British Journal of Psychiatry, 2017, 211, 373-380.	2.8	82
36	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 279-288.	3.1	79

#	Article	IF	Citations
37	Individual and contextual covariates of burnout: a cross-sectional nationwide study of French teachers. BMC Public Health, 2009, 9, 333.	2.9	78
38	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. JAMA Psychiatry, 2017, 74, 1136.	11.0	75
39	Parental psychopathology and the risk of suicidal behavior in their offspring: results from the World Mental Health surveys. Molecular Psychiatry, 2011, 16, 1221-1233.	7.9	74
40	Mental health of college students and their non-college-attending peers: results from a large French cross-sectional survey. BMC Psychology, 2016, 4, 20.	2.1	72
41	Comparing the prevalence of mental health problems in children 6–11 across Europe. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 1093-1103.	3.1	71
42	Is time spent playing video games associated with mental health, cognitive and social skills in young children?. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 349-357.	3.1	69
43	Drop out from out-patient mental healthcare in the World Health Organization's World Menta Health Survey initiative. British Journal of Psychiatry, 2013, 202, 42-49.	2.8	67
44	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. Epidemiology and Psychiatric Sciences, 2020, 29, e153.	3.9	67
45	Do teachers have more health problems? Results from a French cross-sectional survey. BMC Public Health, 2006, 6, 101.	2.9	66
46	Teachers' mental health and teaching levels. Teaching and Teacher Education, 2007, 23, 1177-1192.	3.2	65
47	Voice disorders and mental health in teachers: a cross-sectional nationwide study. BMC Public Health, 2009, 9, 370.	2.9	65
48	What makes people decide who to turn to when faced with a mental health problem? Results from a French survey. BMC Public Health, 2007, 7, 188.	2.9	62
49	A European Approach to Ruralâ€"Urban Differences in Mental Health: The ESEMeD 2000 Comparative Study. Canadian Journal of Psychiatry, 2005, 50, 926-936.	1.9	61
50	The association between psychotic experiences and disability: results from the <scp>WHO</scp> World Mental Health Surveys. Acta Psychiatrica Scandinavica, 2017, 136, 74-84.	4.5	58
51	The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. Addiction, 2018, 113, 924-934.	3.3	56
52	Understanding parent–teacher agreement of the Strengths and Difficulties Questionnaire (<scp>SDQ</scp>): Comparison across seven European countries. International Journal of Methods in Psychiatric Research, 2018, 27, .	2.1	56
53	Level of positive mental health in the European Union: results from the Eurobarometer 2002 survey. Clinical Practice and Epidemiology in Mental Health, 2005, 1, 9.	1.2	54
54	The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. Molecular Psychiatry, 2018, 23, 1892-1899.	7.9	52

#	Article	IF	Citations
55	Child Overweight, Associated Psychopathology, and Social Functioning: A French Schoolâ€based Survey in 6―to 11â€yearâ€old Children. Obesity, 2010, 18, 809-817.	3.0	50
56	Validity across translations of short survey psychiatric diagnostic instruments: CIDI-SF and CIS-R versus SCID-I/NP in four European countries. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 1149-1159.	3.1	48
57	Gender Differences in Psychotropic Use Across Europe: Results From a Large Cross-Sectional, Population-Based Study. European Psychiatry, 2015, 30, 778-788.	0.2	47
58	Complementary and alternative medicine contacts by persons with mental disorders in 25 countries: results from the World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2018, 27, 552-567.	3.9	47
59	Use of general practitioners versus mental health professionals in six European countries: the decisive role of the organization of mental health-care systems. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 137-149.	3.1	44
60	Factors associated with suicidal ideation disclosure: Results from a large population-based study. Journal of Affective Disorders, 2016, 205, 36-43.	4.1	43
61	Gambling Type, Substance Abuse, Health and Psychosocial Correlates of Male and Female Problem Gamblers in a Nationally Representative French Sample. Journal of Gambling Studies, 2017, 33, 343-369.	1.6	43
62	Self-reported mental health in children ages 6–12Âyears across eight European countries. European Child and Adolescent Psychiatry, 2018, 27, 785-795.	4.7	43
63	Parental Use of Corporal Punishment in Europe: Intersection between Public Health and Policy. PLoS ONE, 2015, 10, e0118059.	2.5	43
64	Suicidal ideation and mental health disorders in young school children across Europe. Journal of Affective Disorders, 2015, 177, 28-35.	4.1	42
65	Factors Associated with Parent–Child Discrepancies in Reports of Mental Health Disorders in Young Children. Child Psychiatry and Human Development, 2018, 49, 1003-1010.	1.9	41
66	Psychometric Properties of the Dominic Interactive in a Large French Sample. Canadian Journal of Psychiatry, 2009, 54, 767-776.	1.9	38
67	Oral health status and treatment needs among psychiatric inpatients in Rennes, France: a cross-sectional study. BMC Psychiatry, 2013, 13, 227.	2.6	38
68	High and low suicidality in Europe: A fine-grained comparison of France and Spain within the ESEMeD surveys. Journal of Affective Disorders, 2011, 133, 247-256.	4.1	36
69	Premarital mental disorders and physical violence in marriage: cross-national study of married couples. British Journal of Psychiatry, 2011, 199, 330-337.	2.8	32
70	Exposure to Traumatic Events and Posttraumatic Stress Disorder in France: Results From the WMH Survey. Journal of Traumatic Stress, 2015, 28, 275-282.	1.8	32
71	Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. Journal of Pain, 2018, 19, 99-110.	1.4	32
72	Lifetime Risk of Suicidal Behaviors and Communication to a Health Professional About Suicidal Ideation. Crisis, 2012, 33, 127-136.	1.2	31

#	Article	IF	CITATIONS
73	The Associations Between Preexisting Mental Disorders andÂSubsequent Onset of Chronic Headaches: A Worldwide Epidemiologic Perspective. Journal of Pain, 2015, 16, 42-52.	1.4	29
74	Proportion of patients without mental disorders being treated in mental health services worldwide. British Journal of Psychiatry, 2015, 206, 101-109.	2.8	27
75	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. Psychological Medicine, 2018, 48, 2730-2739.	4.5	27
76	Psychotic experiences and religiosity: data from the <scp>WHO</scp> World Mental Health Surveys. Acta Psychiatrica Scandinavica, 2018, 137, 306-315.	4.5	27
77	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder. JAMA Psychiatry, 2019, 76, 708.	11.0	27
78	Mood disorders and urban/rural settings. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 613-618.	3.1	26
79	Differential Associations Between Excess Body Weight and Psychiatric Disorders in Men and Women. Journal of Women's Health, 2018, 27, 183-190.	3.3	26
80	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. BMC Medicine, 2019, 17, 101.	5.5	24
81	Bullying involvement and self-reported mental health in elementary school children across Europe. Child Abuse and Neglect, 2020, 107, 104601.	2.6	24
82	How Do People Experiencing Schizophrenia Spectrum Disorders or Other Psychotic Disorders Use the Internet to Get Information on Their Mental Health? Literature Review and Recommendations. JMIR Mental Health, 2017, 4, e1.	3.3	24
83	Psychotropic Medication Use in Children and Adolescents: A Study from France. Journal of Child and Adolescent Psychopharmacology, 2008, 18, 281-289.	1.3	23
84	Unmet Need for Specialty Mental Health Services Among Children Across Europe. Psychiatric Services, 2017, 68, 789-795.	2.0	23
85	Gender differences in psychiatric and medical comorbidity with post-traumatic stress disorder. Comprehensive Psychiatry, 2018, 84, 75-81.	3.1	23
86	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. Psychological Medicine, 2022, 52, 1948-1958.	4.5	23
87	Schizophrenia and quality of life: a one-year follow-up in four EU countries. BMC Psychiatry, 2006, 6, 39.	2.6	22
88	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. Psychological Medicine, 2021, 51, 2104-2116.	4.5	21
89	Prior depression predicts greater stress during Covid-19 mandatory lockdown among college students in France. Comprehensive Psychiatry, 2021, 107, 152234.	3.1	21
90	Prevalence, Risk Factors, and Use of Health Care in Depression: A Survey in a Large Region of France between 1991 and 2005. Canadian Journal of Psychiatry, 2009, 54, 701-709.	1.9	20

#	Article	lF	CITATIONS
91	Factors Associated With Use of Psychiatrists and Nonpsychiatrist Providers by ESEMeD Respondents in Six European Countries. Psychiatric Services, 2011, 62, 143-151.	2.0	20
92	Associations between DSM-IV mental disorders and onset of self-reported peptic ulcer in the World Mental Health Surveys. Journal of Psychosomatic Research, 2013, 75, 121-127.	2.6	20
93	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. Schizophrenia Research, 2018, 201, 46-53.	2.0	20
94	Paradoxical increase of positive answers to the Cut-down, Annoyed, Guilt, Eye-opener (CAGE) questionnaire during a period of decreasing alcohol consumption: results from two population-based surveys in ÃŽle-de-France, 1991 and 2005. Addiction, 2008, 103, 598-603.	3.3	19
95	The role of religious advisors in mental health care in the World Mental Health surveys. Social Psychiatric Epidemiology, 2017, 52, 353-367.	3.1	19
96	Psychometric Properties of the Strengths and Difficulties Questionnaire in Children Aged 5–12 Years Across Seven European Countries. European Journal of Psychological Assessment, 2020, 36, 65-76.	3.0	18
97	Patterns and correlates of patientâ€reported helpfulness of treatment for common mental and substance use disorders in the <scp>WHO</scp> World Mental Health Surveys. World Psychiatry, 2022, 21, 272-286.	10.4	16
98	The Associations Between Headaches and Psychopathology: A Survey in School Children. Headache, 2010, 50, 1537-1548.	3.9	15
99	IRRITABLE MOOD IN ADULT MAJOR DEPRESSIVE DISORDER: RESULTS FROM THE WORLD MENTAL HEALTH SURVEYS. Depression and Anxiety, 2013, 30, 395-406.	4.1	15
100	Determinants of Coprescription of Anxiolytics with Antidepressants in General Practice. Canadian Journal of Psychiatry, 2008, 53, 94-103.	1.9	14
101	Mood and anxiety disorders across the adult lifespan: a European perspective. Psychological Medicine, 2014, 44, 707-722.	4.5	13
102	Seeking mental health care from private health practitioners among individuals with alcohol dependence/abuse; results from a study in the French general population. Alcohol, 2017, 59, 1-6.	1.7	13
103	Gender differences in common mental disorders: a comparison of social risk factors across four European welfare regimes. European Journal of Public Health, 2019, 29, 481-487.	0.3	13
104	Needs for care among patients with schizophrenia in six European countries: a one-year follow-up study. Clinical Practice and Epidemiology in Mental Health, 2006, 2, 22.	1.2	12
105	Religious advisors' role in mental health care in the European Study of the Epidemiology of Mental Disorders survey. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 989-998.	3.1	12
106	Associations between DSM-IV mental disorders and subsequent COPD diagnosis. Journal of Psychosomatic Research, 2015, 79, 333-339.	2.6	12
107	Bereavement-related depression: Did the changes induced by DSM-V make a difference? Results from a large population-based survey of French residents. Journal of Affective Disorders, 2015, 182, 82-90.	4.1	12
108	Could a short training intervention modify opinions about mental illness? A case study on French health professionals. BMC Psychiatry, 2017, 17, 133.	2.6	11

#	Article	IF	CITATIONS
109	Seeking Help for Mental Health Problems outside the Conventional Health Care System: Results from the European Study of the Epidemiology of Mental Disorders (ESEMeD). Canadian Journal of Psychiatry, 2010, 55, 586-597.	1.9	10
110	Three-generation households and child mental health in European countries. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 427-436.	3.1	10
111	Use of Psychoactive Substances and Health Care in Response to Anxiety and Depressive Disorders. Psychiatric Services, 2009, 60, 351-357.	2.0	9
112	Le burnout Â: historique, mesures et controverses. Archives Des Maladies Professionnelles Et De L'Environnement, 2017, 78, 16-23.	0.1	9
113	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. Journal of Affective Disorders, 2021, 288, 199-209.	4.1	9
114	Bullying involvement and suicidal ideation in elementary school children across Europe. Journal of Affective Disorders, 2022, 299, 281-286.	4.1	9
115	Comparing Mental Health of Francophones in Canada, France, and Belgium: 12-Month and Lifetime Rates of Mental Health Service Use (Part 2). Canadian Journal of Psychiatry, 2010, 55, 295-304.	1.9	8
116	Measuring use of services for mental health problems in epidemiological surveys. International Journal of Methods in Psychiatric Research, 2011, 20, 182-191.	2.1	8
117	Utility of self-reported mental health measures for preventing unintentional injury: results from a cross-sectional study among French schoolchildren. BMC Pediatrics, 2014, 14, 2.	1.7	8
118	Smoking and the consumption of antidepressants, anxiolytics and hypnotic drugs: Results of a large, French epidemiological study in 2005. Addictive Behaviors, 2011, 36, 743-748.	3.0	7
119	Differential impact of parental region of birth on negative parenting behavior and its effects on child mental health: Results from a large sample of 6 to $11 {\rm \AA}$ year old school children in France. BMC Psychiatry, 2016, 16, 123.	2.6	7
120	Besoin de soins en santé mentale versus besoin de soins en pédopsychiatrie. Approche épidémiologique. Neuropsychiatrie De L'Enfance Et De L'Adolescence, 2009, 57, 494-501.	0.2	6
121	Comparing the rates of mental disorders among different linguistic groups in a representative Canadian population. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 195-202.	3.1	6
122	Associations between DSM-IV mental disorders and subsequent onset of arthritis. Journal of Psychosomatic Research, 2016, 82, 11-16.	2.6	6
123	Health conditions and role limitation in three European Regions: a public-health perspective. Gaceta Sanitaria, 2017, 31, 2-10.	1.5	6
124	Prescription patterns of first―and secondâ€generation antipsychotic drugs in the French population. Fundamental and Clinical Pharmacology, 2020, 34, 603-611.	1.9	6
125	Access to Care for Mental Health Problems in Afghanistan: A National Challenge. International Journal of Health Policy and Management, $2021, \ldots$	0.9	6
126	Sexual and Nonsexual Interpersonal Violence, Psychiatric Disorders, and Mental Health Service Use. Journal of Traumatic Stress, 2021, 34, 416-426.	1.8	6

#	Article	IF	Citations
127	Promotion etÂprévention enÂsanté mentale chezÂlesÂtrÃ"s jeunes enfantsÂ: revue deÂlaÂlittérature. Annal Medico-Psychologiques, 2006, 164, 183-194.	es 0.4	5
128	Comparing Mental Health of Francophone Populations in Canada, France, and Belgium: 12-Month Prevalence Rates of Common Mental Disorders (Part 1). Canadian Journal of Psychiatry, 2010, 55, 289-294.	1.9	5
129	Prevalence of tobacco smoking in teachers following anti-smoking policies: results from two French surveys (1999 and 2005). European Journal of Public Health, 2010, 20, 151-156.	0.3	5
130	Translation of the World Mental Health Survey Data to Policies: An Exploratory Study of Stakeholders' Perceptions of How Epidemiologic Data Can Be Utilized for Policy in the Field of Mental Health. Public Health Reviews, 2012, 34, .	3.2	5
131	Maternal Problem Drinking and Child Mental Health. Substance Use and Misuse, 2017, 52, 1823-1831.	1.4	5
132	The association between car accident fatalities and children's fears: A study in seven EU countries. PLoS ONE, 2017, 12, e0181619.	2.5	5
133	Gender, the gender gap, and their interaction; analysis of relationships with children's mental health problems. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1049-1057.	3.1	5
134	Utilisation du systà me de soins en santé mentale et planification. Données régionales et intrarégionales. L'Encephale, 2007, 33, 157-163.	0.9	4
135	Cohort Alcohol Use in France and the Transition from Use to Alcohol Use Disorder and Remission. Journal of Psychoactive Drugs, 2019, 51, 453-462.	1.7	3
136	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. Epidemiology and Psychiatric Sciences, 2021, 30, e70.	3.9	3
137	Birth rank as a determinant of academic achievement:results from a European survey of primary school children. European Journal of Developmental Psychology, 2020, 17, 629-648.	1.8	2
138	Mental disorders and medical conditions associated with causing injury or death: A population-based study. Psychiatry Research, 2020, 287, 112899.	3.3	2
139	Self-reported fears and mental health in elementary school children across Europe. European Child and Adolescent Psychiatry, 2022, 31, 1909-1919.	4.7	2
140	Service Use., 0,, 314-323.		1
141	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. Psychological Medicine, 2020, , 1-10.	4.5	1
142	Self-reported mental health problems and performance in mathematics and reading in children across Europe. European Journal of Developmental Psychology, 2020, 17, 704-726.	1.8	1
143	Améliorer la santé mentale et le bien-être des salariésÂ: quelles sont les interventions qui marchentÂ?. Archives Des Maladies Professionnelles Et De L'Environnement, 2020, 81, 45-54.	0.1	1
144	Mental health problems, low birthweight and academic achievement in mathematics and reading. Current Psychology, 0, , 1.	2.8	1

#	Article	IF	CITATIONS
145	Le surinvestissementÂ: une nouvelle maladieÂ?. Archives Des Maladies Professionnelles Et De L'Environnement, 2017, 78, 402-411.	0.1	0
146	Toward a Better Living with Schizophrenia. European Journal of Public Health, 2019, 29, .	0.3	0
147	Modelling Needs for Mental Healthcare from Epidemiological Surveys with Validation Using Sociodemographic Census Data. Clinical Practice and Epidemiology in Mental Health, 2015, 11, 186-194.	1.2	0