

Viviane Kovess-masfety

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/978908/viviane-kovess-masfety-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

145
papers

8,946
citations

44
h-index

93
g-index

157
ext. papers

11,296
ext. citations

5
avg, IF

5.62
L-index

#	Paper	IF	Citations
145	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys.. <i>World Psychiatry</i> , 2022 , 21, 272-286	14.4	2
144	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e70	5.1	2
143	Bullying involvement and suicidal ideation in elementary school children across Europe.. <i>Journal of Affective Disorders</i> , 2021 , 299, 281-286	6.6	1
142	Prior depression predicts greater stress during Covid-19 mandatory lockdown among college students in France. <i>Comprehensive Psychiatry</i> , 2021 , 107, 152234	7.3	7
141	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2021 , 288, 199-209	6.6	5
140	Self-reported fears and mental health in elementary school children across Europe. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5	0
139	Gender, the gender gap, and their interaction; analysis of relationships with children's mental health problems. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1049-1057	4.5	0
138	Sexual and Nonsexual Interpersonal Violence, Psychiatric Disorders, and Mental Health Service Use. <i>Journal of Traumatic Stress</i> , 2021 , 34, 416-426	3.8	1
137	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. <i>Psychological Medicine</i> , 2020 , 1-13	6.9	4
136	Prescription patterns of first- and second-generation antipsychotic drugs in the French population. <i>Fundamental and Clinical Pharmacology</i> , 2020 , 34, 603-611	3.1	2
135	Self-reported mental health problems and performance in mathematics and reading in children across Europe. <i>European Journal of Developmental Psychology</i> , 2020 , 17, 704-726	1.5	
134	Améliorer la santé mentale et le bien-être des salariés: quelles sont les interventions qui marchent?. <i>Archives Des Maladies Professionnelles Et De L'Environnement</i> , 2020 , 81, 45-54	0.1	
133	Bullying involvement and self-reported mental health in elementary school children across Europe. <i>Child Abuse and Neglect</i> , 2020 , 107, 104601	4.3	8
132	Mental disorders and medical conditions associated with causing injury or death: A population-based study. <i>Psychiatry Research</i> , 2020 , 287, 112899	9.9	1
131	Psychometric Properties of the Strengths and Difficulties Questionnaire in Children Aged 5-12 Years Across Seven European Countries. <i>European Journal of Psychological Assessment</i> , 2020 , 36, 65-76	2.2	7
130	Birth rank as a determinant of academic achievement: results from a European survey of primary school children. <i>European Journal of Developmental Psychology</i> , 2020 , 17, 629-648	1.5	0
129	Stress and anxiety among university students in France during Covid-19 mandatory confinement. <i>Comprehensive Psychiatry</i> , 2020 , 102, 152191	7.3	220

128	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	0
127	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e153	5.1	23
126	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. <i>Psychological Medicine</i> , 2020 , 1-11	6.9	12
125	The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. <i>Addictive Behaviors</i> , 2020 , 102, 106128	4.2	30
124	Cohort Alcohol Use in France and the Transition from Use to Alcohol Use Disorder and Remission. <i>Journal of Psychoactive Drugs</i> , 2019 , 51, 453-462	3.6	1
123	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. <i>BMC Medicine</i> , 2019 , 17, 101	11.4	14
122	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder: Findings From the World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2019 , 76, 708-720	14.5	16
121	Three-generation households and child mental health in European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 427-436	4.5	7
120	Gender differences in common mental disorders: a comparison of social risk factors across four European welfare regimes. <i>European Journal of Public Health</i> , 2019 , 29, 481-487	2.1	5
119	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , 2018 , 48, 2730-2739	6.9	16
118	Psychotic experiences and religiosity: data from the WHO World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 306-315	6.5	19
117	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. <i>Depression and Anxiety</i> , 2018 , 35, 195-208	8.4	160
116	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 279-288	4.5	58
115	Complementary and alternative medicine contacts by persons with mental disorders in 25 countries: results from the World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 552-567	5.1	31
114	The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. <i>Addiction</i> , 2018 , 113, 924-934	4.6	31
113	Understanding parent-teacher agreement of the Strengths and Difficulties Questionnaire (SDQ): Comparison across seven European countries. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27,	4.3	34
112	Gender differences in psychiatric and medical comorbidity with post-traumatic stress disorder. <i>Comprehensive Psychiatry</i> , 2018 , 84, 75-81	7.3	18
111	Differential Associations Between Excess Body Weight and Psychiatric Disorders in Men and Women. <i>Journal of Women's Health</i> , 2018 , 27, 183-190	3	17

110	Self-reported mental health in children ages 6-12 years across eight European countries. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 785-795	5.5	17
109	Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. <i>Journal of Pain</i> , 2018 , 19, 99-110	5.2	24
108	The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. <i>Molecular Psychiatry</i> , 2018 , 23, 1892-1899	15.1	34
107	Factors Associated with Parent-Child Discrepancies in Reports of Mental Health Disorders in Young Children. <i>Child Psychiatry and Human Development</i> , 2018 , 49, 1003-1010	3.3	17
106	Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. <i>Psychological Medicine</i> , 2018 , 48, 1560-1571	6.9	73
105	Chronic back pain and its association with quality of life in a large French population survey. <i>Health and Quality of Life Outcomes</i> , 2018 , 16, 195	3	51
104	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. <i>Schizophrenia Research</i> , 2018 , 201, 46-53	3.6	14
103	Le burnout : historique, mesures et controverses. <i>Archives Des Maladies Professionnelles Et De L'Environnement</i> , 2017 , 78, 16-23	0.1	6
102	The association between childhood adversities and subsequent first onset of psychotic experiences: a cross-national analysis of 23 998 respondents from 17 countries. <i>Psychological Medicine</i> , 2017 , 47, 1230-1245	6.9	81
101	Association of DSM-IV Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017 , 74, 270-281	14.5	120
100	The association between psychotic experiences and disability: results from the WHO World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 74-84	6.5	42
99	Unmet Need for Specialty Mental Health Services Among Children Across Europe. <i>Psychiatric Services</i> , 2017 , 68, 789-795	3.3	17
98	Post-traumatic stress disorder associated with natural and human-made disasters in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017 , 47, 227-241	6.9	72
97	Trauma and psychotic experiences: transnational data from the World Mental Health Survey. <i>British Journal of Psychiatry</i> , 2017 , 211, 373-380	5.4	56
96	Le surinvestissement : une nouvelle maladie ?. <i>Archives Des Maladies Professionnelles Et De L'Environnement</i> , 2017 , 78, 402-411	0.1	
95	The association between car accident fatalities and children's fears: A study in seven EU countries. <i>PLoS ONE</i> , 2017 , 12, e0181619	3.7	4
94	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors: A Cross-National Analysis From the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017 , 74, 1136-1144	14.5	41
93	Maternal Problem Drinking and Child Mental Health. <i>Substance Use and Misuse</i> , 2017 , 52, 1823-1831	2.2	4

92	Could a short training intervention modify opinions about mental illness? A case study on French health professionals. <i>BMC Psychiatry</i> , 2017 , 17, 133	4.2	7
91	Seeking mental health care from private health practitioners among individuals with alcohol dependence/abuse; results from a study in the French general population. <i>Alcohol</i> , 2017 , 59, 1-6	2.7	7
90	Health conditions and role limitation in three European Regions: a public-health perspective. <i>Gaceta Sanitaria</i> , 2017 , 31, 2-10	2.2	6
89	The role of religious advisors in mental health care in the World Mental Health surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 353-367	4.5	14
88	Gambling Type, Substance Abuse, Health and Psychosocial Correlates of Male and Female Problem Gamblers in a Nationally Representative French Sample. <i>Journal of Gambling Studies</i> , 2017 , 33, 343-369	3	26
87	How Do People Experiencing Schizophrenia Spectrum Disorders or Other Psychotic Disorders Use the Internet to Get Information on Their Mental Health? Literature Review and Recommendations. <i>JMIR Mental Health</i> , 2017 , 4, e1	6	17
86	Mental disorders among college students in the World Health Organization World Mental Health Surveys. <i>Psychological Medicine</i> , 2016 , 46, 2955-2970	6.9	490
85	Comparing the prevalence of mental health problems in children 6-11 across Europe. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 1093-103	4.5	49
84	Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. <i>Depression and Anxiety</i> , 2016 , 33, 1155-1177	8.4	83
83	Differential impact of parental region of birth on negative parenting behavior and its effects on child mental health: Results from a large sample of 6 to 11 year old school children in France. <i>BMC Psychiatry</i> , 2016 , 16, 123	4.2	4
82	Mental health of college students and their non-college-attending peers: results from a large French cross-sectional survey. <i>BMC Psychology</i> , 2016 , 4, 20	2.8	32
81	The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. <i>American Journal of Psychiatry</i> , 2016 , 173, 997-1006	11.9	124
80	Associations between DSM-IV mental disorders and subsequent onset of arthritis. <i>Journal of Psychosomatic Research</i> , 2016 , 82, 11-16	4.1	6
79	Is time spent playing video games associated with mental health, cognitive and social skills in young children?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 349-57	4.5	35
78	Factors associated with suicidal ideation disclosure: Results from a large population-based study. <i>Journal of Affective Disorders</i> , 2016 , 205, 36-43	6.6	25
77	Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. <i>Schizophrenia Bulletin</i> , 2016 , 42, 933-41	1.3	66
76	The epidemiology of traumatic event exposure worldwide: results from the World Mental Health Survey Consortium. <i>Psychological Medicine</i> , 2016 , 46, 327-43	6.9	485
75	Bereavement-related depression: Did the changes induced by DSM-V make a difference? Results from a large population-based survey of French residents. <i>Journal of Affective Disorders</i> , 2015 , 182, 82-90	6.6	10

74	Gender differences in psychotropic use across Europe: Results from a large cross-sectional, population-based study. <i>European Psychiatry</i> , 2015 , 30, 778-88	6	28
73	Suicidal ideation and mental health disorders in young school children across Europe. <i>Journal of Affective Disorders</i> , 2015 , 177, 28-35	6.6	32
72	Anxious and non-anxious major depressive disorder in the World Health Organization World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 210-26	5.1	208
71	The associations between preexisting mental disorders and subsequent onset of chronic headaches: a worldwide epidemiologic perspective. <i>Journal of Pain</i> , 2015 , 16, 42-52	5.2	23
70	Proportion of patients without mental disorders being treated in mental health services worldwide. <i>British Journal of Psychiatry</i> , 2015 , 206, 101-9	5.4	22
69	Exposure to Traumatic Events and Posttraumatic Stress Disorder in France: Results From the WMH Survey. <i>Journal of Traumatic Stress</i> , 2015 , 28, 275-82	3.8	23
68	Psychotic Experiences in the General Population: A Cross-National Analysis Based on 31,261 Respondents From 18 Countries. <i>JAMA Psychiatry</i> , 2015 , 72, 697-705	14.5	254
67	Associations between DSM-IV mental disorders and subsequent COPD diagnosis. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 333-9	4.1	9
66	Gender differences in mental disorders and suicidality in Europe: results from a large cross-sectional population-based study. <i>Journal of Affective Disorders</i> , 2015 , 173, 245-54	6.6	98
65	Parental use of corporal punishment in Europe: intersection between public health and policy. <i>PLoS ONE</i> , 2015 , 10, e0118059	3.7	28
64	Modelling Needs for Mental Healthcare from Epidemiological Surveys with Validation Using Sociodemographic Census Data. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2015 , 11, 186-94	3.2	
63	Cumulative traumas and risk thresholds: 12-month PTSD in the World Mental Health (WMH) surveys. <i>Depression and Anxiety</i> , 2014 , 31, 130-42	8.4	241
62	How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. <i>World Psychiatry</i> , 2014 , 13, 265-74	14.4	144
61	Comorbidity of common mental disorders with cancer and their treatment gap: findings from the World Mental Health Surveys. <i>Psycho-Oncology</i> , 2014 , 23, 40-51	3.9	66
60	Barriers to mental health treatment: results from the WHO World Mental Health surveys. <i>Psychological Medicine</i> , 2014 , 44, 1303-17	6.9	509
59	Mood and anxiety disorders across the adult lifespan: a European perspective. <i>Psychological Medicine</i> , 2014 , 44, 707-22	6.9	12
58	Associations between mental disorders and subsequent onset of hypertension. <i>General Hospital Psychiatry</i> , 2014 , 36, 142-9	5.6	69
57	Utility of self-reported mental health measures for preventing unintentional injury: results from a cross-sectional study among French schoolchildren. <i>BMC Pediatrics</i> , 2014 , 14, 2	2.6	6

56	The prevalence and correlates of binge eating disorder in the World Health Organization World Mental Health Surveys. <i>Biological Psychiatry</i> , 2013 , 73, 904-14	7.9	74 ¹
55	Oral health status and treatment needs among psychiatric inpatients in Rennes, France: a cross-sectional study. <i>BMC Psychiatry</i> , 2013 , 13, 227	4.2	29
54	Use of general practitioners versus mental health professionals in six European countries: the decisive role of the organization of mental health-care systems. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 137-49	4.5	30
53	Dissociation in posttraumatic stress disorder: evidence from the world mental health surveys. <i>Biological Psychiatry</i> , 2013 , 73, 302-12	7.9	20 ¹
52	Associations between DSM-IV mental disorders and onset of self-reported peptic ulcer in the World Mental Health Surveys. <i>Journal of Psychosomatic Research</i> , 2013 , 75, 121-7	4.1	16
51	Drop out from out-patient mental healthcare in the World Health Organization's World Mental Health Survey initiative. <i>British Journal of Psychiatry</i> , 2013 , 202, 42-9	5.4	47
50	Irritable mood in adult major depressive disorder: results from the world mental health surveys. <i>Depression and Anxiety</i> , 2013 , 30, 395-406	8.4	11
49	Comparing the rates of mental disorders among different linguistic groups in a representative Canadian population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 195-202	4.5	6
48	Parent psychopathology and offspring mental disorders: results from the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2012 , 200, 290-9	5.4	137
47	Translation of the World Mental Health Survey Data to Policies: An Exploratory Study of Stakeholders' Perceptions of How Epidemiologic Data Can Be Utilized for Policy in the Field of Mental Health. <i>Public Health Reviews</i> , 2012 , 34,	4.3	3
46	Lifetime risk of suicidal behaviors and communication to a health professional about suicidal ideation. Results from a large survey of the French adult population. <i>Crisis</i> , 2012 , 33, 127-36	2.8	25
45	Smoking and the consumption of antidepressants, anxiolytics and hypnotic drugs: results of a large, French epidemiological study in 2005. <i>Addictive Behaviors</i> , 2011 , 36, 743-8	4.2	7
44	Factors associated with use of psychiatrists and nonpsychiatrist providers by ESEMeD respondents in six European countries. <i>Psychiatric Services</i> , 2011 , 62, 143-51	3.3	14
43	Premarital mental disorders and physical violence in marriage: cross-national study of married couples. <i>British Journal of Psychiatry</i> , 2011 , 199, 330-7	5.4	27
42	A multinational study of mental disorders, marriage, and divorce. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 124, 474-86	6.5	104
41	Parental psychopathology and the risk of suicidal behavior in their offspring: results from the World Mental Health surveys. <i>Molecular Psychiatry</i> , 2011 , 16, 1221-33	15.1	57
40	High and low suicidality in Europe: a fine-grained comparison of France and Spain within the ESEMeD surveys. <i>Journal of Affective Disorders</i> , 2011 , 133, 247-56	6.6	28
39	Measuring use of services for mental health problems in epidemiological surveys. <i>International Journal of Methods in Psychiatric Research</i> , 2011 , 20, 182-91	4.3	7

38	Treatment of suicidal people around the world. <i>British Journal of Psychiatry</i> , 2011 , 199, 64-70	5.4	212
37	Child overweight, associated psychopathology, and social functioning: a French school-based survey in 6- to 11-year-old children. <i>Obesity</i> , 2010 , 18, 809-17	8	35
36	Cross-national analysis of the associations between traumatic events and suicidal behavior: findings from the WHO World Mental Health Surveys. <i>PLoS ONE</i> , 2010 , 5, e10574	3.7	225
35	Twelve-month prevalence of and risk factors for suicide attempts in the World Health Organization World Mental Health Surveys. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1617-28	4.6	430
34	Prevalence of tobacco smoking in teachers following anti-smoking policies: results from two French surveys (1999 and 2005). <i>European Journal of Public Health</i> , 2010 , 20, 151-6	2.1	2
33	Comparing mental health of francophone populations in Canada, France, and Belgium: 12-month prevalence rates of common mental disorders (part 1). <i>Canadian Journal of Psychiatry</i> , 2010 , 55, 289-94	4.8	5
32	Comparing mental health of francophones in Canada, France, and Belgium: 12-month and lifetime rates of mental health service use (part 2). <i>Canadian Journal of Psychiatry</i> , 2010 , 55, 295-304	4.8	8
31	Seeking help for mental health problems outside the conventional health care system: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD). <i>Canadian Journal of Psychiatry</i> , 2010 , 55, 586-97	4.8	7
30	Psychiatric disorders in students in six French universities: 12-month prevalence, comorbidity, impairment and help-seeking. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 189-99	4.5	84
29	Religious advisors' role in mental health care in the European Study of the Epidemiology of Mental Disorders survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 989-98	4.5	11
28	Validity across translations of short survey psychiatric diagnostic instruments: CIDI-SF and CIS-R versus SCID-I/NP in four European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 1149-59	4.5	36
27	The associations between headaches and psychopathology: a survey in school children. <i>Headache</i> , 2010 , 50, 1537-48	4.2	12
26	Cross-national associations between gender and mental disorders in the World Health Organization World Mental Health Surveys. <i>Archives of General Psychiatry</i> , 2009 , 66, 785-95		751
25	Besoin de soins en santé mentale versus besoin de soins en psychiatrie. Approche épidémiologique. <i>Neuropsychiatrie De L'enfance Et De L'adolescence</i> , 2009 , 57, 494-501	0.3	2
24	Individual and contextual covariates of burnout: a cross-sectional nationwide study of French teachers. <i>BMC Public Health</i> , 2009 , 9, 333	4.1	55
23	Voice disorders and mental health in teachers: a cross-sectional nationwide study. <i>BMC Public Health</i> , 2009 , 9, 370	4.1	48
22	Psychological distress in first year university students: socioeconomic and academic stressors, mastery and social support in young men and women. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 643-50	4.5	106
21	Childhood psychosocial stressors and adult onset arthritis: broad spectrum risk factors and allostatic load. <i>Pain</i> , 2009 , 143, 76-83	8	71

20	Psychometric properties of the Dominic Interactive in a large French sample. <i>Canadian Journal of Psychiatry</i> , 2009 , 54, 767-76	4.8	31
19	Prevalence, risk factors, and use of health care in depression: a survey in a large region of France between 1991 and 2005. <i>Canadian Journal of Psychiatry</i> , 2009 , 54, 701-9	4.8	12
18	Use of psychoactive substances and health care in response to anxiety and depressive disorders. <i>Psychiatric Services</i> , 2009 , 60, 351-7	3.3	8
17	Paradoxical increase of positive answers to the Cut-down, Annoyed, Guilt, Eye-opener (CAGE) questionnaire during a period of decreasing alcohol consumption: results from two population-based surveys in Ile-de-France, 1991 and 2005. <i>Addiction</i> , 2008 , 103, 598-603	4.6	17
16	Psychotropic medication use in children and adolescents: a study from France. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2008 , 18, 281-9	2.9	19
15	Determinants of coprescription of anxiolytics with antidepressants in general practice. <i>Canadian Journal of Psychiatry</i> , 2008 , 53, 94-103	4.8	13
14	Main traumatic events in Europe: PTSD in the European study of the epidemiology of mental disorders survey. <i>Journal of Traumatic Stress</i> , 2008 , 21, 455-62	3.8	182
13	What makes people decide who to turn to when faced with a mental health problem? Results from a French survey. <i>BMC Public Health</i> , 2007 , 7, 188	4.1	46
12	Differences in lifetime use of services for mental health problems in six European countries. <i>Psychiatric Services</i> , 2007 , 58, 213-20	3.3	81
11	Teachers' mental health and teaching levels. <i>Teaching and Teacher Education</i> , 2007 , 23, 1177-1192	2.9	48
10	Utilisation du système de soins en santé mentale et planification. Données régionales et intrarégionales. <i>L'Encephale</i> , 2007 , 33, 157-163	2.9	1
9	Schizophrenia and quality of life: a one-year follow-up in four EU countries. <i>BMC Psychiatry</i> , 2006 , 6, 39	4.2	15
8	Do teachers have more health problems? Results from a French cross-sectional survey. <i>BMC Public Health</i> , 2006 , 6, 101	4.1	44
7	Needs for care among patients with schizophrenia in six European countries: a one-year follow-up study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006 , 2, 22	3.2	12
6	Promotion et prévention en santé mentale chez les très jeunes enfants: revue de la littérature. <i>Annales Medico-Psychologiques</i> , 2006 , 164, 183-194	0.2	5
5	A European approach to rural-urban differences in mental health: the ESEMeD 2000 comparative study. <i>Canadian Journal of Psychiatry</i> , 2005 , 50, 926-36	4.8	44
4	Mood disorders and urban/rural settings: comparisons between two French regions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 613-8	4.5	22
3	Level of positive mental health in the European Union: results from the Eurobarometer 2002 survey. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2005 , 1, 9	3.2	45

2 Mental health problems, low birthweight and academic achievement in mathematics and reading.
Current Psychology,1 1.4

1 Service Use314-323