

Hidehiko Okazawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/979249/publications.pdf>

Version: 2024-02-01

286
papers

7,876
citations

43973

48
h-index

82410

72
g-index

294
all docs

294
docs citations

294
times ranked

8606
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessing the ADC of Bone-marrow on Whole-body MR Images in Relation to the Fat-suppression Method and Fat Content. <i>Magnetic Resonance in Medical Sciences</i> , 2022, 21, 407-413.	1.1	2
2	The effects of epigenetic age and its acceleration on surface area, cortical thickness, and volume in young adults. <i>Cerebral Cortex</i> , 2022, 32, 5654-5663.	1.6	8
3	Feasibility of [¹⁸ F]FDG PET/MRI with Early-Delayed and Extended PET as One-Stop Imaging for Staging and Predicting Metastasis in Rectal Cancer. <i>Oncology</i> , 2022, 100, 212-220.	0.9	5
4	Epigenetic Clock Deceleration and Maternal Reproductive Efforts: Associations With Increasing Gray Matter Volume of the Precuneus. <i>Frontiers in Genetics</i> , 2022, 13, 803584.	1.1	5
5	Arterial spin labeling imaging for the detection of cerebral blood flow asymmetry in patients with corticobasal syndrome. <i>Neuroradiology</i> , 2022, , 1.	1.1	1
6	The Utility of Arterial Transit Time Measurement for Evaluating the Hemodynamic Perfusion State of Patients with Chronic Cerebrovascular Stenosis or Occlusive Disease: Correlative Study between MR Imaging and [¹⁵ O]-labeled H ₂ O Positron Emission Tomography. <i>Magnetic Resonance in Medical Sciences</i> , 2022, , .	1.1	4
7	Cerebral Oxidative Stress in Early Alzheimer's Disease Evaluated by ⁶⁴ Cu-ATSM PET/MRI: A Preliminary Study. <i>Antioxidants</i> , 2022, 11, 1022.	2.2	6
8	PET Imaging of Estrogen Receptors for Gynecological Tumors. <i>Clinical Nuclear Medicine</i> , 2022, 47, e481-e488.	0.7	5
9	Prognostic Value of [¹⁸ F]-Fluoro- ¹⁷ β -Estradiol PET as a Predictor of Disease Outcome in Endometrial Cancer: A Prospective Study. <i>Journal of Nuclear Medicine</i> , 2021, 62, 636-642.	2.8	15
10	Diagnostic Value of ¹⁸ F-FDG PET/MRI for Revised 2018 FIGO Staging in Patients with Cervical Cancer. <i>Diagnostics</i> , 2021, 11, 202.	1.3	14
11	Radiological perspective of COVID-19 pneumonia: The early features and progressive behaviour on high-resolution CT. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2021, 65, 208-212.	0.9	3
12	Molecular imaging for mitochondrial metabolism and oxidative stress in mitochondrial diseases and neurodegenerative disorders. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2021, 1865, 129832.	1.1	15
13	Elucidation of the relationship between sensory processing and white matter using diffusion tensor imaging tractography in young adults. <i>Scientific Reports</i> , 2021, 11, 12088.	1.6	4
14	Predictive value of ³ -deoxy- ³ - ¹⁸ F-fluorothymidine PET in the early response to anti-programmed death-1 therapy in patients with advanced non-small cell lung cancer. , 2021, 9, e003079.		5
15	¹⁸ F-Fluoroestradiol Tumor Uptake Is Influenced by Structural Components in Breast Cancer. <i>Clinical Nuclear Medicine</i> , 2021, 46, 884-889.	0.7	5
16	Acquisition count dependence of the specific binding ratio in ¹²³ I-FP-CIT SPECT. <i>Annals of Nuclear Medicine</i> , 2021, 35, 1271-1278.	1.2	1
17	Utilization of Antibody Allows Rapid Clearance of Nanoparticle Probes from Blood without the Need of Probe Modifications. <i>ACS Omega</i> , 2021, 6, 21153-21159.	1.6	1
18	Metastatic invasive lobular breast cancer presenting as linitis plastica of the colon: Tumour characterization using [¹⁸ F]FES PET/MRI. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2021, , .	0.9	1

#	ARTICLE	IF	CITATIONS
19	COVID-19 pneumonia detected by [¹⁸ F]FDG PET/MRI: a case with negative antigen test and chest X-ray results. <i>BJR case Reports</i> , 2021, 7, 20210131.	0.1	0
20	Differences in Hemodynamic Alteration between Atherosclerotic Occlusive Lesions and Moyamoya Disease: A Quantitative 15O-PET Study. <i>Diagnostics</i> , 2021, 11, 1820.	1.3	3
21	Importance of the early visual cortex and the lateral occipito-temporal cortex for the self-hand specific perspective process. <i>NeuroImage Reports</i> , 2021, 1, 100046.	0.5	0
22	ER imaging for estrogen-related tumors is bothersome but useful. <i>Journal of Nuclear Medicine</i> , 2021, , jnumed.121.263170.	2.8	0
23	Association of Epigenetic Differences Screened in a Few Cases of Monozygotic Twins Discordant for Attention-Deficit Hyperactivity Disorder With Brain Structures. <i>Frontiers in Neuroscience</i> , 2021, 15, 799761.	1.4	2
24	Relationship between sensory characteristics and cortical thickness/volume in autism spectrum disorders. <i>Translational Psychiatry</i> , 2021, 11, 616.	2.4	11
25	FDG-PET/MRI with high-resolution DWI characterises the distinct phenotypes of endometrial cancer. <i>Clinical Radiology</i> , 2020, 75, 209-215.	0.5	9
26	Comparison of diagnostic accuracy between [¹⁸ F]FDG PET/MRI and contrast-enhanced MRI in T staging for oral tongue cancer. <i>Annals of Nuclear Medicine</i> , 2020, 34, 952-959.	1.2	4
27	Diagnostic value of ¹⁸ F-FDG PET/MRI for staging in patients with endometrial cancer. <i>Cancer Imaging</i> , 2020, 20, 75.	1.2	21
28	PET Imaging for Oxidative Stress in Neurodegenerative Disorders Associated with Mitochondrial Dysfunction. <i>Antioxidants</i> , 2020, 9, 861.	2.2	25
29	Integrated [¹⁸ F]FDG PET/MRI demonstrates the iron-related bone-marrow physiology. <i>Scientific Reports</i> , 2020, 10, 13878.	1.6	9
30	Zero Echo Time-Based PET/MRI Attenuation Correction in Patients With Oral Cavity Cancer. <i>Clinical Nuclear Medicine</i> , 2020, 45, 501-505.	0.7	4
31	Intrinsic brain activity associated with eye gaze during mother-child interaction. <i>Scientific Reports</i> , 2020, 10, 18903.	1.6	6
32	Noninvasive Measurement of [¹¹ C]PiB Distribution Volume Using Integrated PET/MRI. <i>Diagnostics</i> , 2020, 10, 993.	1.3	3
33	Visual Body Part Representation in the Lateral Occipitotemporal Cortex in Children/Adolescents and Adults. <i>Cerebral Cortex Communications</i> , 2020, 1, tgaa007.	0.7	1
34	A Novel Automatic Approach for Calculation of the Specific Binding Ratio in [¹²³ I]FP-CIT SPECT. <i>Diagnostics</i> , 2020, 10, 289.	1.3	3
35	Predictive value of integrated ¹⁸ F-FDG PET/MRI in the early response to nivolumab in patients with previously treated non-small cell lung cancer. , 2020, 8, e000349.		19
36	Quantification of brain oxygen extraction and metabolism with [¹⁵ O]-gas PET: A technical review in the era of PET/MRI. <i>NeuroImage</i> , 2020, 220, 117136.	2.1	36

#	ARTICLE	IF	CITATIONS
37	Full report on a survey of adverse reactions to radiopharmaceuticals from 1975 to 2017 in Japan. <i>Annals of Nuclear Medicine</i> , 2020, 34, 299-304.	1.2	6
38	Attenuated activation of the anterior rostral medial prefrontal cortex on self-relevant social reward processing in individuals with autism spectrum disorder. <i>NeuroImage: Clinical</i> , 2020, 26, 102249.	1.4	14
39	Quantitative Evaluation of 18F-Flutemetamol PET in Patients With Cognitive Impairment and Suspected Alzheimer's Disease: A Multicenter Study. <i>Frontiers in Neurology</i> , 2020, 11, 578753.	1.1	18
40	Multimodal analysis using [11C]PiB-PET/MRI for functional evaluation of patients with Alzheimer's disease. <i>EJNMMI Research</i> , 2020, 10, 30.	1.1	17
41	Diagnostic value of [18F]FDG PET/MRI for staging in patients with ovarian cancer. <i>EJNMMI Research</i> , 2020, 10, 117.	1.1	22
42	Whole-body bone marrow DWI correlates with age, anemia, and hematopoietic activity. <i>European Journal of Radiology</i> , 2019, 118, 223-230.	1.2	11
43	Do Individuals With Autism Spectrum Disorders Help Other People With Autism Spectrum Disorders? An Investigation of Empathy and Helping Motivation in Adults With Autism Spectrum Disorder. <i>Frontiers in Psychiatry</i> , 2019, 10, 376.	1.3	14
44	Sex Differences in White Matter Pathways Related to Language Ability. <i>Frontiers in Neuroscience</i> , 2019, 13, 898.	1.4	21
45	18F-FLT PET/MRI for bone marrow failure syndrome-initial experience. <i>EJNMMI Research</i> , 2019, 9, 16.	1.1	12
46	No significant difference found in PET/MRI CBF values reconstructed with CT-atlas-based and ZTE MR attenuation correction. <i>EJNMMI Research</i> , 2019, 9, 26.	1.1	18
47	The vertebral 3-deoxy-3-18F-fluorothymidine uptake predicts the hematological toxicity after systemic chemotherapy in patients with lung cancer. <i>European Radiology</i> , 2019, 29, 3908-3917.	2.3	6
48	Local-to-distant development of the cerebocerebellar sensorimotor network in the typically developing human brain: a functional and diffusion MRI study. <i>Brain Structure and Function</i> , 2019, 224, 1359-1375.	1.2	10
49	Predictive Value of 16 β -[18F]-Fluoro-17 β -Estradiol PET as a Biomarker of Progestin Therapy Resistance in Patients With Atypical Endometrial Hyperplasia and Low-Grade Endometrial Cancer. <i>Clinical Nuclear Medicine</i> , 2019, 44, 574-575.	0.7	7
50	Count-based method for specific binding ratio calculation in [I-123]FP-CIT SPECT analysis. <i>Annals of Nuclear Medicine</i> , 2019, 33, 14-21.	1.2	7
51	Difference of neural representation of body parts between children and adults. <i>The Proceedings of the Annual Convention of the Japanese Psychological Association</i> , 2019, 83, 1A-074-1A-074.	0.0	0
52	Neural mechanism for sensory perception. <i>The Proceedings of the Annual Convention of the Japanese Psychological Association</i> , 2019, 83, 2D-041-2D-041.	0.0	0
53	PET probe detecting non-small cell lung cancer susceptible to epidermal growth factor receptor tyrosine kinase inhibitor therapy. <i>Bioorganic and Medicinal Chemistry</i> , 2018, 26, 1609-1613.	1.4	7
54	Role of PET/MRI in oral cavity and oropharyngeal cancers based on the 8th edition of the AJCC cancer staging system: a pictorial essay. <i>Annals of Nuclear Medicine</i> , 2018, 32, 239-249.	1.2	11

#	ARTICLE	IF	CITATIONS
55	Self-Face Recognition Begins to Share Active Region in Right Inferior Parietal Lobule with Proprioceptive Illusion During Adolescence. <i>Cerebral Cortex</i> , 2018, 28, 1532-1548.	1.6	22
56	CT-based attenuation correction and resolution compensation for I-123 IMP brain SPECT normal database: a multicenter phantom study. <i>Annals of Nuclear Medicine</i> , 2018, 32, 311-318.	1.2	7
57	Arterial spin labeling MR imaging for the clinical detection of cerebellar hypoperfusion in patients with spinocerebellar degeneration. <i>Journal of the Neurological Sciences</i> , 2018, 394, 58-62.	0.3	6
58	Altered perspective-dependent brain activation while viewing hands and associated imitation difficulties in individuals with autism spectrum disorder. <i>NeuroImage: Clinical</i> , 2018, 19, 384-395.	1.4	9
59	Noninvasive method for measurement of cerebral blood flow using O-15 water PET/MRI with ASL correlation. <i>European Journal of Radiology</i> , 2018, 105, 102-109.	1.2	26
60	Selected PET radiomic features remain the same. <i>Oncotarget</i> , 2018, 9, 20734-20746.	0.8	9
61	Ethnic differences in COMT genetic effects on striatal grey matter alterations associated with childhood ADHD: A voxel-based morphometry study in a Japanese sample. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 322-328.	1.3	16
62	Probing the neuronal status for cerebrovascular disease using EEG. , 2017, , .		0
63	Highly Sensitive Telomerase Assay Insusceptible to Telomerase and Polymerase Chain Reaction Inhibitors for Cervical Cancer Screening Using Scraped Cells. <i>Analytical Chemistry</i> , 2017, 89, 6948-6953.	3.2	12
64	Age-dependent atypicalities in body- and face-sensitive activation of the EBA and FFA in individuals with ASD. <i>Neuroscience Research</i> , 2017, 119, 38-52.	1.0	14
65	Self-face recognition shares brain regions active during proprioceptive illusion in the right inferior fronto-parietal superior longitudinal fasciculus III network. <i>Neuroscience</i> , 2017, 348, 288-301.	1.1	33
66	Precise Evaluation of Striatal Oxidative Stress Corrected for Severity of Dopaminergic Neuronal Degeneration in Patients with Parkinson's Disease: A Study with ^{62}Cu -ATSM PET and ^{123}I -FP-CIT SPECT. <i>European Neurology</i> , 2017, 78, 161-168.	0.6	17
67	Assessment of intratumor heterogeneity in mesenchymal uterine tumor by an ^{18}F -FDG PET/CT texture analysis. <i>Annals of Nuclear Medicine</i> , 2017, 31, 752-757.	1.2	25
68	^{18}F -FDG PET radiomics approaches: comparing and clustering features in cervical cancer. <i>Annals of Nuclear Medicine</i> , 2017, 31, 678-685.	1.2	37
69	Estimation of arterial input by a noninvasive image derived method in brain ^{15}O PET study: confirmation of arterial location using MR angiography. <i>Physics in Medicine and Biology</i> , 2017, 62, 4514-4524.	1.6	20
70	Pixel-by-pixel precise delay correction for measurement of cerebral hemodynamic parameters in $^{\text{H}}_2$ ^{15}O PET study. <i>Annals of Nuclear Medicine</i> , 2017, 31, 283-294.	1.2	8
71	A Novel Diagnostic Strategy Using $^{16}\alpha$ -[^{18}F]-Fluoro- $^{17}\beta$ -Estradiol (^{18}F -FES) PET/MRI to Achieve Complete Resection of Intravenous Leiomyomatosis in Reproductive-Age Women. <i>Clinical Nuclear Medicine</i> , 2017, 42, e335-e336.	0.7	5
72	Mitochondrial Cardiomyopathy and Usage of L-Arginine. , 2017, , 461-470.		0

#	ARTICLE	IF	CITATIONS
73	Impaired myocardial microcirculation in the flow-glucose metabolism mismatch regions in revascularized acute myocardial infarction. <i>Journal of Nuclear Cardiology</i> , 2017, 24, 1641-1650.	1.4	9
74	Molecular brain imaging evaluates the pathophysiology of stroke-like episodes in Melas. <i>Journal of the Neurological Sciences</i> , 2017, 381, 706.	0.3	0
75	Dopamine transporter imaging (DAT-SPECT) In Pisa syndrome with Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2017, 381, 729-730.	0.3	0
76	Pet neuroimaging for oxidative stress based on mitochondrial dysfunction in Neurodegenerative Diseases. <i>Journal of the Neurological Sciences</i> , 2017, 381, 260.	0.3	1
77	Development of Right-hemispheric Dominance of Inferior Parietal Lobule in Proprioceptive Illusion Task. <i>Cerebral Cortex</i> , 2017, 27, 5385-5397.	1.6	28
78	18F-FDG/18F-FES standardized uptake value ratio determined using PET predicts prognosis in uterine sarcoma. <i>Oncotarget</i> , 2017, 8, 22581-22589.	0.8	20
79	Diagnostic value of 18F-FDG PET/MRI for the detection of lymph node metastasis in gynecologic cancer. <i>Journal of Clinical Oncology</i> , 2017, 35, e17014-e17014.	0.8	0
80	Assessment of the Tumor Redox Status in Head and Neck Cancer by 62Cu-ATSM PET. <i>PLoS ONE</i> , 2016, 11, e0155635.	1.1	14
81	Arterial Transit Time Mapping Obtained by Pulsed Continuous 3D ASL Imaging with Multiple Post-Label Delay Acquisitions: Comparative Study with PET-CBF in Patients with Chronic Occlusive Cerebrovascular Disease. <i>PLoS ONE</i> , 2016, 11, e0156005.	1.1	43
82	Different Prognostic Implications of 18F-FDG PET Between Histological Subtypes in Patients With Cervical Cancer. <i>Medicine (United States)</i> , 2016, 95, e3017.	0.4	18
83	Oxytocin efficacy is modulated by dosage and oxytocin receptor genotype in young adults with high-functioning autism: a 24-week randomized clinical trial. <i>Translational Psychiatry</i> , 2016, 6, e872-e872.	2.4	96
84	Cerebral hyperperfusion syndrome resulting in subarachnoid hemorrhage after carotid artery stenting. <i>Annals of Nuclear Medicine</i> , 2016, 30, 669-674.	1.2	5
85	Metabolic tumor burden predicts prognosis of ovarian cancer patients who receive platinum-based adjuvant chemotherapy. <i>Cancer Science</i> , 2016, 107, 478-485.	1.7	30
86	Gazefinder as a clinical supplementary tool for discriminating between autism spectrum disorder and typical development in male adolescents and adults. <i>Molecular Autism</i> , 2016, 7, 19.	2.6	51
87	Neural correlates of emotion processing during observed self-face recognition in individuals with autism spectrum disorders. <i>Research in Autism Spectrum Disorders</i> , 2016, 26, 16-32.	0.8	9
88	Metabolic tumor burden predicts prognosis of ovarian cancer patients who receive platinum-based adjuvant chemotherapy after cytoreductive surgery outcome. <i>Journal of Clinical Oncology</i> , 2016, 34, e17100-e17100.	0.8	0
89	Intrathoracic Benign Goiter Imaged by 18F-FDG-PET. <i>Medicine (United States)</i> , 2015, 94, e1387.	0.4	1
90	Sex Differences in the Default Mode Network with Regard to Autism Spectrum Traits: A Resting State fMRI Study. <i>PLoS ONE</i> , 2015, 10, e0143126.	1.1	31

#	ARTICLE	IF	CITATIONS
91	Autistic empathy toward autistic others. <i>Social Cognitive and Affective Neuroscience</i> , 2015, 10, 145-152.	1.5	28
92	The co-occurrence of zinc deficiency and social isolation has the opposite effects on mood compared with either condition alone due to changes in the central norepinephrine system. <i>Behavioural Brain Research</i> , 2015, 284, 125-130.	1.2	11
93	Evaluation of staging and early response to chemotherapy with whole-body diffusion-weighted MRI in malignant lymphoma patients: A comparison with FDG-PET/CT. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 1601-1607.	1.9	28
94	Increased oxidative stress is related to disease severity in the ALS motor cortex. <i>Neurology</i> , 2015, 84, 2033-2039.	1.5	105
95	Prognostic Value of Dual-Time-Point ¹⁸ F-FDG PET for Idiopathic Pulmonary Fibrosis. <i>Journal of Nuclear Medicine</i> , 2015, 56, 1869-1875.	2.8	33
96	Predictive Value of Early-Stage Uptake of ³ -Deoxy- ¹⁸ F-Fluorothymidine in Cancer Cells Treated with Charged Particle Irradiation. <i>Journal of Nuclear Medicine</i> , 2015, 56, 945-950.	2.8	7
97	Reduced visual cortex grey matter volume in children and adolescents with reactive attachment disorder. <i>NeuroImage: Clinical</i> , 2015, 9, 13-19.	1.4	28
98	Comparison of image quality with ⁶² Cu and ⁶⁴ Cu-labeled radiotracers in positron emission tomography whole-body phantom imaging. <i>Hellenic Journal of Nuclear Medicine</i> , 2015, 18, 103-7.	0.2	3
99	Depressive mood modulates the anterior lateral CA1 and DG/CA3 during a pattern separation task in cognitively intact individuals: A functional MRI study. <i>Hippocampus</i> , 2014, 24, 214-224.	0.9	33
100	Neuronal plasticity in depressive or manic states – New assessment of our hypothesis: Mania is an extension of depression from the perspective of neuronal plasticity. <i>Medical Hypotheses</i> , 2014, 83, 845-846.	0.8	0
101	Attenuation of the contingency detection effect in the extrastriate body area in autism spectrum disorder. <i>Neuroscience Research</i> , 2014, 87, 66-76.	1.0	19
102	Diagnosis of Complex Renal Cystic Masses and Solid Renal Lesions Using PET Imaging. <i>Clinical Nuclear Medicine</i> , 2014, 39, e208-e214.	0.7	23
103	Assessing Tumor Hypoxia in Head and Neck Cancer by PET With ⁶² Cu-Diacetyl-Bis(N4-Methylthiosemicarbazone). <i>Clinical Nuclear Medicine</i> , 2014, 39, 1027-1032.	0.7	22
104	Pathophysiological Decrease in the Regional Cerebral Blood Flow in Hashimoto's Encephalopathy: A Multiple-Case SPECT Study. <i>European Neurology</i> , 2014, 72, 13-19.	0.6	15
105	MP29-12 PRECLINICAL ASSESSMENT OF EARLY THERAPEUTIC EFFECT OF SUNITINIB ON RENAL CELL CARCINOMA USING ¹⁸ F-FLUOROTHYIMIDINE POSITRON EMISSION TOMOGRAPHY IN A XENOGRAFT MODEL. <i>Journal of Urology</i> , 2014, 191, .	0.2	0
106	Default mode network in young male adults with autism spectrum disorder: Relationship with autism spectrum traits. <i>International Journal of Psychophysiology</i> , 2014, 94, 212.	0.5	2
107	Default mode network in young male adults with autism spectrum disorder: relationship with autism spectrum traits. <i>Molecular Autism</i> , 2014, 5, 35.	2.6	120
108	Clinical Significance of 3D-MRI/ ¹⁸ F-FDG PET Fusion Imaging of Patients with Cervical Compressive Myelopathy. , 2014, , 367-376.		0

#	ARTICLE	IF	CITATIONS
109	Brain imaging for oxidative stress and mitochondrial dysfunction in neurodegenerative diseases. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2014, 58, 387-97.	0.4	22
110	Episodic memory retrieval for story characters in high-functioning autism. Molecular Autism, 2013, 4, 20.	2.6	11
111	Reverse blood flow-glucose metabolism mismatch indicates preserved oxygen metabolism in patients with revascularised myocardial infarction. European Journal of Nuclear Medicine and Molecular Imaging, 2013, 40, 1155-1162.	3.3	16
112	Region-specific causal mechanism in the effects of ammonia on cerebral glucose metabolism in the rat brain. Journal of Neural Transmission, 2013, 120, 375-382.	1.4	4
113	Mania: Not the opposite of depression, but an extension? Neuronal plasticity and polarity. Medical Hypotheses, 2013, 81, 175-179.	0.8	11
114	Cerebrovascular Disease and PET. , 2013, , 175-185.		0
115	Beneficial early effects of statin treatment on coronary microvascular dysfunction and left ventricular remodeling in patients with acute anterior myocardial infarctions. European Heart Journal, 2013, 34, P2225-P2225.	1.0	0
116	18F-Fluorothymidine PET Is a Potential Predictive Imaging Biomarker of the Response to Gemcitabine-Based Chemotherapeutic Treatment for Recurrent Ovarian Cancer. Clinical Nuclear Medicine, 2013, 38, 560-563.	0.7	15
117	18F-FES and 18F-FDG PET for Differential Diagnosis and Quantitative Evaluation of Mesenchymal Uterine Tumors: Correlation with Immunohistochemical Analysis. Journal of Nuclear Medicine, 2013, 54, 499-506.	2.8	63
118	Imaging the early response to chemotherapy in advanced lung cancer with diffusion-weighted magnetic resonance imaging compared to fluorine-18 fluorodeoxyglucose positron emission tomography and computed tomography. Journal of Magnetic Resonance Imaging, 2013, 38, 80-88.	1.9	32
119	¹⁸ F-FDG PET/CT for Diagnosis of Osteosclerotic and Osteolytic Vertebral Metastatic Lesions: Comparison with Bone Scintigraphy. Asian Spine Journal, 2013, 7, 96.	0.8	30
120	Oestrogen-related tumour phenotype: positron emission tomography characterisation with ¹⁸ F-FDG and ¹⁸ F-FES. British Journal of Radiology, 2012, 85, 1020-1024.	1.0	4
121	Cerebral Oxygen Metabolism of Rats using Injectable ¹⁵ O-Oxygen with a Steady-State Method. Journal of Cerebral Blood Flow and Metabolism, 2012, 32, 33-40.	2.4	19
122	Positron Emission Tomography Radiopharmaceuticals for Sex Steroid Hormone Receptor Imaging. Current Medicinal Chemistry, 2012, 19, 3266-3270.	1.2	6
123	Emotional responses associated with self-face processing in individuals with autism spectrum disorders: An fMRI study. Social Neuroscience, 2012, 7, 223-239.	0.7	38
124	Is misery perfusion still a predictor of stroke in symptomatic major cerebral artery disease?. Brain, 2012, 135, 2515-2526.	3.7	113
125	Appropriate parameters of the ordered-subset expectation maximization algorithm on measurement of myocardial blood flow and oxygen consumption with ¹¹ C-acetate PET. Nuclear Medicine Communications, 2012, 33, 130-138.	0.5	1
126	Different Distribution of ⁶² Cu ATSM and ¹⁸ F-FDG in Head and Neck Cancers. Clinical Nuclear Medicine, 2012, 37, 252-257.	0.7	19

#	ARTICLE	IF	CITATIONS
127	Effect of dietary zinc deficiency on ischemic vulnerability of the brain. <i>Neuroscience Letters</i> , 2012, 531, 10-13.	1.0	9
128	Radiolabeled Cu-ATSM as a novel indicator of overreduced intracellular state due to mitochondrial dysfunction: studies with mitochondrial DNA-less λ cells and cybrids carrying MELAS mitochondrial DNA mutation. <i>Nuclear Medicine and Biology</i> , 2012, 39, 177-185.	0.3	65
129	Relationship between microcirculatory dysfunction and resolution of ST-segment elevation in the early phase after primary angioplasty in patients with ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2012, 159, 144-149.	0.8	7
130	Beneficial effects of statin treatment on coronary microvascular dysfunction and left ventricular remodeling in patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2012, 155, 442-447.	0.8	23
131	In vivo functional brain imaging and a therapeutic trial of l-arginine in MELAS patients. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2012, 1820, 615-618.	1.1	25
132	Transport mechanism of ^{11}C -labeled L- and D-methionine in human-derived tumor cells. <i>Nuclear Medicine and Biology</i> , 2012, 39, 1213-1218.	0.3	20
133	Clinical significance of MRI/ ^{18}F -FDG PET fusion imaging of the spinal cord in patients with cervical compressive myelopathy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 1528-1537.	3.3	12
134	Hard to $\hat{=}$ tune in $\hat{=}$ neural mechanisms of live face-to-face interaction with high-functioning autistic spectrum disorder. <i>Frontiers in Human Neuroscience</i> , 2012, 6, 268.	1.0	76
135	Acute hyperglycemia causes microvascular damage, leading to poor functional recovery and remodeling in patients with reperfused ST-segment elevation myocardial infarction. <i>Journal of Nuclear Cardiology</i> , 2012, 19, 507-514.	1.4	7
136	Increased glucose metabolism by FDG-PET correlates with reduced tumor angiogenesis in oral squamous cell carcinoma. <i>Odontology / the Society of the Nippon Dental University</i> , 2012, 100, 87-94.	0.9	2
137	The EBA dysfunction in the ASD; as a $\hat{=}$ comparator $\hat{=}$ of self and other's action during reciprocal imitation. <i>Neuroscience Research</i> , 2011, 71, e386-e387.	1.0	0
138	Inhibition load changes the brain activation irrespective of attentional differences: A functional magnetic resonance imaging study. <i>Neuroscience Research</i> , 2011, 71, e381.	1.0	0
139	Internal radiotherapy with copper-64-diacetyl-bis (N4-methylthiosemicarbazone) reduces CD133+ highly tumorigenic cells and metastatic ability of mouse colon carcinoma. <i>Nuclear Medicine and Biology</i> , 2011, 38, 151-157.	0.3	54
140	New radiosynthesis of 2-deoxy-2- ^{18}F fluoroacetamido-d-glucopyranose and its evaluation as a bacterial infections imaging agent. <i>Nuclear Medicine and Biology</i> , 2011, 38, 807-817.	0.3	25
141	Evaluation of striatal oxidative stress in patients with Parkinson's disease using ^{62}Cu ATSM PET. <i>Nuclear Medicine and Biology</i> , 2011, 38, 945-951.	0.3	89
142	Differential amygdala response to lower face in patients with autistic spectrum disorders: An fMRI study. <i>Research in Autism Spectrum Disorders</i> , 2011, 5, 910-919.	0.8	10
143	Role of PET/CT in Gynecological Tumors Based on the Revised FIGO Staging Classification. <i>Clinical Nuclear Medicine</i> , 2011, 36, e114-e118.	0.7	13
144	Brain Regional ^{11}C Methyl-L-Tryptophan Trapping in Medication-Free Patients With Obsessive-Compulsive Disorder. <i>Archives of General Psychiatry</i> , 2011, 68, 732.	13.8	25

#	ARTICLE	IF	CITATIONS
145	Kikuchi-Fujimoto Disease. <i>Clinical Nuclear Medicine</i> , 2011, 36, 661-664.	0.7	26
146	Prognostic value of dual-time-point ¹⁸ F-fluorodeoxyglucose positron emission tomography in patients with pulmonary sarcoidosis. <i>Respirology</i> , 2011, 16, 713-720.	1.3	36
147	Development of an H ₂ ¹⁵ O Steady-State Method Combining a Bolus and Slow Increasing Injection with a Multiprogramming Syringe Pump. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 527-534.	2.4	6
148	Functional oestrogen receptor β imaging in endometrial carcinoma using ¹⁶ β -[¹⁸ F]fluoro- ¹⁷ β -oestradiol PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 37-45.	3.3	41
149	Feasibility of ⁶² Cu-ATSM PET for evaluation of brain ischaemia and misery perfusion in patients with cerebrovascular disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1075-1082.	3.3	26
150	Additional value of ¹⁶ β -[¹⁸ F]fluoro- ¹⁷ β -oestradiol PET for differential diagnosis between uterine sarcoma and leiomyoma in patients with positive or equivocal findings on [¹⁸ F]fluorodeoxyglucose PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1824-1831.	3.3	46
151	Assessment of Therapeutic Effect of Sunitinib by ¹¹ C-Acetate PET Compared with FDG PET Imaging in a Patient with Metastatic Renal Cell Carcinoma. <i>Nuclear Medicine and Molecular Imaging</i> , 2011, 45, 217-219.	0.6	6
152	The use of nanoimprinted scaffolds as 3D culture models to facilitate spontaneous tumor cell migration and well-regulated spheroid formation. <i>Biomaterials</i> , 2011, 32, 6052-6058.	5.7	110
153	Comparison of the transcellular transport of FDG and D-glucose by the kidney epithelial cell line, LLC-PK1. <i>Nuclear Medicine Communications</i> , 2010, 31, 141-146.	0.5	13
154	Abnormal Myocardial Energy-Production State in Mitochondrial Cardiomyopathy and Acute Response to L-Arginine Infusion - C- ¹¹ Acetate Kinetics Revealed by Positron Emission Tomography -. <i>Circulation Journal</i> , 2010, 74, 2702-2711.	0.7	30
155	Clinical implication and prognosis of normal baseline cerebral blood flow with impaired vascular reserve in patients with major cerebral artery occlusive disease. <i>Annals of Nuclear Medicine</i> , 2010, 24, 371-377.	1.2	21
156	Pathophysiologic evaluation of MELAS strokes by serially quantified MRS and CASL perfusion images. <i>Brain and Development</i> , 2010, 32, 143-149.	0.6	46
157	“Stay Tuned” Inter-Individual Neural Synchronization During Mutual Gaze and Joint Attention. <i>Frontiers in Integrative Neuroscience</i> , 2010, 4, 127.	1.0	196
158	Stress-Evoked Tyrosine Phosphorylation of Signal Regulatory Protein β Regulates Behavioral Immobility in the Forced Swim Test. <i>Journal of Neuroscience</i> , 2010, 30, 10472-10483.	1.7	41
159	2040 ¹¹ C-ACETATE PET IMAGING OF RECURRENT PROSTATE CANCER AFTER RADICAL PROSTATECTOMY: DETECTION OF RECURRENT DISEASE UNDER PSA OF 3.0 NG/ML. <i>Journal of Urology</i> , 2010, 183, .	0.2	3
160	Smaller insula and inferior frontal volumes in young adults with pervasive developmental disorders. <i>NeuroImage</i> , 2010, 50, 1357-1363.	2.1	92
161	An fMRI study of self-evaluation process in individuals with pervasive developmental disorders. <i>Neuroscience Research</i> , 2010, 68, e203.	1.0	0
162	Neuroprotective effect of ketone bodies against hypoxia and ischemia in rat brain slices: A study using the glucose metabolic rate measured with dynamic positron autoradiography. <i>Neuroscience Research</i> , 2010, 68, e208.	1.0	1

#	ARTICLE	IF	CITATIONS
163	Automatic labeling method for injectable ¹⁵ O-oxygen using hemoglobin-containing liposome vesicles and its application for measurement of brain oxygen consumption by PET. <i>Nuclear Medicine and Biology</i> , 2010, 37, 77-83.	0.3	20
164	Copper-64-diacetyl-bis (N4-methylthiosemicarbazone) accumulates in rich regions of CD133+ highly tumorigenic cells in mouse colon carcinoma. <i>Nuclear Medicine and Biology</i> , 2010, 37, 395-404.	0.3	42
165	Whole-Body Diffusion-Weighted Magnetic Resonance Imaging Is a New Sensitive Non-Invasive Method for Staging and Monitoring Chemotherapy Response of Malignant Lymphoma Including Indolent Lymphoma Compared with FDG-PET/CT. <i>Blood</i> , 2010, 116, 4147-4147.	0.6	0
166	Functional Images Reflect Aggressiveness of Endometrial Carcinoma: Estrogen Receptor Expression Combined with ¹⁸ F-FDG PET. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1598-1604.	2.8	66
167	The Effectiveness of ¹⁸ F-FDG PET/CT Combined with STIR MRI for Diagnosing Nodal Involvement in the Thorax. <i>Journal of Nuclear Medicine</i> , 2009, 50, 81-87.	2.8	47
168	Effects of Alendronate on Bone Metabolism in Glucocorticoid-Induced Osteoporosis Measured by ¹⁸ F-Fluoride PET: A Prospective Study. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1808-1814.	2.8	86
169	Pathophysiologic Correlation Between ⁶² Cu-ATSM and ¹⁸ F-FDG in Lung Cancer. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1948-1953.	2.8	69
170	Clinical impact of hemodynamic parameter measurement for cerebrovascular disease using positron emission tomography and ¹⁵ O-labeled tracers. <i>Annals of Nuclear Medicine</i> , 2009, 23, 217-227.	1.2	25
171	Vasodilatory effect of adenosine triphosphate does not change cerebral blood flow: a PET study with ¹⁵ O-water. <i>Annals of Nuclear Medicine</i> , 2009, 23, 717-723.	1.2	4
172	¹¹ C-Acetate PET imaging for renal cell carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 422-427.	3.3	58
173	Usefulness of ¹⁸ F-fluorodeoxyglucose positron emission tomography for diagnosing disease activity and monitoring therapeutic response in patients with pulmonary mycobacteriosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 632-639.	3.3	110
174	Dual-time-point ¹⁸ F-FDG PET imaging for diagnosis of disease type and disease activity in patients with idiopathic interstitial pneumonia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 1121-1130.	3.3	49
175	Positron emission tomography in ovarian cancer: ¹⁸ F-deoxy-glucose and ¹⁶ ±- ¹⁸ F-fluoro- ¹⁷ ²-estradiol PET. <i>Journal of Ovarian Research</i> , 2009, 2, 7.	1.3	31
176	Cytosolic acetyl-CoA synthetase affected tumor cell survival under hypoxia: the possible function in tumor acetyl-CoA/acetate metabolism. <i>Cancer Science</i> , 2009, 100, 821-827.	1.7	96
177	Neurological Improvement Associated with Resolution of Irradiation-Induced Myelopathy: Serial Magnetic Resonance Imaging and Positron Emission Tomography Findings. <i>Journal of Neuroimaging</i> , 2009, 19, 274-276.	1.0	22
178	Preparation and evaluation of ethyl [¹⁸ F]fluoroacetate as a praradiotracer of [¹⁸ F]fluoroacetate for the measurement of glial metabolism by PET. <i>Nuclear Medicine and Biology</i> , 2009, 36, 155-162.	0.3	13
179	Measurement of glucose metabolism in rat spinal cord slices with dynamic positron autoradiography. <i>Nuclear Medicine and Biology</i> , 2009, 36, 183-189.	0.3	1
180	Development of microwave-based automated nucleophilic [¹⁸ F]fluorination system and its application to the production of [¹⁸ F]flumazenil. <i>Nuclear Medicine and Biology</i> , 2009, 36, 403-409.	0.3	24

#	ARTICLE	IF	CITATIONS
181	Tumor uptake of radiolabeled acetate reflects the expression of cytosolic acetyl-CoA synthetase: implications for the mechanism of acetate PET. <i>Nuclear Medicine and Biology</i> , 2009, 36, 771-777.	0.3	44
182	Validation of the calculation of the clearance rate constant (k _{mono}) of [11C]acetate using parametric k _{mono} image for myocardial oxidative metabolism. <i>Nuclear Medicine and Biology</i> , 2009, 36, 877-882.	0.3	6
183	Relationship Between Plasma Leptin Level and Brain Structure in Elderly: A Voxel-Based Morphometric Study. <i>Biological Psychiatry</i> , 2009, 65, 992-994.	0.7	51
184	PET imaging of redox and energy states in stroke-like episodes of MELAS. <i>Mitochondrion</i> , 2009, 9, 144-148.	1.6	77
185	11 C-ACETATE PET IMAGING FOR COMPLICATED RENAL CYSTS. <i>Journal of Urology</i> , 2009, 181, 778-778.	0.2	0
186	High-Resolution Magnetic Resonance Imaging and 18FDG-PET Findings of the Cervical Spinal Cord Before and After Decompressive Surgery in Patients With Compressive Myelopathy. <i>Spine</i> , 2009, 34, 1185-1191.	1.0	23
187	Differences in early-phase tracer distribution in lung between 11C-acetate and 13N-ammonia. <i>Nuclear Medicine Communications</i> , 2009, 30, 343-349.	0.5	0
188	Assessment of Fluorodeoxyglucose Uptake by Leiomyomas in Relation to Histopathologic Subtype and the Menstrual State. <i>Journal of Computer Assisted Tomography</i> , 2009, 33, 877-881.	0.5	4
189	Measurement of Cerebral Blood Flow Using H215O PET and Its Clinical Application. <i>Radioisotopes</i> , 2009, 58, 209-219.	0.1	0
190	Reproducibility of Semi-quantitative Parameters in FDG-PET Using Two Different PET Scanners: Influence of Attenuation Correction Method and Examination Interval. <i>Molecular Imaging and Biology</i> , 2008, 10, 162-166.	1.3	32
191	Distinctive FDG and FES accumulation pattern of two tamoxifen-treated patients with endometrial hyperplasia. <i>Annals of Nuclear Medicine</i> , 2008, 22, 73-77.	1.2	12
192	Does partial volume corrected maximum SUV based on count recovery coefficient in 3D-PET/CT correlate with clinical aggressiveness of non-Hodgkin's lymphoma?. <i>Annals of Nuclear Medicine</i> , 2008, 22, 23-30.	1.2	18
193	FDG positron emission tomography imaging of drug-induced pneumonitis. <i>Annals of Nuclear Medicine</i> , 2008, 22, 335-338.	1.2	17
194	Effects of Acute and Chronic Administration of the Serotonin1A Agonist Buspirone on Serotonin Synthesis in the Rat Brain. <i>Journal of Neurochemistry</i> , 2008, 72, 2022-2031.	2.1	73
195	¹¹ C-ACETATE PET IMAGING IN RENAL TUMOR. <i>Journal of Urology</i> , 2008, 179, 376-376.	0.2	0
196	Relationship between impaired microvascular function in the non-infarct-related area and left-ventricular remodeling in patients with myocardial infarction. <i>International Journal of Cardiology</i> , 2008, 126, 366-373.	0.8	14
197	Grading of brain glioma with 1-11C-acetate PET: comparison with 18F-FDG PET. <i>Nuclear Medicine and Biology</i> , 2008, 35, 171-176.	0.3	71
198	Evaluation of Dual-Time-Point 18F-FDG PET for Staging in Patients with Lung Cancer. <i>Journal of Nuclear Medicine</i> , 2008, 49, 1606-1612.	2.8	59

#	ARTICLE	IF	CITATIONS
199	Shorter Examination Method for the Diagnosis of Misery Perfusion with Count-Based Oxygen Extraction Fraction Elevation in ^{15}O -Gas PET. <i>Journal of Nuclear Medicine</i> , 2008, 49, 242-246.	2.8	12
200	Comparison of ^{18}F -FDG PET and MRI in Assessment of Uterine Smooth Muscle Tumors. <i>Journal of Nuclear Medicine</i> , 2008, 49, 708-712.	2.8	26
201	Uterine Tumors: Pathophysiologic Imaging with ^{16}O - ^{18}F fluoro- ^{17}O -estradiol and ^{18}F Fluorodeoxyglucose PET—Initial Experience. <i>Radiology</i> , 2008, 248, 599-605.	3.6	78
202	^{18}F -FDG PET of Common Enhancing Malignant Brain Tumors. <i>American Journal of Roentgenology</i> , 2008, 190, W365-W369.	1.0	123
203	Automatic Synthesis of Ethyl [^{18}F]Fluoroacetate and its First PET Imaging. , 2008, , .		0
204	Simple quantification of myocardial perfusion by pixel-by-pixel graphical analysis using carbon-11 acetate: comparison of the K-complexes of carbon-11 acetate and nitrogen-13 ammonia. <i>Nuclear Medicine Communications</i> , 2008, 29, 679-685.	0.5	9
205	In vivo imaging of estrogen receptor concentration in the endometrium and myometrium using FES PET— influence of menstrual cycle and endogenous estrogen level. <i>Nuclear Medicine and Biology</i> , 2007, 34, 205-210.	0.3	31
206	The positron emission tomography with ^{18}F estradiol has the potential to benefit diagnosis and treatment of endometrial cancer. <i>Gynecologic Oncology</i> , 2007, 104, 764-766.	0.6	33
207	Can the detection of misery perfusion in chronic cerebrovascular disease be based on reductions in baseline CBF and vasoreactivity?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 121-129.	3.3	24
208	A ^{18}F -FDG-positive, ^{67}Ga -negative, and transferrin receptor expression-negative patient with diffuse large B-cell lymphoma. <i>Annals of Nuclear Medicine</i> , 2007, 21, 375-378.	1.2	6
209	Focal Glucose Hypermetabolism in Interictal State of West Syndrome. <i>Pediatric Neurology</i> , 2006, 34, 47-50.	1.0	4
210	Effects of 5-HT _{1B/1D} Receptor Agonist Rizatriptan on Cerebral Blood Flow and Blood Volume in Normal Circulation. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2006, 26, 92-98.	2.4	18
211	Comparative assessment of ^{18}F -fluorodeoxyglucose PET and $^{99\text{m}}\text{Tc}$ -tetrofosmin SPECT for the prediction of functional recovery in patients with reperfused acute myocardial infarction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 879-886.	3.3	15
212	CD47 Promotes Neuronal Development through Src- and FRG/Vav2-Mediated Activation of Rac and Cdc42. <i>Journal of Neuroscience</i> , 2006, 26, 12397-12407.	1.7	73
213	Diagnosis of misery perfusion using noninvasive ^{15}O -gas PET. <i>Journal of Nuclear Medicine</i> , 2006, 47, 1581-6.	2.8	8
214	Altered patterns of blood flow response during visual stimulation in carotid artery occlusive disease. <i>NeuroImage</i> , 2005, 25, 554-560.	2.1	5
215	Relationship between misery perfusion and vasodilatory capacity assessed by acetazolamide test in patients with cerebrovascular disease. <i>Nosotchu</i> , 2005, 27, 643-647.	0.0	1
216	Pattern of collaterals, type of infarcts, and haemodynamic impairment in carotid artery occlusion. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 1697-1701.	0.9	81

#	ARTICLE	IF	CITATIONS
217	Incremental Benefits of FDG Positron Emission Tomography over CT Alone for the Preoperative Staging of Ovarian Cancer. <i>American Journal of Roentgenology</i> , 2004, 182, 227-233.	1.0	155
218	Metabolic monitoring of advanced uterine cervical cancer neoadjuvant chemotherapy by using [F-18]-Fluorodeoxyglucose positron emission tomography: preliminary results in three patients. <i>Gynecologic Oncology</i> , 2004, 95, 597-602.	0.6	36
219	Database of normal human cerebral blood flow, cerebral blood volume, cerebral oxygen extraction fraction and cerebral metabolic rate of oxygen measured by positron emission tomography with 15 O-labelled carbon dioxide or water, carbon monoxide and oxygen: a multicentre study in Japan. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 635-643.	3.3	153
220	Expression of GLUT-1 glucose transfer, cellular proliferation activity and grade of tumor correlate with [F-18]-fluorodeoxyglucose uptake by positron emission tomography in epithelial tumors of the ovary. <i>International Journal of Cancer</i> , 2004, 109, 926-932.	2.3	146
221	Detection of interstitial clusters in neutron irradiated Ni ⁶³ Hf alloy by perturbed angular correlation and positron annihilation lifetime measurements. <i>Journal of Nuclear Materials</i> , 2004, 329-333, 967-970.	1.3	9
222	A simplified autoradiographic method with [¹⁴ C]methyl-tryptophan to measure serotonin synthesis rate in the rat brain. <i>Nuclear Medicine and Biology</i> , 2004, 31, 1013-1019.	0.3	0
223	Measurement of arterial part of vascular volume (V _O) for the evaluation of hemodynamic changes in cerebrovascular disease. <i>International Congress Series</i> , 2004, 1265, 218-227.	0.2	0
224	Evaluation of Positron Emission Tomography With Tracer 18-Fluorodeoxyglucose in Addition to Magnetic Resonance Imaging in the Diagnosis of Ovarian Cancer in Selected Women After Ultrasonography. <i>Journal of Computer Assisted Tomography</i> , 2004, 28, 505-516.	0.5	41
225	Effects of Metabolite Correction for Arterial Input Function on Quantitative Receptor Images With 11C-Flumazenil in Clinical Positron Emission Tomography Studies. <i>Journal of Computer Assisted Tomography</i> , 2004, 28, 428-435.	0.5	16
226	Measurement of Brain Regional [¹¹ C]Methyl-L-Tryptophan Trapping as a Measure of Serotonin Synthesis in Medication-Free Patients With Major Depression. <i>Archives of General Psychiatry</i> , 2004, 61, 556.	13.8	116
227	Oxygen extraction fraction and acetazolamide reactivity in symptomatic carotid artery disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 33-7.	0.9	21
228	The effect of deafferentation on cerebral blood flow response to acetazolamide. <i>American Journal of Neuroradiology</i> , 2004, 25, 92-6.	1.2	7
229	[¹¹ C]-Methyl-L-tryptophan PET identifies the epileptogenic tuber and correlates with interictal spike frequency. <i>Epilepsy Research</i> , 2003, 52, 203-213.	0.8	79
230	The effect of acetazolamide on the changes of cerebral blood flow and oxygen metabolism during visual stimulation. <i>NeuroImage</i> , 2003, 20, 543-549.	2.1	14
231	Differences in vasodilatory capacity and changes in cerebral blood flow induced by acetazolamide in patients with cerebrovascular disease. <i>Journal of Nuclear Medicine</i> , 2003, 44, 1371-8.	2.8	12
232	Relationship between vasodilatation and cerebral blood flow increase in impaired hemodynamics: a PET study with the acetazolamide test in cerebrovascular disease. <i>Journal of Nuclear Medicine</i> , 2003, 44, 1875-83.	2.8	21
233	Changes in Blood Flow and Oxygen Metabolism During Visual Stimulation in Carotid Artery Disease. <i>Stroke</i> , 2002, 33, 1294-1300.	1.0	8
234	Autosomal dominant epilepsy with febrile seizures plus with missense mutations of the (Na ⁺)-channel β 1 subunit gene, SCN1A. <i>Epilepsy Research</i> , 2002, 48, 15-23.	0.8	74

#	ARTICLE	IF	CITATIONS
235	Reduced blood flow response to acetazolamide reflects pre-existing vasodilation and decreased oxygen metabolism in major cerebral arterial occlusive disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2002, 29, 1349-1356.	3.3	9
236	Delay and Dispersion Correction for a New Coincidental Radioactivity Detector, Pico-Count, in Quantitative PET Studies. , 2002, , 15-21.		4
237	Quantitative evaluation of myocardial blood flow and ejection fraction with a single dose of (13)NH(3) and Gated PET. <i>Journal of Nuclear Medicine</i> , 2002, 43, 999-1005.	2.8	24
238	Localizing value of $\hat{I}\pm$ -methyl- $\langle scp \rangle L \langle /scp \rangle$ -tryptophan PET in intractable epilepsy of neocortical origin. <i>Neurology</i> , 2001, 57, 1629-1636.	1.5	100
239	Quantitative Comparison of the Bolus and Steady-State Methods for Measurement of Cerebral Perfusion and Oxygen Metabolism: Positron Emission Tomography Study Using 15O-Gas and Water. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001, 21, 793-803.	2.4	64
240	Effects of Acetazolamide on Cerebral Blood Flow, Blood Volume, and Oxygen Metabolism: A Positron Emission Tomography Study with Healthy Volunteers. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001, 21, 1472-1479.	2.4	103
241	Reduction in serotonin synthesis following acute and chronic treatments with paroxetine, a selective serotonin reuptake inhibitor, in rat brain: an autoradiographic study with $\hat{I}\pm$ -[14 C]methyl- l -tryptophan 2 2Abbreviations: 5-HT, serotonin, 5-hydroxytryptamine; $\hat{I}\pm$ -[14C]MTrp, $\hat{I}\pm$ -[14C]methyl-l-tryptophan; SSRI, selective serotonin reuptake inhibitor; and $\hat{I}\pm$ -[14C]M5HT, $\hat{I}\pm$ -[14C]methyl-5-HT. <i>Biochemical Pharmacology</i> , 2001, 62, 1491-1499.	2.0	26
242	Brain Regional $\hat{I}\pm$ -[11C]Methyl-l-Tryptophan Trapping in Impulsive Subjects With Borderline Personality Disorder. <i>American Journal of Psychiatry</i> , 2001, 158, 775-782.	4.0	217
243	Effect of vascular radioactivity on regional values of cerebral blood flow: evaluation of methods for H(2)(15)O PET to distinguish cerebral perfusion from blood volume. <i>Journal of Nuclear Medicine</i> , 2001, 42, 1032-9.	2.8	10
244	Long-term changes of hemodynamics and metabolism after carotid artery occlusion. <i>Neurology</i> , 2000, 54, 2095-2102.	1.5	37
245	Statistical mapping analysis of serotonin synthesis images generated in healthy volunteers using positron-emission tomography and alpha-[11C]methyl-L-tryptophan. <i>Journal of Psychiatry and Neuroscience</i> , 2000, 25, 359-70.	1.4	31
246	Selective Cerebral Hematocrit Decrease in the Centrum Semiovale after Carotid Artery Occlusion: A PET Study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999, 19, 109-114.	2.4	12
247	Correspondence. <i>Neuropsychopharmacology</i> , 1999, 21, 153-155.	2.8	14
248	A Decrease in Regional Cerebral Blood Volume and Hematocrit in Crossed Cerebellar Diaschisis. <i>Stroke</i> , 1999, 30, 1429-1431.	1.0	17
249	Validation of a Less-Invasive Method for Measurement of Serotonin Synthesis Rate with $\hat{I}\pm$ -[11C]Methyl-Tryptophan. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998, 18, 1121-1129.	2.4	38
250	Cerebral Hematocrit Decreases With Hemodynamic Compromise in Carotid Artery Occlusion. <i>Stroke</i> , 1998, 29, 98-103.	1.0	31
251	Image Generation of Serotonin Synthesis Rates Using $\hat{I}\pm$ -Methyltryptophan and PET. <i>Journal of Computer Assisted Tomography</i> , 1998, 22, 777-785.	0.5	23
252	Sound-induced Activation of Auditory Cortices in Cochlear Implant Users with Post- and Prelingual Deafness Demonstrated by Positron Emission Tomography. <i>Acta Oto-Laryngologica</i> , 1997, 117, 490-496.	0.3	81

#	ARTICLE	IF	CITATIONS
253	Cortical processing mechanism for vocalization with auditory verbal feedback. <i>NeuroReport</i> , 1997, 8, 2379-2382.	0.6	127
254	The role of the temporal coding system in the auditory cortex on speech recognition. <i>NeuroReport</i> , 1997, 8, 2395-2398.	0.6	13
255	Presurgical identification of epileptic foci with iodine-123 iomazenil SPET: Comparison with brain perfusion SPET and FDG PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1997, 24, 27-34.	2.2	22
256	Central Auditory Processing of Speech in Cochlear Implant Users Demonstrated by Positron Emission Tomography. , 1997, 52, 19-23.		8
257	Cortical activation by monaural speech sound stimulation demonstrated by positron emission tomography. <i>Experimental Brain Research</i> , 1997, 113, 75-80.	0.7	70
258	[18 F]-Fluorodeoxyglucose-positron emission tomography findings in preterm infants with severe periventricular leukomalacia and hypsarrhythmia. <i>European Journal of Pediatrics</i> , 1997, 156, 236-238.	1.3	6
259	Delayed image of iodine-123 iomazenil as a relative map of benzodiazepine receptor binding: The optimal scan time. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1996, 23, 1491-1497.	2.2	23
260	Regulation of striatal D1A dopamine receptor gene transcription by Brn-4.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 11933-11938.	3.3	29
261	Cortical speech processing mechanisms while vocalizing visually presented languages. <i>NeuroReport</i> , 1996, 8, 363-367.	0.6	59
262	Brain Activity in the Motor Speech Areas and the Auditory Areas during Vocalization, as Demonstrated by Positron Emission Tomography.. <i>Practica Otologica</i> , 1996, 89, 1401-1406.	0.0	1
263	Simplified quantification of regional cerebral blood flow with ^{99m} Tc-ECD SPECT and continuous arterial blood sampling. <i>Annals of Nuclear Medicine</i> , 1996, 10, 177-183.	1.2	21
264	Bcl-2 inhibits retinoic acid-induced apoptosis during the neural differentiation of embryonal stem cells.. <i>Journal of Cell Biology</i> , 1996, 132, 955-968.	2.3	96
265	Cochlear implant efficiency in pre- and postlingually deaf subjects: A study with H215O and PET. <i>Brain</i> , 1996, 119, 1297-1306.	3.7	60
266	Noninvasive quantification of iodine-123-iomazenil SPECT. <i>Journal of Nuclear Medicine</i> , 1996, 37, 374-8.	2.8	16
267	Measurement of regional cerebral plasma pool and hematocrit with copper-62-labeled HSA-DTS. <i>Journal of Nuclear Medicine</i> , 1996, 37, 1080-5.	2.8	24
268	Measurement of regional cerebral blood flow with copper-62-PTSM and a three-compartment model. <i>Journal of Nuclear Medicine</i> , 1996, 37, 1089-93.	2.8	12
269	Cu-Pyruvaldehyde-bis(N4-methylthiosemicarbazone) (Cu-PTSM), a Metal Complex with Selective NADH-Dependent Reduction by Complex I in Brain Mitochondria: A Potential Radiopharmaceutical for Mitochondria-Functional Imaging with Positron Emission Tomography (PET).. <i>Biological and Pharmaceutical Bulletin</i> , 1995, 18, 1126-1129.	0.6	29
270	Changes in cerebral blood flow induced by balloon test occlusion of the internal carotid artery under hypotension. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1995, 22, 1268-1273.	2.2	25

#	ARTICLE	IF	CITATIONS
271	Limited value of interictal brain perfusion SPECT for detection of epileptic foci: High resolution SPECT studies in comparison with FDG-PET. <i>Annals of Nuclear Medicine</i> , 1995, 9, 59-63.	1.2	16
272	Clinical application of $^{62}\text{Zn}/^{62}\text{Cu}$ positron generator: Perfusion and plasma pool images in normal subjects. <i>Annals of Nuclear Medicine</i> , 1995, 9, 81-87.	1.2	11
273	Cortical activation with sound stimulation in cochlear implant users demonstrated by positron emission tomography. <i>Cognitive Brain Research</i> , 1995, 2, 207-214.	3.3	79
274	Simple quantification of benzodiazepine receptor binding and ligand transport using iodine-123-iomazenil and two SPECT scans. <i>Journal of Nuclear Medicine</i> , 1995, 36, 1201-10.	2.8	22
275	Evaluation of a double-injection method for sequential measurement of cerebral blood flow with iodine-123-iodoamphetamine. <i>Journal of Nuclear Medicine</i> , 1995, 36, 1339-45.	2.8	14
276	Delayed data acquisition for optimal PET activation studies with oxygen-15-water in cerebral arteriovenous malformation. <i>Journal of Nuclear Medicine</i> , 1995, 36, 2149-53.	2.8	8
277	Optimal dose of injection in activation study with O-15 water and PET. <i>Annals of Nuclear Medicine</i> , 1994, 8, 239-243.	1.2	2
278	Enhanced Detection of Brain Tumors by [^{18}F]Fluorodeoxyglucose PET with Glucose Loading. <i>Journal of Computer Assisted Tomography</i> , 1994, 18, 12-15.	0.5	24
279	Clinical application and quantitative evaluation of generator-produced copper-62-PTSM as a brain perfusion tracer for PET. <i>Journal of Nuclear Medicine</i> , 1994, 35, 1910-5.	2.8	30
280	Effects of hyperglycemia on FDG uptake in human brain and glioma. <i>Journal of Nuclear Medicine</i> , 1994, 35, 1104-9.	2.8	69
281	Gene regulation of <i>trkB</i> and <i>trkC</i> in the chick retina by light/darkness exposure. <i>Oncogene</i> , 1994, 9, 1813-8.	2.6	21
282	Molecular cloning and expression of a novel truncated form of chicken <i>trkC</i> . <i>FEBS Letters</i> , 1993, 329, 171-177.	1.3	16
283	<i>trk</i> Immunoreactivity at Neuronal Dendrite and Cell Body. <i>Biochemical and Biophysical Research Communications</i> , 1993, 194, 683-690.	1.0	5
284	Dopaminergic stimulation up-regulates the in vivo expression of brain-derived neurotrophic factor (BDNF) in the striatum. <i>FEBS Letters</i> , 1992, 313, 138-142.	1.3	128
285	The <i>oct3</i> gene, a gene for an embryonic transcription factor, is controlled by a retinoic acid repressible enhancer. <i>EMBO Journal</i> , 1991, 10, 2997-3005.	3.5	67
286	An eltrombopagâ€induced remission of boneâ€marrow aplasia accompanied by marked leukoerythroblastosis and splenomegaly. <i>British Journal of Haematology</i> , 0, , .	1.2	0