

John McBeth

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/979683/publications.pdf>

Version: 2024-02-01

115
papers

6,597
citations

66250

44
h-index

78623

77
g-index

120
all docs

120
docs citations

120
times ranked

8129
citing authors

#	ARTICLE	IF	CITATIONS
1	Sleep Disturbance and Quality of Life in Rheumatoid Arthritis: Prospective mHealth Study. <i>Journal of Medical Internet Research</i> , 2022, 24, e32825.	2.1	13
2	Heterogeneity in the association between weather and pain severity among patients with chronic pain: a Bayesian multilevel regression analysis. <i>Pain Reports</i> , 2022, 7, e963.	1.4	9
3	Using patient-reported data from a smartphone app to capture and characterize real-time patient-reported flares in rheumatoid arthritis. <i>Rheumatology Advances in Practice</i> , 2022, 6, rkac021.	0.3	5
4	P097â€fUsing a smartphone app to better detect and characterise real-time patient-reported flares in rheumatoid arthritis. <i>Rheumatology</i> , 2022, 61, .	0.9	0
5	Adoption of Digital Pain Manikins for Research Data Collection: A Systematic Review. <i>Studies in Health Technology and Informatics</i> , 2022, , .	0.2	0
6	Digital manikins to selfâ€report pain on a smartphone: A systematic review of mobile apps. <i>European Journal of Pain</i> , 2021, 25, 327-338.	1.4	19
7	Maintaining musculoskeletal health using a behavioural therapy approach: a population-based randomised controlled trial (the MAmMOTH Study). <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 903-911.	0.5	10
8	Clinical and cost-effectiveness of bracing in symptomatic knee osteoarthritis management: protocol for a multicentre, primary care, randomised, parallel-group, superiority trial. <i>BMJ Open</i> , 2021, 11, e048196.	0.8	1
9	Understanding the Predictors of Missing Location Data to Inform Smartphone Study Design: Observational Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e28857.	1.8	4
10	Engagement with consumer smartwatches for tracking symptoms of individuals living with multiple long-term conditions (multimorbidity): A longitudinal observational study. <i>Journal of Multimorbidity and Comorbidity</i> , 2021, 11, 263355652110627.	0.8	4
11	Remote symptom monitoring integrated into electronic health records:â€A systematic review. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2020, 27, 1752-1763.	2.2	41
12	Adolescentsâ€™ experiences of fluctuating pain in musculoskeletal disorders: a qualitative systematic review and thematic synthesis. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 645.	0.8	13
13	O15â€fMaintaining musculoskeletal health: a randomised controlled trial of cognitive behaviour therapy among people at high risk of developing chronic widespread pain. <i>Rheumatology</i> , 2020, 59, .	0.9	0
14	Are weather conditions associated with chronic musculoskeletal pain? Review of results and methodologies. <i>Pain</i> , 2020, 161, 668-683.	2.0	23
15	Characterizing pain flares in adolescent inflammatory and nonâ€inflammatory musculoskeletal disorders: A qualitative study using an interpretative phenomenological approach. <i>European Journal of Pain</i> , 2020, 24, 1785-1796.	1.4	4
16	Weather Patterns Associated with Pain in Chronic-Pain Sufferers. <i>Bulletin of the American Meteorological Society</i> , 2020, 101, E555-E566.	1.7	10
17	Engagement and Participant Experiences With Consumer Smartwatches for Health Research: Longitudinal, Observational Feasibility Study. <i>JMIR MHealth and UHealth</i> , 2020, 8, e14368.	1.8	43
18	Development of a Mobile Digital Manikin to Measure Pain Location and Intensity. <i>Studies in Health Technology and Informatics</i> , 2020, 270, 946-950.	0.2	5

#	ARTICLE	IF	CITATIONS
19	How the weather affects the pain of citizen scientists using a smartphone app. <i>Npj Digital Medicine</i> , 2019, 2, 105.	5.7	49
20	P36â€fAdolescentsâ€™ experiences of fluctuating pain in musculoskeletal disorders: a qualitative systematic review and thematic synthesis. <i>Rheumatology</i> , 2019, 58, .	0.9	1
21	P37â€fExploring the experience of pain flares in adolescent inflammatory and non-inflammatory musculoskeletal disorders: a phenomenological study. <i>Rheumatology</i> , 2019, 58, .	0.9	1
22	Central sensitization predicts greater fatigue independently of musculoskeletal pain. <i>Rheumatology</i> , 2019, 58, 1923-1927.	0.9	19
23	Maximizing Engagement in Mobile Health Studies. <i>Rheumatic Disease Clinics of North America</i> , 2019, 45, 159-172.	0.8	108
24	Multisite pain and self-reported falls in older people: systematic review and meta-analysis. <i>Arthritis Research and Therapy</i> , 2019, 21, 67.	1.6	34
25	Investigating multisite pain as a predictor of self-reported falls and falls requiring health care use in an older population: A prospective cohort study. <i>PLoS ONE</i> , 2019, 14, e0226268.	1.1	4
26	The relationship between regional pain with or without neuropathic symptoms and chronic widespread pain. <i>Pain</i> , 2019, 160, 1817-1823.	2.0	4
27	Collecting Symptoms and Sensor Data With Consumer Smartwatches (the Knee OsteoArthritis, Linking) Tj ETQq1 1 0.784314 rgBT /Ov Protocols, 2019, 8, e10238.	0.5	18
28	Quality of life, sleep and rheumatoid arthritis (QUASAR): a protocol for a prospective UK mHealth study to investigate the relationship between sleep and quality of life in adults with rheumatoid arthritis. <i>BMJ Open</i> , 2018, 8, e018752.	0.8	19
29	Pain and mortality: mechanisms for a relationship. <i>Pain</i> , 2018, 159, 1112-1118.	2.0	44
30	Pain and Mortality in Older Adults: The Influence of Pain Phenotype. <i>Arthritis Care and Research</i> , 2018, 70, 236-243.	1.5	40
31	Representativeness of a digitally engaged population and a patient organisation population with rheumatoid arthritis and their willingness to participate in research: a cross-sectional study. <i>RMD Open</i> , 2018, 4, e000664.	1.8	7
32	Update on the epidemiology, risk factors and disease outcomes of osteoarthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2018, 32, 312-326.	1.4	259
33	The associated features of multiple somatic symptom complexes. <i>Journal of Psychosomatic Research</i> , 2018, 112, 1-8.	1.2	18
34	Consumer Smartwatches for Collecting Self-Report and Sensor Data: App Design and Engagement. <i>Studies in Health Technology and Informatics</i> , 2018, 247, 291-295.	0.2	3
35	Musculoskeletal pain and co-morbid insomnia in adults; a population study of the prevalence and impact on restricted social participation. <i>BMC Family Practice</i> , 2017, 18, 17.	2.9	29
36	Patient perceptions of glucocorticoid side effects: a cross-sectional survey of users in an online health community. <i>BMJ Open</i> , 2017, 7, e014603.	0.8	45

#	ARTICLE	IF	CITATIONS
37	Allostatic load and pain severity in older adults: Results from the English Longitudinal Study of Ageing. <i>Experimental Gerontology</i> , 2017, 88, 51-58.	1.2	25
38	Evidence for strategies that improve recruitment and retention of adults aged 65 years and over in randomised trials and observational studies: a systematic review. <i>Age and Ageing</i> , 2017, 46, 895-903.	0.7	25
39	Cloudy with a Chance of Pain: Engagement and Subsequent Attrition of Daily Data Entry in a Smartphone Pilot Study Tracking Weather, Disease Severity, and Physical Activity in Patients With Rheumatoid Arthritis. <i>JMIR MHealth and UHealth</i> , 2017, 5, e37.	1.8	60
40	Recruitment and Ongoing Engagement in a UK Smartphone Study Examining the Association Between Weather and Pain: Cohort Study. <i>JMIR MHealth and UHealth</i> , 2017, 5, e168.	1.8	41
41	Managing chronic widespread pain in primary care: a qualitative study of patient perspectives and implications for treatment delivery. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 354.	0.8	24
42	The Maintaining Musculoskeletal Health (MAMMOTH) Study: Protocol for a randomised trial of cognitive behavioural therapy versus usual care for the prevention of chronic widespread pain. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 179.	0.8	10
43	The relationship between psychological distress and multiple tender points across the adult lifespan. <i>Archives of Gerontology and Geriatrics</i> , 2016, 63, 102-107.	1.4	11
44	Chronic widespread pain is associated with worsening frailty in European men. <i>Age and Ageing</i> , 2016, 45, 268-274.	0.7	63
45	Link Between Anxiety and Depression and Pain and Sleep Disruption. , 2016, , 67-78.		1
46	Alcohol Consumption in Relation to Risk and Severity of Chronic Widespread Pain: Results From a UK Population-Based Study. <i>Arthritis Care and Research</i> , 2015, 67, 1297-1303.	1.5	29
47	Patient-reported improvements in health are maintained 2 years after completing a short course of cognitive behaviour therapy, exercise or both treatments for chronic widespread pain: long-term results from the MUSICIAN randomised controlled trial. <i>RMD Open</i> , 2015, 1, e000026-e000026.	1.8	25
48	Sleep Disturbance and Chronic Widespread Pain. <i>Current Rheumatology Reports</i> , 2015, 17, 469.	2.1	46
49	Impact of musculoskeletal pain on insomnia onset: a prospective cohort study. <i>Rheumatology</i> , 2015, 54, 248-256.	0.9	59
50	The influence of behavioural and psychological factors on medication adherence over time in rheumatoid arthritis patients: a study in the biologics era. <i>Rheumatology</i> , 2015, 54, 1780-1791.	0.9	69
51	Chronic Pain and Mortality: A Systematic Review. <i>PLoS ONE</i> , 2014, 9, e99048.	1.1	93
52	Predictors of New-Onset Widespread Pain in Older Adults: Results From a Population-Based Prospective Cohort Study in the UK. <i>Arthritis and Rheumatology</i> , 2014, 66, 757-767.	2.9	75
53	Pain at multiple body sites and health-related quality of life in older adults: results from the North Staffordshire Osteoarthritis Project. <i>Rheumatology</i> , 2014, 53, 2071-2079.	0.9	59
54	Multiple Somatic Symptoms Predict Impaired Health Status in Functional Somatic Syndromes. <i>International Journal of Behavioral Medicine</i> , 2013, 20, 194-205.	0.8	51

#	ARTICLE	IF	CITATIONS
55	Musculoskeletal pain in older adults at the end-of-life: a systematic search and critical review of the literature with priorities for future research. <i>BMC Palliative Care</i> , 2013, 12, 27.	0.8	12
56	Total somatic symptom score as a predictor of health outcome in somatic symptom disorders. <i>British Journal of Psychiatry</i> , 2013, 203, 373-380.	1.7	107
57	Genome-wide association study meta-analysis of chronic widespread pain: evidence for involvement of the 5p15.2 region. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 427-436.	0.5	112
58	Reasons Why Multimorbidity Increases the Risk of Participation Restriction in Older Adults With Lower Extremity Osteoarthritis: A Prospective Cohort Study in Primary Care. <i>Arthritis Care and Research</i> , 2013, 65, 910-919.	1.5	32
59	Modest Association of Joint Hypermobility With Disabling and Limiting Musculoskeletal Pain: Results From a Large-scale General Population-based Survey. <i>Arthritis Care and Research</i> , 2013, 65, 1325-1333.	1.5	79
60	The Role of Sleep Problems in the Development of Depression in Those with Persistent Pain: A Prospective Cohort Study. <i>Sleep</i> , 2013, 36, 1693-1698.	0.6	63
61	The Onset of Widespread Musculoskeletal Pain Is Associated with a Decrease in Healthy Ageing in Older People: A Population-Based Prospective Study. <i>PLoS ONE</i> , 2013, 8, e59858.	1.1	33
62	Cognitive Behavior Therapy, Exercise, or Both for Treating Chronic Widespread Pain. <i>Archives of Internal Medicine</i> , 2012, 172, 48.	4.3	106
63	Somatization and Health Anxiety as Predictors of Health Care Use. <i>Psychosomatic Medicine</i> , 2012, 74, 656-664.	1.3	40
64	The epidemiology of multiple somatic symptoms. <i>Journal of Psychosomatic Research</i> , 2012, 72, 311-317.	1.2	173
65	Fibromyalgia: mechanisms and potential impact of the ACR 2010 classification criteria. <i>Nature Reviews Rheumatology</i> , 2012, 8, 108-116.	3.5	54
66	Obesity is a risk factor for musculoskeletal pain in adolescents: Findings from a population-based cohort. <i>Pain</i> , 2012, 153, 1932-1938.	2.0	109
67	The Non-Synonymous SNP, R1150W, in <i>SCN9A</i> is Not Associated with Chronic Widespread Pain Susceptibility. <i>Molecular Pain</i> , 2012, 8, 1744-8069-8-72.	1.0	16
68	The prevalence and management of low back pain across adulthood: Results from a population-based cross-sectional study (the MUSICIAN study). <i>Pain</i> , 2012, 153, 27-32.	2.0	122
69	Elevated levels of gonadotrophins but not sex steroids are associated with musculoskeletal pain in middle-aged and older European men. <i>Pain</i> , 2011, 152, 1495-1501.	2.0	24
70	Comment on: "Self-reported somatosensory symptoms of neuropathic pain in fibromyalgia and chronic widespread pain correlated with tender point count and pressure-pain thresholds" by Amris et al. [<i>Pain</i> ;151:664-669]. <i>Pain</i> , 2011, 152, 1684-1685.	2.0	4
71	Recent Advances in the Understanding of Genetic Susceptibility to Chronic Pain and Somatic Symptoms. <i>Current Rheumatology Reports</i> , 2011, 13, 521-527.	2.1	36
72	Role of road traffic accidents and other traumatic events in the onset of chronic widespread pain: Results from a population-based prospective study. <i>Arthritis Care and Research</i> , 2011, 63, 696-701.	1.5	46

#	ARTICLE	IF	CITATIONS
73	Association of HTR2A polymorphisms with chronic widespread pain and the extent of musculoskeletal pain: Results from two population-based cohorts. <i>Arthritis and Rheumatism</i> , 2011, 63, 810-818.	6.7	54
74	The Effect of Musculoskeletal Pain on Sexual Function in Middle-aged and Elderly European Men: Results from the European Male Ageing Study. <i>Journal of Rheumatology</i> , 2011, 38, 370-377.	1.0	16
75	Predictors of persistent gastrointestinal symptoms among new presenters to primary care. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 296-305.	0.8	15
76	Risk factors for onset of chronic oro-facial pain – Results of the North Cheshire oro-facial pain prospective population study. <i>Pain</i> , 2010, 149, 354-359.	2.0	124
77	Chronic widespread pain is associated with slower cognitive processing speed in middle-aged and older European men. <i>Pain</i> , 2010, 151, 30-36.	2.0	92
78	Chronic widespread pain predicts physical inactivity: Results from the prospective EPIFUND study. <i>European Journal of Pain</i> , 2010, 14, 972-979.	1.4	72
79	Whether the weather influences pain? Results from the EpiFunD study in North West England. <i>Rheumatology</i> , 2010, 49, 1513-1520.	0.9	25
80	No evidence for a role of the catechol-O-methyltransferase pain sensitivity haplotypes in chronic widespread pain. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 2009-2012.	0.5	43
81	Musculoskeletal pain is associated with very low levels of vitamin D in men: results from the European Male Ageing Study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1448-1452.	0.5	86
82	Genetic variation in the hypothalamic-pituitary-adrenal stress axis influences susceptibility to musculoskeletal pain: results from the EPIFUND study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 556-560.	0.5	58
83	Genetic variation in neuroendocrine genes associates with somatic symptoms in the general population: Results from the EPIFUND study. <i>Journal of Psychosomatic Research</i> , 2010, 68, 469-474.	1.2	50
84	The biological response to stress and chronic pain. , 2010, , 101-117.		3
85	Current issues and new direction in Psychology and Health: Epidemiology and health psychology – please bridge the gap. <i>Psychology and Health</i> , 2009, 24, 861-865.	1.2	4
86	What Characterizes Persons Who Do Not Report Musculoskeletal Pain? Results from a 4-year Population-based Longitudinal Study (The Epifund Study). <i>Journal of Rheumatology</i> , 2009, 36, 1071-1077.	1.0	35
87	Perturbed Insulin-like Growth Factor-1 (IGF-1) and IGF Binding Protein-3 Are Not Associated with Chronic Widespread Pain in Men: Results from the European Male Ageing Study. <i>Journal of Rheumatology</i> , 2009, 36, 2523-2530.	1.0	3
88	The association between neighbourhood socioeconomic status and the onset of chronic widespread pain: Results from the EPIFUND study. <i>European Journal of Pain</i> , 2009, 13, 635-640.	1.4	59
89	Do Genetic Predictors of Pain Sensitivity Associate with Persistent Widespread Pain?. <i>Molecular Pain</i> , 2009, 5, 1744-8069-5-56.	1.0	36
90	Are reports of mechanical dysfunction in chronic oro-facial pain related to somatisation? A population based study. <i>European Journal of Pain</i> , 2008, 12, 501-507.	1.4	18

#	ARTICLE	IF	CITATIONS
91	Predicting the onset of knee pain: results from a 2-year prospective study of new workers. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 400-406.	0.5	31
92	Moderation of psychosocial risk factors through dysfunction of the hypothalamic-pituitary-adrenal stress axis in the onset of chronic widespread musculoskeletal pain : Findings of a population-based prospective cohort study. <i>Arthritis and Rheumatism</i> , 2007, 56, 360-371.	6.7	203
93	Epidemiology of chronic musculoskeletal pain. <i>Best Practice and Research in Clinical Rheumatology</i> , 2007, 21, 403-425.	1.4	475
94	<i>EpidemiologÅa del dolor.</i> , 2007, , 1231-1246.		0
95	Development and validation of classification criteria for idiopathic orofacial pain for use in population-based studies. <i>Journal of Orofacial Pain</i> , 2007, 21, 203-15.	1.7	17
96	Pressure pain thresholds and tender point counts as predictors of new chronic widespread pain in somatising subjects. <i>Annals of the Rheumatic Diseases</i> , 2006, 66, 517-521.	0.5	39
97	The epidemiology of chronic syndromes that are frequently unexplained: do they have common associated factors?. <i>International Journal of Epidemiology</i> , 2006, 35, 468-476.	0.9	295
98	<i>Epidemiology of pain.</i> , 2006, , 1199-1214.		59
99	Poor sleep and depression are independently associated with a reduced pain threshold. Results of a population based study. <i>Pain</i> , 2005, 115, 316-321.	2.0	147
100	Hypothalamic-pituitary-adrenal stress axis function and the relationship with chronic widespread pain and its antecedents. <i>Arthritis Research and Therapy</i> , 2005, 7, R992.	1.6	149
101	Primary care consultation predictors in men and women: a cohort study. <i>British Journal of General Practice</i> , 2005, 55, 108-13.	0.7	34
102	Childhood experience and health care use in adulthood. <i>British Journal of Psychiatry</i> , 2004, 185, 134-139.	1.7	11
103	Mechanical injury and psychosocial factors in the work place predict the onset of widespread body pain: A two-year prospective study among cohorts of newly employed workers. <i>Arthritis and Rheumatism</i> , 2004, 50, 1655-1664.	6.7	94
104	psychological distress and premature mortality in the general Population: a prospective study. <i>Annals of Epidemiology</i> , 2004, 14, 467-472.	0.9	95
105	Psychosocial and illness related predictors of consultation rates in primary care â€“ a cohort study. <i>Psychological Medicine</i> , 2004, 34, 719-728.	2.7	51
106	Association of widespread body pain with an increased risk of cancer and reduced cancer survival: A prospective, population-based study. <i>Arthritis and Rheumatism</i> , 2003, 48, 1686-1692.	6.7	89
107	Mechanical and psychosocial factors predict new onset shoulder pain: a prospective cohort study of newly employed workers. <i>Occupational and Environmental Medicine</i> , 2003, 60, 850-857.	1.3	139
108	Psychosocial risk factors for the onset of abdominal pain. Results from a large prospective population-based study. <i>International Journal of Epidemiology</i> , 2002, 31, 1219-1225.	0.9	57

#	ARTICLE	IF	CITATIONS
109	Does chronic pain predict future psychological distress?. Pain, 2002, 96, 239-245.	2.0	80
110	Widespread body pain and mortality: prospective population based study Commentary: An interesting finding, but what does it. BMJ: British Medical Journal, 2001, 323, 662-662.	2.4	186
111	The role of psychiatric disorders in fibromyalgia. Current Rheumatology Reports, 2001, 3, 157-164.	2.1	55
112	Features of somatization predict the onset of chronic widespread pain: Results of a large population-based study. Arthritis and Rheumatism, 2001, 44, 940-946.	6.7	297
113	The association between chronic widespread pain and mental disorder: A population-based study. Arthritis and Rheumatism, 2000, 43, 561.	6.7	197
114	Life is as much a pain as it ever was. BMJ: British Medical Journal, 2000, 321, 897-897.	2.4	16
115	The association between tender points, psychological distress, and adverse childhood experiences: A community-based study. Arthritis and Rheumatism, 1999, 42, 1397-1404.	6.7	145