

Takayuki Ban

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/979956/publications.pdf>

Version: 2024-02-01

66
papers

2,254
citations

331670

21
h-index

223800

46
g-index

67
all docs

67
docs citations

67
times ranked

2622
citing authors

#	ARTICLE	IF	CITATIONS
1	Bottom-up synthesis of ruthenate nanosheets by aqueous solution process. Journal of Sol-Gel Science and Technology, 2022, 104, 536-547.	2.4	3
2	Dependence of electrical conductivity of $\text{I}^{2-}\text{Ga}_2\text{O}_3$ ceramics on oxygen partial pressure and formation of dislocations. Journal of the Ceramic Society of Japan, 2021, 129, 254-260.	1.1	2
3	Hydrothermal synthesis of highly pure brookite-type titanium oxide powder from aqueous sols of titanate nanosheets. Advanced Powder Technology, 2021, 32, 3601-3609.	4.1	7
4	Bottom-up synthesis of titanophosphate nanosheets by the aqueous solution process. Nanoscale Advances, 2020, 2, 3542-3549.	4.6	7
5	Electron spin resonance, dynamic Jahn-Teller effect, and electric transport mechanism in Na-doped type II silicon clathrates. Journal of Physics and Chemistry of Solids, 2020, 140, 109358.	4.0	5
6	Reaction of Molten Aluminum with MgO and Formation of MgAl_2O_4 Spinel at 1000°C . Materials Transactions, 2020, 61, 339-345.	1.2	5
7	Light absorption and photocatalysis of flake-like titanate nanosheets chemically modified by organic ligands. Journal of the Ceramic Society of Japan, 2020, 128, 890-897.	1.1	2
8	Hydrothermal Synthesis of Layered Perovskite-Structured Metal Oxides and Cesium Tungstate Nanosheets. Crystal Growth and Design, 2019, 19, 6903-6910.	3.0	10
9	Bottom-up synthesis of aluminophosphate nanosheets by hydrothermal process. Advanced Powder Technology, 2018, 29, 537-542.	4.1	11
10	Preparation of Mesoporous Titania Thin Films and Their Photocatalytic Activity. Transactions of the Materials Research Society of Japan, 2018, 43, 223-228.	0.2	2
11	Influence of the negative charge density of metalate nanosheets on their bottom-up synthesis. CrystEngComm, 2018, 20, 3559-3568.	2.6	10
12	Cation distribution of pseudobrookite-type titanates and their phase stability. Journal of the Ceramic Society of Japan, 2017, 125, 695-700.	1.1	12
13	Electron-Spin Resonance of Type II Si-Clathrate Thin Film for New Solar Cell Material. Springer Proceedings in Energy, 2017, , 213-219.	0.3	1
14	A thin film of a type II Ge clathrate epitaxially grown on a Ge substrate. CrystEngComm, 2016, 18, 5630-5638.	2.6	18
15	Bottom-up synthesis of titanate nanoflakes and nanosheets in ionic liquid solvents. CrystEngComm, 2016, 18, 8731-8738.	2.6	7
16	Bottom-Up Synthesis of Titanate Nanosheets in Aqueous Sols and Their Morphology Change by the Addition of Organic Ligands and Dialysis. Crystal Growth and Design, 2015, 15, 1801-1807.	3.0	16
17	Influence of Si species on intergrowth and anisotropic crystal growth of silicalite-1. Journal of Porous Materials, 2014, 21, 337-344.	2.6	2
18	Thin-film formation of Si clathrates on Si wafers. Journal of Physics and Chemistry of Solids, 2014, 75, 518-522.	4.0	17

#	ARTICLE	IF	CITATIONS
19	Phase Transition between Layered Tungstates and Polyoxotungstates in Aqueous Solutions. <i>Inorganic Chemistry</i> , 2013, 52, 10520-10524.	4.0	19
20	NaSi and Si clathrate prepared on Si substrate. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2013, 10, 1739-1741.	0.8	19
21	Orientation of tungsten trioxide thin films fabricated by sol-gel method using aqueous sols of colloidal layered tungstates. <i>Journal of Sol-Gel Science and Technology</i> , 2013, 68, 88-94.	2.4	6
22	Complex changes in the framework of endohedrally Na-doped type II Si clathrates with respect to Na content. <i>Journal of Materials Science</i> , 2013, 48, 989-996.	3.7	15
23	Size-controlled synthesis of anisotropic TiO ₂ single nanocrystals using microwave irradiation and their application for dye-sensitized solar cells. <i>Dalton Transactions</i> , 2013, 42, 3295.	3.3	23
24	Comparison of organic ligand effects on morphology control between disc-like zeolite L crystals and zeolite A and W crystals. <i>Materials Chemistry and Physics</i> , 2013, 137, 1067-1072.	4.0	12
25	Synthesis of layered tantalate nanocrystals by aqueous process at room temperature. <i>CrystEngComm</i> , 2012, 14, 7709.	2.6	17
26	Synthesis of transparent aqueous sols of colloidal layered niobate nanocrystals at room temperature. <i>Journal of Colloid and Interface Science</i> , 2011, 364, 85-91.	9.4	23
27	Hydrothermal synthesis of highly water-dispersible anatase nanocrystals from transparent aqueous sols of titanate colloids. <i>Journal of Nanoparticle Research</i> , 2011, 13, 273-281.	1.9	11
28	Fabrication of titania films by sol-gel method using transparent colloidal aqueous solutions of anatase nanocrystals. <i>Thin Solid Films</i> , 2011, 519, 3468-3474.	1.8	12
29	Preparation of NaSi thin films for the guest free Si clathrate thin films by heat resistance apparatus using NaSi target materials. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2010, 7, 1200-1202.	0.8	9
30	Hydrothermal Synthesis of Oriented Anatase Films Consisting of Columnar Aggregates and Their Wetting Properties. <i>Journal of the American Ceramic Society</i> , 2009, 92, 1230-1235.	3.8	10
31	Morphology of anatase crystals and their aggregates synthesized hydrothermally from aqueous mixtures of titanium alkoxide and different alkylammonium hydroxides. <i>Journal of the Ceramic Society of Japan</i> , 2009, 117, 268-272.	1.1	10
32	Fabrication of Ga ₂ O ₃ thin films by aqueous solution deposition. <i>Journal of the Ceramic Society of Japan</i> , 2009, 117, 973-977.	1.1	21
33	Equilibrium Dependence of the Conductivity of Pure and Tin-Doped Indium Oxide on Oxygen Partial Pressure and Formation of an Intrinsic Defect Cluster. <i>Journal of the American Ceramic Society</i> , 2008, 91, 240-245.	3.8	17
34	Microstructures formed by secondary growth of fired ZSM-5 seed crystals. <i>Journal of Porous Materials</i> , 2008, 15, 405-410.	2.6	3
35	Preparation of lamellar hybrid inorganic-organic films of layered titanate and cationic or anionic surfactants. <i>Thin Solid Films</i> , 2008, 516, 4863-4867.	1.8	10
36	Fabrication of zeolite L thin films with different orientations using anisotropic growth of seed crystals by secondary growth method. <i>Materials Chemistry and Physics</i> , 2008, 109, 347-351.	4.0	10

#	ARTICLE	IF	CITATIONS
37	Microstructure of Six-Pointed Starlike Anatase Aggregates. <i>Crystal Growth and Design</i> , 2008, 8, 935-940.	3.0	30
38	Synthesis of zinc oxide crystals with different shapes from zincate aqueous solutions stabilized with triethanolamine. <i>Crystal Research and Technology</i> , 2007, 42, 849-855.	1.3	15
39	Dielectric and piezoelectric properties of dense and porous PZT films prepared by sol-gel method. <i>Journal of Sol-Gel Science and Technology</i> , 2007, 42, 397-405.	2.4	11
40	Synthesis of zeolite L crystals with different shapes. <i>Journal of Porous Materials</i> , 2007, 14, 119-126.	2.6	22
41	Microstructure and Stress-Induced Phase Transformation of Sol-Gel Derived Zirconia Thin Films. <i>Journal of the Ceramic Society of Japan</i> , 2006, 114, 411-414.	1.3	2
42	Microstructure of Sol-Gel ZnO Thin Films Fabricated Using Ethanolamine and Hydroxyketone Modifiers. <i>Journal of the Ceramic Society of Japan</i> , 2005, 113, 220-225.	1.3	15
43	Crystallization and crystal morphology of silicalite-1 prepared from silica gel using different amines as a base. <i>Journal of Crystal Growth</i> , 2005, 274, 594-602.	1.5	30
44	Silicalite-I Synthesis from Silicate Aqueous Solutions Including Amines as a Base. <i>Journal of Porous Materials</i> , 2005, 12, 255-263.	2.6	7
45	Rectifying Properties of Oxide Semiconductor Heterostack Films at Elevated Temperatures. <i>Journal of Sol-Gel Science and Technology</i> , 2005, 33, 323-326.	2.4	3
46	Synthesis of Zeolite L. Tuning Size and Morphology. <i>Monatshefte für Chemie</i> , 2005, 136, 77-89.	1.8	173
47	Aqueous Titanate Sols from Ti Alkoxide-Hydroxycarboxylic Acid System and Preparation of Titania Films from the Sols. <i>Journal of Sol-Gel Science and Technology</i> , 2004, 30, 71-81.	2.4	23
48	Selective Modification of the Channel Entrances of Zeolite L with Triethoxysilylated Coumarin. <i>Journal of Physical Chemistry B</i> , 2004, 108, 16348-16352.	2.6	32
49	Reaction of Titanium Isopropoxide with Alkanolamines and Association of the Resultant Ti Species. <i>Journal of Sol-Gel Science and Technology</i> , 2003, 27, 363-372.	2.4	17
50	Preparation and Characterization of Titania Thin Films from Aqueous Solutions. <i>Journal of Sol-Gel Science and Technology</i> , 2003, 26, 799-802.	2.4	28
51	Photocatalysis of a transparent titanate aqueous sol prepared from titanium tetraisopropoxide and tetramethylammonium hydroxide. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2003, 156, 219-225.	3.9	17
52	Lead Zirconate Titanate Thick Films Fabricated from Sols with and without Its Powder. <i>Japanese Journal of Applied Physics</i> , 2002, 41, 270-274.	1.5	7
53	Gas Sensing Properties of Al ₂ O ₃ /SnO ₂ /SnO ₂ Multilayered Films Modified with Pt.. <i>Journal of the Ceramic Society of Japan</i> , 2002, 110, 950-953.	1.3	2
54	Synthesis and Characterization of Halogen-free, Transparent, Aqueous Colloidal Titanate Solutions from Titanium Alkoxide. <i>Chemistry of Materials</i> , 2002, 14, 3082-3089.	6.7	83

#	ARTICLE	IF	CITATIONS
55	Effect of β -Hydroxyketones as Chelate Ligands on Dip-Coating of Zirconia Thin Films. Journal of Sol-Gel Science and Technology, 2002, 25, 43-50.	2.4	23
56	Effect of Processing Parameters on Physical Properties of Cadmium Stannate Thin Films Prepared by a Dip-Coating Technique. Journal of the American Ceramic Society, 2001, 84, 85-91.	3.8	37
57	Solid Solubility of SnO ₂ in In ₂ O ₃ . Journal of the Ceramic Society of Japan, 2000, 108, 803-806.	1.3	17
58	Development of New Modifiers for Titanium Alkoxide-Based Sol-Gel Process. Journal of Sol-Gel Science and Technology, 2000, 17, 227-238.	2.4	47
59	Preparation of a Completely Oriented Molecular Sieve Membrane. Angewandte Chemie - International Edition, 1999, 38, 3324-3326.	13.8	36
60	Influence of the addition of alkanolamines and tetramethylammonium hydroxide on the shape and size of zeolite-A particles. Solid State Sciences, 1999, 1, 243-251.	0.7	23
61	Low-Temperature Crystallization of Forsterite and Orthoenstatite. Journal of the American Ceramic Society, 1999, 82, 22-26.	3.8	31
62	Crystallization and Microstructure Development of Sol-Gel-Derived Titanium Dioxide Thin Films with Single and Multiple Layers. Journal of the American Ceramic Society, 1999, 82, 2601-2606.	3.8	38
63	Tin doped indium oxide thin films: Electrical properties. Journal of Applied Physics, 1998, 83, 2631-2645.	2.5	841
64	Electronic transport in tin-doped indium oxide thin films prepared by sol-gel technique. Journal of Applied Physics, 1998, 83, 2139-2141.	2.5	85
65	Humidity-Sensing Characteristics of Divalent-Metal-Doped Indium Oxide Thin Films. Journal of the American Ceramic Society, 1998, 81, 321-327.	3.8	22
66	Optical, structural, and electrical properties of indium oxide thin films prepared by the sol-gel method. Journal of Applied Physics, 1997, 82, 865-870.	2.5	149