

Anne McTiernan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9801219/anne-mctiernan-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

253
papers

22,437
citations

80
h-index

144
g-index

259
ext. papers

25,117
ext. citations

7.5
avg. IF

6.44
L-index

| # | Paper | IF | Citations |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----------|
| 253 | Influence of estrogen plus progestin on breast cancer and mammography in healthy postmenopausal women: the Women's Health Initiative Randomized Trial. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 289, 3243-53 | 27.4 | 1294 |
| 252 | Pelvic organ prolapse in the Women's Health Initiative: gravity and gravidity. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 186, 1160-6 | 6.4 | 853 |
| 251 | Effects of aerobic exercise on mild cognitive impairment: a controlled trial. <i>Archives of Neurology</i> , 2010 , 67, 71-9 | | 730 |
| 250 | Exemestane for breast-cancer prevention in postmenopausal women. <i>New England Journal of Medicine</i> , 2011 , 364, 2381-91 | 59.2 | 705 |
| 249 | Physical activity, biomarkers, and disease outcomes in cancer survivors: a systematic review. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 815-40 | 9.7 | 596 |
| 248 | Outcomes ascertainment and adjudication methods in the Women's Health Initiative. <i>Annals of Epidemiology</i> , 2003 , 13, S122-8 | 6.4 | 515 |
| 247 | Elevated biomarkers of inflammation are associated with reduced survival among breast cancer patients. <i>Journal of Clinical Oncology</i> , 2009 , 27, 3437-44 | 2.2 | 495 |
| 246 | Nutrition and physical activity during and after cancer treatment: an American Cancer Society guide for informed choices. <i>Ca-A Cancer Journal for Clinicians</i> , 2006 , 56, 323-53 | 220.7 | 495 |
| 245 | Mechanisms linking physical activity with cancer. <i>Nature Reviews Cancer</i> , 2008 , 8, 205-11 | 31.3 | 493 |
| 244 | Ethnicity and breast cancer: factors influencing differences in incidence and outcome. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 439-48 | 9.7 | 471 |
| 243 | Weight loss in breast cancer patient management. <i>Journal of Clinical Oncology</i> , 2002 , 20, 1128-43 | 2.2 | 457 |
| 242 | Obesity, body size, and risk of postmenopausal breast cancer: the Women's Health Initiative (United States). <i>Cancer Causes and Control</i> , 2002 , 13, 741-51 | 2.8 | 393 |
| 241 | Influence of pre- and postdiagnosis physical activity on mortality in breast cancer survivors: the health, eating, activity, and lifestyle study. <i>Journal of Clinical Oncology</i> , 2008 , 26, 3958-64 | 2.2 | 391 |
| 240 | Recreational physical activity and the risk of breast cancer in postmenopausal women: the Women's Health Initiative Cohort Study. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 290, 1331-6 | 27.4 | 385 |
| 239 | Effect of exercise on total and intra-abdominal body fat in postmenopausal women: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 289, 323-30 | 27.4 | 346 |
| 238 | Unmetabolized folic acid in plasma is associated with reduced natural killer cell cytotoxicity among postmenopausal women. <i>Journal of Nutrition</i> , 2006 , 136, 189-94 | 4.1 | 284 |
| 237 | Effect of diet and exercise, alone or combined, on weight and body composition in overweight-to-obese postmenopausal women. <i>Obesity</i> , 2012 , 20, 1628-38 | 8 | 274 |

| | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|
| 236 | Effect of exercise on serum estrogens in postmenopausal women: a 12-month randomized clinical trial. <i>Cancer Research</i> , 2004 , 64, 2923-8 | 10.1 | 268 |
| 235 | Breast cancer and nonsteroidal anti-inflammatory drugs: prospective results from the Women's Health Initiative. <i>Cancer Research</i> , 2003 , 63, 6096-101 | 10.1 | 239 |
| 234 | Nutrition and physical activity during and after cancer treatment: an American Cancer Society guide for informed choices. <i>Ca-A Cancer Journal for Clinicians</i> , 2003 , 53, 268-91 | 220.7 | 237 |
| 233 | Relation of BMI and physical activity to sex hormones in postmenopausal women. <i>Obesity</i> , 2006 , 14, 1668-77 | | 224 |
| 232 | Comparison of self-report, hospital discharge codes, and adjudication of cardiovascular events in the Women's Health Initiative. <i>American Journal of Epidemiology</i> , 2004 , 160, 1152-8 | 3.8 | 211 |
| 231 | Physical activity and survival in postmenopausal women with breast cancer: results from the women's health initiative. <i>Cancer Prevention Research</i> , 2011 , 4, 522-9 | 3.2 | 210 |
| 230 | Associations of insulin resistance and adiponectin with mortality in women with breast cancer. <i>Journal of Clinical Oncology</i> , 2011 , 29, 32-9 | 2.2 | 208 |
| 229 | Estrogen-plus-progestin use and mammographic density in postmenopausal women: Women's Health Initiative randomized trial. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 1366-76 | 9.7 | 207 |
| 228 | The role of obesity in cancer survival and recurrence. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1244-59 | 4 | 206 |
| 227 | Physical activity and cancer etiology: associations and mechanisms. <i>Cancer Causes and Control</i> , 1998 , 9, 487-509 | 2.8 | 204 |
| 226 | American Cancer Society guidelines on nutrition and physical activity for cancer prevention: Reducing the risk of cancer with healthy food choices and physical activity. <i>Ca-A Cancer Journal for Clinicians</i> , 2002 , 52, 92-119 | 220.7 | 204 |
| 225 | Physical Activity in Cancer Prevention and Survival: A Systematic Review. <i>Medicine and Science in Sports and Exercise</i> , 2019 , 51, 1252-1261 | 1.2 | 198 |
| 224 | Physical activity levels among breast cancer survivors. <i>Medicine and Science in Sports and Exercise</i> , 2004 , 36, 1484-91 | 1.2 | 189 |
| 223 | Prior hormone therapy and breast cancer risk in the Women's Health Initiative randomized trial of estrogen plus progestin. <i>Maturitas</i> , 2006 , 55, 103-15 | 5 | 177 |
| 222 | Occupational exposure to electromagnetic fields and breast cancer in men. <i>American Journal of Epidemiology</i> , 1991 , 134, 340-7 | 3.8 | 177 |
| 221 | Aerobic exercise improves cognition for older adults with glucose intolerance, a risk factor for Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2010 , 22, 569-79 | 4.3 | 174 |
| 220 | Effects of a caloric restriction weight loss diet and exercise on inflammatory biomarkers in overweight/obese postmenopausal women: a randomized controlled trial. <i>Cancer Research</i> , 2012 , 72, 2314-26 | 10.1 | 171 |
| 219 | Prevalence and prognostic effect of sarcopenia in breast cancer survivors: the HEAL Study. <i>Journal of Cancer Survivorship</i> , 2012 , 6, 398-406 | 5.1 | 167 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 218 | Guideline implementation for breast healthcare in low- and middle-income countries: early detection resource allocation. <i>Cancer</i> , 2008 , 113, 2244-56 | 6.4 | 167 |
| 217 | Alberta physical activity and breast cancer prevention trial: sex hormone changes in a year-long exercise intervention among postmenopausal women. <i>Journal of Clinical Oncology</i> , 2010 , 28, 1458-66 | 2.2 | 161 |
| 216 | Reproductive history and oral contraceptive use in relation to risk of triple-negative breast cancer. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 470-7 | 9.7 | 160 |
| 215 | Diabetes, metformin, and breast cancer in postmenopausal women. <i>Journal of Clinical Oncology</i> , 2012 , 30, 2844-52 | 2.2 | 151 |
| 214 | Statin use and breast cancer: prospective results from the Women's Health Initiative. <i>Journal of the National Cancer Institute</i> , 2006 , 98, 700-7 | 9.7 | 146 |
| 213 | Incidence and survival of malignant bone sarcomas in England 1979-2007. <i>International Journal of Cancer</i> , 2012 , 131, E508-17 | 7.5 | 144 |
| 212 | Body size, physical activity, and risk of triple-negative and estrogen receptor-positive breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 454-63 | 4 | 134 |
| 211 | Evidence for a protective effect of lactation on risk of breast cancer in young women. Results from a case-control study. <i>American Journal of Epidemiology</i> , 1986 , 124, 353-8 | 3.8 | 131 |
| 210 | Effects of exercise on metabolic risk variables in overweight postmenopausal women: a randomized clinical trial. <i>Obesity</i> , 2005 , 13, 615-25 | | 130 |
| 209 | Reduced-calorie dietary weight loss, exercise, and sex hormones in postmenopausal women: randomized controlled trial. <i>Journal of Clinical Oncology</i> , 2012 , 30, 2314-26 | 2.2 | 129 |
| 208 | Risk factors for arm lymphedema following breast cancer diagnosis in Black women and White women. <i>Breast Cancer Research and Treatment</i> , 2009 , 113, 383-91 | 4.4 | 126 |
| 207 | Human plasma ghrelin levels increase during a one-year exercise program. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 820-5 | 5.6 | 126 |
| 206 | A pooled analysis of case-control studies of thyroid cancer. II. Menstrual and reproductive factors. <i>Cancer Causes and Control</i> , 1999 , 10, 143-55 | 2.8 | 122 |
| 205 | A pooled analysis of case-control studies of thyroid cancer. IV. Benign thyroid diseases. <i>Cancer Causes and Control</i> , 1999 , 10, 583-95 | 2.8 | 121 |
| 204 | Effects of a yearlong moderate-intensity exercise and a stretching intervention on sleep quality in postmenopausal women. <i>Sleep</i> , 2003 , 26, 830-6 | 1.1 | 118 |
| 203 | The collaboration readiness of transdisciplinary research teams and centers findings from the National Cancer Institute's TREC Year-One evaluation study. <i>American Journal of Preventive Medicine</i> , 2008 , 35, S161-72 | 6.1 | 117 |
| 202 | Fatigue in breast cancer survivors two to five years post diagnosis: a HEAL Study report. <i>Quality of Life Research</i> , 2007 , 16, 947-60 | 3.7 | 112 |
| 201 | Behavioral risk factors in breast cancer: can risk be modified?. <i>Oncologist</i> , 2003 , 8, 326-34 | 5.7 | 112 |

| | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 200 | A pooled analysis of thyroid cancer studies. V. Anthropometric factors. <i>Cancer Causes and Control</i> , 2000 , 11, 137-44 | 2.8 | 112 |
| 199 | Estrogen plus progestin therapy and breast cancer in recently postmenopausal women. <i>American Journal of Epidemiology</i> , 2008 , 167, 1207-16 | 3.8 | 111 |
| 198 | Conjugated equine estrogens and breast cancer risk in the Women's Health Initiative clinical trial and observational study. <i>American Journal of Epidemiology</i> , 2008 , 167, 1407-15 | 3.8 | 111 |
| 197 | Hyperglycemia, insulin resistance, impaired pancreatic β cell function, and risk of pancreatic cancer. <i>Journal of the National Cancer Institute</i> , 2013 , 105, 1027-35 | 9.7 | 108 |
| 196 | Dietary weight loss and exercise interventions effects on quality of life in overweight/obese postmenopausal women: a randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011 , 8, 118 | 8.4 | 108 |
| 195 | A pooled analysis of case-control studies of thyroid cancer: cigarette smoking and consumption of alcohol, coffee, and tea. <i>Cancer Causes and Control</i> , 2003 , 14, 773-85 | 2.8 | 106 |
| 194 | Vitamin D insufficiency in a multiethnic cohort of breast cancer survivors. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 133-9 | 7 | 103 |
| 193 | Randomized controlled pilot trial of yoga in overweight and obese breast cancer survivors: effects on quality of life and anthropometric measures. <i>Supportive Care in Cancer</i> , 2012 , 20, 267-77 | 3.9 | 102 |
| 192 | Serum 25-hydroxyvitamin D concentrations in relation to cardiometabolic risk factors and metabolic syndrome in postmenopausal women. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 209-17 | 7 | 99 |
| 191 | Fatigue, inflammation, and ω 3 and ω 6 fatty acid intake among breast cancer survivors. <i>Journal of Clinical Oncology</i> , 2012 , 30, 1280-7 | 2.2 | 99 |
| 190 | Possible socioeconomic and ethnic disparities in quality of life in a cohort of breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2007 , 106, 85-95 | 4.4 | 98 |
| 189 | Long-term physical activity trends in breast cancer survivors. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 1153-61 | 4 | 97 |
| 188 | A pooled analysis of case-control studies of thyroid cancer. III. Oral contraceptives, menopausal replacement therapy and other female hormones. <i>Cancer Causes and Control</i> , 1999 , 10, 157-66 | 2.8 | 97 |
| 187 | Postdiagnosis diet quality, the combination of diet quality and recreational physical activity, and prognosis after early-stage breast cancer. <i>Cancer Causes and Control</i> , 2011 , 22, 589-98 | 2.8 | 94 |
| 186 | Physical activity, long-term symptoms, and physical health-related quality of life among breast cancer survivors: a prospective analysis. <i>Journal of Cancer Survivorship</i> , 2007 , 1, 116-28 | 5.1 | 93 |
| 185 | Dietary weight loss and exercise effects on insulin resistance in postmenopausal women. <i>American Journal of Preventive Medicine</i> , 2011 , 41, 366-75 | 6.1 | 92 |
| 184 | Physical Activity to Prevent and Treat Hypertension: A Systematic Review. <i>Medicine and Science in Sports and Exercise</i> , 2019 , 51, 1314-1323 | 1.2 | 92 |
| 183 | Effect of a yearlong, moderate-intensity exercise intervention on the occurrence and severity of menopause symptoms in postmenopausal women. <i>Menopause</i> , 2004 , 11, 382-8 | 2.5 | 91 |

| | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 182 | Physical activity, weight control, and breast cancer risk and survival: clinical trial rationale and design considerations. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 630-43 | 9.7 | 88 |
| 181 | Correlates of circulating C-reactive protein and serum amyloid A concentrations in breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2009 , 114, 155-67 | 4.4 | 88 |
| 180 | Melanoma risk in relation to height, weight, and exercise (United States). <i>Cancer Causes and Control</i> , 2001 , 12, 599-606 | 2.8 | 87 |
| 179 | Vitamin D3 supplementation during weight loss: a double-blind randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 1015-25 | 7 | 85 |
| 178 | Effect of exercise on oxidative stress: a 12-month randomized, controlled trial. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 1448-53 | 1.2 | 83 |
| 177 | Exercise and biomarkers for cancer prevention studies. <i>Journal of Nutrition</i> , 2007 , 137, 161S-169S | 4.1 | 82 |
| 176 | Effects of weight loss on serum vitamin D in postmenopausal women. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 95-103 | 7 | 81 |
| 175 | Histologic types and hormone receptors in breast cancer in men: a population-based study in 282 United States men. <i>Cancer Causes and Control</i> , 1993 , 4, 143-51 | 2.8 | 81 |
| 174 | Changes in insulin resistance indicators, IGFs, and adipokines in a year-long trial of aerobic exercise in postmenopausal women. <i>Endocrine-Related Cancer</i> , 2011 , 18, 357-69 | 5.7 | 80 |
| 173 | Factors associated with objective (actigraphic) and subjective sleep quality in young adult women. <i>Journal of Psychosomatic Research</i> , 2005 , 59, 11-9 | 4.1 | 80 |
| 172 | Physical activity after cancer: physiologic outcomes. <i>Cancer Investigation</i> , 2004 , 22, 68-81 | 2.1 | 80 |
| 171 | Shorter telomeres associate with a reduced risk of melanoma development. <i>Cancer Research</i> , 2011 , 71, 6758-63 | 10.1 | 77 |
| 170 | Supportive care after curative treatment for breast cancer (survivorship care): resource allocations in low- and middle-income countries. A Breast Health Global Initiative 2013 consensus statement. <i>Breast</i> , 2013 , 22, 606-15 | 3.6 | 75 |
| 169 | Nutrition and physical activity and chronic disease prevention: research strategies and recommendations. <i>Journal of the National Cancer Institute</i> , 2004 , 96, 1276-87 | 9.7 | 75 |
| 168 | Circulating Adipokines and Inflammatory Markers and Postmenopausal Breast Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2015 , 107, | 9.7 | 69 |
| 167 | The Physical Activity for Total Health (PATH) Study: rationale and design. <i>Medicine and Science in Sports and Exercise</i> , 1999 , 31, 1307-12 | 1.2 | 68 |
| 166 | Pain in long-term breast cancer survivors: the role of body mass index, physical activity, and sedentary behavior. <i>Breast Cancer Research and Treatment</i> , 2013 , 137, 617-30 | 4.4 | 67 |
| 165 | Race/ethnicity, physical activity, and quality of life in breast cancer survivors. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 656-63 | 4 | 64 |

| | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 164 | Effect of exercise on serum sex hormones in men: a 12-month randomized clinical trial. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, 223-33 | 1.2 | 64 |
| 163 | Effect of exercise on serum androgens in postmenopausal women: a 12-month randomized clinical trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004 , 13, 1099-105 | 4 | 64 |
| 162 | World Cancer Research Fund International: Continuous Update Project-systematic literature review and meta-analysis of observational cohort studies on physical activity, sedentary behavior, adiposity, and weight change and breast cancer risk. <i>Cancer Causes and Control</i> , 2019 , 30, 1183-1200 | 2.8 | 62 |
| 161 | Low-fat, increased fruit, vegetable, and grain dietary pattern, fractures, and bone mineral density: the Women's Health Initiative Dietary Modification Trial. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 1864-76 | 7 | 60 |
| 160 | Predicting Breast Cancer Screening Intentions and Behavior with Emotion and Cognition. <i>Journal of Social and Clinical Psychology</i> , 2003 , 22, 213-232 | 1.6 | 60 |
| 159 | Frequent intentional weight loss is associated with lower natural killer cell cytotoxicity in postmenopausal women: possible long-term immune effects. <i>Journal of the American Dietetic Association</i> , 2004 , 104, 903-12 | | 58 |
| 158 | Vigorous leisure activity through women's adult life: the Women's Health Initiative Observational Cohort Study. <i>American Journal of Epidemiology</i> , 2002 , 156, 945-53 | 3.8 | 58 |
| 157 | Inflammatory marker changes in a yearlong randomized exercise intervention trial among postmenopausal women. <i>Cancer Prevention Research</i> , 2012 , 5, 98-108 | 3.2 | 56 |
| 156 | Breast cancer risk counseling improves women's functioning. <i>Patient Education and Counseling</i> , 2004 , 53, 79-86 | 3.1 | 56 |
| 155 | Weight, inflammation, cancer-related symptoms and health related quality of life among breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2013 , 140, 159-76 | 4.4 | 54 |
| 154 | A pooled analysis of case-control studies of thyroid cancer. VI. Fish and shellfish consumption. <i>Cancer Causes and Control</i> , 2001 , 12, 375-82 | 2.8 | 53 |
| 153 | Conjugated equine estrogen influence on mammographic density in postmenopausal women in a substudy of the women's health initiative randomized trial. <i>Journal of Clinical Oncology</i> , 2009 , 27, 6135-43 ² | 2.2 | 52 |
| 152 | Associations between energy balance and body mass index and risk of breast carcinoma in women from diverse racial and ethnic backgrounds in the U.S. <i>Cancer</i> , 2000 , 88, 1248-55 | 6.4 | 52 |
| 151 | Associations of serum 25-hydroxyvitamin D with overall and breast cancer-specific mortality in a multiethnic cohort of breast cancer survivors. <i>Cancer Causes and Control</i> , 2013 , 24, 759-67 | 2.8 | 51 |
| 150 | Effect of exercise on in vitro immune function: a 12-month randomized, controlled trial among postmenopausal women. <i>Journal of Applied Physiology</i> , 2008 , 104, 1648-55 | 3.7 | 51 |
| 149 | Exercise and side effects among 749 patients during and after treatment for cancer: a University of Rochester Cancer Center Community Clinical Oncology Program Study. <i>Supportive Care in Cancer</i> , 2006 , 14, 732-41 | 3.9 | 51 |
| 148 | Postdiagnosis diet quality is inversely related to a biomarker of inflammation among breast cancer survivors. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2220-8 | 4 | 50 |
| 147 | NSAID use and breast cancer risk in the VITAL cohort. <i>Breast Cancer Research and Treatment</i> , 2008 , 109, 533-43 | 4.4 | 50 |

| | | | |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 146 | A pooled analysis of case-control studies of thyroid cancer. VII. Cruciferous and other vegetables (International). <i>Cancer Causes and Control</i> , 2002 , 13, 765-75 | 2.8 | 50 |
| 145 | Postmenopausal bone mineral density in relation to soy isoflavone-metabolizing phenotypes. <i>Maturitas</i> , 2006 , 53, 315-24 | 5 | 47 |
| 144 | Menopause, hormone replacement therapy and cancer. <i>Maturitas</i> , 2001 , 39, 97-115 | 5 | 47 |
| 143 | Diabetes, metformin use, and colorectal cancer survival in postmenopausal women. <i>Cancer Epidemiology</i> , 2013 , 37, 742-9 | 2.8 | 46 |
| 142 | Prospective association of vitamin D concentrations with mortality in postmenopausal women: results from the Women's Health Initiative (WHI). <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1471-87 | | 46 |
| 141 | Conjugated equine estrogen and risk of benign proliferative breast disease: a randomized controlled trial. <i>Journal of the National Cancer Institute</i> , 2008 , 100, 563-71 | 9.7 | 46 |
| 140 | Serum steroid hormones, sex hormone-binding globulin concentrations, and urinary hydroxylated estrogen metabolites in post-menopausal women in relation to daidzein-metabolizing phenotypes. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2004 , 88, 399-408 | 5.1 | 46 |
| 139 | Ionizing radiation and breast cancer in men (United States). <i>Cancer Causes and Control</i> , 1994 , 5, 9-14 | 2.8 | 46 |
| 138 | Influence of demographic, physiologic, and psychosocial variables on adherence to a yearlong moderate-intensity exercise trial in postmenopausal women. <i>Preventive Medicine</i> , 2004 , 39, 1080-6 | 4.3 | 45 |
| 137 | Associations between healthy eating patterns and immune function or inflammation in overweight or obese postmenopausal women. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 1445-55 | 7 | 44 |
| 136 | Breast tenderness and breast cancer risk in the estrogen plus progestin and estrogen-alone women's health initiative clinical trials. <i>Breast Cancer Research and Treatment</i> , 2012 , 132, 275-85 | 4.4 | 43 |
| 135 | Gene expression changes in adipose tissue with diet- and/or exercise-induced weight loss. <i>Cancer Prevention Research</i> , 2013 , 6, 217-31 | 3.2 | 43 |
| 134 | Associations of insulin-like growth factor and insulin-like growth factor binding protein-3 with mortality in women with breast cancer. <i>International Journal of Cancer</i> , 2013 , 132, 1191-200 | 7.5 | 42 |
| 133 | Optimism, perceived risk of breast cancer, and cancer worry among a community-based sample of women. <i>Health Psychology</i> , 2004 , 23, 339-44 | 5 | 42 |
| 132 | Dietary fiber, carbohydrates, glycemic index, and glycemic load in relation to breast cancer prognosis in the HEAL cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 890-9 | 4 | 40 |
| 131 | Inflammation of mammary adipose tissue occurs in overweight and obese patients exhibiting early-stage breast cancer. <i>Npj Breast Cancer</i> , 2017 , 3, 19 | 7.8 | 39 |
| 130 | Self-monitoring and eating-related behaviors are associated with 12-month weight loss in postmenopausal overweight-to-obese women. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2012 , 112, 1428-1435 | 3.9 | 37 |
| 129 | A pooled analysis of case-control studies of thyroid cancer. I. Methods. <i>Cancer Causes and Control</i> , 1999 , 10, 131-42 | 2.8 | 37 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 128 | Incident invasive breast cancer, geographic location of residence, and reported average time spent outside. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 495-507 | 4 | 36 |
| 127 | Sleep duration change across breast cancer survivorship: associations with symptoms and health-related quality of life. <i>Breast Cancer Research and Treatment</i> , 2011 , 130, 243-54 | 4.4 | 35 |
| 126 | Mammographic density change with 1 year of aerobic exercise among postmenopausal women: a randomized controlled trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1112-21 | 4 | 35 |
| 125 | Effects of risk counseling on interest in breast cancer genetic testing for lower risk women. <i>Genetics in Medicine</i> , 2002 , 4, 359-65 | 8.1 | 35 |
| 124 | The Piper Fatigue Scale-12 (PFS-12): psychometric findings and item reduction in a cohort of breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2012 , 136, 9-20 | 4.4 | 34 |
| 123 | Lower skin cancer risk in women with higher body mass index: the women's health initiative observational study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 2412-5 | 4 | 34 |
| 122 | Metabolic, hormonal and immunological associations with global DNA methylation among postmenopausal women. <i>Epigenetics</i> , 2012 , 7, 1020-8 | 5.7 | 34 |
| 121 | Relation of demographic factors, menstrual history, reproduction and medication use to sex hormone levels in postmenopausal women. <i>Breast Cancer Research and Treatment</i> , 2008 , 108, 217-31 | 4.4 | 34 |
| 120 | The effect of CYP19 and COMT polymorphisms on exercise-induced fat loss in postmenopausal women. <i>Obesity</i> , 2004 , 12, 972-81 | | 34 |
| 119 | Sedentary behavior, health-related quality of life, and fatigue among breast cancer survivors. <i>Journal of Physical Activity and Health</i> , 2013 , 10, 350-8 | 2.5 | 33 |
| 118 | The effects of separate and combined dietary weight loss and exercise on fasting ghrelin concentrations in overweight and obese women: a randomized controlled trial. <i>Clinical Endocrinology</i> , 2015 , 82, 369-76 | 3.4 | 32 |
| 117 | Predictors of adherence to supervised and unsupervised exercise in the Alberta Physical Activity and Breast Cancer Prevention Trial. <i>Journal of Physical Activity and Health</i> , 2012 , 9, 857-66 | 2.5 | 32 |
| 116 | Elements of informed consent for hormone replacement therapy in patients with diagnosed breast cancer. <i>Journal of Clinical Oncology</i> , 1999 , 17, 130-42 | 2.2 | 32 |
| 115 | Estrogen alone in postmenopausal women and breast cancer detection by means of mammography and breast biopsy. <i>Journal of Clinical Oncology</i> , 2010 , 28, 2690-7 | 2.2 | 31 |
| 114 | Alcohol and folate intake and breast cancer risk in the WHI Observational Study. <i>Breast Cancer Research and Treatment</i> , 2009 , 116, 551-62 | 4.4 | 31 |
| 113 | Assessing individual risk for breast cancer: risky business. <i>Journal of Clinical Epidemiology</i> , 1997 , 50, 547-56 | | 31 |
| 112 | Impact of pre-diagnostic triglycerides and HDL-cholesterol on breast cancer recurrence and survival by breast cancer subtypes. <i>BMC Cancer</i> , 2018 , 18, 654 | 4.8 | 30 |
| 111 | Comorbidities, therapy, and newly diagnosed conditions for women with early stage breast cancer. <i>Journal of Cancer Survivorship</i> , 2009 , 3, 89-98 | 5.1 | 30 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 110 | Impact of a Pre-Operative Exercise Intervention on Breast Cancer Proliferation and Gene Expression: Results from the Pre-Operative Health and Body (PreHAB) Study. <i>Clinical Cancer Research</i> , 2019 , 25, 5398-5406 | 12.9 | 29 |
| 109 | Effect of Vitamin D3 Supplementation in Combination with Weight Loss on Inflammatory Biomarkers in Postmenopausal Women: A Randomized Controlled Trial. <i>Cancer Prevention Research</i> , 2015 , 8, 628-35 | 3.2 | 29 |
| 108 | Estrogen plus progestin and risk of benign proliferative breast disease. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 2337-43 | 4 | 29 |
| 107 | The association between aspirin use and the incidence of colorectal cancer in women. <i>American Journal of Epidemiology</i> , 2006 , 164, 567-75 | 3.8 | 29 |
| 106 | The relationship between diet and breast cancer in men (United States). <i>Cancer Causes and Control</i> , 1999 , 10, 107-13 | 2.8 | 29 |
| 105 | Dietary Weight Loss, Exercise, and Oxidative Stress in Postmenopausal Women: A Randomized Controlled Trial. <i>Cancer Prevention Research</i> , 2016 , 9, 835-843 | 3.2 | 28 |
| 104 | Pre-diagnosis physical activity and mammographic density in breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2006 , 95, 171-8 | 4.4 | 28 |
| 103 | History of weight cycling does not impede future weight loss or metabolic improvements in postmenopausal women. <i>Metabolism: Clinical and Experimental</i> , 2013 , 62, 127-36 | 12.7 | 27 |
| 102 | Effects of dietary weight loss and exercise on insulin-like growth factor-I and insulin-like growth factor-binding protein-3 in postmenopausal women: a randomized controlled trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 1457-63 | 4 | 27 |
| 101 | Proximity to traffic, inflammation, and immune function among women in the Seattle, Washington, area. <i>Environmental Health Perspectives</i> , 2009 , 117, 373-8 | 8.4 | 27 |
| 100 | Intervention studies in exercise and cancer prevention. <i>Medicine and Science in Sports and Exercise</i> , 2003 , 35, 1841-5 | 1.2 | 27 |
| 99 | The use and interpretation of anthropometric measures in cancer epidemiology: A perspective from the world cancer research fund international continuous update project. <i>International Journal of Cancer</i> , 2016 , 139, 2391-7 | 7.5 | 26 |
| 98 | Influence of diet, exercise, and serum vitamin d on sarcopenia in postmenopausal women. <i>Medicine and Science in Sports and Exercise</i> , 2013 , 45, 607-14 | 1.2 | 26 |
| 97 | Predictors of diet quality among overweight and obese postmenopausal women. <i>Journal of the American Dietetic Association</i> , 2008 , 108, 125-30 | | 26 |
| 96 | Supplementation with vitamins or minerals and immune function: can the elderly benefit?. <i>Nutrition Research</i> , 2003 , 23, 1117-1139 | 4 | 26 |
| 95 | Frequent intentional weight loss is associated with higher ghrelin and lower glucose and androgen levels in postmenopausal women. <i>Nutrition Research</i> , 2010 , 30, 163-70 | 4 | 25 |
| 94 | Use of complementary and alternative medicine and breast cancer survival in the Health, Eating, Activity, and Lifestyle Study. <i>Breast Cancer Research and Treatment</i> , 2016 , 160, 539-546 | 4.4 | 24 |
| 93 | Exercise and breast cancer--time to get moving?. <i>New England Journal of Medicine</i> , 1997 , 336, 1311-2 | 59.2 | 24 |

| | | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 92 | Effect of exercise on bone mineral density and lean mass in postmenopausal women. <i>Medicine and Science in Sports and Exercise</i> , 2006 , 38, 1236-44 | 1.2 | 24 |
| 91 | Effects of Vitamin D3 Supplementation on Lean Mass, Muscle Strength, and Bone Mineral Density During Weight Loss: A Double-Blind Randomized Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 769-78 | 5.6 | 24 |
| 90 | Lipoprotein subfractions by nuclear magnetic resonance are associated with tumor characteristics in breast cancer. <i>Lipids in Health and Disease</i> , 2016 , 15, 56 | 4.4 | 23 |
| 89 | A study of caloric restriction versus standard diet in overweight men with newly diagnosed prostate cancer: a randomized controlled trial. <i>Prostate</i> , 2013 , 73, 1345-51 | 4.2 | 23 |
| 88 | Associations between snacking and weight loss and nutrient intake among postmenopausal overweight to obese women in a dietary weight-loss intervention. <i>Journal of the American Dietetic Association</i> , 2011 , 111, 1898-903 | | 23 |
| 87 | Dietary and physical activity behaviours related to obesity-specific quality of life and work productivity: baseline results from a worksite trial. <i>British Journal of Nutrition</i> , 2012 , 108, 1134-42 | 3.6 | 23 |
| 86 | Breast cancer prevention in countries with diverse resources. <i>Cancer</i> , 2008 , 113, 2325-30 | 6.4 | 23 |
| 85 | Associations of overall and abdominal adiposity with area and volumetric mammographic measures among postmenopausal women. <i>International Journal of Cancer</i> , 2011 , 129, 440-8 | 7.5 | 22 |
| 84 | Serum leptin concentrations and markers of immune function in overweight or obese postmenopausal women. <i>Journal of Endocrinology</i> , 2008 , 199, 51-60 | 4.7 | 22 |
| 83 | Repletion of vitamin D associated with deterioration of sleep quality among postmenopausal women. <i>Preventive Medicine</i> , 2016 , 93, 166-170 | 4.3 | 22 |
| 82 | Breast tenderness after initiation of conjugated equine estrogens and mammographic density change. <i>Breast Cancer Research and Treatment</i> , 2012 , 131, 969-79 | 4.4 | 21 |
| 81 | The association between television watching time and all-cause mortality after breast cancer. <i>Journal of Cancer Survivorship</i> , 2013 , 7, 247-52 | 5.1 | 21 |
| 80 | The Alberta Physical Activity and Breast Cancer Prevention Trial: quality of life outcomes. <i>Preventive Medicine</i> , 2011 , 52, 26-32 | 4.3 | 21 |
| 79 | Dietary Weight Loss and Exercise Effects on Serum Biomarkers of Angiogenesis in Overweight Postmenopausal Women: A Randomized Controlled Trial. <i>Cancer Research</i> , 2016 , 76, 4226-35 | 10.1 | 20 |
| 78 | Association between sex hormones, glucose homeostasis, adipokines, and inflammatory markers and mammographic density among postmenopausal women. <i>Breast Cancer Research and Treatment</i> , 2013 , 139, 255-65 | 4.4 | 20 |
| 77 | Use of antihypertensive medications and breast cancer risk. <i>Cancer Causes and Control</i> , 2013 , 24, 365-71 | 2.8 | 20 |
| 76 | Predictors of adherence to a 26-week viniyoga intervention among post-treatment breast cancer survivors. <i>Journal of Alternative and Complementary Medicine</i> , 2013 , 19, 751-8 | 2.4 | 20 |
| 75 | Wheel running-induced changes in plasma biomarkers and carcinogenic response in the 1-methyl-1-nitrosourea-induced rat model for breast cancer. <i>Cancer Prevention Research</i> , 2010 , 3, 1484-92 | 3.2 | 20 |

| | | | |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 74 | A pilot study of sampling subcutaneous adipose tissue to examine biomarkers of cancer risk. <i>Cancer Prevention Research</i> , 2009 , 2, 37-42 | 3.2 | 20 |
| 73 | Higher habitual intake of dietary fat and carbohydrates are associated with lower leptin and higher ghrelin concentrations in overweight and obese postmenopausal women with elevated insulin levels. <i>Nutrition Research</i> , 2009 , 29, 768-76 | 4 | 20 |
| 72 | Intentional weight loss and risk of lymphohematopoietic cancers. <i>Cancer Causes and Control</i> , 2010 , 21, 223-36 | 2.8 | 20 |
| 71 | Serum lipoproteins in overweight/obese postmenopausal women: a one-year exercise trial. <i>Medicine and Science in Sports and Exercise</i> , 2006 , 38, 231-9 | 1.2 | 20 |
| 70 | Weight cycling and cancer: weighing the evidence of intermittent caloric restriction and cancer risk. <i>Cancer Prevention Research</i> , 2011 , 4, 1736-42 | 3.2 | 19 |
| 69 | Vitamin D and calcium supplementation and one-year change in mammographic density in the women's health initiative calcium and vitamin D trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 462-73 | 4 | 19 |
| 68 | Deriving clinically meaningful cut-scores for fatigue in a cohort of breast cancer survivors: a Health, Eating, Activity, and Lifestyle (HEAL) Study. <i>Quality of Life Research</i> , 2013 , 22, 2279-92 | 3.7 | 18 |
| 67 | Exercise adherence, cardiopulmonary fitness and anthropometric changes improve exercise self-efficacy and health-related quality of life. <i>Journal of Physical Activity and Health</i> , 2013 , 10, 676-89 | 2.5 | 18 |
| 66 | Dietary fiber is associated with circulating concentrations of C-reactive protein in breast cancer survivors: the HEAL study. <i>Breast Cancer Research and Treatment</i> , 2011 , 129, 485-94 | 4.4 | 18 |
| 65 | Fine particulate matter (PM _{2.5}) air pollution and immune status among women in the Seattle area. <i>Archives of Environmental and Occupational Health</i> , 2011 , 66, 155-65 | 2 | 17 |
| 64 | Effects of 12-month exercise on health-related quality of life: a randomized controlled trial. <i>Preventive Medicine</i> , 2011 , 52, 344-51 | 4.3 | 17 |
| 63 | Age-related variation in the relationship between menopausal hormone therapy and the risk of dying from breast cancer. <i>Breast Cancer Research and Treatment</i> , 2011 , 126, 749-61 | 4.4 | 16 |
| 62 | Associations of sex steroid hormones with mortality in women with breast cancer. <i>Breast Cancer Research and Treatment</i> , 2016 , 155, 559-67 | 4.4 | 15 |
| 61 | Effect of a 12-month exercise intervention on serum biomarkers of angiogenesis in postmenopausal women: a randomized controlled trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 648-57 | 4 | 15 |
| 60 | Serum vitamin D and breast density in breast cancer survivors. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 412-7 | 4 | 15 |
| 59 | Inflammatory serum markers and risk and severity of prostate cancer: The PROCA-life study. <i>International Journal of Cancer</i> , 2020 , 147, 84-92 | 7.5 | 15 |
| 58 | No effect of caloric restriction or exercise on radiation repair capacity. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 896-904 | 1.2 | 13 |
| 57 | The role of physical activity in breast and gynecologic cancer survivorship. <i>Gynecologic Oncology</i> , 2018 , 149, 198-204 | 4.9 | 13 |

| | | | |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 56 | The roles of support seeking and race/ethnicity in posttraumatic growth among breast cancer survivors. <i>Journal of Psychosocial Oncology</i> , 2013 , 31, 393-412 | 2.8 | 13 |
| 55 | Measurement matters in the association between early adolescent depressive symptoms and body mass index. <i>General Hospital Psychiatry</i> , 2008 , 30, 458-66 | 5.6 | 13 |
| 54 | Eating behaviors and weight loss outcomes in a 12-month randomized trial of diet and/or exercise intervention in postmenopausal women. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 113 | 8.4 | 13 |
| 53 | Predicting adherence of adults to a 12-month exercise intervention. <i>Journal of Physical Activity and Health</i> , 2014 , 11, 1304-12 | 2.5 | 12 |
| 52 | Cyclic endogenous estrogen and progesterone vary by mammographic density phenotypes in premenopausal women. <i>European Journal of Cancer Prevention</i> , 2016 , 25, 9-18 | 2 | 12 |
| 51 | Weight, physical activity and breast cancer survival. <i>Proceedings of the Nutrition Society</i> , 2018 , 77, 403-411 | 1.9 | 11 |
| 50 | Weight and metabolic effects of dietary weight loss and exercise interventions in postmenopausal antidepressant medication users and non-users: a randomized controlled trial. <i>Preventive Medicine</i> , 2013 , 57, 525-32 | 4.3 | 11 |
| 49 | Injuries in sedentary individuals enrolled in a 12-month, randomized, controlled, exercise trial. <i>Journal of Physical Activity and Health</i> , 2012 , 9, 198-207 | 2.5 | 11 |
| 48 | Adoption of diet-related self-monitoring behaviors varies by race/ethnicity, education, and baseline binge eating score among overweight-to-obese postmenopausal women in a 12-month dietary weight loss intervention. <i>Nutrition Research</i> , 2012 , 32, 260-5 | 4 | 11 |
| 47 | Wheel running, skeletal muscle aerobic capacity and 1-methyl-1-nitrosourea induced mammary carcinogenesis in the rat. <i>Carcinogenesis</i> , 2010 , 31, 1279-83 | 4.6 | 11 |
| 46 | Associations between the CYP17, CYP11B1, COMT and SHBG polymorphisms and serum sex hormones in post-menopausal breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2007 , 105, 45-54 | 4.4 | 11 |
| 45 | Exploring the effects of lifestyle on breast cancer risk, age at diagnosis, and survival: the EBBA-Life study. <i>Breast Cancer Research and Treatment</i> , 2020 , 182, 215-227 | 4.4 | 11 |
| 44 | High-density lipoprotein-cholesterol, daily estradiol and progesterone, and mammographic density phenotypes in premenopausal women. <i>Cancer Prevention Research</i> , 2015 , 8, 535-44 | 3.2 | 10 |
| 43 | Aspirin and serum estrogens in postmenopausal women: a randomized controlled clinical trial. <i>Cancer Prevention Research</i> , 2014 , 7, 906-12 | 3.2 | 10 |
| 42 | Dietary fiber is associated with serum sex hormones and insulin-related peptides in postmenopausal breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2008 , 112, 149-58 | 4.4 | 10 |
| 41 | How does breast cancer mortality compare with that of other cancers and selected cardiovascular diseases at different ages in U.S. women?. <i>Journal of Women's Health and Gender-Based Medicine</i> , 2000 , 9, 999-1006 | | 10 |
| 40 | Long-Term Effects of Weight Loss and Exercise on Biomarkers Associated with Angiogenesis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1788-1794 | 4 | 9 |
| 39 | Gene variations in oestrogen pathways, CYP19A1, daily 17β-estradiol and mammographic density phenotypes in premenopausal women. <i>Breast Cancer Research</i> , 2014 , 16, 499 | 8.3 | 9 |

| | | | |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---|
| 38 | Association between alcohol intake and serum sex hormones and peptides differs by tamoxifen use in breast cancer survivors. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3224-32 | 4 | 9 |
| 37 | Effect of a nighttime magnetic field exposure on sleep patterns in young women. <i>American Journal of Epidemiology</i> , 2004 , 160, 224-9 | 3.8 | 9 |
| 36 | Awareness and concern about ovarian cancer among women at risk because of a family history of breast or ovarian cancer. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 189, S42-7 | 6.4 | 9 |
| 35 | Genetic variation in TNF α , PPAR α and IRS-1 genes, and their association with breast-cancer survival in the HEAL cohort. <i>Breast Cancer Research and Treatment</i> , 2018 , 168, 567-576 | 4.4 | 8 |
| 34 | Increases in physical activity may affect quality of life differently in men and women: the PACE project. <i>Quality of Life Research</i> , 2013 , 22, 2381-8 | 3.7 | 8 |
| 33 | Effects of physical activity on melatonin levels in previously sedentary men and women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1696-9 | 4 | 8 |
| 32 | Long-term weight loss maintenance, sex steroid hormones, and sex hormone-binding globulin. <i>Menopause</i> , 2019 , 26, 417-422 | 2.5 | 7 |
| 31 | Leptin and immune function: integrating the evidence. <i>Nutrition Research</i> , 2005 , 25, 791-803 | 4 | 7 |
| 30 | A phase I/II study of doxorubicin, ifosfamide, etoposide and interval methotrexate in patients with poor prognosis osteosarcoma. <i>Pediatric Blood and Cancer</i> , 2006 , 46, 345-50 | 3 | 7 |
| 29 | Cancer risk in menopausal women. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2002 , 16, 293-307 | 4.6 | 7 |
| 28 | Longitudinal changes in IGF-I and IGFBP-3, and mammographic density among postmenopausal women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 2116-20 | 4 | 6 |
| 27 | Plasma polychlorinated biphenyl concentrations and immune function in postmenopausal women. <i>Environmental Research</i> , 2014 , 131, 174-80 | 7.9 | 6 |
| 26 | Walking speed, physical activity, and breast cancer in postmenopausal women. <i>European Journal of Cancer Prevention</i> , 2014 , 23, 49-52 | 2 | 5 |
| 25 | Breast cancer survivors who use estrogenic botanical supplements have lower serum estrogen levels than non users. <i>Breast Cancer Research and Treatment</i> , 2009 , 117, 111-9 | 4.4 | 5 |
| 24 | The Translational Research Working Group developmental pathway for lifestyle alterations. <i>Clinical Cancer Research</i> , 2008 , 14, 5707-13 | 12.9 | 5 |
| 23 | An association between a common variant (G972R) in the IRS-1 gene and sex hormone levels in post-menopausal breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2006 , 99, 323-31 | 4.4 | 5 |
| 22 | The Role of Randomized Controlled Trials in Assessing the Benefits and Risks of Long-Term Hormone Replacement Therapy: Example of the Women's Health Initiative. <i>Menopause</i> , 1996 , 3, 71-76 | 2.5 | 5 |
| 21 | Efficient selection of controls for multi-centered collaborative studies of rare diseases. <i>American Journal of Epidemiology</i> , 1986 , 123, 901-4 | 3.8 | 5 |

| | | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
| 20 | A Phase II Study of Docetaxel for the Treatment of Recurrent Osteosarcoma. <i>Sarcoma</i> , 2004 , 8, 71-6 | 3.1 | 5 |
| 19 | A 12-month moderate-intensity exercise intervention does not alter serum prolactin concentrations. <i>Cancer Epidemiology</i> , 2011 , 35, 569-73 | 2.8 | 4 |
| 18 | Changes in Dietary Inflammatory Index Patterns with Weight Loss in Women: A Randomized Controlled Trial. <i>Cancer Prevention Research</i> , 2021 , 14, 85-94 | 3.2 | 4 |
| 17 | Breast cancer in postmenopausal women after non-melanomatous skin cancer: the Women's Health Initiative observational study. <i>Breast Cancer Research and Treatment</i> , 2013 , 139, 821-31 | 4.4 | 3 |
| 16 | Physical activity, exercise, and cancer: prevention to treatment--symposium overview. <i>Medicine and Science in Sports and Exercise</i> , 2003 , 35, 1821-2 | 1.2 | 3 |
| 15 | Diet in the etiology of cancer. <i>Seminars in Oncology Nursing</i> , 1986 , 2, 3-13 | 3.7 | 3 |
| 14 | Self-reported symptoms of arm lymphedema and health-related quality of life among female breast cancer survivors. <i>Scientific Reports</i> , 2021 , 11, 10701 | 4.9 | 3 |
| 13 | Gene expression in breast and adipose tissue after 12 months of weight loss and vitamin D supplementation in postmenopausal women. <i>Npj Breast Cancer</i> , 2017 , 3, 15 | 7.8 | 2 |
| 12 | Physical activity, weight, diet, and breast cancer risk reduction; comment on "physical activity and risk of breast cancer among postmenopausal women". <i>Archives of Internal Medicine</i> , 2010 , 170, 1792-3 | | 2 |
| 11 | Dietary fat, tamoxifen use and circulating sex hormones in postmenopausal breast cancer survivors. <i>Nutrition and Cancer</i> , 2010 , 62, 164-74 | 2.8 | 2 |
| 10 | Systolic and diastolic blood pressure, prostate cancer risk, treatment, and survival. The PROCA-life study.. <i>Cancer Medicine</i> , 2021 , | 4.8 | 2 |
| 9 | Obesity and Cancer: It's Causal and Reversible?. <i>Obesity</i> , 2020 , 28, 1575 | 8 | 2 |
| 8 | Dietary prevention of breast cancer in high-risk women: role of carotenoids. <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 499-500 | 7 | 2 |
| 7 | Reply to S. Gandini et al. <i>Journal of Clinical Oncology</i> , 2013 , 31, 974-5 | 2.2 | 1 |
| 6 | A Prospective Cohort Study Of Physical Activity In Relation To Disease-free Survival Of Breast Cancer In Women Diagnosed With Breast Cancer. <i>Medicine and Science in Sports and Exercise</i> , 2005 , 37, S358 | 1.2 | 1 |
| 5 | Dietary changes in early-stage breast cancer patients from pre-surgery and over the 12 months post-surgery. <i>British Journal of Nutrition</i> , 2021 , 125, 172-182 | 3.6 | 1 |
| 4 | Exploring the impact of exercise and mind-body prehabilitation interventions on physical and psychological outcomes in women undergoing breast cancer surgery. <i>Supportive Care in Cancer</i> , 2021 , 30, 2027 | 3.9 | 0 |
| 3 | Methods to adjust for misclassification in the quantiles for the generalized linear model with measurement error in continuous exposures. <i>Statistics in Medicine</i> , 2016 , 35, 1676-88 | 2.3 | 0 |

- 2 Diet and Prognosis in Women with Breast Cancer. *Cancer Epidemiology Biomarkers and Prevention*, **2021**, 30, 252-254 4 0
- 1 Diet and Exercise and Serum Markers of Oxidative Stress-Response. *Cancer Prevention Research*, **2017**, 10, 487 3-2