Masuko Ushio-Fukai

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/980158/masuko-ushio-fukai-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71	11,162	41	73
papers	citations	h-index	g-index
73	12,173 ext. citations	7.9	6.62
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
71	Cysteine oxidation of copper transporter CTR1 drives VEGFR2 signalling and angiogenesis <i>Nature Cell Biology</i> , 2022 , 24, 35-50	23.4	3
70	Exercise improves angiogenic function of circulating exosomes in type 2 diabetes: Role of exosomal SOD3 <i>FASEB Journal</i> , 2022 , 36, e22177	0.9	0
69	Shear and Integrin Outside-In Signaling Activate NADPH-Oxidase 2 to Promote Platelet Activation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2021 , 41, 1638-1653	9.4	5
68	The P-type ATPase transporter ATP7A promotes angiogenesis by limiting autophagic degradation of VEGFR2. <i>Nature Communications</i> , 2021 , 12, 3091	17.4	4
67	Interplay Between Reactive Oxygen/Reactive Nitrogen Species and Metabolism in Vascular Biology and Disease. <i>Antioxidants and Redox Signaling</i> , 2021 , 34, 1319-1354	8.4	13
66	Reactive oxygen species-induced reactive oxygen species release in vascular signaling and disease 2021 , 17-27		
65	Dichotomous Role of Tumor Necrosis Factor in Pulmonary Barrier Function and Alveolar Fluid Clearance <i>Frontiers in Physiology</i> , 2021 , 12, 793251	4.6	2
64	IQ motif-containing GTPase-activating protein 1 is essential for the optimal maintenance of lung ILC2s. <i>International Immunology</i> , 2020 , 32, 233-241	4.9	
63	Cross-Talk between NADPH Oxidase and Mitochondria: Role in ROS Signaling and Angiogenesis. <i>Cells</i> , 2020 , 9,	7.9	67
62	Novel interaction of antioxidant-1 with TRAF4: role in inflammatory responses in endothelial cells. <i>American Journal of Physiology - Cell Physiology</i> , 2019 , 317, C1161-C1171	5.4	6
61	Copper Transporter ATP7A (Copper-Transporting P-Type ATPase/Menkes ATPase) Limits Vascular Inflammation and Aortic Aneurysm Development: Role of MicroRNA-125b. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2019 , 39, 2320-2337	9.4	9
60	Modification of Cardiac Progenitor Cell-Derived Exosomes by miR-322 Provides Protection against Myocardial Infarction through Nox2-Dependent Angiogenesis. <i>Antioxidants</i> , 2019 , 8,	7.1	30
59	Akt2 (Protein Kinase B Beta) Stabilizes ATP7A, a Copper Transporter for Extracellular Superoxide Dismutase, in Vascular Smooth Muscle: Novel Mechanism to Limit Endothelial Dysfunction in Type 2 Diabetes Mellitus. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018 , 38, 529-541	9.4	20
58	Copper transporters and copper chaperones: roles in cardiovascular physiology and disease. <i>American Journal of Physiology - Cell Physiology</i> , 2018 , 315, C186-C201	5.4	48
57	Redox Regulation of Mitochondrial Fission Protein Drp1 by Protein Disulfide Isomerase Limits Endothelial Senescence. <i>Cell Reports</i> , 2018 , 23, 3565-3578	10.6	73
56	Copper transporter ATP7A interacts with IQGAP1, a Rac1 binding scaffolding protein: role in PDGF-induced VSMC migration and vascular remodeling. <i>American Journal of Physiology - Cell Physiology</i> , 2018 , 315, C850-C862	5.4	5
55	ROS-induced ROS release orchestrated by Nox4, Nox2, and mitochondria in VEGF signaling and angiogenesis. <i>American Journal of Physiology - Cell Physiology</i> , 2017 , 312, C749-C764	5.4	112

(2011-2017)

54	Short-term regular aerobic exercise reduces oxidative stress produced by acute in the adipose microvasculature. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017 , 312, H896-H9	05 ²	18
53	Embryonic Stem Cell Differentiation to Functional Arterial Endothelial Cells through Sequential Activation of ETV2 and NOTCH1 Signaling by HIF1 Stem Cell Reports, 2017, 9, 796-806	8	21
52	Endothelial Antioxidant-1: a Key Mediator of Copper-dependent Wound Healing in vivo. <i>Scientific Reports</i> , 2016 , 6, 33783	4.9	37
51	Injury-Mediated Vascular Regeneration Requires Endothelial ER71/ETV2. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 86-96	9.4	36
50	Differential Roles of the NADPH-Oxidase 1 and 2 in Platelet Activation and Thrombosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 846-54	9.4	74
49	Novel role of reactive oxygen species-activated Trp melastatin channel-2 in mediating angiogenesis and postischemic neovascularization. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2015 , 35, 877-8	7 ^{9.4}	31
48	Mechanosignaling in the vasculature: emerging concepts in sensing, transduction and physiological responses. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015 , 308, H1451-62	5.2	30
47	Copper Transport Protein Antioxidant-1 Promotes Inflammatory Neovascularization via Chaperone and Transcription Factor Function. <i>Scientific Reports</i> , 2015 , 5, 14780	4.9	45
46	KIF13B regulates angiogenesis through Golgi to plasma membrane trafficking of VEGFR2. <i>Journal of Cell Science</i> , 2014 , 127, 4518-30	5.3	27
45	P21-activated kinase in inflammatory and cardiovascular disease. <i>Cellular Signalling</i> , 2014 , 26, 2060-9	4.9	20
44	Redox regulation of stem/progenitor cells and bone marrow niche. <i>Free Radical Biology and Medicine</i> , 2013 , 54, 26-39	7.8	126
43	Copper transporter ATP7A protects against endothelial dysfunction in type 1 diabetic mice by regulating extracellular superoxide dismutase. <i>Diabetes</i> , 2013 , 62, 3839-50	0.9	26
42	Platelet protein disulfide isomerase is required for thrombus formation but not for hemostasis in mice. <i>Blood</i> , 2013 , 122, 1052-61	2.2	118
41	Critical role of endothelial hydrogen peroxide in post-ischemic neovascularization. <i>PLoS ONE</i> , 2013 , 8, e57618	3.7	31
40	NADPH oxidase 2 regulates bone marrow microenvironment following hindlimb ischemia: role in reparative mobilization of progenitor cells. <i>Stem Cells</i> , 2012 , 30, 923-34	5.8	33
39	Novel role of p66Shc in ROS-dependent VEGF signaling and angiogenesis in endothelial cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012 , 302, H724-32	5.2	63
38	Superoxide dismutases: role in redox signaling, vascular function, and diseases. <i>Antioxidants and Redox Signaling</i> , 2011 , 15, 1583-606	8.4	1093
37	Localized cysteine sulfenic acid formation by vascular endothelial growth factor: role in endothelial cell migration and angiogenesis. <i>Free Radical Research</i> , 2011 , 45, 1124-35	4	50

36	Extracellular SOD-derived H2O2 promotes VEGF signaling in caveolae/lipid rafts and post-ischemic angiogenesis in mice. <i>PLoS ONE</i> , 2010 , 5, e10189	3.7	128
35	Unexpected role of the copper transporter ATP7A in PDGF-induced vascular smooth muscle cell migration. <i>Circulation Research</i> , 2010 , 107, 787-99	15.7	56
34	Compartmentalization of redox signaling through NADPH oxidase-derived ROS. <i>Antioxidants and Redox Signaling</i> , 2009 , 11, 1289-99	8.4	280
33	Novel role of NADPH oxidase in angiogenesis and stem/progenitor cell function. <i>Antioxidants and Redox Signaling</i> , 2009 , 11, 2517-33	8.4	123
32	Vascular signaling through G protein-coupled receptors: new concepts. <i>Current Opinion in Nephrology and Hypertension</i> , 2009 , 18, 153-9	3.5	47
31	Role of Copper Transport System for Extracellular Superoxide Dismutase in Angiotensin II-Induced Hypertension. <i>FASEB Journal</i> , 2009 , 23, 231.3	0.9	
30	Reactive oxygen species and angiogenesis: NADPH oxidase as target for cancer therapy. <i>Cancer Letters</i> , 2008 , 266, 37-52	9.9	462
29	Novel role of antioxidant-1 (Atox1) as a copper-dependent transcription factor involved in cell proliferation. <i>Journal of Biological Chemistry</i> , 2008 , 283, 9157-67	5.4	167
28	Role of nox2-based NADPH oxidase in bone marrow and progenitor cell function involved in neovascularization induced by hindlimb ischemia. <i>Circulation Research</i> , 2008 , 103, 212-20	15.7	159
27	Role of protein tyrosine phosphatase 1B in vascular endothelial growth factor signaling and cell-cell adhesions in endothelial cells. <i>Circulation Research</i> , 2008 , 102, 1182-91	15.7	149
26	Role of Menkes ATPase in angiotensin II-induced hypertension: a key modulator for extracellular superoxide dismutase function. <i>Hypertension</i> , 2008 , 52, 945-51	8.5	50
25	VEGF signaling through NADPH oxidase-derived ROS. <i>Antioxidants and Redox Signaling</i> , 2007 , 9, 731-9	8.4	189
24	Essential role of extracellular SOD in reparative neovascularization induced by hindlimb ischemia. <i>Circulation Research</i> , 2007 , 101, 409-19	15.7	84
23	Redox State and Regulation of Angiogenic Responses 2007 , 217-252		
22	Essential role for the Menkes ATPase in activation of extracellular superoxide dismutase: implication for vascular oxidative stress. <i>FASEB Journal</i> , 2006 , 20, 334-6	0.9	69
21	Caveolin-dependent angiotensin II type 1 receptor signaling in vascular smooth muscle. <i>Hypertension</i> , 2006 , 48, 797-803	8.5	51
20	Redox signaling in angiogenesis: role of NADPH oxidase. Cardiovascular Research, 2006, 71, 226-35	9.9	364
19	Localizing NADPH oxidase-derived ROS. <i>Science Signaling</i> , 2006 , 2006, re8	8.8	265

18	Copper Activates Extracellular Superoxide Dismutase Gene Transcription by a Novel Copper Dependent Transcription Factor Antioxidant-1. <i>FASEB Journal</i> , 2006 , 20, A1452	0.9	
17	Reactive Oxygen Species as Mediators of Angiogenesis. <i>FASEB Journal</i> , 2006 , 20,	0.9	5
16	Novel role of ARF6 in vascular endothelial growth factor-induced signaling and angiogenesis. <i>Circulation Research</i> , 2005 , 96, 467-75	15.7	127
15	Role of gp91phox (Nox2)-containing NAD(P)H oxidase in angiogenesis in response to hindlimb ischemia. <i>Circulation</i> , 2005 , 111, 2347-55	16.7	231
14	cAbl tyrosine kinase mediates reactive oxygen species- and caveolin-dependent AT1 receptor signaling in vascular smooth muscle: role in vascular hypertrophy. <i>Circulation Research</i> , 2005 , 97, 829-3	6 ^{15.7}	72
13	IQGAP1, a novel vascular endothelial growth factor receptor binding protein, is involved in reactive oxygen speciesdependent endothelial migration and proliferation. <i>Circulation Research</i> , 2004 , 95, 276	5-83 ⁻⁷	201
12	Reactive oxygen species as mediators of angiogenesis signaling: role of NAD(P)H oxidase. <i>Molecular and Cellular Biochemistry</i> , 2004 , 264, 85-97	4.2	348
11	Novel role of gp91(phox)-containing NAD(P)H oxidase in vascular endothelial growth factor-induced signaling and angiogenesis. <i>Circulation Research</i> , 2002 , 91, 1160-7	15.7	424
10	Convergence of redox-sensitive and mitogen-activated protein kinase signaling pathways in tumor necrosis factor-alpha-mediated monocyte chemoattractant protein-1 induction in vascular smooth muscle cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000 , 20, 385-91	9.4	83
9	Modulation of protein kinase activity and gene expression by reactive oxygen species and their role in vascular physiology and pathophysiology. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000 , 20, 2175-83	9.4	776
8	NAD(P)H oxidase: role in cardiovascular biology and disease. Circulation Research, 2000, 86, 494-501	15.7	2467
7	Regulation of the vascular extracellular superoxide dismutase by nitric oxide and exercise training. <i>Journal of Clinical Investigation</i> , 2000 , 105, 1631-9	15.9	395
6	Arachidonic acid metabolites mediate angiotensin II-induced NADH/NADPH oxidase activity and hypertrophy in vascular smooth muscle cells. <i>Antioxidants and Redox Signaling</i> , 1999 , 1, 167-79	8.4	61
5	Modulation of extracellular superoxide dismutase expression by angiotensin II and hypertension. <i>Circulation Research</i> , 1999 , 85, 23-8	15.7	168
4	Role of NADH/NADPH oxidase-derived H2O2 in angiotensin II-induced vascular hypertrophy. <i>Hypertension</i> , 1998 , 32, 488-95	8.5	551
3	Tumour necrosis factor alpha activates a p22phox-based NADH oxidase in vascular smooth muscle. <i>Biochemical Journal</i> , 1998 , 329 (Pt 3), 653-7	3.8	269
2	G-Protein binding domains of the angiotensin II AT1A receptors mapped with synthetic peptides selected from the receptor sequence. <i>Biochemical Journal</i> , 1998 , 332 (Pt 3), 781-7	3.8	26
1	Aspects of Nox/Duox Signaling317-349		