
## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/980544/publications.pdf Version: 2024-02-01



FAIRCOV

#	Article	IF	CITATIONS
1	Clinical characteristics, quality of life and risk factors for severity in palmoplantar pustulosis: a crossâ€sectional, multicentre study of 263 patients. Clinical and Experimental Dermatology, 2022, 47, 63-71.	0.6	7
2	Sociodemographic, clinical, laboratory, treatment and prognostic characteristics of 156 generalized pustular psoriasis patients in Turkey: a multicentre case series. Journal of the European Academy of Dermatology and Venereology, 2022, 36, 1256-1265.	1.3	15
3	Internalized stigma in chronic urticaria: A case–control study. Australasian Journal of Dermatology, 2022, 63, .	0.4	1
4	Omalizumab versus cyclosporin-A for the treatment of chronic spontaneous urticaria: can we define better-responding endotypes?. Anais Brasileiros De Dermatologia, 2022, 97, 592-600.	0.5	6
5	Internalized stigma: One of the main factors responsible for the psychosocial burden of melasma?. Journal of Cosmetic Dermatology, 2021, 20, 1182-1187.	0.8	2
6	Behçet's Disease. , 2021, , 165-177.		0
7	Experimental Therapeutic Solutions for Behcet's Disease. Journal of Experimental Pharmacology, 2021, Volume 13, 127-145.	1.5	9
8	Akdeniz University's Process of Becoming a Research-Oriented University: Institutional Structuring, Goals, Activities and Outcomes. Yükseköğretim Dergisi, 2021, 11, 174-184.	0.0	1
9	Treatment of Behçet's Disease: An Algorithmic Multidisciplinary Approach. Frontiers in Medicine, 2021, 8, 624795.	1.2	34
10	Genetic Association of a Gainâ€ofâ€Function <i>IFNGR1</i> Polymorphism and the Intergenic Region <i>LNCAROD/DKK1</i> With Behçet's Disease. Arthritis and Rheumatology, 2021, 73, 1244-1252.	2.9	21
11	Behçet Disease: An Update for Dermatologists. American Journal of Clinical Dermatology, 2021, 22, 477-502.	3.3	19
12	Livedoid vasculopathy: A multidisciplinary clinical approach to diagnosis and management. International Journal of Women's Dermatology, 2021, 7, 588-599.	1.1	14
13	Rates of skincare product and cosmetic procedure use in patients with acne vulgaris and the effective factors: A multicenter study with 1,755 patients. Journal of Cosmetic Dermatology, 2021, , .	0.8	2
14	Editorial: Behçet's Disease: Epidemiology, Etiopathogenesis, Diagnosis and Treatment. Frontiers in Medicine, 2021, 8, 794874.	1.2	3
15	Predictive factors for workâ€day loss in Behçet's syndrome: A multiâ€center study. International Journal of Rheumatic Diseases, 2020, 23, 240-246.	0.9	7
16	Multicenter study evaluating the impact of <scp>COVID</scp> â€19 outbreak on dermatology outpatients in Turkey. Dermatologic Therapy, 2020, 33, e14485.	0.8	27
17	Mucocutaneous Manifestations of Behçet's Disease. Frontiers in Medicine, 2020, 7, 613432.	1.2	15
18	Moderation analysis exploring associations between age and mucocutaneous activity in Behçet's syndrome: A multicenter study from Turkey. Journal of Dermatology, 2020, 47, 1403-1410.	0.6	4

E ALPSOY

#	Article	IF	CITATIONS
19	A case of Heck's disease with primary intestinal lymphangiectasia treated with imiquimod. Indian Journal of Dermatology, Venereology and Leprology, 2020, 86, 724.	0.2	3
20	Oral health related qualıty of lıfe and dısease severıty ın autoımmune bullous dıseases. Nigerian Journal of Clinical Practice, 2020, 23, 159.	0.2	5
21	Internalized Stigma in Pediatric Psoriasis: A Comparative Multicenter Study. Annals of Dermatology, 2020, 32, 181.	0.3	6
22	A rare case with prominent features of both discoid lupus erythematosus and pemphigus foliaceus. Journal of the European Academy of Dermatology and Venereology, 2019, 33, e5-e7.	1.3	4
23	Behçet's Disease: An Overview of Etiopathogenesis. Frontiers in Immunology, 2019, 10, 1067.	2.2	140
24	Oral ulcer activity assessment with the composite index according to different treatment modalities in Behçet's syndrome: a multicentre study. Clinical and Experimental Rheumatology, 2019, 37 Suppl 121, 98-104.	0.4	3
25	Nomenclature of Cutaneous Vasculitis. Arthritis and Rheumatology, 2018, 70, 171-184.	2.9	200
26	Mongolian spots combined with halo-like disappearance surrounding café au lait spots. Indian Journal of Dermatology, Venereology and Leprology, 2018, 84, 474.	0.2	1
27	Behçet's Disease. , 2018, , 361-368.		0
28	Defining the Natural Course of Psoriasis: A Single-Center Cohort Study of 100 Patients. Turk Dermatoloji Dergisi, 2018, 12, 33-37.	0.3	2
29	Prevalence of obesity in paediatric psoriasis and its impact on disease severity and progression. Australasian Journal of Dermatology, 2017, 58, e182-e187.	0.4	14
30	Internalized stigma in psoriasis: A multicenter study. Journal of Dermatology, 2017, 44, 885-891.	0.6	87
31	Efficacy, safety and drug survival of conventional agents in pediatric psoriasis: A multicenter, cohort study. Journal of Dermatology, 2017, 44, 630-634.	0.6	28
32	494 Surfactant proteins in psoriasis vulgaris and lichen planus. Journal of Investigative Dermatology, 2017, 137, S276.	0.3	0
33	029 Internalized stigma in acne vulgaris, vitiligo and alopecia areata. Journal of Investigative Dermatology, 2017, 137, S197.	0.3	3
34	Successful Treatment of a Bullous Pemphigoid Patient with Rituximab Who Was Refractory to Corticosteroid and Omalizumab Treatments. Case Reports in Dermatology, 2017, 9, 38-44.	0.3	268
35	CTLA-4 +49 A/G, -318 C/T, -1661 A/G, CT60 A/G Gene Polymorphisms in Patients with Pemphigus in Turkey. Turk Dermatoloji Dergisi, 2017, 11, 75-79.	0.3	0
36	Efficacy and safety of rituximab therapy in patients with pemphigus vulgaris: first report from Turkey. International Journal of Dermatology, 2016, 55, 1362-1368.	0.5	15

#	Article	IF	CITATIONS
37	Behçet's disease: A comprehensive review with a focus on epidemiology, etiology and clinical features, and management of mucocutaneous lesions. Journal of Dermatology, 2016, 43, 620-632.	0.6	213
38	A case of late onset dermal melanocytosis in the C3 dermatome. Indian Journal of Dermatology, Venereology and Leprology, 2016, 82, 705.	0.2	4
39	Prevalence of Restless Legs Syndrome among Psoriasis Patients and Association with Depression and Sleep Quality. Turk Dermatoloji Dergisi, 2016, 10, 110-115.	0.3	6
40	Geographic variations in epidemiology of two autoimmune bullous diseases: pemphigus and bullous pemphigoid. Archives of Dermatological Research, 2015, 307, 291-298.	1.1	137
41	Clinicopathological evaluation of cutaneous leishmaniasis in the mediterranean region of turkey. Turk Patoloji Dergisi, 2015, 31, 126-30.	0.1	5
42	The natural course and factors affecting severity of Behçet's disease: a single-center cohort of 368 patients. Rheumatology International, 2015, 35, 2103-2107.	1.5	32
43	The risk of tuberculosis in patients with psoriasis treated with antiâ€ŧumor necrosis factor agents. International Journal of Dermatology, 2015, 54, 594-599.	0.5	22
44	Reliability and validity of internalized stigmatization scale in psoriasis. Turkderm, 2015, 49, 45-49.	0.0	6
45	Efficacy and safety of rituximab in the treatment of refractory pemfigus vulgaris. Turkderm, 2015, 49, 117-124.	0.0	0
46	Serum Soluble CD200 Level was Higher in Patients with Bullous Pemphigoid During the Active Phase of the Disease than for Healthy Individuals. Clinical Laboratory, 2014, 60, 1237-40.	0.2	5
47	Single Optical Fiber Probe Spectroscopy for Detection of Dysplastic Tissues. Communications in Computer and Information Science, 2014, , 349-354.	0.4	0
48	Authors reply: New clues on the path of understanding unilateral naevoid telangiectasia. Journal of the European Academy of Dermatology and Venereology, 2013, 27, 258-259.	1.3	1
49	PP-256 MEAN PLATELET VOLUME IN PATIENTS WITH PSORIASIS WITHOUT RISK FACTORS FOR CARDIOVASCULAR DISEASE. International Journal of Cardiology, 2013, 163, S182-S183.	0.8	2
50	PP-263 ASSESSMENT OF RED CELL DISTRIBUTION WIDTH (RDW) IN PATIENTS WITH PSORIASIS. International Journal of Cardiology, 2013, 163, S185-S186.	0.8	1
51	Identification of multiple independent susceptibility loci in the HLA region in Behçet's disease. Nature Genetics, 2013, 45, 319-324.	9.4	130
52	Human leukocyte antigens class I and class II in patients with pemphigus in southern Turkey. International Journal of Dermatology, 2013, 52, 53-58.	0.5	17
53	Elastic light single-scattering spectroscopy for detection of dysplastic tissues. Proceedings of SPIE, 2013, , .	0.8	1
54	There might be a role for CD200 in the pathogenesis of autoimmune and inflammatory skin disorders. Medical Science Monitor, 2013, 19, 888-891.	0.5	14

#	Article	IF	CITATIONS
55	Paraneoplastik kaşıntı (pruritus) ve eritrodermi. Turkderm, 2013, 47, 65-68.	0.0	1
56	New Evidence-Based Treatment Approach in Behçet's Disease. Pathology Research International, 2012, 2012, 1-11.	1.4	31
57	Multiple spinal cavernous malformations in Klippel-Trenaunay-Weber syndrome. Neurologia I Neurochirurgia Polska, 2012, 46, 496-500.	0.6	6
58	Diagnosis and Demarcation of Skin Malignancy Using Elastic Light Single-Scattering Spectroscopy: A Pilot Study. Dermatologic Surgery, 2012, 38, 215-223.	0.4	24
59	Serum and tissue levels of IL-17 in different clinical subtypes of psoriasis. Archives of Dermatological Research, 2012, 304, 465-469.	1.1	100
60	Determination of subclinical atherosclerosis in plaque type psoriasis patients without traditional risk factors for atherosclerosis. Turk Kardiyoloji Dernegi Arsivi, 2012, 40, 574-580.	0.6	24
61	Urticaria-Angio Edema; Profile of the Patients in the Emergency Department and Factors Detecting Revisits. Turkish Journal of Emergency Medicine, 2012, 12, 175-181.	0.3	1
62	Dermatology Education in Turkey; a View of Education Programs Development Commission. Turk Dermatoloji Dergisi, 2012, 6, 65-68.	0.3	0
63	Unilateral nevoid telangiectasia accompanied by neurological disorders. Journal of the European Academy of Dermatology and Venereology, 2011, 25, 1356-1359.	1.3	11
64	Epidemiology of Autoimmune Bullous Diseases. Turkderm, 2011, 45, 3-7.	0.0	1
65	Evaluation of JPEG and JPEG2000 compression algorithms for dermatological images. Journal of the European Academy of Dermatology and Venereology, 2010, 24, 893-896.	1.3	5
66	Sacroiliac joint involvement in psoriasis. Rheumatology International, 2010, 30, 1263-1266.	1.5	8
67	The metabolic profile in patients with skin tags. Clinical and Experimental Medicine, 2010, 10, 193-197.	1.9	63
68	IL-17A Has an Important Role in the Acute Attacks of Behçet's Disease. Journal of Investigative Dermatology, 2010, 130, 2136-2138.	0.3	68
69	Behçet's disease: an algorithmic approach to its treatment. Archives of Dermatological Research, 2009, 301, 693-702.	1.1	58
70	Low frequency of the TIRAPS180L polymorphism in Africa, and its potential role in malaria, sepsis, and leprosy. BMC Medical Genetics, 2009, 10, 65.	2.1	40
71	Recurrent bullous lesions associated with familial Mediterranean fever: a case report. Clinical and Experimental Dermatology, 2009, 34, 216-218.	0.6	15
72	Unusual location of purpura fulminans associated with acquired protein C deficiency and administration of propylthiouracil. Clinical and Experimental Dermatology, 2009, 34, e463-e464.	0.6	6

#	Article	IF	CITATIONS
73	Relationship between periodontal findings and specific polymorphisms of interleukin-1α and -1β in Turkish patients with Behçet's disease. Archives of Dermatological Research, 2008, 300, 19-26.	1.1	46
74	Surfactant proteins in inflammatory skin diseases: controlled study. Archives of Dermatological Research, 2008, 300, 353-356.	1.1	8
75	Periodontal status in patients with pemphigus vulgaris*. Oral Diseases, 2008, 14, 640-643.	1.5	36
76	Relationship between periodontal findings and the <i>TNFâ€Î±</i> Gene 1031T/C polymorphism in Turkish patients with Behçet's diseaseâ€. Journal of the European Academy of Dermatology and Venereology, 2008, 22, 950-957.	1.3	25
77	Progressive symmetrical erythrokeratoderma: report of a Turkish family and evaluation for loricrin and connexin gene mutations. Clinical and Experimental Dermatology, 2008, 33, 582-584.	0.6	20
78	Demographic and clinical properties of juvenile-onset Behçet's disease: A controlled multicenter study. Journal of the American Academy of Dermatology, 2008, 58, 579-584.	0.6	137
79	Expression of cell cycle inhibitor p27 <sup>Kip1</sup> in nevi and melanomas. Indian Journal of Dermatology, Venereology and Leprology, 2008, 74, 551.	0.2	1
80	Anti-TNF therapy in the management of Behcet's diseasereview and basis for recommendations. Rheumatology, 2007, 46, 736-741.	0.9	292
81	Cutaneous alternariosis in a patient with systemic lupus erythematosus. Lupus, 2007, 16, 993-996.	0.8	10
82	Cutting Edge: A Common Polymorphism Impairs Cell Surface Trafficking and Functional Responses of TLR1 but Protects against Leprosy. Journal of Immunology, 2007, 178, 7520-7524.	0.4	242
83	Detecting skin malignancy using elastic light scattering spectroscopy. , 2007, , .		2
84	Mucocutaneous Lesions of Behçet's Disease. Yonsei Medical Journal, 2007, 48, 573.	0.9	163
85	Clinical features and natural course of Behçet's disease in 661 cases: a multicentre study. British Journal of Dermatology, 2007, 157, 901-906.	1.4	209
86	Relationship between periodontal findings and Behçet's disease: a controlled study. Journal of Clinical Periodontology, 2007, 34, 485-491.	2.3	50
87	Treatment of acne with intermittent and conventional isotretinoin: a randomized, controlled multicenter study. Archives of Dermatological Research, 2007, 299, 467-473.	1.1	78
88	Invasive Trichophyton rubrum infection resembling blastomycosis in a patient with altered immune status during the course of chronic superficial Trichophyton rubrum infection. European Journal of Dermatology, 2007, 17, 452-3.	0.3	6
89	Cutaneous melanoma cases observed in Antalya from 1994 to 2003: clinical and demographical properties. Journal of the European Academy of Dermatology and Venereology, 2006, 20, 620-621.	1.3	3
90	Topical granulocyte colonyâ€stimulating factor for the treatment of oral and genital ulcers of patients with Behçet's disease. Journal of the European Academy of Dermatology and Venereology, 2006, 20, 931-935.	1.3	18

#	Article	IF	CITATIONS
91	TNF-α gene 1031 T/C polymorphism in Turkish patients with Behçet's disease. British Journal of Dermatology, 2006, 155, 350-356.	1.4	74
92	Toll-like receptor 2 Arg753Gln gene polymorphism in Turkish patients with Behcet's disease. Clinical and Experimental Dermatology, 2006, 31, 699-701.	0.6	21
93	PHACES syndrome presenting as hemangiomas, sternal clefting and congenital ulcerations on the helices. Journal of Dermatology, 2006, 33, 219-222.	0.6	11
94	Pemphigus in the Mediterranean region of Turkey: A study of 148 cases. International Journal of Dermatology, 2006, 45, 523-528.	0.5	106
95	Treatment of Behcets disease. Therapy: Open Access in Clinical Medicine, 2006, 3, 139-151.	0.2	1
96	Treatment of Behçet's disease. Therapy: Open Access in Clinical Medicine, 2006, 3, 139-151.	0.2	1
97	Clinical Evaluation of Behçet's Disease: A Five Year Follow-Up Study. Journal of Dermatology, 2005, 32, 365-370.	0.6	9
98	Heterotopic Ossification Related to Toxic Epidermal Necrolysis in a Patient with Behçet's Disease. Journal of Dermatology, 2005, 32, 469-473.	0.6	7
99	Nevoid basal cell carcinoma syndrome associated with unilateral renal agenesis: acceleration of basal cell carcinomas following radiotherapy. Journal of the European Academy of Dermatology and Venereology, 2005, 19, 510-511.	1.3	11
100	Nevus comedonicus syndrome: a case associated with multiple basal cell carcinomas and a rudimentary toe. International Journal of Dermatology, 2005, 44, 499-501.	0.5	35
101	CTLA-4 gene 49A/G polymorphism in Turkish patients with Behcet's disease. Clinical and Experimental Dermatology, 2005, 30, 546-550.	0.6	35
102	Specific interleukin-1 gene polymorphisms in Turkish patients with Behcet's disease. Experimental Dermatology, 2005, 14, 124-129.	1.4	62
103	A case of lupus erythematosus profundus with unusual manifestations. Lupus, 2005, 14, 403-405.	0.8	20
104	Androgen Receptor Levels of Oral and Genital Ulcers and Skin Pathergy Test in Patients with Behçet's Disease. Dermatology, 2005, 210, 31-35.	0.9	22
105	Behçet's disease: treatment of mucocutaneous lesions. Clinical and Experimental Rheumatology, 2005, 23, 532-9.	0.4	36
106	Hypotrichosis, long eyelashes and atopic dermatitis: a new syndrome?. Journal of the European Academy of Dermatology and Venereology, 2004, 18, 374-375.	1.3	4
107	Treatment of papuloerythroderma of Ofuji with Re-PUVA: a case report and review of the therapys. Journal of the European Academy of Dermatology and Venereology, 2004, 18, 480-483.	1.3	16
108	Kaposi's varicelliform eruption in association with rosacea. Journal of the American Academy of Dermatology, 2004, 51, S169-S172.	0.6	22

#	Article	IF	CITATIONS
109	Histological and immunofluorescence findings of non-follicular papulopustular lesions in patients with Behcet's disease. Journal of the European Academy of Dermatology and Venereology, 2003, 17, 521-524.	1.3	39
110	Multiple familial pilomatrixomas. Journal of the European Academy of Dermatology and Venereology, 2003, 17, 358-359.	1.3	13
111	The Clinical Course of Behçet's Disease in Pregnacy: A Retrospective Analysis and Review of the Literature. Journal of Dermatology, 2003, 30, 499-502.	0.6	60
112	Review of the Chronology of Clinical Manifestations in 60 Patients with Behçet's Disease. Dermatology, 2003, 207, 354-356.	0.9	57
113	Serum of Patients with Behçet's Disease Induces Classical (Pro-Inflammatory) Activation of Human Macrophages in vitro. Dermatology, 2003, 206, 225-232.	0.9	50
114	Interferon Alfa-2a in the Treatment of Behçet Disease. Archives of Dermatology, 2002, 138, 467-71.	1.7	237
115	Amifostine-induced Toxic Epidermal Necrolysis during Radiotherapy: a Case Report. Japanese Journal of Clinical Oncology, 2002, 32, 477-479.	0.6	35
116	Netherton Syndrome Associated with Idiopathic Congenital Hemihypertrophy. Pediatric Dermatology, 2002, 19, 345-348.	0.5	9
117	A 13‥earâ€Old Girl with Recessive Dystrophic Epidermolysis Bullosa Presenting with Squamous Cell Carcinoma. Pediatric Dermatology, 2002, 19, 436-438.	0.5	28
118	Epidermodysplasia verruciformis associated with neurofibromatosis type 1: coincidental association or model for understanding the underlying mechanism of the disease?. British Journal of Dermatology, 2002, 146, 503-507.	1.4	5
119	Androgen receptor levels in the sebaceous glands of papulopustular lesions from patients with Behçet's disease and acne vulgaris: a controlled study. Advances in Clinical Pathology: the Official Journal of Adriatic Society of Pathology, 2002, 6, 87-93.	0.1	1
120	Is the efficacy of psoralen plus ultraviolet A therapy for vitiligo enhanced by concurrent topical calcipotriol? A placebo-controlled double-blind study. British Journal of Dermatology, 2001, 145, 472-475.	1.4	93
121	The Use of Sucralfate Suspension in the Treatment of Oral and Genital Ulceration of Behçet Disease. Archives of Dermatology, 1999, 135, 529-32.	1.7	109
122	Pityriasis Rosea in a Patient with Behçet's Disease Treated with Interferon Alpha 2A. Journal of Dermatology, 1999, 26, 225-228.	0.6	13
123	Is the efficacy of topical corticosteroid therapy for psoriasis vulgaris enhanced by concurrent moclobemide therapy?. Journal of the American Academy of Dermatology, 1998, 38, 197-200.	0.6	29
124	A randomized, controlled and blinded study of papulopustular lesions in Turkish Behçet's patients. International Journal of Dermatology, 1998, 37, 839-842.	0.5	45
125	HLA Antigens and Linkage Disequilibrium Patterns in Turkish Behçet's Patients. Journal of Dermatology, 1998, 25, 158-162.	0.6	38
126	The Levels of Plasma Interleukinâ€2 and Soluble Interleukinâ€2R in Behçet's Disease: A Marker of Disease Activity. Journal of Dermatology, 1998, 25, 513-516.	0.6	25

#	Article	IF	CITATIONS
127	Hyperkeratosis of the Nipple: Report of Two Cases. Journal of Dermatology, 1997, 24, 43-45.	0.6	30
128	High-dose ranitidine is ineffective in the treatment of psoriasis. British Journal of Dermatology, 1997, 137, 1021-1022.	1.4	0
129	Cimetidine therapy for warts: A placebo-controlled, double-blind study. Journal of the American Academy of Dermatology, 1996, 34, 1005-1007.	0.6	116
130	Comparison of the Effects of Intralesional Interferon Alfa-2a, 2b and the Combination of 2a and 2b in the Treatment of Basal Cell Carcinoma. Journal of Dermatology, 1996, 23, 394-396.	0.6	34
131	Intermittent Therapy with Terbinafine for Dermatophyte Toeâ€Onychomycosis: A New Approach. Journal of Dermatology, 1996, 23, 259-262.	0.6	55
132	Bloom's syndrome in a Turkish individual. Clinical Genetics, 1996, 49, 314-315.	1.0	1
133	Keratoderma, hypotrichosis and leukonychia totalis: a new syndrome?. British Journal of Dermatology, 1995, 133, 636-638.	1.4	26
134	Is the combination of tetracycline and nicotinamide therapy alone effective in pemphigus?. Archives of Dermatology, 1995, 131, 1339-1340.	1.7	27
135	Interferon therapy for Behçet's disease. Journal of the American Academy of Dermatology, 1994, 31, 617-619.	0.6	53
136	Evaluations of Audiovestibular Manifestations in Patients with Psoriasis. Turk Dermatoloji Dergisi, 0, , 162-167.	0.3	4