Kazutoshi Takahashi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9807455/kazutoshi-takahashi-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74 49,031 45 93 g-index

93 55,231 13.7 7.82 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
74	A stress-reduced passaging technique improves the viability of human pluripotent cells <i>Cell Reports Methods</i> , 2022 , 2, 100155		
73	Multi-omics approach reveals posttranscriptionally regulated genes are essential for human pluripotent stem cells <i>IScience</i> , 2022 , 25, 104289	6.1	0
72	Dual inhibition of TMPRSS2 and Cathepsin Bprevents SARS-CoV-2 infection in iPS cells. <i>Molecular Therapy - Nucleic Acids</i> , 2021 , 26, 1107-1114	10.7	5
71	The pluripotent stem cell-specific transcript ESRG is dispensable for human pluripotency. <i>PLoS Genetics</i> , 2021 , 17, e1009587	6	5
70	Critical Roles of Translation Initiation and RNA Uridylation in Endogenous Retroviral Expression and Neural Differentiation in Pluripotent Stem Cells. <i>Cell Reports</i> , 2020 , 31, 107715	10.6	12
69	Induced Pluripotent Stem Cells and Their Use in Human Models of Disease and Development. <i>Physiological Reviews</i> , 2019 , 99, 79-114	47.9	111
68	MYC Releases Early Reprogrammed Human Cells from Proliferation Pause via Retinoblastoma Protein Inhibition. <i>Cell Reports</i> , 2018 , 23, 361-375	10.6	13
67	Assessment of established techniques to determine developmental and malignant potential of human pluripotent stem cells. <i>Nature Communications</i> , 2018 , 9, 1925	17.4	45
66	Nat1 promotes translation of specific proteins that induce differentiation of mouse embryonic stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 340-345	11.5	43
65	Identification of MMP1 as a novel risk factor for intracranial aneurysms in ADPKD using iPSC models. <i>Scientific Reports</i> , 2016 , 6, 30013	4.9	26
64	A decade of transcription factor-mediated reprogramming to pluripotency. <i>Nature Reviews Molecular Cell Biology</i> , 2016 , 17, 183-93	48.7	468
63	Impaired adipogenic capacity in induced pluripotent stem cells from lipodystrophic patients with BSCL2 mutations. <i>Metabolism: Clinical and Experimental</i> , 2016 , 65, 543-56	12.7	22
62	Robust In Vitro Induction of Human Germ Cell Fate from Pluripotent Stem Cells. <i>Cell Stem Cell</i> , 2015 , 17, 178-94	18	276
61	Present and future challenges of induced pluripotent stem cells. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2015 , 370, 20140367	5.8	61
60	A developmental framework for induced pluripotency. <i>Development (Cambridge)</i> , 2015 , 142, 3274-85	6.6	81
59	Cell Therapy Using Human Induced Pluripotent Stem Cell-Derived Renal Progenitors Ameliorates Acute Kidney Injury in Mice. <i>Stem Cells Translational Medicine</i> , 2015 , 4, 980-92	6.9	103
58	Involvement of ER Stress in Dysmyelination of Pelizaeus-Merzbacher Disease with PLP1 Missense Mutations Shown by iPSC-Derived Oligodendrocytes. <i>Stem Cell Reports</i> , 2015 , 4, 170	8	78

57	Induction of pluripotency in human somatic cells via a transient state resembling primitive streak-like mesendoderm. <i>Nature Communications</i> , 2014 , 5, 3678	17.4	93
56	Cellular reprogramming. Cold Spring Harbor Perspectives in Biology, 2014, 6,	10.2	17
55	The let-7/LIN-41 pathway regulates reprogramming to human induced pluripotent stem cells by controlling expression of prodifferentiation genes. <i>Cell Stem Cell</i> , 2014 , 14, 40-52	18	151
54	Dynamic regulation of human endogenous retroviruses mediates factor-induced reprogramming and differentiation potential. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 12426-31	11.5	157
53	Involvement of ER stress in dysmyelination of Pelizaeus-Merzbacher Disease with PLP1 missense mutations shown by iPSC-derived oligodendrocytes. <i>Stem Cell Reports</i> , 2014 , 2, 648-61	8	84
52	Induction of pluripotency by defined factors. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2014 , 90, 83-96	4	26
51	The homeobox gene DLX4 promotes generation of human induced pluripotent stem cells. <i>Scientific Reports</i> , 2014 , 4, 7283	4.9	16
50	Maturation, not initiation, is the major roadblock during reprogramming toward pluripotency from human fibroblasts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 12172-9	11.5	99
49	Monitoring and robust induction of nephrogenic intermediate mesoderm from human pluripotent stem cells. <i>Nature Communications</i> , 2013 , 4, 1367	17.4	229
48	Modeling Alzheimer disease with iPSCs reveals stress phenotypes associated with intracellular All and differential drug responsiveness. <i>Cell Stem Cell</i> , 2013 , 12, 487-96	18	539
47	Induced Pluripotent Stem Cells 2013 , 197-218		
46	Cartilage tissue engineering identifies abnormal human induced pluripotent stem cells. <i>Scientific Reports</i> , 2013 , 3, 1978	4.9	35
45	Induced pluripotent stem cells in medicine and biology. <i>Development (Cambridge)</i> , 2013 , 140, 2457-61	6.6	179
44	Response to comment on "Drug screening for ALS using patient-specific induced pluripotent stem cells". <i>Science Translational Medicine</i> , 2013 , 5, 188lr2	17.5	3
43	Differentiation-defective phenotypes revealed by large-scale analyses of human pluripotent stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 20569-	·7 ¹ 4 ^{1.5}	159
42	Induced pluripotent stem cells from CINCA syndrome patients as a model for dissecting somatic mosaicism and drug discovery. <i>Blood</i> , 2012 , 120, 1299-308	2.2	45
41	Cellular reprogramminglowering gravity on Waddington's epigenetic landscape. <i>Journal of Cell Science</i> , 2012 , 125, 2553-60	5.3	35
40	Drug screening for ALS using patient-specific induced pluripotent stem cells. <i>Science Translational Medicine</i> , 2012 , 4, 145ra104	17.5	390

39	Derivation conditions impact X-inactivation status in female human induced pluripotent stem cells. <i>Cell Stem Cell</i> , 2012 , 11, 91-9	18	94
38	Induced Pluripotent Stem Cells 2011 , 187-205		
37	Anti-Aldrug screening platform using human iPS cell-derived neurons for the treatment of Alzheimer's disease. <i>PLoS ONE</i> , 2011 , 6, e25788	3.7	134
36	ECAT11/L1td1 is enriched in ESCs and rapidly activated during iPSC generation, but it is dispensable for the maintenance and induction of pluripotency. <i>PLoS ONE</i> , 2011 , 6, e20461	3.7	15
35	Screening ethnically diverse human embryonic stem cells identifies a chromosome 20 minimal amplicon conferring growth advantage. <i>Nature Biotechnology</i> , 2011 , 29, 1132-44	44.5	406
34	Induction and enhancement of cardiac cell differentiation from mouse and human induced pluripotent stem cells with cyclosporin-A. <i>PLoS ONE</i> , 2011 , 6, e16734	3.7	100
33	Derivation of Human Induced Pluripotent Stem Cells on Autologous Feeders. <i>Springer Protocols</i> , 2011 , 161-171	0.3	
32	Generation of mouse-induced pluripotent stem cells with plasmid vectors. <i>Nature Protocols</i> , 2010 , 5, 418-28	18.8	174
31	Direct reprogramming 101. Development Growth and Differentiation, 2010, 52, 319-33	3	15
30	Transient activation of c-MYC expression is critical for efficient platelet generation from human induced pluripotent stem cells. <i>Journal of Experimental Medicine</i> , 2010 , 207, 2817-30	16.6	255
29	Complete genetic correction of ips cells from Duchenne muscular dystrophy. <i>Molecular Therapy</i> , 2010 , 18, 386-93	11.7	202
28	Dental pulp cells for induced pluripotent stem cell banking. <i>Journal of Dental Research</i> , 2010 , 89, 773-8	8.1	176
27	Sirt1 plays an important role in mediating greater functionality of human ES/iPS-derived vascular endothelial cells. <i>Atherosclerosis</i> , 2010 , 212, 42-7	3.1	41
26	Transient activation ofc-MYCexpression is critical for efficient platelet generation from human induced pluripotent stem cells. <i>Journal of Cell Biology</i> , 2010 , 191, i11-i11	7.3	1
25	Induction and isolation of vascular cells from human induced pluripotent stem cellsbrief report. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009 , 29, 1100-3	9.4	162
24	Adipogenic differentiation of human induced pluripotent stem cells: comparison with that of human embryonic stem cells. <i>FEBS Letters</i> , 2009 , 583, 1029-33	3.8	124
23	Orderly hematopoietic development of induced pluripotent stem cells via Flk-1(+) hemoangiogenic progenitors. <i>Journal of Cellular Physiology</i> , 2009 , 221, 367-77	7	32
22	Characterization of dendritic cells and macrophages generated by directed differentiation from mouse induced pluripotent stem cells. <i>Stem Cells</i> , 2009 , 27, 1021-31	5.8	89

(2005-2009)

21	Roles of Sall4 in the generation of pluripotent stem cells from blastocysts and fibroblasts. <i>Genes To Cells</i> , 2009 , 14, 683-94	2.3	113
20	Suppression of induced pluripotent stem cell generation by the p53-p21 pathway. <i>Nature</i> , 2009 , 460, 1132-5	50.4	1073
19	Variation in the safety of induced pluripotent stem cell lines. <i>Nature Biotechnology</i> , 2009 , 27, 743-5	44.5	702
18	Hypoxia enhances the generation of induced pluripotent stem cells. Cell Stem Cell, 2009, 5, 237-41	18	608
17	Generation of retinal cells from mouse and human induced pluripotent stem cells. <i>Neuroscience Letters</i> , 2009 , 458, 126-31	3.3	354
16	Generation and characterization of human induced pluripotent stem cells. <i>Current Protocols in Stem Cell Biology</i> , 2009 , Chapter 4, Unit 4A.2	2.8	98
15	ERas is expressed in primate embryonic stem cells but not related to tumorigenesis. <i>Cell Transplantation</i> , 2009 , 18, 381-9	4	10
14	Human induced pluripotent stem cells on autologous feeders. <i>PLoS ONE</i> , 2009 , 4, e8067	3.7	79
13	Generation of induced pluripotent stem cells without Myc from mouse and human fibroblasts. <i>Nature Biotechnology</i> , 2008 , 26, 101-6	44.5	2239
12	Generation of pluripotent stem cells from adult mouse liver and stomach cells. <i>Science</i> , 2008 , 321, 699-	793 .3	841
11	Induction of pluripotent stem cells from fibroblast cultures. <i>Nature Protocols</i> , 2007 , 2, 3081-9	18.8	822
10	Induction of pluripotent stem cells from adult human fibroblasts by defined factors. <i>Cell</i> , 2007 , 131, 86	1 <i>5</i> 7622	14786
9	Generation of high quality iPS cells. <i>Neuroscience Research</i> , 2007 , 58, S19	2.9	2
8	Identification of genes involved in tumor-like properties of embryonic stem cells. <i>Methods in Molecular Biology</i> , 2006 , 329, 449-58	1.4	27
7	Induction of pluripotent stem cells from mouse embryonic and adult fibroblast cultures by defined factors. <i>Cell</i> , 2006 , 126, 663-76	56.2	18363
6	Evolutionarily conserved non-AUG translation initiation in NAT1/p97/DAP5 (EIF4G2). <i>Genomics</i> , 2005 , 85, 360-71	4.3	40
5	Role of the phosphoinositide 3-kinase pathway in mouse embryonic stem (ES) cells. <i>Biochemical Society Transactions</i> , 2005 , 33, 1522-5	5.1	99
4	Differential membrane localization of ERas and Rheb, two Ras-related proteins involved in the phosphatidylinositol 3-kinase/mTOR pathway. <i>Journal of Biological Chemistry</i> , 2005 , 280, 32768-74	5.4	82

3	Role of ERas in promoting tumour-like properties in mouse embryonic stem cells. <i>Nature</i> , 2003 , 423, 541-5	50.4	285
2	The homeoprotein Nanog is required for maintenance of pluripotency in mouse epiblast and ES cells. <i>Cell</i> , 2003 , 113, 631-42	56.2	2547
1	Fbx15 is a novel target of Oct3/4 but is dispensable for embryonic stem cell self-renewal and mouse development. <i>Molecular and Cellular Biology</i> , 2003 , 23, 2699-708	4.8	233