

Ling-Ling Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9819138/publications.pdf>

Version: 2024-02-01

33
papers

597
citations

516561

16
h-index

677027

22
g-index

35
all docs

35
docs citations

35
times ranked

555
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Lysinibacillus mangiferahumi</i> sp. nov., a new bacterium producing nematocidal volatiles. <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 53-59.	0.7	48
2	<i>Sphingobacterium nematocida</i> sp. nov., a nematocidal endophytic bacterium isolated from tobacco. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1809-1813.	0.8	41
3	The underlying mechanisms of genetic innovation and speciation in the family <i>Corynebacteriaceae</i> : A phylogenomics approach. <i>Molecular Phylogenetics and Evolution</i> , 2017, 107, 246-255.	1.2	38
4	Genome-based taxonomic classification within the family <i>Thermoactinomycetaceae</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2028-2036.	0.8	33
5	<i>Streptomyces glycovorans</i> sp. nov., <i>Streptomyces xishensis</i> sp. nov. and <i>Streptomyces abyssalis</i> sp. nov., isolated from marine sediments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2371-2377.	0.8	28
6	<i>Sphingomonas endophytica</i> sp. nov., isolated from <i>Artemisia annua</i> L.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1576-1580.	0.8	28
7	<i>Janibacter alkaliphilus</i> sp. nov., isolated from coral <i>Anthogorgia</i> sp. <i>Antonie Van Leeuwenhoek</i> , 2012, 102, 157-162.	0.7	27
8	Low Temperature Adaptation Is Not the Opposite Process of High Temperature Adaptation in Terms of Changes in Amino Acid Composition. <i>Genome Biology and Evolution</i> , 2015, 7, 3426-3433.	1.1	27
9	<i>Egibacter rhizosphaerae</i> gen. nov., sp. nov., an obligately halophilic, facultatively alkaliphilic actinobacterium and proposal of <i>Egibacteraceae</i> fam. nov. and <i>Egibacterales</i> ord. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 283-289.	0.8	27
10	<i>Actinokineospora soli</i> sp. nov., a thermotolerant actinomycete isolated from soil, and emended description of the genus <i>Actinokineospora</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1845-1849.	0.8	26
11	<i>Salinisphaera halophila</i> sp. nov., a moderately halophilic bacterium isolated from brine of a salt well. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2174-2179.	0.8	24
12	<i>Egicoccus halophilus</i> gen. nov., sp. nov., a halophilic, alkalitolerant actinobacterium and proposal of <i>Egicoccaceae</i> fam. nov. and <i>Egicoccales</i> ord. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 530-535.	0.8	24
13	<i>Rhodococcus artemisiae</i> sp. nov., an endophytic actinobacterium isolated from the pharmaceutical plant <i>Artemisia annua</i> L.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 900-905.	0.8	22
14	<i>Thermocatellispora tengchongensis</i> gen. nov., sp. nov., a new member of the family <i>Streptosporangiaceae</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2417-2423.	0.8	19
15	<i>Rhodococcus canchipurensis</i> sp. nov., an actinomycete isolated from a limestone deposit site. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 114-118.	0.8	19
16	<i>Bacillus crassostreae</i> sp. nov., isolated from an oyster (<i>Crassostrea hongkongensis</i>). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1561-1566.	0.8	18
17	<i>Ornithinicoccus halotolerans</i> sp. nov., and emended description of the genus <i>Ornithinicoccus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1894-1899.	0.8	18
18	<i>Oceanobacillus endoradicis</i> sp. nov., an endophytic bacterial species isolated from the root of <i>Paris polyphylla</i> Smith var. <i>yunnanensis</i> . <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 957-964.	0.7	17

#	ARTICLE	IF	CITATIONS
19	Proposal of <i>Intrasporangium mesophilum</i> sp. nov., and reclassification of <i>Humihabitans oryzae</i> Kageyama et al. 2007 as <i>Intrasporangium oryzae</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1037-1041.	0.8	15
20	Plasmids Related to the Symbiotic Nitrogen Fixation Are Not Only Cooperated Functionally but Also May Have Evolved over a Time Span in Family <i>Rhizobiaceae</i> . <i>Genome Biology and Evolution</i> , 2020, 12, 2002-2014.	1.1	14
21	Reclassification of <i>Friedmanniella endophytica</i> , <i>Lysinimicrobium sediminis</i> and <i>Lechevalieria rhizosphaerae</i> as <i>Microlunatus kandeliicorticis</i> nom. nov., <i>Demequina sediminis</i> comb. nov. and <i>Lentzea rhizosphaerae</i> comb. nov., respectively. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3930-3931.	0.8	14
22	<i>Actinophytocola sediminis</i> sp. nov., an actinomycete isolated from a marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2834-2840.	0.8	11
23	Biogeography of <i>Nocardiopsis</i> strains from hypersaline environments of Yunnan and Xinjiang Provinces, western China. <i>Scientific Reports</i> , 2015, 5, 13323.	1.6	9
24	<i>Bailinhaonella thermotolerans</i> gen. nov., sp. nov., a new member of the order <i>Streptosporangiales</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1903-1909.	0.8	9
25	<i>Sediminibacillus terrae</i> sp. nov., a moderate halophile isolated from non-saline farm soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1139-1144.	0.8	9
26	<i>Paenibacillus paridis</i> sp. nov., an endophytic bacterial species isolated from the root of <i>Paris polyphylla</i> Smith var. <i>yunnanensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1940-1946.	0.8	8
27	<i>Yimella radidis</i> sp. nov., an endophytic actinobacterium isolated from the root of <i>Paris polyphylla</i> Smith var. <i>yunnanensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4191-4196.	0.8	7
28	Phylogenetic relationships of <i>Nocardiopsis</i> species based on partial <i>gyrB</i> and 16S rRNA gene sequences. <i>Nihon Hosenkin Gakkai Shi = Actinomycetologica</i> , 2008, 22, 6-11.	0.3	4
29	<i>Neobacillus paridis</i> sp. nov., an endophyte of <i>Paris polyphylla</i> Smith var. <i>yunnanensis</i> . <i>Archives of Microbiology</i> , 2022, 204, 129.	1.0	4
30	Screening and identification of microbial strains that secrete an extracellular C-7 xylosidase of taxanes. <i>World Journal of Microbiology and Biotechnology</i> , 2011, 27, 627-635.	1.7	3
31	<i>Chryseobacterium paridis</i> sp. nov., an endophytic bacterial species isolated from the root of <i>Paris polyphylla</i> Smith var. <i>yunnanensis</i> . <i>Archives of Microbiology</i> , 2021, 203, 4777-4783.	1.0	3
32	<i>Janibacter endophyticus</i> sp. nov., an Endophytic Actinobacterium Isolated from the Root of <i>Paris polyphylla</i> Smith var. <i>Yunnanensis</i> . <i>Current Microbiology</i> , 2022, 79, 52.	1.0	2
33	<i>Olivibacter flavus</i> sp. nov., a novel endophytic bacterium isolated from the root of <i>Camellia sinensis</i> . <i>Archives of Microbiology</i> , 2017, 199, 1237-1242.	1.0	0