

Bum soo kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9821617/publications.pdf>

Version: 2024-02-01

24
papers

327
citations

840776

11
h-index

888059

17
g-index

26
all docs

26
docs citations

26
times ranked

694
citing authors

#	ARTICLE	IF	CITATIONS
1	All-Cause and Cardiovascular Mortality Among Koreans. <i>American Journal of Preventive Medicine</i> , 2015, 49, 62-71.	3.0	41
2	Association between cotinine-verified smoking status and hypertension in 167,868 Korean adults. <i>Blood Pressure</i> , 2017, 26, 303-310.	1.5	32
3	Relationship of epicardial fat thickness and nonalcoholic fatty liver disease to coronary artery calcification: From the CAESAR study. <i>Journal of Clinical Lipidology</i> , 2016, 10, 619-626.e1.	1.5	26
4	Additive Beneficial Effects of Valsartan Combined with Rosuvastatin in the Treatment of Hypercholesterolemic Hypertensive Patients. <i>Korean Circulation Journal</i> , 2015, 45, 225.	1.9	23
5	Relationship Between Cotinine-Verified Smoking Status and Incidence of Hypertension in 74,743 Korean Adults. <i>Circulation Journal</i> , 2018, 82, 1659-1665.	1.6	23
6	Association between Secondhand Smoke Exposure and Hypertension in 106,268 Korean Self-Reported Never-Smokers Verified by Cotinine. <i>Journal of Clinical Medicine</i> , 2019, 8, 1238.	2.4	23
7	Relationship of cotinine-verified and self-reported smoking status with metabolic syndrome in 116,094 Korean adults. <i>Journal of Clinical Lipidology</i> , 2017, 11, 638-645.e2.	1.5	21
8	Relationship of Echocardiographic Epicardial Fat Thickness and Epicardial Fat Volume by Computed Tomography with Coronary Artery Calcification: Data from the CAESAR Study. <i>Archives of Medical Research</i> , 2017, 48, 352-359.	3.3	19
9	Plasma homocysteine and coronary artery calcification in Korean men. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 478-485.	1.8	18
10	Association between Cigarette Smoking and New-Onset Diabetes Mellitus in 78,212 Koreans Using Self-Reported Questionnaire and Urine Cotinine. <i>Diabetes and Metabolism Journal</i> , 2020, 44, 426.	4.7	13
11	Association of self-reported and cotinine-verified smoking status with incidence of metabolic syndrome in 47,379 Korean adults. <i>Journal of Diabetes</i> , 2019, 11, 402-409.	1.8	12
12	Effects of Age, Sex, and Obesity on N-Terminal Pro B-Type Natriuretic Peptide Concentrations in the General Population. <i>Circulation Journal</i> , 2021, 85, 647-654.	1.6	12
13	Association between cigarette smoking and diabetes mellitus using two different smoking stratifications in 145 040 Korean individuals: Self-reported questionnaire and urine cotinine concentrations. <i>Journal of Diabetes</i> , 2019, 11, 232-241.	1.8	11
14	Association of epicardial fat volume and nonalcoholic fatty liver disease with metabolic syndrome: From the CAESAR study. <i>Journal of Clinical Lipidology</i> , 2016, 10, 1423-1430.e1.	1.5	9
15	Presence and severity of coronary artery disease and changes in B-type natriuretic peptide levels in patients with a normal systolic function. <i>Translational Research</i> , 2006, 148, 188-195.	5.0	7
16	Association between secondhand smoke exposure and diabetes mellitus in 131,724 Korean never smokers using self-reported questionnaires and cotinine levels: Gender differences. <i>Journal of Diabetes</i> , 2021, 13, 43-53.	1.8	7
17	Association between secondhand smoke exposure and new-onset hypertension in self-reported never smokers verified by cotinine. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 1377-1388.	1.7	7
18	Association of inter-arm systolic blood pressure differences with arteriosclerosis and atherosclerosis: A cohort study of 117,407 people. <i>Atherosclerosis</i> , 2022, 342, 19-24.	0.8	7

#	ARTICLE	IF	CITATIONS
19	The association between epicardial fat thickness and coronary artery calcification according to blood pressure status in nonhypertensive individuals: From the CAESAR study. <i>Journal of Clinical Lipidology</i> , 2015, 9, 305-312.	1.5	6
20	Effect of physical activity on the development and the resolution of nonalcoholic fatty liver in relation to body mass index. <i>BMC Public Health</i> , 2022, 22, 655.	2.9	4
21	Relationship between alcohol consumption and insulin resistance measured using the homeostatic model assessment for insulin resistance: A retrospective cohort study of 280,194 people. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2842-2850.	2.6	3
22	The Effect of Systemic Inflammation on the Elevation of Troponin I after Percutaneous Transluminal Coronary Angioplasty with Stent in Patients with Stable Angina. <i>Sunhwan'gi</i> , 2004, 34, 265.	0.3	2
23	Fatty Liver Is Associated with Low N-Terminal Pro-B-Type Natriuretic Peptide in a Healthy Population. <i>Journal of Clinical Medicine</i> , 2021, 10, 1402.	2.4	1
24	An Unusual Case of Aortic and Mitral Valve Involved <i>Erysipelothrix rhusiopathiae</i> -Induced Endocarditis: Rare Zoonosis with Devastating Outcome. <i>Journal of Cardiovascular Imaging</i> , 2021, 29, 387.	0.7	0