

Masahiko Kuroda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/982205/publications.pdf>

Version: 2024-02-01

158
papers

9,045
citations

94381

37
h-index

43868

91
g-index

161
all docs

161
docs citations

161
times ranked

14296
citing authors

#	ARTICLE	IF	CITATIONS
1	Prediction of non-muscle invasive bladder cancer recurrence using machine learning of quantitative nuclear features. <i>Modern Pathology</i> , 2022, 35, 533-538.	2.9	21
2	SORT1/LAMP2-mediated extracellular vesicle secretion and cell adhesion are linked to lenalidomide resistance in multiple myeloma. <i>Blood Advances</i> , 2022, 6, 2480-2495.	2.5	9
3	Order controls disordered droplets: structure-function relationships in C9ORF72-derived poly(PR). <i>American Journal of Physiology - Cell Physiology</i> , 2022, 322, C197-C204.	2.1	0
4	Drug metabolic activity is a critical cell-intrinsic determinant for selection of hepatocytes during long-term culture. <i>Stem Cell Research and Therapy</i> , 2022, 13, 104.	2.4	8
5	Identification of circulating microRNAs as potential biomarkers for hepatic necroinflammation in patients with autoimmune hepatitis. <i>BMJ Open Gastroenterology</i> , 2022, 9, e000879.	1.1	1
6	Chemically oligomerizable TDP-43: a novel chemogenetic tool for studying the pathophysiology of amyotrophic lateral sclerosis. <i>Neural Regeneration Research</i> , 2022, 17, 2434.	1.6	0
7	Nuclear microRNAs release paused Pol II via the DDX21-CDK9 complex. <i>Cell Reports</i> , 2022, 39, 110673.	2.9	7
8	How can we interpret the relationship between liquid-liquid phase separation and amyotrophic lateral sclerosis?. <i>Laboratory Investigation</i> , 2022, 102, 912-918.	1.7	4
9	The Patterning and Proportion of Charged Residues in the Arginine-Rich Mixed-Charge Domain Determine the Membrane-Less Organelle Targeted by the Protein. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7658.	1.8	5
10	Prediction of early recurrence of hepatocellular carcinoma after resection using digital pathology images assessed by machine learning. <i>Modern Pathology</i> , 2021, 34, 417-425.	2.9	61
11	Small RNA sequencing to differentiate lung squamous cell carcinomas from metastatic lung tumors from head and neck cancers. <i>PLoS ONE</i> , 2021, 16, e0248206.	1.1	4
12	BRCA1 degradation in response to mitochondrial damage in breast cancer cells. <i>Scientific Reports</i> , 2021, 11, 8735.	1.6	10
13	WAPL induces cervical intraepithelial neoplasia modulated with estrogen signaling without HPV E6/E7. <i>Oncogene</i> , 2021, 40, 3695-3706.	2.6	3
14	Ammonia-based enrichment and long-term propagation of zone I hepatocyte-like cells. <i>Scientific Reports</i> , 2021, 11, 11381.	1.6	10
15	Acerola exosome-like nanovesicles to systemically deliver nucleic acid medicine via oral administration. <i>Molecular Therapy - Methods and Clinical Development</i> , 2021, 21, 199-208.	1.8	46
16	Establishment of chemically oligomerizable TAR DNA-binding protein-43 which mimics amyotrophic lateral sclerosis pathology in mammalian cells. <i>Laboratory Investigation</i> , 2021, 101, 1331-1340.	1.7	3
17	Machine Learning Approach for Intraocular Disease Prediction Based on Aqueous Humor Immune Mediator Profiles. <i>Ophthalmology</i> , 2021, 128, 1197-1208.	2.5	18
18	Phase separation and toxicity of C9orf72 poly(PR) depends on alternate distribution of arginine. <i>Journal of Cell Biology</i> , 2021, 220, .	2.3	21

#	ARTICLE	IF	CITATIONS
19	Cisplatin induces differentiation in teratomas derived from pluripotent stem cells. <i>Regenerative Therapy</i> , 2021, 18, 117-126.	1.4	2
20	The membrane-linked adaptor FRS2 ¹² fashions a cytokine-rich inflammatory microenvironment that promotes breast cancer carcinogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, e2103658118.	3.3	5
21	An improved macromolecular crowding sensor CRONOS for detection of crowding changes in membrane-less organelles under stressed conditions. <i>Biochemical and Biophysical Research Communications</i> , 2021, 583, 29-34.	1.0	9
22	Expression of L-type amino acid transporter 1 is a poor prognostic factor for Non-Hodgkinâ€™s lymphoma. <i>Scientific Reports</i> , 2021, 11, 21638.	1.6	4
23	Distinctive Tissue and Serum MicroRNA Profile of IgG4-Related Ophthalmic Disease and MALT Lymphoma. <i>Journal of Clinical Medicine</i> , 2020, 9, 2530.	1.0	5
24	Comprehensive Gene Analysis of IgG4-Related Ophthalmic Disease Using RNA Sequencing. <i>Journal of Clinical Medicine</i> , 2020, 9, 3458.	1.0	6
25	Differences in drug sensitivity between two-dimensional and three-dimensional culture systems in triple-negative breast cancer cell lines. <i>Biochemical and Biophysical Research Communications</i> , 2020, 533, 268-274.	1.0	25
26	Comprehensive analysis of liver and blood miRNA in precancerous conditions. <i>Scientific Reports</i> , 2020, 10, 21766.	1.6	11
27	High-Throughput MicroRNA Profiling of Vitreoretinal Lymphoma: Vitreous and Serum MicroRNA Profiles Distinct from Uveitis. <i>Journal of Clinical Medicine</i> , 2020, 9, 1844.	1.0	13
28	Generation of mouse model of TGFBI-R124C corneal dystrophy using CRISPR/Cas9-mediated homology-directed repair. <i>Scientific Reports</i> , 2020, 10, 2000.	1.6	17
29	miR-27a ameliorates chemoresistance of breast cancer cells by disruption of reactive oxygen species homeostasis and impairment of autophagy. <i>Laboratory Investigation</i> , 2020, 100, 863-873.	1.7	32
30	EBV-induced gene 3 augments IL-23R ¹² protein expression through a chaperone calnexin. <i>Journal of Clinical Investigation</i> , 2020, 130, 6124-6140.	3.9	5
31	Extracellular microvesicles that originated adipose tissue derived mesenchymal stem cells have the potential ability to improve rheumatoid arthritis on mice. <i>Regenerative Therapy</i> , 2020, 15, 305-311.	1.4	9
32	Fascin as a Useful Marker for Identifying Neural Components in Immature Teratomas of Human Ovary and Those Derived From Murine Embryonic Stem Cells. <i>International Journal of Gynecological Pathology</i> , 2019, 38, 377-385.	0.9	2
33	First autopsy analysis of the efficacy of intra-operative additional photodynamic therapy for patients with glioblastoma. <i>Brain Tumor Pathology</i> , 2019, 36, 144-151.	1.1	16
34	rAAV6-mediated miR-29b delivery suppresses renal fibrosis. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 1345-1356.	0.7	19
35	Difference in immunohistochemical characteristics between Takayasu arteritis and giant cell arteritis: It may be better to distinguish them in the same age. <i>Modern Rheumatology</i> , 2019, 29, 992-1001.	0.9	24
36	Intramucosal colorectal carcinoma with lymphovascular invasion: clinicopathological characteristics of nine cases. <i>Histopathology</i> , 2019, 74, 1055-1066.	1.6	6

#	ARTICLE	IF	CITATIONS
37	Therapeutic potential of PLK1 inhibition in triple-negative breast cancer. <i>Laboratory Investigation</i> , 2019, 99, 1275-1286.	1.7	45
38	Expression level of microRNA-200c is associated with cell morphology in vitro and histological differentiation through regulation of ZEB1/2 and E-cadherin in gastric carcinoma. <i>Oncology Reports</i> , 2018, 39, 91-100.	1.2	11
39	Role of exosomes as a proinflammatory mediator in the development of EBV-associated lymphoma. <i>Blood</i> , 2018, 131, 2552-2567.	0.6	76
40	Toll-like receptor 2 activation implicated in oral squamous cell carcinoma development. <i>Biochemical and Biophysical Research Communications</i> , 2018, 495, 2227-2234.	1.0	14
41	Characterization of membrane penetration and cytotoxicity of C9orf72-encoding arginine-rich dipeptides. <i>Scientific Reports</i> , 2018, 8, 12740.	1.6	44
42	Cooperation of Rho family proteins Rac1 and Cdc42 in cartilage development and calcified tissue formation. <i>Biochemical and Biophysical Research Communications</i> , 2018, 500, 525-529.	1.0	10
43	Overexpression of miR-221 and miR-222 in the cancer stroma is associated with malignant potential in colorectal cancer. <i>Oncology Reports</i> , 2018, 40, 1621-1631.	1.2	25
44	Repression of Smad3 by Stat3 and c-Ski/SnoN induces gefitinib resistance in lung adenocarcinoma. <i>Biochemical and Biophysical Research Communications</i> , 2017, 484, 269-277.	1.0	18
45	PRG4 expression in myxoid liposarcoma maintains tumor cell growth through suppression of an antitumor cytokine IL-24. <i>Biochemical and Biophysical Research Communications</i> , 2017, 485, 209-214.	1.0	11
46	Vascular Smooth Muscle Cell Maturation Stage and Ki-67 Index are Diagnostic Biomarkers for Pathologic Grade of Ovarian Teratoma. <i>International Journal of Gynecological Pathology</i> , 2017, 36, 582-592.	0.9	7
47	L-type amino acid transporter 1 expression in esophageal carcinogenesis according to WHO and Japanese classifications of intraepithelial neoplasia. <i>Pathology International</i> , 2017, 67, 247-255.	0.6	5
48	miR-125b-1 and miR-378a are predictive biomarkers for the efficacy of vaccine treatment against colorectal cancer. <i>Cancer Science</i> , 2017, 108, 2229-2238.	1.7	33
49	Repair of the TGFBI gene in human corneal keratocytes derived from a granular corneal dystrophy patient via CRISPR/Cas9-induced homology-directed repair. <i>Scientific Reports</i> , 2017, 7, 16713.	1.6	29
50	An improved Red/ET recombineering system and mouse ES cells culture conditions for the generation of targeted mutant mice. <i>Experimental Animals</i> , 2017, 66, 125-136.	0.7	4
51	Novel form of miR-29b suppresses bleomycin-induced pulmonary fibrosis. <i>PLoS ONE</i> , 2017, 12, e0171957.	1.1	12
52	Pathological Diagnosis of Gastric Cancers with a Novel Computerized Analysis System. <i>Journal of Pathology Informatics</i> , 2017, 8, 5.	0.8	16
53	Focus on Extracellular Vesicles: Development of Extracellular Vesicle-Based Therapeutic Systems. <i>International Journal of Molecular Sciences</i> , 2016, 17, 172.	1.8	113
54	MicroRNA and gynecologic cancers. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016, 42, 612-617.	0.6	24

#	ARTICLE	IF	CITATIONS
55	Cord blood-derived endothelial colony-forming cell function is disrupted in congenital diaphragmatic hernia. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2016, 310, L1143-L1154.	1.3	12
56	MicroRNA-29b Overexpression Decreases Extracellular Matrix mRNA and Protein Production in Human Corneal Endothelial Cells. <i>Cornea</i> , 2016, 35, 1466-1470.	0.9	31
57	144. Development of Novel Dicer- and Ago2-Independent Small Hairpin RNAs. <i>Molecular Therapy</i> , 2016, 24, S58.	3.7	0
58	Development of Novel Small Hairpin RNAs That do not Require Processing by Dicer or AGO2. <i>Molecular Therapy</i> , 2016, 24, 1278-1289.	3.7	8
59	HLA-G expression is regulated by miR-365 in trophoblasts under hypoxic conditions. <i>Placenta</i> , 2016, 45, 37-41.	0.7	38
60	MiR-29a Assists in Preventing the Activation of Human Stellate Cells and Promotes Recovery From Liver Fibrosis in Mice. <i>Molecular Therapy</i> , 2016, 24, 1848-1859.	3.7	61
61	Solitary Pulmonary Capillary Hemangioma of Adult Cases. <i>American Journal of Surgical Pathology</i> , 2016, 40, 1380-1389.	2.1	14
62	Exosome-Mediated Targeted Delivery of miRNAs. <i>Methods in Molecular Biology</i> , 2016, 1448, 261-270.	0.4	39
63	Necrotizing arteritis occurring in an intralobar pulmonary sequestration of a patient without systemic vasculitis syndrome. <i>Cardiovascular Pathology</i> , 2016, 25, 200-202.	0.7	4
64	Topical Use of Angiopoietin-like Protein 2 RNAi-loaded Lipid Nanoparticles Suppresses Corneal Neovascularization. <i>Molecular Therapy - Nucleic Acids</i> , 2016, 5, e292.	2.3	21
65	Poly-dipeptides encoded by the C9ORF72 repeats block global protein translation. <i>Human Molecular Genetics</i> , 2016, 25, 1803-1813.	1.4	146
66	Cardiac myofibroblast engulfment of dead cells facilitates recovery after myocardial infarction. <i>Journal of Clinical Investigation</i> , 2016, 127, 383-401.	3.9	107
67	Quantitative nucleic features are effective for discrimination of intraductal proliferative lesions of the breast. <i>Journal of Pathology Informatics</i> , 2016, 7, 1.	0.8	19
68	A novel method for morphological pleomorphism and heterogeneity quantitative measurement: Named cell feature level co-occurrence matrix. <i>Journal of Pathology Informatics</i> , 2016, 7, 36.	0.8	18
69	Novel Types of Small RNA Exhibit Sequence- and Target-dependent Angiogenesis Suppression Without Activation of Toll-like Receptor 3 in an Age-related Macular Degeneration (AMD) Mouse Model. <i>Molecular Therapy - Nucleic Acids</i> , 2015, 4, e258.	2.3	10
70	Improvement of IgG4-related Disease with a Supplemental Steroid. <i>Internal Medicine</i> , 2015, 54, 2949-2950.	0.3	1
71	Investigation of the Role of Bacteria in the Development of Acanthamoeba Keratitis. <i>Cornea</i> , 2015, 34, 1308-1315.	0.9	17
72	Metabolomic Analyses of Brain Tissue in Sepsis Induced by Cecal Ligation Reveal Specific Redox Alterationsâ€”Protective Effects of the Oxygen Radical Scavenger Edaravone. <i>Shock</i> , 2015, 44, 578-584.	1.0	13

#	ARTICLE	IF	CITATIONS
73	Angiopoietin-Like 7 Is an Anti-Angiogenic Protein Required to Prevent Vascularization of the Cornea. PLoS ONE, 2015, 10, e0116838.	1.1	27
74	Control of HCV Replication With iMIRs, a Novel Anti-RNAi Agent. Molecular Therapy - Nucleic Acids, 2015, 4, e219.	2.3	2
75	Ovarian small cell carcinoma of pulmonary type appearing in ante-mortem ascites: An autopsy case and review of the literature. Human Pathology: Case Reports, 2015, 2, 67-72.	0.2	1
76	Two Different Concentrations of Topical Levofloxacin for the Treatment of Multidrug-Resistant Pseudomonas aeruginosa Keratitis. Journal of Ocular Pharmacology and Therapeutics, 2015, 31, 636-641.	0.6	1
77	Phosphorylation status determines the opposing functions of Smad2/Smad3 as STAT3 cofactors in TH17 differentiation. Nature Communications, 2015, 6, 7600.	5.8	85
78	Does perineural invasion of the myenteric plexus have a key role in annular rectal invasion and digestive system symptoms of prostate carcinoma patients?. Medical Hypotheses, 2015, 85, 854-857.	0.8	1
79	Immaturity of smooth muscle cells in the neointima is associated with acute coronary syndrome. Cardiovascular Pathology, 2015, 24, 26-32.	0.7	8
80	Smooth muscle immaturity in the carotid arterial neointima as a prognostic marker for systemic atherogenic cardiovascular events in the Asian male. International Journal of Clinical and Experimental Pathology, 2015, 8, 14630-9.	0.5	4
81	Pulmonary arterial hypertension due to pulmonary vascular amyloid deposition in a patient with multiple myeloma. International Journal of Clinical and Experimental Pathology, 2015, 8, 15391-5.	0.5	7
82	KLF5 Regulates the Integrity and Oncogenicity of Intestinal Stem Cells. Cancer Research, 2014, 74, 2882-2891.	0.4	66
83	Activin receptor-like kinase5 inhibition suppresses mouse melanoma by ubiquitin degradation of Smad4, thereby derepressing eomesodermin in cytotoxic T lymphocytes. EMBO Molecular Medicine, 2014, 6, 703-703.	3.3	27
84	Multifocal kaposiform hemangioendothelioma in multiple visceral organs: an autopsy of 9-day-old female baby. Human Pathology, 2014, 45, 1773-1777.	1.1	22
85	Young-onset pancreatoduodenal carcinoma in <sc>S</sc>hwachman<sc>D</sc>iamond syndrome. Pathology International, 2014, 64, 75-80.	0.6	7
86	Real-time graft flow assessment using epigraftic ultrasonography during coronary artery bypass grafting. European Journal of Cardio-thoracic Surgery, 2014, 46, 706-712.	0.6	4
87	In vivo challenging of polymyxins and levofloxacin eye drop against multidrug-resistant Pseudomonas aeruginosa keratitis. Journal of Infection and Chemotherapy, 2014, 20, 343-349.	0.8	14
88	Neuronal Intranuclear Inclusion Disease Presenting with Resting Tremor. Case Reports in Neurology, 2014, 6, 176-180.	0.3	19
89	Unique expression pattern of viral proteins in human herpesvirus 8-positive plasmablastic lymphoma: a case report. International Journal of Clinical and Experimental Pathology, 2014, 7, 6415-8.	0.5	3
90	Two cases of progressive vocal cord closure during desflurane-remifentanyl anesthesia relieved after administration of propofol. Journal of Anesthesia, 2013, 27, 791-792.	0.7	2

#	ARTICLE	IF	CITATIONS
91	Adaptor protein complex of <sc>FRS</sc>2 ¹ and <sc>CIN</sc>85/<sc>CD</sc>2<sc>AP</sc> provides a novel mechanism for ErbB2/<sc>HER</sc>2 protein downregulation. <i>Cancer Science</i> , 2013, 104, 345-352.	1.7	8
92	Intracaval and intracardiac extension of invasive thymoma complicated by superior and inferior vena cava syndrome. <i>Pathology International</i> , 2013, 63, 56-62.	0.6	15
93	Roles of exosomes and microvesicles in disease pathogenesis. <i>Advanced Drug Delivery Reviews</i> , 2013, 65, 398-401.	6.6	121
94	Systemically Injected Exosomes Targeted to EGFR Deliver Antitumor MicroRNA to Breast Cancer Cells. <i>Molecular Therapy</i> , 2013, 21, 185-191.	3.7	1,314
95	Posterior spinal artery syndrome showing marked swelling of the spinal cord: A clinico-pathological study. <i>Journal of Spinal Cord Medicine</i> , 2013, 36, 31-35.	0.7	14
96	Estrogen and estrogen receptor induce matrix metalloproteinase-26 expression in endometrial carcinoma cells. <i>Oncology Reports</i> , 2013, 30, 751-756.	1.2	9
97	Development of Severe Pathology in Immunized Pregnant Mice Challenged with Lethal Malaria Parasites. <i>Infection and Immunity</i> , 2013, 81, 3865-3871.	1.0	11
98	Activin receptor-like kinase5 inhibition suppresses mouse melanoma by ubiquitin degradation of Smad4, thereby derepressing eomesodermin in cytotoxic T lymphocytes. <i>EMBO Molecular Medicine</i> , 2013, 5, 1720-1739.	3.3	56
99	Difficult anesthesia management in a case of living donor liver transplantation with hypertrophic obstructive cardiomyopathy. <i>Hiroshima Journal of Medical Sciences</i> , 2013, 62, 91-4.	0.1	0
100	Isolation of miRNAs that target EGFR mRNA in human lung cancer. <i>Biochemical and Biophysical Research Communications</i> , 2012, 420, 411-416.	1.0	25
101	TLS-CHOP represses miR-486 expression, inducing upregulation of a metastasis regulator PAI-1 in human myxoid liposarcoma. <i>Biochemical and Biophysical Research Communications</i> , 2012, 427, 355-360.	1.0	36
102	LGR5 ⁺ Colon Cancer Stem Cells Interconvert with Drug ^R Resistant LGR5 ⁻ Negative cells and are Capable of Tumor Reconstitution. <i>Stem Cells</i> , 2012, 30, 2631-2644.	1.4	134
103	Identification of a novel role of <sc>S</sc>eptin 10 in paclitaxel ^R resistance in cancers through a functional genomics screen. <i>Cancer Science</i> , 2012, 103, 821-827.	1.7	13
104	Mitotic Figure Recognition: Agreement among Pathologists and Computerized Detector. <i>Analytical Cellular Pathology</i> , 2012, 35, 97-100.	0.7	44
105	Efficacy of a Novel Class of RNA Interference Therapeutic Agents. <i>PLoS ONE</i> , 2012, 7, e42655.	1.1	31
106	The Progression of Liver Fibrosis Is Related with Overexpression of the miR-199 and 200 Families. <i>PLoS ONE</i> , 2011, 6, e16081.	1.1	248
107	Clinical Impact of Down-Regulated Plasma miR-92a Levels in Non-Hodgkin's Lymphoma. <i>PLoS ONE</i> , 2011, 6, e16408.	1.1	86
108	miR ^R 92 is a key oncogenic component of the miR ^R 17 ^R 92 cluster in colon cancer. <i>Cancer Science</i> , 2011, 102, 2264-2271.	1.7	198

#	ARTICLE	IF	CITATIONS
109	Anthocyanidins-enriched bilberry extracts inhibit 3T3-L1 adipocyte differentiation via the insulin pathway. <i>Nutrition and Metabolism</i> , 2011, 8, 14.	1.3	61
110	Regulation of the development of acute hepatitis by IL-23 through IL-22 and IL-17 production. <i>European Journal of Immunology</i> , 2011, 41, 2828-2839.	1.6	36
111	Dysregulation of IFN System Can Lead to Poor Response to Pegylated Interferon and Ribavirin Therapy in Chronic Hepatitis C. <i>PLoS ONE</i> , 2011, 6, e19799.	1.1	14
112	Deregulation of miR-92a expression is implicated in hepatocellular carcinoma development. <i>Pathology International</i> , 2010, 60, 351-357.	0.6	168
113	Impact on cell to plasma ratio of miR-92a in patients with acute leukemia: in vivo assessment of cell to plasma ratio of miR-92a. <i>BMC Research Notes</i> , 2010, 3, 347.	0.6	55
114	Cytoprotective effect of imatinib mesylate in non-BCR-ABL-expressing cells along with autophagosome formation. <i>Biochemical and Biophysical Research Communications</i> , 2010, 391, 310-315.	1.0	16
115	Cytoprotective Autophagy Induction by Imatinib Mesylate In Non-BCR-ABL Expressing Cells. <i>Blood</i> , 2010, 116, 4937-4937.	0.6	1
116	Effects of Dioxin on Vascular Endothelial Growth Factor (VEGF) Production in the Retina Associated with Choroidal Neovascularization. , 2009, 50, 3410.		35
117	Down-Regulation of miR-92 in Human Plasma Is a Novel Marker for Acute Leukemia Patients. <i>PLoS ONE</i> , 2009, 4, e5532.	1.1	267
118	USP15 plays an essential role for caspase-3 activation during Paclitaxel-induced apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 2009, 388, 366-371.	1.0	54
119	MicroRNA-500 as a potential diagnostic marker for hepatocellular carcinoma. <i>Biomarkers</i> , 2009, 14, 529-538.	0.9	204
120	Heterochromatin Protein 1 ^β Epigenetically Regulates Cell Differentiation and Exhibits Potential as a Therapeutic Target for Various Types of Cancers. <i>American Journal of Pathology</i> , 2009, 174, 309-316.	1.9	56
121	Effects of Environmental Chemicals on Cell Division and Chromosomal Positioning. <i>Reproductive Immunology and Biology</i> , 2009, 24, 70-76.	0.2	0
122	Dioxin interferes in chromosomal positioning through the aryl hydrocarbon receptor. <i>Biochemical and Biophysical Research Communications</i> , 2008, 374, 361-364.	1.0	7
123	Expression of various types of alternatively spliced WAPL transcripts in human cervical epithelia. <i>Gene</i> , 2008, 423, 57-62.	1.0	13
124	Repression of interleukin-4 in T helper type 1 cells by Runx/Cbfl ² binding to the IL4 silencer. <i>Journal of Experimental Medicine</i> , 2007, 204, 1749-1755.	4.2	228
125	Unscheduled overexpression of human WAPL promotes chromosomal instability. <i>Biochemical and Biophysical Research Communications</i> , 2007, 356, 699-704.	1.0	17
126	Correlation between liver metastasis of the colocalization of actin-related protein 2 and 3 complex and WAVE2 in colorectal carcinoma. <i>Cancer Science</i> , 2007, 98, 992-999.	1.7	72

#	ARTICLE	IF	CITATIONS
127	Generation of the Novel Monoclonal Antibody Against TLS/EWS-CHOP Chimeric Oncoproteins That Is Applicable to One of the Most Sensitive Assays for Myxoid and Round Cell Liposarcomas. <i>American Journal of Surgical Pathology</i> , 2006, 30, 351-356.	2.1	25
128	Detection of fusion genes in sarcomas using paraffin-embedded tissues. <i>Neuropathology</i> , 2005, 25, 263-268.	0.7	1
129	The human papillomavirus E6 and E7 inducible oncogene, hWAPL, exhibits potential as a therapeutic target. <i>British Journal of Cancer</i> , 2005, 92, 290-293.	2.9	19
130	Undisrupted pulse wave on pulse oximeter display monitor at cardiac arrest in a surgical patient. <i>Journal of Anesthesia</i> , 2005, 19, 164-166.	0.7	5
131	Effects of 3-methylcholanthrene on the transcriptional activity and mRNA accumulation of the oncogene hWAPL. <i>Cancer Letters</i> , 2005, 221, 21-28.	3.2	16
132	A dioxin sensitive gene, mammalianWAPL, is implicated in spermatogenesis. <i>FEBS Letters</i> , 2005, 579, 167-172.	1.3	31
133	Idiopathic retroperitoneal fibrosis associated with immunohematological abnormalities. <i>American Journal of Medicine</i> , 2005, 118, 782-786.	0.6	24
134	Alteration of chromosome positioning during adipocyte differentiation. <i>Journal of Cell Science</i> , 2004, 117, 5897-5903.	1.2	106
135	Expression of a Novel Human Gene, Human Wings Apart-Like (hWAPL), Is Associated with Cervical Carcinogenesis and Tumor Progression. <i>Cancer Research</i> , 2004, 64, 3545-3549.	0.4	53
136	Human DNA damage checkpoints and their relevance to soft tissue sarcoma. <i>Pathology International</i> , 2004, 54, 26-31.	0.6	9
137	Expression of cyclooxygenase-2 in chondroblastoma: immunohistochemical analysis with special emphasis on local inflammatory reaction. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2004, 444, 28-35.	1.4	12
138	Cytoplasmic and/or nuclear staining of beta-catenin is associated with lung metastasis. <i>Clinical and Experimental Metastasis</i> , 2003, 20, 525-529.	1.7	84
139	Increased expression of IgE-dependent histamine-releasing factor in endometriotic implants. <i>Journal of Pathology</i> , 2003, 199, 318-323.	2.1	11
140	Extragastrointestinal stromal tumor of the greater omentum: case report and review of the literature. <i>Hepato-Gastroenterology</i> , 2003, 50, 691-5.	0.5	8
141	Dioxin Stimulates Synthesis and Secretion of IgE-Dependent Histamine-Releasing Factor. <i>Biochemical and Biophysical Research Communications</i> , 2002, 290, 984-987.	1.0	51
142	TLS-CHOP target gene DOL54 expression in liposarcomas and malignant fibrous histiocytomas. <i>Pathology International</i> , 2002, 52, 497-500.	0.6	8
143	Angiomyoid proliferative lesion: an unusual stroma-rich variant of Castleman's disease of hyaline-vascular type. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2002, 441, 400-405.	1.4	20
144	Stromal expression of CD10 in invasive breast carcinoma: a new predictor of clinical outcome. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2002, 440, 589-593.	1.4	113

#	ARTICLE	IF	CITATIONS
145	Dioxin induces a novel nuclear factor, DIF-3, that is implicated in spermatogenesis. FEBS Letters, 2001, 508, 341-344.	1.3	28
146	A case of cytophagic histiocytic panniculitis associated with exertional rhabdomyolysis. Pathology International, 2000, 50, 858-862.	0.6	0
147	Nuclear accumulation of beta-catenin in intestinal-type gastric carcinoma: correlation with early tumor invasion. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2000, 437, 508-513.	1.4	54
148	Anomalous Cadherin Expression in Osteosarcoma. American Journal of Pathology, 1999, 155, 1549-1555.	1.9	74
149	Human 75-kDa DNA-pairing Protein Is Identical to the Pro-oncoprotein TLS/FUS and Is Able to Promote D-loop Formation. Journal of Biological Chemistry, 1999, 274, 34337-34342.	1.6	148
150	CHOP-Dependent Stress-Inducible Expression of a Novel Form of Carbonic Anhydrase VI. Molecular and Cellular Biology, 1999, 19, 495-504.	1.1	130
151	Function of the chemokine receptor CXCR4 in haematopoiesis and in cerebellar development. Nature, 1998, 393, 595-599.	13.7	2,303
152	Coexpression of hepatocyte growth factor and <i>c-Met</i> proto-oncogene product in synovial sarcoma. Pathology International, 1998, 48, 769-775.	0.6	23
153	Squirrel monkeys as a useful vaccine model for <i>Schistosoma japonicum</i> infection. Parasitology International, 1997, 46, 31-39.	0.6	5
154	Increased expression of vascular endothelial growth factor in human hepatocellular carcinoma. Journal of Hepatology, 1997, 27, 854-861.	1.8	156
155	Biphasic synovial sarcoma of the peritoneal cavity with t(X;18) demonstrated by reverse transcriptase polymerase chain reaction. Pathology International, 1997, 47, 637-641.	0.6	37
156	Prophylactic hemostatic drugs do not reduce hemorrhage: Thromboelastographic study during upper abdominal surgery. Journal of Anesthesia, 1995, 9, 32-35.	0.7	4
157	Synovial Sarcoma With a Predominant Epithelial Component. International Journal of Surgical Pathology, 1994, 1, 261-267.	0.4	5
158	Giant cell tumor of the lung: An autopsy case report with immunohistochemical observations. Pathology International, 1994, 44, 158-163.	0.6	18