

# Alan Sher

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/982642/alan-sher-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109  
papers

14,959  
citations

55  
h-index

121  
g-index

121  
ext. papers

17,483  
ext. citations

13.7  
avg, IF

6.34  
L-index

#	Paper	IF	Citations
109	Intravenous administration of BCG protects mice against lethal SARS-CoV-2 challenge. <i>Journal of Experimental Medicine</i> , <b>2022</b> , 219,	16.6	10
108	Comment on: Repositioning T cell polarization from single cytokines to complex help.. <i>Nature Immunology</i> , <b>2022</b> ,	19.1	1
107	Mild SARS-CoV-2 infection in rhesus macaques is associated with viral control prior to antigen-specific T cell responses in tissues.. <i>Science Immunology</i> , <b>2022</b> , 7, eabo0535	28	1
106	Induces in Murine Macrophages by a Pathway Involving Both TLR-2 and STING/IFNAR Signaling and Requiring Bacterial Phagocytosis.. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2022</b> , 12, 862582	5.9	2
105	Persistent Oxidative Stress and Inflammasome Activation in CD14CD16 Monocytes From COVID-19 Patients.. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 799558	8.4	6
104	Homeostatic IL-13 in healthy skin directs dendritic cell differentiation to promote T2 and inhibit T17 cell polarization. <i>Nature Immunology</i> , <b>2021</b> , 22, 1538-1550	19.1	9
103	A Long-Acting Thermoresponsive Injectable Formulation of Tin Protoporphyrin Sustains Antitubercular Efficacy in a Murine Infection Model. <i>ACS Pharmacology and Translational Science</i> , <b>2021</b> , 4, 276-287	5.9	1
102	Enhancement of CD4 T Cell Function as a Strategy for Improving Antibiotic Therapy Efficacy in Tuberculosis: Does It Work?. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2021</b> , 11, 672527	5.9	2
101	Functional inactivation of pulmonary MAIT cells following 5-OP-RU treatment of non-human primates. <i>Mucosal Immunology</i> , <b>2021</b> , 14, 1055-1066	9.2	4
100	Mycobacterium tuberculosis-specific CD4 T cells expressing CD153 inversely associate with bacterial load and disease severity in human tuberculosis. <i>Mucosal Immunology</i> , <b>2021</b> , 14, 491-499	9.2	11
99	Heme oxygenase-1 inhibition promotes IFN $\gamma$ and NOS2-mediated control of Mycobacterium tuberculosis infection. <i>Mucosal Immunology</i> , <b>2021</b> , 14, 253-266	9.2	9
98	PD-1 blockade exacerbates infection in rhesus macaques. <i>Science Immunology</i> , <b>2021</b> , 6,	28	17
97	IFNs Reset the Differential Capacity of Human Monocyte Subsets to Produce IL-12 in Response to Microbial Stimulation. <i>Journal of Immunology</i> , <b>2021</b> , 206, 1642-1652	5.3	1
96	Dermal IRF4+ dendritic cells and monocytes license CD4+ T helper cells to distinct cytokine profiles. <i>Nature Communications</i> , <b>2020</b> , 11, 5637	17.4	4
95	Patients infected with Mycobacterium africanum versus Mycobacterium tuberculosis possess distinct intestinal microbiota. <i>PLoS Neglected Tropical Diseases</i> , <b>2020</b> , 14, e0008230	4.8	7
94	Mouse transcriptome reveals potential signatures of protection and pathogenesis in human tuberculosis. <i>Nature Immunology</i> , <b>2020</b> , 21, 464-476	19.1	28
93	Requirements for the differentiation of innate T-bet memory-phenotype CD4 T lymphocytes under steady state. <i>Nature Communications</i> , <b>2020</b> , 11, 3366	17.4	5

92	Modulation of Inflammation and Immune Responses by Heme Oxygenase-1: Implications for Infection with Intracellular Pathogens. <i>Antioxidants</i> , <b>2020</b> , 9,	7.1	10
91	The lectin-specific activity of <i>Toxoplasma gondii</i> microneme proteins 1 and 4 binds Toll-like receptor 2 and 4 N-glycans to regulate innate immune priming. <i>PLoS Pathogens</i> , <b>2019</b> , 15, e1007871	7.6	18
90	Correlation between Disease Severity and the Intestinal Microbiome in Mycobacterium tuberculosis-Infected Rhesus Macaques. <i>MBio</i> , <b>2019</b> , 10,	7.8	14
89	Molecular degree of perturbation of plasma inflammatory markers associated with tuberculosis reveals distinct disease profiles between Indian and Chinese populations. <i>Scientific Reports</i> , <b>2019</b> , 9, 8002	4.9	19
88	Transcriptional profiling unveils type I and II interferon networks in blood and tissues across diseases. <i>Nature Communications</i> , <b>2019</b> , 10, 2887	17.4	32
87	A major role for ferroptosis in -induced cell death and tissue necrosis. <i>Journal of Experimental Medicine</i> , <b>2019</b> , 216, 556-570	16.6	92
86	The Colon as a Major Site of Immunoregulation by CD4 T Cell Subsets in the Steady State. <i>Journal of Immunology</i> , <b>2019</b> , 203, 1683-1684	5.3	0
85	Foreign antigen-independent memory-phenotype CD4 T cells: a new player in innate immunity?. <i>Nature Reviews Immunology</i> , <b>2018</b> , 18, 1	36.5	8
84	Type I interferons in tuberculosis: Foe and occasionally friend. <i>Journal of Experimental Medicine</i> , <b>2018</b> , 215, 1273-1285	16.6	100
83	Lysosomal Cathepsin Release Is Required for NLRP3-Inflammasome Activation by in Infected Macrophages. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 1427	8.4	55
82	Transient T-bet expression functionally specifies a distinct T follicular helper subset. <i>Journal of Experimental Medicine</i> , <b>2018</b> , 215, 2705-2714	16.6	43
81	The Microbiome and Tuberculosis: Early Evidence for Cross Talk. <i>MBio</i> , <b>2018</b> , 9,	7.8	46
80	Innate recognition of <i>Toxoplasma gondii</i> in humans involves a mechanism distinct from that utilized by rodents. <i>Cellular and Molecular Immunology</i> , <b>2017</b> , 14, 36-42	15.4	28
79	Adjuvant and carrier protein-dependent T-cell priming promotes a robust antibody response against the <i>Plasmodium falciparum</i> Pfs25 vaccine candidate. <i>Scientific Reports</i> , <b>2017</b> , 7, 40312	4.9	42
78	Memory-phenotype CD4 T cells spontaneously generated under steady-state conditions exert innate T1-like effector function. <i>Science Immunology</i> , <b>2017</b> , 2,	28	37
77	Longitudinal profiling reveals a persistent intestinal dysbiosis triggered by conventional anti-tuberculosis therapy. <i>Microbiome</i> , <b>2017</b> , 5, 71	16.6	76
76	Inflammatory monocytes expressing tissue factor drive SIV and HIV coagulopathy. <i>Science Translational Medicine</i> , <b>2017</b> , 9,	17.5	57
75	Antibiotic treatment for Tuberculosis induces a profound dysbiosis of the microbiome that persists long after therapy is completed. <i>Scientific Reports</i> , <b>2017</b> , 7, 10767	4.9	94

74	Induction of Heme Oxygenase-1 Expression Is Dependent on Oxidative Stress and Reflects Treatment Outcomes. <i>Frontiers in Immunology</i> , <b>2017</b> , 8, 542	8.4	23
73	Cathepsin K Contributes to Cavitation and Collagen Turnover in Pulmonary Tuberculosis. <i>Journal of Infectious Diseases</i> , <b>2016</b> , 213, 618-27	7	22
72	Systemic toxoplasma infection triggers a long-term defect in the generation and function of naive T lymphocytes. <i>Journal of Experimental Medicine</i> , <b>2016</b> , 213, 3041-3056	16.6	13
71	Water-in-Oil-Only Adjuvants Selectively Promote T Follicular Helper Cell Polarization through a Type I IFN and IL-6-Dependent Pathway. <i>Journal of Immunology</i> , <b>2016</b> , 197, 3884-3893	5.3	26
70	Pharmacological Inhibition of Host Heme Oxygenase-1 Suppresses Mycobacterium tuberculosis Infection In Vivo by a Mechanism Dependent on T Lymphocytes. <i>MBio</i> , <b>2016</b> , 7,	7.8	33
69	Chitosan: An Adjuvant with an Unanticipated STING. <i>Immunity</i> , <b>2016</b> , 44, 522-524	32.3	39
68	The IL-12 Response of Primary Human Dendritic Cells and Monocytes to Toxoplasma gondii Is Stimulated by Phagocytosis of Live Parasites Rather Than Host Cell Invasion. <i>Journal of Immunology</i> , <b>2016</b> , 196, 345-56	5.3	52
67	N-acetyl-cysteine exhibits potent anti-mycobacterial activity in addition to its known anti-oxidative functions. <i>BMC Microbiology</i> , <b>2016</b> , 16, 251	4.5	60
66	Heme Oxygenase-1 Regulation of Matrix Metalloproteinase-1 Expression Underlies Distinct Disease Profiles in Tuberculosis. <i>Journal of Immunology</i> , <b>2015</b> , 195, 2763-73	5.3	41
65	Cytokine and lipid mediator networks in tuberculosis. <i>Immunological Reviews</i> , <b>2015</b> , 264, 264-75	11.3	98
64	Type I interferons in infectious disease. <i>Nature Reviews Immunology</i> , <b>2015</b> , 15, 87-103	36.5	1131
63	Cutting edge: Endoplasmic reticulum stress licenses macrophages to produce mature IL-1 $\beta$ response to TLR4 stimulation through a caspase-8- and TRIF-dependent pathway. <i>Journal of Immunology</i> , <b>2014</b> , 192, 2029-2033	5.3	128
62	Host-directed therapy of tuberculosis based on interleukin-1 and type I interferon crosstalk. <i>Nature</i> , <b>2014</b> , 511, 99-103	50.4	493
61	Influenza A virus impairs control of Mycobacterium tuberculosis coinfection through a type I interferon receptor-dependent pathway. <i>Journal of Infectious Diseases</i> , <b>2014</b> , 209, 270-4	7	94
60	Innate resistance against Toxoplasma gondii: an evolutionary tale of mice, cats, and men. <i>Cell Host and Microbe</i> , <b>2014</b> , 15, 132-8	23.4	76
59	Mycobacterial antigen driven activation of CD14 <sup>++</sup> CD16 <sup>-</sup> monocytes is a predictor of tuberculosis-associated immune reconstitution inflammatory syndrome. <i>PLoS Pathogens</i> , <b>2014</b> , 10, e1004433	7.6	90
58	Dual role for inflammasome sensors NLRP1 and NLRP3 in murine resistance to Toxoplasma gondii. <i>MBio</i> , <b>2014</b> , 5,	7.8	181
57	Recognition of profilin by Toll-like receptor 12 is critical for host resistance to Toxoplasma gondii. <i>Immunity</i> , <b>2013</b> , 38, 119-30	32.3	228

56	CD4+ T cells are trigger and target of the glucocorticoid response that prevents lethal immunopathology in toxoplasma infection. <i>Journal of Experimental Medicine</i> , <b>2013</b> , 210, 1919-27	16.6	35
55	Cord factor and peptidoglycan recapitulate the Th17-promoting adjuvant activity of mycobacteria through mincle/CARD9 signaling and the inflammasome. <i>Journal of Immunology</i> , <b>2013</b> , 190, 5722-30	5.3	91
54	Plasma heme oxygenase-1 levels distinguish latent or successfully treated human tuberculosis from active disease. <i>PLoS ONE</i> , <b>2013</b> , 8, e62618	3.7	48
53	NK cell-derived interferon- $\gamma$ orchestrates cellular dynamics and the differentiation of monocytes into dendritic cells at the site of infection. <i>Immunity</i> , <b>2012</b> , 36, 1047-59	32.3	200
52	CD8 $\alpha$ dendritic cells are the critical source of interleukin-12 that controls acute infection by <i>Toxoplasma gondii</i> tachyzoites. <i>Immunity</i> , <b>2011</b> , 35, 249-59	32.3	272
51	Innate and adaptive interferons suppress IL-1 $\beta$ and IL-1 $\gamma$ production by distinct pulmonary myeloid subsets during <i>Mycobacterium tuberculosis</i> infection. <i>Immunity</i> , <b>2011</b> , 35, 1023-34	32.3	286
50	CD4 T cells promote rather than control tuberculosis in the absence of PD-1-mediated inhibition. <i>Journal of Immunology</i> , <b>2011</b> , 186, 1598-607	5.3	211
49	<i>Mycobacterium tuberculosis</i> triggers host type I IFN signaling to regulate IL-1 $\beta$ production in human macrophages. <i>Journal of Immunology</i> , <b>2011</b> , 187, 2540-7	5.3	178
48	Caspase-1 independent IL-1 $\beta$ production is critical for host resistance to mycobacterium tuberculosis and does not require TLR signaling in vivo. <i>Journal of Immunology</i> , <b>2010</b> , 184, 3326-30	5.3	343
47	Dendritic cell activation prevents MHC class II ubiquitination and promotes MHC class II survival regardless of the activation stimulus. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 41749-54	5.4	40
46	Vaccine adjuvants: putting innate immunity to work. <i>Immunity</i> , <b>2010</b> , 33, 492-503	32.3	1202
45	Intranasal Poly-IC treatment exacerbates tuberculosis in mice through the pulmonary recruitment of a pathogen-permissive monocyte/macrophage population. <i>Journal of Clinical Investigation</i> , <b>2010</b> , 120, 1674-82	15.9	212
44	<i>Toxoplasma</i> profilin is essential for host cell invasion and TLR11-dependent induction of an interleukin-12 response. <i>Cell Host and Microbe</i> , <b>2008</b> , 3, 77-87	23.4	252
43	Conventional T-bet(+) <i>Foxp3</i> (-) Th1 cells are the major source of host-protective regulatory IL-10 during intracellular protozoan infection. <i>Journal of Experimental Medicine</i> , <b>2007</b> , 204, 273-83	16.6	475
42	TAP-1 indirectly regulates CD4+ T cell priming in <i>Toxoplasma gondii</i> infection by controlling NK cell IFN- $\gamma$ production. <i>Journal of Experimental Medicine</i> , <b>2007</b> , 204, 2591-602	16.6	59
41	Viral gene expression in HIV transgenic mice is activated by <i>Mycobacterium tuberculosis</i> and suppressed after antimycobacterial chemotherapy. <i>Journal of Infectious Diseases</i> , <b>2007</b> , 195, 246-54	7	9
40	Effector and regulatory CD4+ T cell function in a murine model of <i>Helicobacter hepaticus</i> -induced colitis. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2005</b> , 40 Suppl 1, S35-6	2.8	3
39	TLR11 activation of dendritic cells by a protozoan profilin-like protein. <i>Science</i> , <b>2005</b> , 308, 1626-9	33.3	775

38	Host control of Mycobacterium tuberculosis is regulated by 5-lipoxygenase-dependent lipoxin production. <i>Journal of Clinical Investigation</i> , <b>2005</b> , 115, 1601-6	15.9	175
37	Toxoplasma gondii triggers myeloid differentiation factor 88-dependent IL-12 and chemokine ligand 2 (monocyte chemoattractant protein 1) responses using distinct parasite molecules and host receptors. <i>Journal of Immunology</i> , <b>2004</b> , 172, 6954-60	5.3	86
36	Exogenous pathogen and plant 15-lipoxygenase initiate endogenous lipoxin A4 biosynthesis. <i>Journal of Experimental Medicine</i> , <b>2004</b> , 199, 515-23	16.6	85
35	The induction of Toll-like receptor tolerance enhances rather than suppresses HIV-1 gene expression in transgenic mice. <i>Journal of Leukocyte Biology</i> , <b>2004</b> , 75, 460-6	6.5	21
34	Structural determinants of the anti-HIV activity of a CCR5 antagonist derived from Toxoplasma gondii. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 53635-42	5.4	22
33	Turning it on and off: regulation of dendritic cell function in Toxoplasma gondii infection. <i>Immunological Reviews</i> , <b>2004</b> , 201, 26-34	11.3	40
32	Induction of colitis by a CD4+ T cell clone specific for a bacterial epitope. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2003</b> , 100, 15830-5	11.5	70
31	Inhibition of HIV-1 infection by a CCR5-binding cyclophilin from Toxoplasma gondii. <i>Blood</i> , <b>2003</b> , 102, 3280-6	2.2	38
30	Induction and regulation of IL-12-dependent host resistance to Toxoplasma gondii. <i>Immunologic Research</i> , <b>2003</b> , 27, 521-8	4.3	73
29	Shaping the immune response to parasites: role of dendritic cells. <i>Current Opinion in Immunology</i> , <b>2003</b> , 15, 421-9	7.8	97
28	Molecular mimicry of a CCR5 binding-domain in the microbial activation of dendritic cells. <i>Nature Immunology</i> , <b>2003</b> , 4, 485-90	19.1	199
27	Cutting edge: in vivo induction of integrated HIV-1 expression by mycobacteria is critically dependent on Toll-like receptor 2. <i>Journal of Immunology</i> , <b>2003</b> , 171, 1123-7	5.3	51
26	In vivo antiviral activity of novel human immunodeficiency virus type 1 nucleocapsid p7 zinc finger inhibitors in a transgenic murine model. <i>AIDS Research and Human Retroviruses</i> , <b>2003</b> , 19, 91-101	1.6	37
25	Bacteria-triggered CD4(+) T regulatory cells suppress Helicobacter hepaticus-induced colitis. <i>Journal of Experimental Medicine</i> , <b>2002</b> , 196, 505-15	16.6	273
24	Cutting edge: MyD88 is required for resistance to Toxoplasma gondii infection and regulates parasite-induced IL-12 production by dendritic cells. <i>Journal of Immunology</i> , <b>2002</b> , 168, 5997-6001	5.3	393
23	Parasite-induced lipoxin A4 is an endogenous regulator of IL-12 production and immunopathology in Toxoplasma gondii infection. <i>Journal of Experimental Medicine</i> , <b>2002</b> , 196, 1253-62	16.6	170
22	In the absence of IL-12, CD4(+) T cell responses to intracellular pathogens fail to default to a Th2 pattern and are host protective in an IL-10(-/-) setting. <i>Immunity</i> , <b>2002</b> , 16, 429-39	32.3	222
21	Th1/Th2 effector choice in parasitic infection: decision making by committee. <i>Current Opinion in Immunology</i> , <b>2001</b> , 13, 403-9	7.8	65

20	In vivo CD40-CD154 (CD40 ligand) interaction induces integrated HIV expression by APC in an HIV-1-transgenic mouse model. <i>Journal of Immunology</i> , <b>2001</b> , 166, 3210-7	5.3	18
19	<i>Helicobacter hepaticus</i> -induced colitis in interleukin-10-deficient mice: cytokine requirements for the induction and maintenance of intestinal inflammation. <i>Infection and Immunity</i> , <b>2001</b> , 69, 4232-41	3.7	119
18	Inactivation of LRG-47 and IRG-47 reveals a family of interferon gamma-inducible genes with essential, pathogen-specific roles in resistance to infection. <i>Journal of Experimental Medicine</i> , <b>2001</b> , 194, 181-8	16.6	270
17	A human immunodeficiency virus-transgenic mouse model for assessing interventions that block microbial-induced proviral expression. <i>Journal of Infectious Diseases</i> , <b>2001</b> , 183, 1592-600	7	17
16	Malaria infection induces virus expression in human immunodeficiency virus transgenic mice by CD4 T cell-dependent immune activation. <i>Journal of Infectious Diseases</i> , <b>2001</b> , 183, 1260-8	7	23
15	CCR5 provides a signal for microbial induced production of IL-12 by CD8 alpha+ dendritic cells. <i>Nature Immunology</i> , <b>2000</b> , 1, 83-7	19.1	300
14	Single cell analysis reveals that IL-4 receptor/Stat6 signaling is not required for the in vivo or in vitro development of CD4+ lymphocytes with a Th2 cytokine profile. <i>Journal of Immunology</i> , <b>2000</b> , 164, 3047-55	5.3	211
13	Cutting edge: IL-12 is required for the maintenance of IFN-gamma production in T cells mediating chronic resistance to the intracellular pathogen, <i>Toxoplasma gondii</i> . <i>Journal of Immunology</i> , <b>2000</b> , 165, 628-31	5.3	242
12	CD40 triggering of heterodimeric IL-12 p70 production by dendritic cells in vivo requires a microbial priming signal. <i>Immunity</i> , <b>2000</b> , 13, 453-62	32.3	461
11	Effector cells of both nonhemopoietic and hemopoietic origin are required for interferon (IFN)-gamma- and tumor necrosis factor (TNF)-alpha-dependent host resistance to the intracellular pathogen, <i>Toxoplasma gondii</i> . <i>Journal of Experimental Medicine</i> , <b>1999</b> , 189, 1083-92	16.6	185
10	The role of dendritic cells in the induction and regulation of immunity to microbial infection. <i>Current Opinion in Immunology</i> , <b>1999</b> , 11, 392-9	7.8	243
9	Requirement for Tec kinases Rlk and Itk in T cell receptor signaling and immunity. <i>Science</i> , <b>1999</b> , 284, 638-41	33.3	334
8	Paralysis of dendritic cell IL-12 production by microbial products prevents infection-induced immunopathology. <i>Immunity</i> , <b>1999</b> , 11, 637-47	32.3	163
7	Cell-mediated immunity to <i>Toxoplasma gondii</i> : initiation, regulation and effector function. <i>Immunobiology</i> , <b>1999</b> , 201, 240-7	3.4	173
6	<i>Helicobacter hepaticus</i> triggers colitis in specific-pathogen-free interleukin-10 (IL-10)-deficient mice through an IL-12- and gamma interferon-dependent mechanism. <i>Infection and Immunity</i> , <b>1998</b> , 66, 5157-66	3.7	346
5	In vivo microbial stimulation induces rapid CD40 ligand-independent production of interleukin 12 by dendritic cells and their redistribution to T cell areas. <i>Journal of Experimental Medicine</i> , <b>1997</b> , 186, 1819-29	16.6	772
4	Inducible nitric oxide is essential for host control of persistent but not acute infection with the intracellular pathogen <i>Toxoplasma gondii</i> . <i>Journal of Experimental Medicine</i> , <b>1997</b> , 185, 1261-73	16.6	356
3	Interferon consensus sequence binding protein-deficient mice display impaired resistance to intracellular infection due to a primary defect in interleukin 12 p40 induction. <i>Journal of Experimental Medicine</i> , <b>1997</b> , 186, 1523-34	16.6	181

2	Initiation and Regulation of CD4+ T-Cell Function in Host-Parasite Models (Part 1 of 2). <i>Chemical Immunology and Allergy</i> , <b>1996</b> , 63, 51-58	7
1	The skin environment controls local dendritic cell differentiation and function through innate IL-13	1