Shuya Yan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9827168/publications.pdf

Version: 2024-02-01

304743 265206 2,033 42 62 22 citations h-index g-index papers 64 64 64 2293 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Alterations of insular dynamic functional connectivity and psychological characteristics in unmedicated bipolar depression patients with a recent suicide attempt. Psychological Medicine, 2023, 53, 3837-3848.	4.5	2
2	Abnormal dynamic functional connectivity of hippocampal subregions associated with working memory impairment in melancholic depression. Psychological Medicine, 2023, 53, 2923-2935.	4.5	16
3	Shared and specific patterns of dynamic functional connectivity variability of striato-cortical circuitry in unmedicated bipolar and major depressive disorders. Psychological Medicine, 2022, 52, 747-756.	4.5	21
4	Inflammation is correlated with abnormal functional connectivity in unmedicated bipolar depression: an independent component analysis study of resting-state fMRI. Psychological Medicine, 2022, 52, 3431-3441.	4.5	8
5	Correlations between facial emotion processing and biochemical abnormalities in untreated adolescent patients with major depressive disorder: A proton magnetic resonance spectroscopy study. Journal of Affective Disorders, 2022, 296, 408-417.	4.1	4
6	Associations between executive function impairment and biochemical abnormalities in depressed adolescents with non-suicidal self-injury. Journal of Affective Disorders, 2022, 298, 492-499.	4.1	7
7	A two-center radiomic analysis for differentiating major depressive disorder using multi-modality MRI data under different parcellation methods. Journal of Affective Disorders, 2022, 300, 1-9.	4.1	9
8	Reduced myelin density in unmedicated major depressive disorder: An inhomogeneous magnetization transfer MRI study. Journal of Affective Disorders, 2022, 300, 114-120.	4.1	6
9	Childhood trauma history is linked to abnormal brain metabolism of non-medicated adult patients with major depressive disorder. Journal of Affective Disorders, 2022, 302, 101-109.	4.1	10
10	Multimodal MRI reveals alterations of the anterior insula and posterior cingulate cortex in bipolar II disorders: A surface-based approach. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 116, 110533.	4.8	6
11	Association between resting-state functional connectivity of amygdala subregions and peripheral pro-inflammation cytokines levels in bipolar disorder. Brain Imaging and Behavior, 2022, 16, 1614-1626.	2.1	5
12	A new perspective on depression and neuroinflammation: Non-coding RNA. Journal of Psychiatric Research, 2022, 148, 293-306.	3.1	17
13	The prevalence and characteristics of MCCB cognitive impairment in unmedicated patients with bipolar II depression and major depressive disorder. Journal of Affective Disorders, 2022, 310, 369-376.	4.1	17
14	Correlations Between Endocrine Hormones and Cognitive Function in Patients with Obesity: a Cross-sectional Study. Obesity Surgery, 2022, 32, 2299-2308.	2.1	3
15	Similarities and differences in working memory and neurometabolism of obsessive-compulsive disorder and major depressive disorder. Journal of Affective Disorders, 2022, 311, 556-564.	4.1	2
16	Physical Exercise Prevented Stressâ€Induced Anxiety via Improving Brain RNA Methylation. Advanced Science, 2022, 9, .	11.2	14
17	Association of altered thyroid hormones and neurometabolism to cognitive dysfunction in unmedicated bipolar II depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 105, 110027.	4.8	11
18	Shared and specific dynamics of brain segregation and integration in bipolar disorder and major depressive disorder: A resting-state functional magnetic resonance imaging study. Journal of Affective Disorders, 2021, 280, 279-286.	4.1	31

#	Article	IF	Citations
19	Interaction of Serum Copper and Neurometabolites on Executive Dysfunction in Unmedicated Patients With Major Depressive Disorder. Frontiers in Psychiatry, 2021, 12, 564375.	2.6	7
20	Correlations Between Working Memory Impairment and Neurometabolites of the Prefrontal Cortex in Drug-Naive Obsessive-Compulsive Disorder. Neuropsychiatric Disease and Treatment, 2021, Volume 17, 2647-2657.	2.2	3
21	The Effectiveness of Eye Movement Desensitization and Reprocessing Toward Adults With Major Depressive Disorder: A Meta-Analysis of Randomized Controlled Trials. Frontiers in Psychiatry, 2021, 12, 700458.	2.6	10
22	The influences of behavioral and psychological interventions on the neurological function and MMSE scores in Parkinson's disease patients. American Journal of Translational Research (discontinued), 2021, 13, 4915-4921.	0.0	0
23	Differences in verbal and spatial working memory in patients with bipolar II and unipolar depression: an MSI study. BMC Psychiatry, 2021, 21, 568.	2.6	4
24	Shared and specific functional connectivity alterations in unmedicated bipolar and major depressive disorders based on the triple-network model. Brain Imaging and Behavior, 2020, 14, 186-199.	2.1	60
25	Abnormal dynamic functional network connectivity in unmedicated bipolar and major depressive disorders based on the triple-network model. Psychological Medicine, 2020, 50, 465-474.	4.5	87
26	Classification of Unmedicated Bipolar Disorder Using Whole-Brain Functional Activity and Connectivity: A Radiomics Analysis. Cerebral Cortex, 2020, 30, 1117-1128.	2.9	52
27	Serum copper and zinc levels correlate with biochemical metabolite ratios in the prefrontal cortex and lentiform nucleus of patients with major depressive disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 99, 109828.	4.8	20
28	Alleviation of cognitive deficits and high copper levels by an NMDA receptor antagonist in a rat depression model. Comprehensive Psychiatry, 2020, 102, 152200.	3.1	12
29	Inflammation is associated with decreased functional connectivity of insula in unmedicated bipolar disorder. Brain, Behavior, and Immunity, 2020, 89, 615-622.	4.1	32
30	Characteristics of temporal dynamics of intrinsic brain activity in unmedicated bipolar disorder with suicidality. Australian and New Zealand Journal of Psychiatry, 2020, 54, 1115-1124.	2.3	18
31	Correlations Among mRNA Expression Levels of ATP7A, Serum Ceruloplasmin Levels, and Neuronal Metabolism in Unmedicated Major Depressive Disorder. International Journal of Neuropsychopharmacology, 2020, 23, 642-652.	2.1	6
32	Abnormalities of aquaporin-4 in the cerebellum in bipolar II disorder: An ultra-high b-values diffusion weighted imaging study. Journal of Affective Disorders, 2020, 274, 136-143.	4.1	7
33	The characteristic of cognitive impairments in patients with bipolar II depression and its association with N-acetyl aspartate of the prefrontal white matter. Annals of Translational Medicine, 2020, 8, 1457.	1.7	0
34	Disrupted functional connectivity within the default mode network and salience network in unmedicated bipolar II disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 88, 11-18.	4.8	84
35	Similar profiles of cognitive domain deficits between medication-naà ve patients with bipolar II depression and those with major depressive disorder. Journal of Affective Disorders, 2019, 243, 55-61.	4.1	26
36	Disrupted rich club organization and structural brain connectome in unmedicated bipolar disorder. Psychological Medicine, 2019, 49, 510-518.	4.5	74

#	Article	IF	Citations
37	Altered biochemical metabolism and its lateralization in the cortico-striato-cerebellar circuit of unmedicated bipolar II depression. Journal of Affective Disorders, 2019, 259, 82-90.	4.1	16
38	Abnormal resting-state regional homogeneity in unmedicated bipolar II disorder. Journal of Affective Disorders, 2019, 256, 604-610.	4.1	23
39	Correlation between Intrinsic Brain Activity and Thyroid-Stimulating Hormone Level in Unmedicated Bipolar II Depression. Neuroendocrinology, 2019, 108, 232-243.	2.5	32
40	Abnormal intrinsic brain functional network dynamics in unmedicated depressed bipolar II disorder. Journal of Affective Disorders, 2019, 253, 402-409.	4.1	18
41	Abnormal cerebellum-DMN regions connectivity in unmedicated bipolar II disorder. Journal of Affective Disorders, 2019, 243, 441-447.	4.1	67
42	Biochemical abnormalities in basal ganglia and executive dysfunction in acute- and euthymic-episode patients with bipolar disorder: A proton magnetic resonance spectroscopy study. Journal of Affective Disorders, 2018, 225, 108-116.	4.1	18
43	Correlations between working memory impairment and neurometabolites of prefrontal cortex and lenticular nucleus in patients with major depressive disorder. Journal of Affective Disorders, 2018, 227, 236-242.	4.1	23
44	Altered cerebellar functional connectivity in remitted bipolar disorder: A resting-state functional magnetic resonance imaging study. Australian and New Zealand Journal of Psychiatry, 2018, 52, 962-971.	2.3	60
45	Disrupted Cerebellar Connectivity With the Central Executive Network and the Default-Mode Network in Unmedicated Bipolar II Disorder. Frontiers in Psychiatry, 2018, 9, 705.	2.6	50
46	Disruption of superficial white matter in the emotion regulation network in bipolar disorder. Neurolmage: Clinical, 2018, 20, 875-882.	2.7	23
47	Abnormal intrinsic cerebro-cerebellar functional connectivity in un-medicated patients with bipolar disorder and major depressive disorder. Psychopharmacology, 2018, 235, 3187-3200.	3.1	46
48	Association between resting-state brain functional connectivity and cortisol levels in unmedicated major depressive disorder. Journal of Psychiatric Research, 2018, 105, 55-62.	3.1	12
49	Associations between executive function impairment and biochemical abnormalities in bipolar disorder with suicidal ideation. Journal of Affective Disorders, 2018, 241, 282-290.	4.1	26
50	Common and Specific Abnormalities in Cortical Thickness in Patients with Major Depressive and Bipolar Disorders. EBioMedicine, 2017, 16, 162-171.	6.1	68
51	A comparison of neurometabolites between remitted bipolar disorder and depressed bipolar disorder: A proton magnetic resonance spectroscopy study. Journal of Affective Disorders, 2017, 211, 153-161.	4.1	11
52	Variation in global DNA hydroxymethylation with age associated with schizophrenia. Psychiatry Research, 2017, 257, 497-500.	3.3	16
53	Altered interhemispheric functional connectivity in remitted bipolar disorder: A Resting State fMRI Study. Scientific Reports, 2017, 7, 4698.	3. 3	23
54	Shared and Specific Intrinsic Functional Connectivity Patterns in Unmedicated Bipolar Disorder and Major Depressive Disorder. Scientific Reports, 2017, 7, 3570.	3.3	74

#	ARTICLE	IF	CITATION
55	Microstructural Abnormalities of Basal Ganglia and Thalamus in Bipolar and Unipolar Disorders: A Diffusion Kurtosis and Perfusion Imaging Study. Psychiatry Investigation, 2017, 14, 471.	1.6	17
56	Cerebellar microstructural abnormalities in bipolar depression and unipolar depression: A diffusion kurtosis and perfusion imaging study. Journal of Affective Disorders, 2016, 195, 21-31.	4.1	58
57	Disrupted Resting-State Functional Connectivity in Nonmedicated Bipolar Disorder. Radiology, 2016, 280, 529-536.	7. 3	108
58	Interhemispheric resting state functional connectivity abnormalities in unipolar depression and bipolar depression. Bipolar Disorders, 2015, 17, 486-495.	1.9	109
59	A Meta-Analysis of Oxidative Stress Markers in Depression. PLoS ONE, 2015, 10, e0138904.	2.5	290
60	The correlation between biochemical abnormalities in frontal white matter, hippocampus and serum thyroid hormone levels in first-episode patients with major depressive disorder. Journal of Affective Disorders, 2015, 180, 162-169.	4.1	50
61	Overlapping auditory M100 and M200 abnormalities in schizophrenia and bipolar disorder: A MEG study. Schizophrenia Research, 2014, 160, 201-207.	2.0	35
62	Similarities of biochemical abnormalities between major depressive disorder and bipolar depression: A proton magnetic resonance spectroscopy study. Journal of Affective Disorders, 2014, 168, 380-386.	4.1	69