

Enrique Z Fisman

List of Publications by Citations

Source: <https://exaly.com/author-pdf/983669/enrique-z-fisman-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129
papers

4,018
citations

36
h-index

58
g-index

135
ext. papers

4,460
ext. citations

4.8
avg, IF

5.2
L-index

#	Paper	IF	Citations
129	Bezafibrate for the secondary prevention of myocardial infarction in patients with metabolic syndrome. <i>Archives of Internal Medicine</i> , 2005 , 165, 1154-60		243
128	Dual and pan-peroxisome proliferator-activated receptors (PPAR) co-agonism: the bezafibrate lessons. <i>Cardiovascular Diabetology</i> , 2005 , 4, 14	8.7	180
127	The effects of hormone replacement therapy in normal postmenopausal women: measurements of Doppler-derived parameters of aortic flow. <i>American Journal of Obstetrics and Gynecology</i> , 1991 , 164, 806-12	6.4	164
126	Peroxisome proliferator-activated receptor ligand bezafibrate for prevention of type 2 diabetes mellitus in patients with coronary artery disease. <i>Circulation</i> , 2004 , 109, 2197-202	16.7	139
125	Adiponectin: a manifold therapeutic target for metabolic syndrome, diabetes, and coronary disease?. <i>Cardiovascular Diabetology</i> , 2014 , 13, 103	8.7	135
124	Hypertriglyceridemia: a too long unfairly neglected major cardiovascular risk factor. <i>Cardiovascular Diabetology</i> , 2014 , 13, 159	8.7	116
123	Effects of peroxisome proliferator-activated receptor ligands, bezafibrate and fenofibrate, on adiponectin level. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007 , 27, 635-41	9.4	116
122	Calcification of the thoracic aorta as detected by spiral computed tomography among stable angina pectoris patients: association with cardiovascular events and death. <i>Circulation</i> , 2008 , 118, 1328-34	16.7	109
121	Fibrates are an essential part of modern anti-dyslipidemic arsenal: spotlight on atherogenic dyslipidemia and residual risk reduction. <i>Cardiovascular Diabetology</i> , 2012 , 11, 125	8.7	95
120	Elevated Triglyceride Level Is Independently Associated With Increased All-Cause Mortality in Patients With Established Coronary Heart Disease: Twenty-Two-Year Follow-Up of the Bezafibrate Infarction Prevention Study and Registry. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2016 , 9, 100-8	5.8	92
119	Functional class in patients with heart failure is associated with the development of diabetes. <i>American Journal of Medicine</i> , 2003 , 114, 271-5	2.4	83
118	Interleukin-6 and the risk of future cardiovascular events in patients with angina pectoris and/or healed myocardial infarction. <i>American Journal of Cardiology</i> , 2006 , 98, 14-8	3	77
117	Attenuation of progression of insulin resistance in patients with coronary artery disease by bezafibrate. <i>Archives of Internal Medicine</i> , 2006 , 166, 737-41		74
116	Impaired fasting glucose concentrations in nondiabetic patients with ischemic heart disease: a marker for a worse prognosis. <i>American Heart Journal</i> , 2001 , 141, 485-90	4.9	73
115	Myocardial ischemia during sexual activity in patients with coronary artery disease. <i>American Journal of Cardiology</i> , 1995 , 75, 835-7	3	72
114	Balanced pan-PPAR activator bezafibrate in combination with statin: comprehensive lipids control and diabetes prevention?. <i>Cardiovascular Diabetology</i> , 2012 , 11, 140	8.7	70
113	Comparison of coronary calcium in stable angina pectoris and in first acute myocardial infarction utilizing double helical computerized tomography. <i>American Journal of Cardiology</i> , 1998 , 81, 271-5	3	68

112	Effect of bezafibrate on incidence of type 2 diabetes mellitus in obese patients. <i>European Heart Journal</i> , 2005 , 26, 2032-8	9.5	66
111	Metabolic syndrome and type 2 diabetes mellitus: focus on peroxisome proliferator activated receptors (PPAR). <i>Cardiovascular Diabetology</i> , 2003 , 2, 4	8.7	57
110	Spiral computed tomography evidence of close correlation between coronary and thoracic aorta calcifications. <i>Atherosclerosis</i> , 2004 , 176, 133-8	3.1	56
109	Atherogenic dyslipidemia in metabolic syndrome and type 2 diabetes: therapeutic options beyond statins. <i>Cardiovascular Diabetology</i> , 2006 , 5, 20	8.7	55
108	Menopause-induced changes in Doppler-derived parameters of aortic flow in healthy women. <i>American Journal of Cardiology</i> , 1992 , 69, 1104-6	3	53
107	Antidiabetic treatment with gliptins: focus on cardiovascular effects and outcomes. <i>Cardiovascular Diabetology</i> , 2015 , 14, 129	8.7	52
106	Coronary calcium by spiral computed tomography predicts cardiovascular events in high-risk hypertensive patients. <i>Journal of Hypertension</i> , 2004 , 22, 605-10	1.9	49
105	Long-term effects of hormone replacement therapy on Doppler-derived parameters of aortic flow in postmenopausal women. <i>Chest</i> , 1992 , 102, 1496-8	5.3	47
104	Menopause-induced changes in left ventricular wall thickness. <i>American Journal of Cardiology</i> , 1993 , 72, 240-1	3	43
103	Insulin resistance is associated with increased risk of major cardiovascular events in patients with preexisting coronary artery disease. <i>American Heart Journal</i> , 2007 , 153, 559-65	4.9	42
102	Coronary artery disease but not coronary calcification is associated with elevated levels of cardioplin, beta-2-glycoprotein-I, and oxidized LDL antibodies. <i>Cardiology</i> , 2001 , 95, 20-4	1.6	41
101	Exercise echocardiography in postmenopausal hormone users with mild systemic hypertension. <i>American Journal of Cardiology</i> , 1996 , 78, 1385-9	3	41
100	Antihyperglycemic treatment in diabetics with coronary disease: increased metformin-associated mortality over a 5-year follow-up. <i>Cardiology</i> , 1999 , 91, 195-202	1.6	38
99	Ventricular arrhythmias during sexual activity in patients with coronary artery disease. <i>Chest</i> , 1996 , 109, 922-4	5.3	37
98	A cardiologic approach to non-insulin antidiabetic pharmacotherapy in patients with heart disease. <i>Cardiovascular Diabetology</i> , 2009 , 8, 38	8.7	36
97	Cardiovascular diabetology in the core of a novel interleukins classification: the bad, the good and the aloof. <i>Cardiovascular Diabetology</i> , 2003 , 2, 11	8.7	36
96	Altered left ventricular volume and ejection fraction responses to supine dynamic exercise in athletes. <i>Journal of the American College of Cardiology</i> , 1990 , 15, 582-8	15.1	36
95	Macrovascular complications of metabolic syndrome: an early intervention is imperative. <i>International Journal of Cardiology</i> , 2004 , 97, 167-72	3.2	35

94	Advanced mitral annular calcification is associated with severe coronary calcification on fast dual spiral computed tomography. <i>Investigative Radiology</i> , 2000 , 35, 193-8	10.1	32
93	Retrograde flow in the thoracic aorta in patients with systemic emboli: a transesophageal echocardiographic evaluation of mobile plaque motion. <i>Chest</i> , 2000 , 118, 1703-8	5.3	31
92	Metabolic syndrome is independently associated with increased 20-year mortality in patients with stable coronary artery disease. <i>Cardiovascular Diabetology</i> , 2016 , 15, 149	8.7	30
91	Impact of the metabolic syndrome on the clinical outcomes of non-clinically diagnosed diabetic patients with acute coronary syndrome. <i>American Journal of Cardiology</i> , 2007 , 99, 667-72	3	29
90	Long-term effect of bezafibrate on pancreatic beta-cell function and insulin resistance in patients with diabetes. <i>Atherosclerosis</i> , 2007 , 194, 265-71	3.1	29
89	Biomarkers in cardiovascular diabetology: interleukins and matrixins. <i>Advances in Cardiology</i> , 2008 , 45, 44-64		28
88	Impaired glucose metabolism in patients with heart failure: pathophysiology and possible treatment strategies. <i>American Journal of Cardiovascular Drugs</i> , 2004 , 4, 269-80	4	28
87	Comparison of left ventricular function using isometric exercise Doppler echocardiography in competitive runners and weightlifters versus sedentary individuals. <i>American Journal of Cardiology</i> , 1997 , 79, 355-9	3	27
86	Non-insulin antidiabetic therapy in cardiac patients: current problems and future prospects. <i>Advances in Cardiology</i> , 2008 , 45, 154-170		27
85	Systemic hypertension in postmenopausal women: a clinical approach. <i>Current Hypertension Reports</i> , 2002 , 4, 464-70	4.7	27
84	Increased prevalence of left ventricular hypertrophy in hypertensive women with type 2 diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2003 , 2, 14	8.7	27
83	Coronary calcium in patients with and without diabetes: first manifestation of acute or chronic coronary events is characterized by different calcification patterns. <i>Cardiovascular Diabetology</i> , 2013 , 12, 161	8.7	26
82	Optimal management of combined dyslipidemia: what have we behind statins monotherapy?. <i>Advances in Cardiology</i> , 2008 , 45, 127-153		26
81	Disrupted mobile aortic plaques are a major risk factor for systemic embolism in the elderly. <i>Cardiology</i> , 1998 , 89, 246-51	1.6	26
80	Calcification of the thoracic aorta by spiral computed tomography among hypertensive patients: associations and risk of ischemic cerebrovascular events. <i>International Journal of Cardiology</i> , 2007 , 120, 32-7	3.2	25
79	Clinical impact of borderline and undiagnosed diabetes mellitus in patients with coronary artery disease. <i>American Journal of Cardiology</i> , 2000 , 86, 1363-6, A4-5	3	25
78	Is hypoglycaemia a marker for increased long-term mortality risk in patients with coronary artery disease? An 8-year follow-up. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2004 , 11, 135-43		24
77	Arm exercise training in the rehabilitation of patients with impaired ventricular function and heart failure. <i>Cardiology</i> , 1990 , 77, 130-8	1.6	24

76	Coronary calcium and anti-cardiolipin antibody are elevated in patients with typical chest pain. <i>American Journal of Cardiology</i> , 2000 , 86, 1306-11	3	23
75	Temporal trends in management and outcome of diabetic and non-diabetic patients with acute coronary syndrome (ACS): residual risk of long-term mortality persists: Insights from the ACS Israeli Survey (ACSIS) 2000-2010. <i>International Journal of Cardiology</i> , 2015 , 179, 546-51	3.2	21
74	Bezafibrate for the treatment of dyslipidemia in patients with coronary artery disease: 20-year mortality follow-up of the BIP randomized control trial. <i>Cardiovascular Diabetology</i> , 2016 , 15, 11	8.7	21
73	Oral antidiabetic therapy in patients with heart disease. A cardiologic standpoint. <i>Herz</i> , 2004 , 29, 290-8	2.6	21
72	Coronary calcium as a reliable tool for differentiating ischemic from nonischemic cardiomyopathy. <i>American Journal of Cardiology</i> , 1996 , 77, 191-4	3	21
71	Cardiovascular events in patients received combined fibrate/statin treatment versus statin monotherapy: Acute Coronary Syndrome Israeli Surveys data. <i>PLoS ONE</i> , 2012 , 7, e35298	3.7	20
70	"If it ain't broke, don't fix it": a commentary on the positive-negative results of the ACCORD Lipid study. <i>Cardiovascular Diabetology</i> , 2010 , 9, 24	8.7	20
69	Left ventricular diastolic function in trained male weight lifters at rest and during isometric exercise. <i>American Journal of Cardiology</i> , 2008 , 102, 97-101	3	20
68	Menopause-related changes in left ventricular function in healthy women. <i>Cardiology</i> , 1992 , 80, 413-6	1.6	20
67	The Effects of Sublingual Estradiol on Left Ventricular Function at Rest and Exercise in Postmenopausal Women. <i>Menopause</i> , 1998 , 5, 79-85	2.5	19
66	Prevalence and prognostic significance of unrecognized systemic hypertension in patients with diabetes mellitus and healed myocardial infarction and/or stable angina pectoris. <i>American Journal of Cardiology</i> , 1999 , 84, 294-8	3	19
65	Pronounced reduction of aortic flow velocity and acceleration during heavy isometric exercise in coronary artery disease. <i>American Journal of Cardiology</i> , 1991 , 68, 485-91	3	19
64	The addition of vildagliptin to metformin prevents the elevation of interleukin 1 β in patients with type 2 diabetes and coronary artery disease: a prospective, randomized, open-label study. <i>Cardiovascular Diabetology</i> , 2017 , 16, 69	8.7	17
63	Impaired fasting glucose and left ventricular diastolic dysfunction in middle-age adults: a retrospective cross-sectional analysis of 2971 subjects. <i>Cardiovascular Diabetology</i> , 2015 , 14, 119	8.7	17
62	Hypertension in diet versus pharmacologically treated diabetics: mortality over a 5-year follow-up. <i>Hypertension</i> , 1999 , 33, 1002-7	8.5	17
61	Admission blood glucose and 10-year mortality among patients with or without pre-existing diabetes mellitus hospitalized with heart failure. <i>Cardiovascular Diabetology</i> , 2017 , 16, 102	8.7	16
60	Long-term versus intermediate-term supervised exercise training in advanced heart failure: effects on exercise tolerance and mortality. <i>International Journal of Cardiology</i> , 2006 , 113, 364-70	3.2	16
59	Gender paradox in cardiac calcium deposits in middle-aged and elderly patients: mitral annular and coronary calcifications interrelationship. <i>Maturitas</i> , 2000 , 36, 35-42	5	16

58	L-Arginine: rediscovery in progress. <i>Cardiology</i> , 1998 , 90, 153-9	1.6	16
57	The acute effects of sublingual 17beta-estradiol on the cardiovascular system. <i>Maturitas</i> , 1999 , 33, 81-5	5	15
56	Double-helical CT as a new tool for tracking of allograft atherosclerosis in heart transplant recipients. <i>Investigative Radiology</i> , 1999 , 34, 485-8	10.1	15
55	Long-term changes in serum cholesterol level does not influence the progression of coronary calcification. <i>International Journal of Cardiology</i> , 2011 , 150, 130-4	3.2	14
54	Omega-3 polyunsaturated fatty acids supplementation in patients with diabetes and cardiovascular disease risk: does dose really matter?. <i>Cardiovascular Diabetology</i> , 2018 , 17, 119	8.7	14
53	Usefulness of helical computed tomography in detection of mitral annular calcification as a marker of coronary artery disease. <i>International Journal of Cardiology</i> , 2005 , 101, 371-6	3.2	13
52	Effect of intensive resistance training on isotonic exercise Doppler indexes of left ventricular systolic function. <i>American Journal of Cardiology</i> , 2002 , 89, 887-91	3	13
51	Is diuretic therapy associated with an increased risk of colon cancer?. <i>American Journal of Medicine</i> , 2001 , 110, 143-5	2.4	12
50	The acute effects of sublingual estradiol on left ventricular diastolic function in normotensive and hypertensive postmenopausal women. <i>Maturitas</i> , 1999 , 33, 145-52	5	12
49	Comparison of statin alone versus bezafibrate and statin combination in patients with diabetes mellitus and acute coronary syndrome. <i>American Journal of Cardiology</i> , 2014 , 113, 12-6	3	11
48	Renal glucosuria is associated with lower body weight and lower rates of elevated systolic blood pressure: results of a nationwide cross-sectional study of 2.5 million adolescents. <i>Cardiovascular Diabetology</i> , 2019 , 18, 124	8.7	10
47	Long-term effects of peroxisome proliferator-activated receptor ligand bezafibrate on N-terminal pro-B type natriuretic peptide in patients with advanced functional capacity impairment. <i>Cardiovascular Diabetology</i> , 2009 , 8, 5	8.7	10
46	Status of glucose metabolism in patients with heart failure secondary to coronary artery disease. <i>American Journal of Cardiology</i> , 2002 , 90, 529-32	3	10
45	Usefulness of heavy isometric exercise echocardiography for assessing left ventricular wall motion patterns late (> or = 6 months) after acute myocardial infarction. <i>American Journal of Cardiology</i> , 1992 , 70, 1123-8	3	10
44	Left ventricular exercise echocardiographic abnormalities in apparently healthy men with exertional hypotension. <i>American Journal of Cardiology</i> , 1989 , 63, 81-5	3	10
43	Metformin therapy in patients with diabetes mellitus is associated with a reduced risk of vasculopathy and cardiovascular mortality after heart transplantation. <i>Cardiovascular Diabetology</i> , 2019 , 18, 118	8.7	9
42	Prognosis of nonobstructive hypertrophic cardiomyopathy. <i>American Journal of Cardiology</i> , 1991 , 67, 215-7	3	9
41	Pressure/volume ratio and pressure/volume ratio exercise quotient: an echocardiographic comparative study of left ventricular function indicators. <i>Cardiology</i> , 1986 , 73, 354-67	1.6	9

40	ACE Inhibition with moexipril: a review of potential effects beyond blood pressure control. <i>American Journal of Cardiovascular Drugs</i> , 2003 , 3, 351-60	4	8
39	Aortic valve calcification in hypertensive patients: prevalence, risk factors and association with transvalvular flow velocity. <i>International Journal of Cardiology</i> , 2004 , 94, 7-13	3.2	8
38	Persistence of arrhythmia exercise response in healthy young men. <i>American Journal of Cardiology</i> , 1990 , 66, 1092-4	3	8
37	Smoking and development of type 2 diabetes in patients with decreased functional capacity. <i>International Journal of Cardiology</i> , 2005 , 104, 275-81	3.2	7
36	Aortic valve calcium on spiral computed tomography is associated with calcification of the thoracic aorta in hypertensive patients. <i>American Journal of Cardiology</i> , 2002 , 89, 632-5	3	7
35	Losartan and diabetic nephropathy: commentaries on the RENAAL study. <i>Cardiovascular Diabetology</i> , 2002 , 1, 2	8.7	7
34	Type 2 diabetes mellitus increases long-term mortality risk after isolated surgical aortic valve replacement. <i>Cardiovascular Diabetology</i> , 2019 , 18, 31	8.7	6
33	Type 2 diabetes mellitus increases the mortality risk after acute coronary syndrome treated with coronary artery bypass surgery. <i>Cardiovascular Diabetology</i> , 2020 , 19, 86	8.7	6
32	Functional capacity impairment in patients with coronary artery disease: prevalence, risk factors and prognosis. <i>Cardiology</i> , 2003 , 100, 207-15	1.6	6
31	Usefulness of immediate postexercise two-dimensional echocardiography in post-myocardial infarction patients without ischemic ECG changes in stress testing: comparison with radionuclide angiography. <i>Angiology</i> , 1989 , 40, 605-12	2.1	6
30	Effects of prolonged intensive versus moderate leg training on the untrained arm exercise response in angina pectoris. <i>American Journal of Cardiology</i> , 1987 , 59, 231-4	3	5
29	Does participation in a long-term clinical trial lead to survival gain for patients with coronary artery disease?. <i>American Journal of Medicine</i> , 2002 , 112, 545-8	2.4	4
28	Toward a redefinition of ischemic cardiomyopathy: is it an indivisible entity?. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 205-6; author reply 206	15.1	4
27	The effect of oophorectomy and estrogen replacement therapy on Doppler derived parameters of aortic flow. <i>Maturitas</i> , 2000 , 37, 125-8	5	4
26	Left ventricular dynamics during strenuous isometric exercise in marathon runners, weight lifters and healthy sedentary men: comparative echocardiographic study. <i>Cardiology</i> , 1993 , 82, 75-80	1.6	4
25	The metabolic syndrome entanglement: Cutting the Gordian knot. <i>Cardiology Journal</i> , 2014 , 21, 1-5	1.4	4
24	Characteristics and outcomes of diabetic patients with an implantable cardioverter defibrillator in a real world setting: results from the Israeli ICD registry. <i>Cardiovascular Diabetology</i> , 2016 , 15, 160	8.7	3
23	Hypomagnesemia is associated with new-onset diabetes mellitus following heart transplantation. <i>Cardiovascular Diabetology</i> , 2019 , 18, 132	8.7	3

22	Intensive isotonic training modifies basal and exercise Doppler indexes of systolic function: a comparative study of athletes and sedentary men. <i>American Journal of Cardiology</i> , 2001 , 88, 594-8	3	3
21	Combined coronary and mitral annulus calcium detection in the non-invasive diagnosis of coronary artery disease in patients with systemic hypertension. <i>Coronary Artery Disease</i> , 2002 , 13, 113-7	1.4	3
20	Attenuated responses of Doppler-derived hemodynamic parameters during supine bicycle exercise in heart transplant recipients. <i>Cardiology</i> , 1999 , 92, 204-9	1.6	3
19	Echocardiographic evaluation of the effects of gallopamil on left ventricular function. <i>Clinical Pharmacology and Therapeutics</i> , 1988 , 44, 100-6	6.1	3
18	Leiomyosarcoma of the Right Atrium Masked by a Covering Thrombus: Conflicting Results of Echocardiography and Transvenous Biopsy-In Favor of Echocardiography. <i>Echocardiography</i> , 1997 , 14, 607-610	1.5	2
17	Association of mitral annular calcium on spiral computed tomography (dual-slice mode) with thoracic aorta calcium in patients with systemic hypertension. <i>American Journal of Cardiology</i> , 2002 , 89, 1420-2	3	2
16	Failure of transesophageal echocardiography to visualize a large mitral prosthesis vegetation detected solely by transthoracic echocardiography. <i>Journal of the American Society of Echocardiography</i> , 1995 , 8, 944-6	5.8	2
15	Bezafibrate treatment is associated with a reduced rate of re-hospitalization in smokers after acute coronary syndrome. <i>Cardiology Journal</i> , 2014 , 21, 364-9	1.4	2
14	The healing properties of exercise. <i>Menopause</i> , 2006 , 13, 544-5	2.5	1
13	Bezafibrate and simvastatin: different beneficial effects for different therapeutic aims. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 1978; author reply 1978-9	5.6	1
12	Onset of intolerance symptoms during exercise testing is a reproducible threshold for evaluation of cardiac function. <i>Cardiology</i> , 1993 , 83, 183-9	1.6	1
11	Doppler-derived aortic flow measurements during and after heavy isometric exercise in healthy men versus men with myocardial infarction. <i>Journal of the American Society of Echocardiography</i> , 1992 , 5, 219-24	5.8	1
10	Does exercise training deteriorate ventricular function?. <i>Journal of the American College of Cardiology</i> , 1989 , 14, 263-4	15.1	1
9	The dual glucose-dependent insulinotropic polypeptide (GIP) and glucagon-like peptide-1 (GLP-1) receptor agonist tirzepatide: a novel cardiometabolic therapeutic prospect. <i>Cardiovascular Diabetology</i> , 2021 , 20, 225	8.7	1
8	Optimal revascularization in diabetes after the FREEDOM trial: were the controversies finally settled?. <i>Cardiology Journal</i> , 2013 , 20, 331-6	1.4	1
7	AuthorsResponse. <i>Cardiology Journal</i> , 2014 , 21, 210	1.4	1
6	The doubtful association between blood lipid changes and progression of coronary calcification. <i>International Journal of Cardiology</i> , 2011 , 153, 224-5	3.2	
5	Acute myocardial infarction in patients who have had coronary artery bypass surgery. <i>Southern Medical Journal</i> , 1997 , 90, 1129-32	0.6	

- | | | |
|---|--|-----|
| 4 | Persistence of normal right ventricular Doppler filling pattern early after tricuspid valve excision. <i>Cardiology</i> , 1994 , 85, 352-6 | 1.6 |
| 3 | Influence of ocular tropicamide on exercise testing. <i>Cardiology</i> , 1992 , 81, 172-7 | 1.6 |
| 2 | Painful versus silent myocardial ischemia during leg and arm exercise testing in stable angina pectoris. <i>American Journal of Cardiology</i> , 1989 , 64, 300-3 | 3 |
| 1 | Hormone replacement therapy and cardiovascular function. <i>Human Reproduction</i> , 1999 , 14, 2418-9 | 5.7 |