

Hyungseop Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/984147/publications.pdf>

Version: 2024-02-01

52
papers

674
citations

567281

15
h-index

610901

24
g-index

52
all docs

52
docs citations

52
times ranked

1253
citing authors

#	ARTICLE	IF	CITATIONS
1	Outcomes of Percutaneous Coronary Intervention in Intermediate Coronary Artery Disease. JACC: Cardiovascular Interventions, 2010, 3, 812-817.	2.9	84
2	5-Year Outcomes According to FFR of Left Circumflex Coronary Artery After Left Main Crossover Stenting. JACC: Cardiovascular Interventions, 2019, 12, 847-855.	2.9	38
3	Tissue Doppler Imaging as a Prognostic Marker for Cardiovascular Events in Heart Failure with Preserved Ejection Fraction and Atrial Fibrillation. Journal of the American Society of Echocardiography, 2010, 23, 755-761.	2.8	36
4	Normal Echocardiographic Measurements in a Korean Population Study: Part I. Cardiac Chamber and Great Artery Evaluation. Journal of Cardiovascular Imaging, 2015, 23, 158.	0.8	36
5	Normal 2-Dimensional Strain Values of the Left Ventricle: A Substudy of the Normal Echocardiographic Measurements in Korean Population Study. Journal of Cardiovascular Imaging, 2016, 24, 285.	0.8	35
6	Usefulness of Tissue Doppler Imaging and Myocardial Performance Index in the Evaluation of Diastolic Dysfunction and Heart Failure With Preserved Ejection Fraction. Clinical Cardiology, 2011, 34, 494-499.	1.8	31
7	NOAC Adherence of Patients with Atrial Fibrillation in the Real World: Dosing Frequency Matters?. Thrombosis and Haemostasis, 2020, 120, 306-313.	3.4	31
8	The Correlation of Left Atrial Volume Index to the Level of N-Terminal Pro-BNP in Heart Failure with a Preserved Ejection Fraction. Echocardiography, 2008, 25, 961-967.	0.9	30
9	Normal Reference Values for Left Atrial Strain and Its Determinants from a Large Korean Multicenter Registry. Journal of Cardiovascular Imaging, 2020, 28, 186.	0.7	29
10	Two-dimensional strain or strain rate findings in mild to moderate diastolic dysfunction with preserved ejection fraction. Heart and Vessels, 2011, 26, 39-45.	1.2	22
11	Cardiac Imaging of Acute Myocarditis Following COVID-19 mRNA Vaccination. Journal of Korean Medical Science, 2021, 36, e229.	2.5	22
12	Prognostic Implications of the NT-ProBNP Level and Left Atrial Size in Non-Ischemic Dilated Cardiomyopathy. Circulation Journal, 2008, 72, 1658-1665.	1.6	21
13	Combination of Uric Acid and NT-ProBNP: A More Useful Prognostic Marker for Short-Term Clinical Outcomes in Patients with Acute Heart Failure. Korean Journal of Internal Medicine, 2010, 25, 253.	1.7	21
14	Relationship between early diastolic strain rate imaging and left ventricular geometric patterns in hypertensive patients. Heart and Vessels, 2008, 23, 271-278.	1.2	20
15	Uric Acid as Prognostic Marker in Advanced Nonischemic Dilated Cardiomyopathy: Comparison With N-Terminal Pro-B-type Natriuretic Peptide Level. Congestive Heart Failure, 2010, 16, 153-158.	2.0	20
16	The potential of cystatin-C to evaluate the prognosis of acute heart failure: A comparative study. Acute Cardiac Care, 2015, 17, 72-76.	0.2	15
17	Influence of Anatomical and Clinical Characteristics on Long-Term Prognosis of FFR-Guided Deferred Coronary Lesions. JACC: Cardiovascular Interventions, 2020, 13, 1907-1916.	2.9	14
18	Epidemiology of Venous Thromboembolism and Treatment Pattern of Oral Anticoagulation in Korea, 2009-2016: a Nationwide Study Based on the National Health Insurance Service Database. Journal of Cardiovascular Imaging, 2021, 29, 265.	0.7	12

#	ARTICLE	IF	CITATIONS
19	Association of cardio-ankle vascular index with diastolic heart function in hypertensive patients. <i>Clinical and Experimental Hypertension</i> , 2014, 36, 200-205.	1.3	11
20	The impact of catheter ablation of atrial fibrillation on the left atrial volume and function: study using three-dimensional echocardiography. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020, 57, 87-95.	1.3	10
21	Prognostic Usefulness of Tricuspid Annular Diameter for Cardiovascular Events in Patients With Tricuspid Regurgitation of Moderate to Severe Degree. <i>American Journal of Cardiology</i> , 2018, 121, 1343-1350.	1.6	9
22	Prognostic Value of Tricuspid Annular Tissue Doppler Velocity in Heart Failure with Atrial Fibrillation. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 436-443.	2.8	8
23	Association between Doppler Flow of Atrial Fibrillatory Contraction and Recurrence of Atrial Fibrillation after Electrical Cardioversion. <i>Journal of the American Society of Echocardiography</i> , 2014, 27, 1107-1112.	2.8	8
24	Normal reference values of diastolic strain rate in healthy individuals: Chronological trends and the comparison according to genders. <i>Echocardiography</i> , 2018, 35, 1533-1541.	0.9	8
25	The Implication of Cardiac Injury Score on In-hospital Mortality of Coronavirus Disease 2019. <i>Journal of Korean Medical Science</i> , 2020, 35, e349.	2.5	8
26	Increased Risk with Older Donor Age and More Frequent Pre-transplant ECMO: the Second Official KOTRY Report. <i>Korean Circulation Journal</i> , 2019, 49, 738.	1.9	8
27	The benefits of the earlier use of sacubitril/valsartan in de novo heart failure with reduced ejection fraction patients. <i>ESC Heart Failure</i> , 2022, 9, 2435-2444.	3.1	8
28	Potentials of Cystatin C and Uric Acid for Predicting Prognosis of Heart Failure. <i>Congestive Heart Failure</i> , 2013, 19, 123-129.	2.0	7
29	Left Ventricular Twist and Ventricular Arterial Coupling in Hypertensive Patients. <i>Echocardiography</i> , 2014, 31, 1274-1282.	0.9	7
30	Ablation of persistent atrial fibrillation based on high density voltage mapping and complex fractionated atrial electrograms. <i>Medicine (United States)</i> , 2021, 100, e26702.	1.0	7
31	Fever after primary percutaneous coronary intervention in ST-segment elevation myocardial infarction is associated with adverse outcomes. <i>International Journal of Cardiology</i> , 2014, 170, 376-380.	1.7	6
32	Ability of soluble ST2 to predict left ventricular remodeling in patients with acute coronary syndrome. <i>Heart and Vessels</i> , 2022, 37, 173-183.	1.2	6
33	A comparison of echocardiographic variables of right ventricular function with exercise capacity after bosentan treatment in patients with pulmonary arterial hypertension: Results from a multicenter, prospective, cohort study. <i>Journal of Clinical Ultrasound</i> , 2017, 45, 28-34.	0.8	5
34	Implication of ultrasound contrast enhancement of carotid plaques in prevalence of acute coronary syndrome and occurrence of cardiovascular outcomes. <i>Journal of Clinical Ultrasound</i> , 2018, 46, 461-466.	0.8	5
35	Clinical impact of diabetes mellitus on 2-year clinical outcomes following PCI with second-generation drug-eluting stents; Landmark analysis findings from patient registry: Pooled analysis of the Korean multicenter drug-eluting stent registry. <i>PLoS ONE</i> , 2020, 15, e0234362.	2.5	5
36	Spontaneous chordae rupture of tricuspid valve in patient with chronic renal failure. <i>European Journal of Echocardiography</i> , 2006, 9, 58-9.	2.3	4

#	ARTICLE	IF	CITATIONS
37	Heart rate at first postdischarge visit and outcomes in patients with heart failure. <i>Heart</i> , 2018, 104, 1086-1092.	2.9	4
38	Long Term Clinical Outcomes in Patients with Moderate Aortic Stenosis. <i>Heart Surgery Forum</i> , 2020, 23, E358-E365.	0.5	4
39	Clinical significance of early diastolic tissue velocity imaging of lateral mitral annulus for prognosis of nonischemic left ventricular dysfunction. <i>Journal of Clinical Ultrasound</i> , 2020, 48, 160-167.	0.8	3
40	Features and implications of higher systolic central than peripheral blood pressure in patients at very high risk of atherosclerotic cardiovascular disease. <i>Journal of Human Hypertension</i> , 2021, 35, 994-1002.	2.2	3
41	Loeffler's Endocarditis due to Idiopathic Hypereosinophilic Syndrome. <i>Journal of Cardiovascular Imaging</i> , 2008, 16, 136.	0.8	3
42	The impact of cardiopulmonary exercise-derived scoring on prediction of cardio-cerebral outcome in hypertrophic cardiomyopathy. <i>PLoS ONE</i> , 2022, 17, e0259638.	2.5	3
43	Clinical Outcomes in Patients with Deferred Coronary Lesions according to Disease Severity Assessed by Fractional Flow Reserve. <i>Journal of Korean Medical Science</i> , 2016, 31, 1929.	2.5	2
44	Early efficacy and safety of statin therapy in Korean patients with hypercholesterolemia: Daegu and Gyeongbuk Statin Registry. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 342-350.	1.7	2
45	Free floating thrombus exiting the left ventricle. <i>European Heart Journal Cardiovascular Imaging</i> , 2008, 9, 417-418.	1.2	1
46	Clinical outcomes in patients with left ventricle trabeculation or noncompaction. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 467-477.	1.5	1
47	High density mapping guided partial antral ablation for a pulmonary vein isolation. <i>Scientific Reports</i> , 2021, 11, 16563.	3.3	1
48	The "Broad Beans in Pod" Sign of echocardiography for myocardial infiltration of diffuse large B-cell lymphoma. <i>Journal of Echocardiography</i> , 2020, 18, 185-186.	0.8	0
49	Myocardial Contrast Uptake in Relation to Coronary Artery Disease and Prognosis. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 1880-1888.	1.5	0
50	Multimodality Imaging Guidance in Fulminant Myocarditis: When Endomyocardial Biopsy Is Not Amenable. <i>Journal of Cardiovascular Imaging</i> , 2020, 28, 293-295.	0.8	0
51	Multimodality Imaging Guidance in Fulminant Myocarditis: When Endomyocardial Biopsy Is Not Amenable. <i>Journal of Cardiovascular Imaging</i> , 2020, 28, 293.	0.7	0
52	Surveillance of adenosine stress myocardial contrast echocardiography following percutaneous coronary intervention. <i>International Journal of Cardiovascular Imaging</i> , 2022, 38, 1909-1918.	0.6	0