

# Hyungseop Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/984147/publications.pdf>

Version: 2024-02-01

52  
papers

674  
citations

567281  
15  
h-index

610901  
24  
g-index

52  
all docs

52  
docs citations

52  
times ranked

1253  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ability of soluble ST2 to predict left ventricular remodeling in patients with acute coronary syndrome. <i>Heart and Vessels</i> , 2022, 37, 173-183.	1.2	6
2	The impact of cardiopulmonary exercise-derived scoring on prediction of cardio-cerebral outcome in hypertrophic cardiomyopathy. <i>PLoS ONE</i> , 2022, 17, e0259638.	2.5	3
3	The benefits of the earlier use of sacubitril/valsartan in de novo heart failure with reduced ejection fraction patients. <i>ESC Heart Failure</i> , 2022, 9, 2435-2444.	3.1	8
4	Surveillance of adenosine stress myocardial contrast echocardiography following percutaneous coronary intervention. <i>International Journal of Cardiovascular Imaging</i> , 2022, 38, 1909-1918.	0.6	0
5	Clinical outcomes in patients with left ventricle trabeculation or noncompaction. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 467-477.	1.5	1
6	Cardiac Imaging of Acute Myocarditis Following COVID-19 mRNA Vaccination. <i>Journal of Korean Medical Science</i> , 2021, 36, e229.	2.5	22
7	Ablation of persistent atrial fibrillation based on high density voltage mapping and complex fractionated atrial electrograms. <i>Medicine (United States)</i> , 2021, 100, e26702.	1.0	7
8	High density mapping guided partial antral ablation for a pulmonary vein isolation. <i>Scientific Reports</i> , 2021, 11, 16563.	3.3	1
9	Epidemiology of Venous Thromboembolism and Treatment Pattern of Oral Anticoagulation in Korea, 2009-2016: a Nationwide Study Based on the National Health Insurance Service Database. <i>Journal of Cardiovascular Imaging</i> , 2021, 29, 265.	0.7	12
10	Features and implications of higher systolic central than peripheral blood pressure in patients at very high risk of atherosclerotic cardiovascular disease. <i>Journal of Human Hypertension</i> , 2021, 35, 994-1002.	2.2	3
11	The "Broad Beans in Pod Sign" of echocardiography for myocardial infiltration of diffuse large B-cell lymphoma. <i>Journal of Echocardiography</i> , 2020, 18, 185-186.	0.8	0
12	Clinical significance of early diastolic tissue velocity imaging of lateral mitral annulus for prognosis of nonischemic left ventricular dysfunction. <i>Journal of Clinical Ultrasound</i> , 2020, 48, 160-167.	0.8	3
13	NOAC Adherence of Patients with Atrial Fibrillation in the Real World: Dosing Frequency Matters?. <i>Thrombosis and Haemostasis</i> , 2020, 120, 306-313.	3.4	31
14	The impact of catheter ablation of atrial fibrillation on the left atrial volume and function: study using three-dimensional echocardiography. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020, 57, 87-95.	1.3	10
15	Influence of Anatomical and Clinical Characteristics on Long-Term Prognosis of FFR-Guided Deferred Coronary Lesions. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 1907-1916.	2.9	14
16	Clinical impact of diabetes mellitus on 2-year clinical outcomes following PCI with second-generation drug-eluting stents; Landmark analysis findings from patient registry: Pooled analysis of the Korean multicenter drug-eluting stent registry. <i>PLoS ONE</i> , 2020, 15, e0234362.	2.5	5
17	The Implication of Cardiac Injury Score on In-hospital Mortality of Coronavirus Disease 2019. <i>Journal of Korean Medical Science</i> , 2020, 35, e349.	2.5	8
18	Early efficacy and safety of statin therapy in Korean patients with hypercholesterolemia: Daegu and Gyeongbuk Statin Registry. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 342-350.	1.7	2

#	ARTICLE	IF	CITATIONS
19	Normal Reference Values for Left Atrial Strain and Its Determinants from a Large Korean Multicenter Registry. <i>Journal of Cardiovascular Imaging</i> , 2020, 28, 186.	0.7	29
20	Long Term Clinical Outcomes in Patients with Moderate Aortic Stenosis. <i>Heart Surgery Forum</i> , 2020, 23, E358-E365.	0.5	4
21	Myocardial Contrast Uptake in Relation to Coronary Artery Disease and Prognosis. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 1880-1888.	1.5	0
22	Multimodality Imaging Guidance in Fulminant Myocarditis: When Endomyocardial Biopsy Is Not Amenable. <i>Journal of Cardiovascular Imaging</i> , 2020, 28, 293-295.	0.8	0
23	Multimodality Imaging Guidance in Fulminant Myocarditis: When Endomyocardial Biopsy Is Not Amenable. <i>Journal of Cardiovascular Imaging</i> , 2020, 28, 293.	0.7	0
24	5-Year Outcomes According to FFR of Left Circumflex Coronary Artery After Left Main Crossover Stenting. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 847-855.	2.9	38
25	Increased Risk with Older Donor Age and More Frequent Pre-transplant ECMO: the Second Official KOTRY Report. <i>Korean Circulation Journal</i> , 2019, 49, 738.	1.9	8
26	Prognostic Usefulness of Tricuspid Annular Diameter for Cardiovascular Events in Patients With Tricuspid Regurgitation of Moderate to Severe Degree. <i>American Journal of Cardiology</i> , 2018, 121, 1343-1350.	1.6	9
27	Heart rate at first postdischarge visit and outcomes in patients with heart failure. <i>Heart</i> , 2018, 104, 1086-1092.	2.9	4
28	Implication of ultrasound contrast-enhancement of carotid plaques in prevalence of acute coronary syndrome and occurrence of cardiovascular outcomes. <i>Journal of Clinical Ultrasound</i> , 2018, 46, 461-466.	0.8	5
29	Normal reference values of diastolic strain rate in healthy individuals: Chronological trends and the comparison according to genders. <i>Echocardiography</i> , 2018, 35, 1533-1541.	0.9	8
30	A comparison of echocardiographic variables of right ventricular function with exercise capacity after bosentan treatment in patients with pulmonary arterial hypertension: Results from a multicenter, prospective, cohort study. <i>Journal of Clinical Ultrasound</i> , 2017, 45, 28-34.	0.8	5
31	Normal 2-Dimensional Strain Values of the Left Ventricle: A Substudy of the Normal Echocardiographic Measurements in Korean Population Study. <i>Journal of Cardiovascular Imaging</i> , 2016, 24, 285.	0.8	35
32	Clinical Outcomes in Patients with Deferred Coronary Lesions according to Disease Severity Assessed by Fractional Flow Reserve. <i>Journal of Korean Medical Science</i> , 2016, 31, 1929.	2.5	2
33	The potential of cystatin-C to evaluate the prognosis of acute heart failure: A comparative study. <i>Acute Cardiac Care</i> , 2015, 17, 72-76.	0.2	15
34	Normal Echocardiographic Measurements in a Korean Population Study: Part I. Cardiac Chamber and Great Artery Evaluation. <i>Journal of Cardiovascular Imaging</i> , 2015, 23, 158.	0.8	36
35	Left Ventricular Twist and Ventricular-Arterial Coupling in Hypertensive Patients. <i>Echocardiography</i> , 2014, 31, 1274-1282.	0.9	7
36	Fever after primary percutaneous coronary intervention in ST-segment elevation myocardial infarction is associated with adverse outcomes. <i>International Journal of Cardiology</i> , 2014, 170, 376-380.	1.7	6

#	ARTICLE	IF	CITATIONS
37	Association of cardio-ankle vascular index with diastolic heart function in hypertensive patients. <i>Clinical and Experimental Hypertension</i> , 2014, 36, 200-205.	1.3	11
38	Association between Doppler Flow of Atrial Fibrillatory Contraction and Recurrence of Atrial Fibrillation after Electrical Cardioversion. <i>Journal of the American Society of Echocardiography</i> , 2014, 27, 1107-1112.	2.8	8
39	Potentials of Cystatin C and Uric Acid for Predicting Prognosis of Heart Failure. <i>Congestive Heart Failure</i> , 2013, 19, 123-129.	2.0	7
40	Prognostic Value of Tricuspid Annular Tissue Doppler Velocity in Heart Failure with Atrial Fibrillation. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 436-443.	2.8	8
41	Usefulness of Tissue Doppler Imaging and Myocardial Performance Index in the Evaluation of Diastolic Dysfunction and Heart Failure With Preserved Ejection Fraction. <i>Clinical Cardiology</i> , 2011, 34, 494-499.	1.8	31
42	Two-dimensional strain or strain rate findings in mild to moderate diastolic dysfunction with preserved ejection fraction. <i>Heart and Vessels</i> , 2011, 26, 39-45.	1.2	22
43	Outcomes of Percutaneous Coronary Intervention in Intermediate Coronary Artery Disease. <i>JACC: Cardiovascular Interventions</i> , 2010, 3, 812-817.	2.9	84
44	Uric Acid as Prognostic Marker in Advanced Nonischemic Dilated Cardiomyopathy: Comparison With N-Terminal Pro B-Type Natriuretic Peptide Level. <i>Congestive Heart Failure</i> , 2010, 16, 153-158.	2.0	20
45	Combination of Uric Acid and NT-ProBNP: A More Useful Prognostic Marker for Short-Term Clinical Outcomes in Patients with Acute Heart Failure. <i>Korean Journal of Internal Medicine</i> , 2010, 25, 253.	1.7	21
46	Tissue Doppler Imaging as a Prognostic Marker for Cardiovascular Events in Heart Failure with Preserved Ejection Fraction and Atrial Fibrillation. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 755-761.	2.8	36
47	Relationship between early diastolic strain rate imaging and left ventricular geometric patterns in hypertensive patients. <i>Heart and Vessels</i> , 2008, 23, 271-278.	1.2	20
48	The Correlation of Left Atrial Volume Index to the Level of N-Terminal Pro-BNP in Heart Failure with a Preserved Ejection Fraction. <i>Echocardiography</i> , 2008, 25, 961-967.	0.9	30
49	Free floating thrombus exiting the left ventricle. <i>European Heart Journal Cardiovascular Imaging</i> , 2008, 9, 417-418.	1.2	1
50	Prognostic Implications of the NT-ProBNP Level and Left Atrial Size in Non-Ischemic Dilated Cardiomyopathy. <i>Circulation Journal</i> , 2008, 72, 1658-1665.	1.6	21
51	Loeffler's Endocarditis due to Idiopathic Hypereosinophilic Syndrome. <i>Journal of Cardiovascular Imaging</i> , 2008, 16, 136.	0.8	3
52	Spontaneous chordae rupture of tricuspid valve in patient with chronic renal failure. <i>European Journal of Echocardiography</i> , 2006, 9, 58-9.	2.3	4