

Christophe Vayssiere

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/984808/publications.pdf>

Version: 2024-02-01

84
papers

3,065
citations

201385

27
h-index

168136

53
g-index

86
all docs

86
docs citations

86
times ranked

3484
citing authors

#	ARTICLE	IF	CITATIONS
1	European Guidelines on Perinatal Care - Oxytocin for induction and augmentation of labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 7166-7172.	0.7	6
2	Cost-effectiveness analysis of vaginal misoprostol versus dinoprostone pessary: A non-inferiority large randomized controlled trial in France. <i>International Journal of Gynecology and Obstetrics</i> , 2022, 158, 390-397.	1.0	0
3	Antibiotic prophylaxis in preterm premature rupture of membranes at 24-31 weeks gestation: Perinatal and 2-year outcomes in the EPIPAGE-2 cohort. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 1560-1573.	1.1	8
4	Arabin pessary to prevent adverse perinatal outcomes in twin pregnancies with a short cervix: a multicenter randomized controlled trial (PESSARONE). <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 271.e1-271.e13.	0.7	7
5	The impact of chorionicity on pregnancy outcome and neurodevelopment at 2 years old among twins born preterm: the EPIPAGE-2 cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 281-291.	1.1	9
6	Association between extremely preterm caesarean delivery and maternal depressive and anxious symptoms: a national population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 594-602.	1.1	8
7	A role for 4-hydroxy-2-nonenal in premature placental senescence in preeclampsia and intrauterine growth restriction. <i>Free Radical Biology and Medicine</i> , 2021, 164, 303-314.	1.3	11
8	Induction of labor at term with vaginal misoprostol or a prostaglandin E2 pessary: a noninferiority randomized controlled trial. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 542.e1-542.e8.	0.7	9
9	Role of oxidative stress in the dysfunction of the placental endothelial nitric oxide synthase in preeclampsia. <i>Redox Biology</i> , 2021, 40, 101861.	3.9	103
10	Comparison of the materno-fetal transfer of fifteen structurally related bisphenol analogues using an ex vivo human placental perfusion model. <i>Chemosphere</i> , 2021, 276, 130213.	4.2	11
11	Evaluation of the Prognostic Value of the sFlt-1/PlGF Ratio in Early-Onset Preeclampsia. <i>American Journal of Perinatology</i> , 2021, 38, e292-e298.	0.6	4
12	Impact of COVID-19 Lockdown on Preterm Births, Low Birthweights and Stillbirths: A Retrospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 5649.	1.0	13
13	Selective feticide as a treatment of severe preeclampsia in discordant twins. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2020, 49, 101633.	0.6	5
14	Risk factors for failed induction of labor among pregnant women with Class III obesity. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 637-643.	1.3	7
15	Rationale and design of ePPOP-ID: a multicenter randomized controlled trial using an electronic-personalized program for obesity in pregnancy to improve delivery. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 602.	0.9	3
16	Identifying predictive factors for admitting patients with severe pre-eclampsia to intensive care unit. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, , 1-7.	0.7	3
17	Association of Chorioamnionitis with Cerebral Palsy at Two Years after Spontaneous Very Preterm Birth: The EPIPAGE-2 Cohort Study. <i>Journal of Pediatrics</i> , 2020, 222, 71-78.e6.	0.9	21
18	A snapshot of the Covid-19 pandemic among pregnant women in France. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2020, 49, 101826.	0.6	147

#	ARTICLE	IF	CITATIONS
19	Internal Version Compared With Pushing for Delivery of Cephalic Second Twins. <i>Obstetrics and Gynecology</i> , 2020, 135, 1435-1443.	1.2	9
20	Expectant management in HELLP syndrome: predictive factors of disease evolution. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 34, 1-6.	0.7	10
21	Quality of Life During Pregnancy: Is There a Link with Breastfeeding at Birth?. <i>Breastfeeding Medicine</i> , 2020, 15, 321-330.	0.8	2
22	Aspirin for prevention of preeclampsia and fetal growth restriction. <i>Prenatal Diagnosis</i> , 2020, 40, 519-527.	1.1	36
23	Modification of endothelial nitric oxide synthase by 4-oxo-2(E)-nonenal(ONE) in preeclamptic placentas. <i>Free Radical Biology and Medicine</i> , 2019, 141, 416-425.	1.3	13
24	Early predictive factors of single dose methotrexate outcome in patients with ectopic pregnancy. <i>Archives of Gynecology and Obstetrics</i> , 2019, 300, 795-795.	0.8	0
25	Safety considerations regarding Methotrexate off-label use in tubal ectopic pregnancy. <i>Archives of Gynecology and Obstetrics</i> , 2019, 300, 1095-1096.	0.8	1
26	Fetal electrocardiography ST-segment analysis for intrapartum monitoring: a critical appraisal of conflicting evidence and a way forward. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 221, 577-601.e11.	0.7	16
27	Health-related quality of life during pregnancy: A repeated measures study of changes from the first trimester to birth. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 1282-1291.	1.3	20
28	Non-steroidal anti-inflammatory drug prescriptions from the 6 th month of pregnancy: impact of advice from health authorities. <i>Fundamental and Clinical Pharmacology</i> , 2019, 33, 581-588.	1.0	6
29	Association between gestational age and severe maternal morbidity and mortality of preterm cesarean delivery: a population-based cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, 399.e1-399.e9.	0.7	24
30	Can early hCG change and baseline progesterone level predict treatment outcome in patients receiving single dose Methotrexate protocol for tubal ectopic pregnancy?. <i>Archives of Gynecology and Obstetrics</i> , 2019, 299, 741-745.	0.8	8
31	High glutathionylation of placental endothelial nitric oxide synthase in preeclampsia. <i>Redox Biology</i> , 2019, 22, 101126.	3.9	31
32	Is bisphenol S a safer alternative to bisphenol A in terms of potential fetal exposure ? Placental transfer across the perfused human placenta. <i>Chemosphere</i> , 2019, 221, 471-478.	4.2	30
33	Comment on: Higher Rates of Operative Delivery and Maternal and Neonatal Complications in Persistent Occiput Posterior Position with a Large Head Circumference: A Retrospective Cohort Study. <i>Fetal Diagnosis and Therapy</i> , 2018, 44, 77-77.	0.6	0
34	Elective abortion: Clinical practice guidelines from the French College of Gynecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 222, 95-101.	0.5	22
35	Management of persistent occiput posterior position: a substantial role of instrumental rotation in the setting of failed manual rotation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 80-86.	0.7	15
36	Prospective study feasibility: Screening of antenatal total abnormal pulmonary venous return. <i>Prenatal Diagnosis</i> , 2018, 38, 123-129.	1.1	0

#	ARTICLE	IF	CITATIONS
37	Neonatal Morbidity After Management of Vaginal Noncephalic Second-Twin Delivery by Residents. <i>Obstetrics and Gynecology</i> , 2018, 132, 1377-1385.	1.2	10
38	Operative vaginal delivery in case of persistent occiput posterior position after manual rotation failure: a 6-month follow-up on pelvic floor function. <i>Archives of Gynecology and Obstetrics</i> , 2018, 298, 111-120.	0.8	12
39	Impact of Latency Duration on the Prognosis of Preterm Infants after Preterm Premature Rupture of Membranes at 24 to 32 Weeks' Gestation: A National Population-Based Cohort Study. <i>Journal of Pediatrics</i> , 2017, 182, 47-52.e2.	0.9	57
40	Tocolysis after preterm premature rupture of membranes and neonatal outcome: a propensity-score analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 212.e1-212.e12.	0.7	26
41	Association Between Planned Cesarean Delivery and Neonatal Mortality and Morbidity in Twin Pregnancies. <i>Obstetrics and Gynecology</i> , 2017, 129, 986-995.	1.2	77
42	Pilot randomised controlled trial comparing the risk of neonatal respiratory distress in elective caesarean section at 38 weeks' gestation following a course of corticosteroids versus caesarean at 39 weeks. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 212, 54-59.	0.5	6
43	Cause of Preterm Birth as a Prognostic Factor for Mortality. <i>Obstetrics and Gynecology</i> , 2016, 127, 40-48.	1.2	64
44	Psychomotor developmental effects of prenatal exposure to psychotropic drugs: a study in <sc>EFEMERIS</sc> database. <i>Fundamental and Clinical Pharmacology</i> , 2016, 30, 476-482.	1.0	17
45	Is <sc>STAN</sc> monitoring associated with a significant decrease in metabolic acidosis at birth compared with cardiotocography alone? Review of the three meta-analyses that included the recent <sc>US</sc> trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 1190-1191.	1.3	12
46	Acupuncture version of breech presentation: a randomized sham-controlled single-blinded trial. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 204, 24-30.	0.5	14
47	First epidemiological data for venotonics in pregnancy from the EFEMERIS database. <i>Phlebology</i> , 2016, 31, 344-348.	0.6	14
48	Postpartum hemorrhage: guidelines for clinical practice from the French College of Gynaecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 198, 12-21.	0.5	211
49	93: Acupuncture version of breech presentation: a randomized placebo-controlled single-blinded trial. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, S65.	0.7	1
50	Cervical length in asymptomatic twin pregnancies: prospective multicenter comparison of predictive indicators. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 37-40.	0.7	7
51	Survival and Morbidity of Preterm Children Born at 22 Through 34 Weeks' Gestation in France in 2011. <i>JAMA Pediatrics</i> , 2015, 169, 230.	3.3	576
52	17 alpha-hydroxyprogesterone caproate does not prolong pregnancy or reduce the rate of preterm birth in women at high risk for preterm delivery and a short cervix: a randomized controlled trial. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, 485.e1-485.e10.	0.7	40
53	755: Impact of antenatal corticosteroid therapy and administration-to-delivery time interval in preterm twins versus singletons. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 210, S371.	0.7	0
54	Real-time three-dimensional foetal echocardiography using a new transabdominal xMATRIX array transducer. <i>Archives of Cardiovascular Diseases</i> , 2014, 107, 4-9.	0.7	15

#	ARTICLE	IF	CITATIONS
55	Effectiveness of electronic fetal monitoring with additional ST analysis in vertex singleton pregnancies at >36 weeks of gestation: an individual participant data metaanalysis. American Journal of Obstetrics and Gynecology, 2013, 208, 187.e1-187.e13.	0.7	38
56	Prevention of preterm delivery by 17 alpha-hydroxyprogesterone caproate in asymptomatic twin pregnancies with a short cervix: a randomized controlled trial. American Journal of Obstetrics and Gynecology, 2013, 208, 194.e1-194.e8.	0.7	60
57	Prolonged and post-term pregnancies: guidelines for clinical practice from the French College of Gynecologists and Obstetricians (CNGOF). European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 169, 10-16.	0.5	81
58	Delivery for women with a previous cesarean: guidelines for clinical practice from the French College of Gynecologists and Obstetricians (CNGOF). European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 170, 25-32.	0.5	155
59	Pulmonary and Intestinal Congenital Anomalies Masquerading as Cystic Suprarenal Masses. European Journal of Pediatric Surgery, 2012, 22, 434-438.	0.7	5
60	ST Analysis of the Fetal Electrocardiogram in Intrapartum Fetal Monitoring. Obstetrics and Gynecology, 2012, 119, 145-154.	1.2	44
61	338: Cervical length in asymptomatic twin pregnancies: prospective multicenter comparison of predictive indicators. American Journal of Obstetrics and Gynecology, 2012, 206, S159.	0.7	1
62	616: ST-analysis for intrapartum fetal monitoring in high-risk vertex singleton pregnancies beyond 36 weeks of gestation: an individual participant data metaanalysis of randomized trials. American Journal of Obstetrics and Gynecology, 2012, 206, S277.	0.7	0
63	Prevention of preterm delivery after successful tocolysis in preterm labor by 17 alpha-hydroxyprogesterone caproate: A randomized controlled trial. American Journal of Obstetrics and Gynecology, 2012, 206, 206.e1-206.e9.	0.7	46
64	Twin pregnancies: guidelines for clinical practice from the French College of Gynaecologists and Obstetricians (CNGOF). European Journal of Obstetrics, Gynecology and Reproductive Biology, 2011, 156, 12-17.	0.5	161
65	Essential thrombocythemia and pregnancy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2011, 158, 141-147.	0.5	27
66	Instrumental delivery: clinical practice guidelines from the French College of Gynaecologists and Obstetricians. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2011, 159, 43-48.	0.5	79
67	Motion estimation in ultrasound imaging applied to the diagnostic of pelvic floor disorders. , 2011, 2011, 8058-61.		1
68	Faecal incontinence after first instrumental vaginal delivery using Thierry's spatulas. International Urogynecology Journal, 2010, 21, 1195-1203.	0.7	13
69	Factors associated with early menarche: results from the French Health Behaviour in School-aged Children (HBSC) study. BMC Public Health, 2010, 10, 175.	1.2	81
70	Contribution of 3D ultrasound and fetal face studies to the prenatal diagnosis of Pallister-Killian syndrome. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 558-562.	0.7	9
71	Physiologic and pathologic changes of platelets in pregnancy. Platelets, 2010, 21, 587-595.	1.1	54
72	Acupuncture for breech version: Principles, technique, mode of action and utility - A literature review. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 455-458.	0.7	6

#	ARTICLE	IF	CITATIONS
73	Assessment of STAN S21 fetal heart monitor by medical staff. International Journal of Gynecology and Obstetrics, 2008, 102, 8-11.	1.0	3
74	What about Informed Consent in First-Trimester Ultrasound Screening for Down Syndrome?. Fetal Diagnosis and Therapy, 2008, 23, 173-184.	0.6	42
75	How important is consent in maternal serum screening for Down syndrome in France? Information and consent evaluation in maternal serum screening for Down syndrome: a French study. Prenatal Diagnosis, 2007, 27, 197-205.	1.1	45
76	A French randomized controlled trial of ST-segment analysis in a population with abnormal cardiotocograms during labor. American Journal of Obstetrics and Gynecology, 2007, 197, 299.e1-299.e6.	0.7	84
77	131: Are all women with threatened preterm delivery and a cervical length less than or equal to 25 mm at risk of preterm delivery independently of the number of contractions?. American Journal of Obstetrics and Gynecology, 2007, 197, S49.	0.7	0
78	Characteristics of tobacco withdrawal in pregnant women. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2006, 125, 38-43.	0.5	22
79	Consistency of medical abortion efficacy from 5 through 14 weeksâ€™ gestation. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2006, 129, 36-40.	0.5	12
80	A virtual reality system based on patient imaging data for hands-on simulation and automatic evaluation of ultrasound examination and amniocentesis. American Journal of Obstetrics and Gynecology, 2006, 195, S171.	0.7	2
81	A French randomized controlled trial on ST analysis in a population with abnormal FHR in labor. American Journal of Obstetrics and Gynecology, 2006, 195, S222.	0.7	5
82	Description of tobacco addiction in pregnant women. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 120, 146-151.	0.5	30
83	Cervical length and funneling at 22 and 27 weeks to predict spontaneous birth before 32 weeks in twin pregnancies: A French prospective multicenter study. American Journal of Obstetrics and Gynecology, 2002, 187, 1596-1604.	0.7	82
84	Ropivacaine, 0.1%, Plus Sufentanil, 0.5 μ g/ml, versus Bupivacaine, 0.1%, Plus Sufentanil, 0.5 μ g/ml, Using Patient-controlled Epidural Analgesia for Labor. Anesthesiology, 2000, 92, 1588-1593.	1.3	74