

Tadasuke Tsukiyama

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/98496/publications.pdf>

Version: 2024-02-01

31
papers

2,129
citations

279798

23
h-index

434195

31
g-index

31
all docs

31
docs citations

31
times ranked

3798
citing authors

#	ARTICLE	IF	CITATIONS
1	Wnt2/2b and β -Catenin Signaling Are Necessary and Sufficient to Specify Lung Progenitors in the Foregut. <i>Developmental Cell</i> , 2009, 17, 290-298.	7.0	407
2	Increased proliferation of B cells and auto-immunity in mice lacking protein kinase C δ . <i>Nature</i> , 2002, 416, 865-869.	27.8	400
3	Aldehyde dehydrogenase (ALDH) 2 associates with oxidation of methoxyacetaldehyde; in vitro analysis with liver subcellular fraction derived from human and Aldh2 gene targeting mouse. <i>FEBS Letters</i> , 2000, 476, 306-311.	2.8	142
4	Wnt3 links left-right determination with segmentation and anteroposterior axis elongation. <i>Development (Cambridge)</i> , 2005, 132, 5425-5436.	2.5	138
5	Type XVII collagen coordinates proliferation in the interfollicular epidermis. <i>ELife</i> , 2017, 6, .	6.0	85
6	TRIM24 mediates ligand-dependent activation of androgen receptor and is repressed by a bromodomain-containing protein, BRD7, in prostate cancer cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2009, 1793, 1828-1836.	4.1	83
7	TRIM29 negatively regulates p53 via inhibition of Tip60. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2011, 1813, 1245-1253.	4.1	76
8	Molecular Role of RNF43 in Canonical and Noncanonical Wnt Signaling. <i>Molecular and Cellular Biology</i> , 2015, 35, 2007-2023.	2.3	71
9	Early Embryonic Death in Mice Lacking the β -Catenin-Binding Protein Duplin. <i>Molecular and Cellular Biology</i> , 2004, 24, 8386-8394.	2.3	70
10	SNIP1 Is a Candidate Modifier of the Transcriptional Activity of c-Myc on E Box-Dependent Target Genes. <i>Molecular Cell</i> , 2006, 24, 771-783.	9.7	60
11	Down-Regulation of p27Kip1 Expression Is Required for Development and Function of T Cells. <i>Journal of Immunology</i> , 2001, 166, 304-312.	0.8	56
12	RNF43 interacts with NEDL1 and regulates p53-mediated transcription. <i>Biochemical and Biophysical Research Communications</i> , 2011, 404, 143-147.	2.1	52
13	MED26 regulates the transcription of snRNA genes through the recruitment of little elongation complex. <i>Nature Communications</i> , 2015, 6, 5941.	12.8	42
14	Embryonic hair follicle fate change by augmented β -catenin through Shh and Bmp signaling. <i>Development (Cambridge)</i> , 2009, 136, 367-372.	2.5	40
15	A phospho-switch controls RNF43-mediated degradation of Wnt receptors to suppress tumorigenesis. <i>Nature Communications</i> , 2020, 11, 4586.	12.8	40
16	Ligand-dependent transcription of estrogen receptor β is mediated by the ubiquitin ligase EFP. <i>Biochemical and Biophysical Research Communications</i> , 2007, 357, 245-251.	2.1	38
17	The canonical Wnt signaling pathway is not involved in renal cyst development in the kidneys of inv mutant mice. <i>Kidney International</i> , 2011, 79, 957-965.	5.2	38
18	Establishment of an embryonic stem (ES) cell line derived from a non-obese diabetic (NOD) mouse: in vivo differentiation into lymphocytes and potential for germ line transmission. <i>FEBS Letters</i> , 1999, 455, 101-104.	2.8	36

#	ARTICLE	IF	CITATIONS
19	Involvement of Ymer in suppression of NF- κ B activation by regulated interaction with lysine-63-linked polyubiquitin chain. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2008, 1783, 826-837.	4.1	35
20	Mice lacking Wnt2b are viable and display a postnatal olfactory bulb phenotype. <i>Neuroscience Letters</i> , 2012, 512, 48-52.	2.1	31
21	Ro52 functionally interacts with IgG1 and regulates its quality control via the ERAD system. <i>Molecular Immunology</i> , 2008, 45, 2045-2054.	2.2	30
22	The inflammatory cytokine IL-1 β is involved in bladder remodeling after bladder outlet obstruction in mice. <i>Neurourology and Urodynamics</i> , 2016, 35, 377-381.	1.5	27
23	Protection of vincristine-induced neuropathy by WldS expression and the independence of the activity of Nmnat1. <i>Neuroscience Letters</i> , 2007, 411, 228-232.	2.1	24
24	The role of Mediator and Little Elongation Complex in transcription termination. <i>Nature Communications</i> , 2020, 11, 1063.	12.8	21
25	Inhibition of NF- κ B signaling via tyrosine phosphorylation of Ymer. <i>Biochemical and Biophysical Research Communications</i> , 2009, 378, 744-749.	2.1	17
26	Ubiquitin-Conjugating Enzyme UBE2Q2 Suppresses Cell Proliferation and Is Down-Regulated in Recurrent Head and Neck Cancer. <i>Molecular Cancer Research</i> , 2009, 7, 1553-1562.	3.4	14
27	Ubiquitylation of μ -COP by PIRH2 and regulation of the secretion of PSA. <i>Molecular and Cellular Biochemistry</i> , 2007, 307, 73-82.	3.1	12
28	TRIM31 interacts with p52Shc and inhibits Src-induced anchorage-independent growth. <i>Biochemical and Biophysical Research Communications</i> , 2009, 388, 422-427.	2.1	12
29	Establishment of a newly improved detection system for NF- κ B activity. <i>Immunology Letters</i> , 2007, 109, 175-181.	2.5	11
30	Ymer Acts as a Multifunctional Regulator in Nuclear Factor- κ B and Fas Signaling Pathways. <i>Molecular Medicine</i> , 2012, 18, 587-597.	4.4	11
31	Post-translational Wnt receptor regulation: Is the fog slowly clearing?. <i>BioEssays</i> , 2021, 43, e2000297.	2.5	10