

Glyn H Lewis

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/98499/glyn-h-lewis-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

703 papers	40,546 citations	97 h-index	174 g-index
758 ext. papers	48,497 ext. citations	7 avg, IF	7.41 L-index

#	Paper	IF	Citations
703	Local understandings of PTSD and complex PTSD among health professionals working with adolescents in violent neighbourhoods of São Paulo city, Brazil.. <i>BMC Psychiatry</i> , 2022 , 22, 196	4.2	
702	Socioeconomic Indicators of Treatment Prognosis for Adults With Depression: A Systematic Review and Individual Patient Data Meta-analysis.. <i>JAMA Psychiatry</i> , 2022 ,	14.5	2
701	An analysis of views about supported reduction or discontinuation of antipsychotic treatment among people with schizophrenia and other psychotic disorders.. <i>BMC Psychiatry</i> , 2022 , 22, 185	4.2	2
700	Clinical Neuroimaging Findings in Catatonia: Neuroradiological Reports of MRI Scans of Psychiatric Inpatients With and Without Catatonia.. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2022 , appi/psych2107	2.7	0
699	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021 , 26, 2457-2470	15.1	17
698	Stigmatising views towards individuals with eating disorders: trends and associations from 1998 to 2008 using a repeated cross-sectional design.. <i>British Journal of Psychiatry</i> , 2021 , 1-7	5.4	0
697	A Patient Stratification Approach to Identifying the Likelihood of Continued Chronic Depression and Relapse Following Treatment for Depression.. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	2
696	Catatonia: demographic, clinical and laboratory associations.. <i>Psychological Medicine</i> , 2021 , 1-11	6.9	3
695	Cost-Utility Analysis of Discontinuing Antidepressants in England Primary Care Patients Compared with Long-Term Maintenance: The ANTLE Study. <i>Applied Health Economics and Health Policy</i> , 2021 , 1	3.4	1
694	Antidepressant medication to prevent depression relapse in primary care: the ANTLE RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-62	4.4	0
693	Life events and treatment prognosis for depression: A systematic review and individual patient data meta-analysis.. <i>Journal of Affective Disorders</i> , 2021 , 299, 298-308	6.6	0
692	Inflammatory and blood gas markers of COVID-19 delirium compared to non-COVID-19 delirium: a cross-sectional study. <i>Aging and Mental Health</i> , 2021 , 1-8	3.5	0
691	Precursors and correlates of transient and persistent longitudinal profiles of psychotic experiences from late childhood through early adulthood.. <i>British Journal of Psychiatry</i> , 2021 , 1-9	5.4	1
690	Testing the Independent and Joint Contribution of Exposure to Neurodevelopmental Adversity and Childhood Trauma to Risk of Psychotic Experiences in Adulthood. <i>Schizophrenia Bulletin</i> , 2021 , 47, 776-784	1.3	2
689	Association between circulating levels of C-reactive protein and positive and negative symptoms of psychosis in adolescents in a general population birth cohort. <i>Journal of Psychiatric Research</i> , 2021 , 143, 534-542	5.2	3
688	Trends in method-specific suicide in Brazil from 2000 to 2017. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1779-1790	4.5	2
687	Recall bias during adolescence: Gender differences and associations with depressive symptoms. <i>Journal of Affective Disorders</i> , 2021 , 282, 299-307	6.6	0

686	The contribution of depressive 'disorder characteristics' to determinations of prognosis for adults with depression: an individual patient data meta-analysis. <i>Psychological Medicine</i> , 2021 , 51, 1068-1081	6.9	7
685	Prediction of individuals at high risk of chronic kidney disease during treatment with lithium for bipolar disorder. <i>BMC Medicine</i> , 2021 , 19, 99	11.4	4
684	Predicting prognosis for adults with depression using individual symptom data: a comparison of modelling approaches. <i>Psychological Medicine</i> , 2021 , 1-11	6.9	7
683	The importance of transdiagnostic symptom level assessment to understanding prognosis for depressed adults: analysis of data from six randomised control trials. <i>BMC Medicine</i> , 2021 , 19, 109	11.4	2
682	Associations between psychosis and visual acuity impairment: A systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 6-27	6.5	2
681	Association of Emotion Regulation Trajectories in Childhood With Anorexia Nervosa and Atypical Anorexia Nervosa in Early Adolescence. <i>JAMA Psychiatry</i> , 2021 , 78, 1249-1257	14.5	0
680	Trajectories of autistic social traits in childhood and adolescence and disordered eating behaviours at age 14 years: A UK general population cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 , 62, 75-85	7.9	17
679	Comparison between self-administered depression questionnaires and patients' own views of changes in their mood: a prospective cohort study in primary care. <i>Psychological Medicine</i> , 2021 , 51, 853-860	6.9	6
678	Complement pathway changes at age 12 are associated with psychotic experiences at age 18 in a longitudinal population-based study: evidence for a role of stress. <i>Molecular Psychiatry</i> , 2021 , 26, 524-533	15.1	18
677	The association between loneliness and depressive symptoms among adults aged 50 years and older: a 12-year population-based cohort study. <i>Lancet Psychiatry</i> , 2021 , 8, 48-57	23.3	51
676	Changes in the Prevalence and Correlates of Weight-Control Behaviors and Weight Perception in Adolescents in the UK, 1986-2015. <i>JAMA Pediatrics</i> , 2021 , 175, 267-275	8.3	12
675	The shrouded visibility of eating disorders research. <i>Lancet Psychiatry</i> , 2021 , 8, 91-92	23.3	4
674	Suicide, self-harm and thoughts of suicide or self-harm in infectious disease epidemics: a systematic review and meta-analysis. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e32	5.1	9
673	Risk-taking to obtain reward: sex differences and associations with emotional and depressive symptoms in a nationally representative cohort of UK adolescents. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	3
672	The effect of sertraline on emotional processing: secondary analyses of the PANDA randomised controlled trial. <i>Psychological Medicine</i> , 2021 , 1-8	6.9	1
671	Psychological processes mediating the association between developmental trauma and specific psychotic symptoms in adults: a systematic review and meta-analysis. <i>World Psychiatry</i> , 2021 , 20, 107-123	14.4	23
670	Suicide, self-harm and thoughts of suicide or self-harm in infectious disease epidemics: a systematic review and meta-analysis [CORRIGENDUM]. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30,	5.1	2
669	Is social support pre-treatment associated with prognosis for adults with depression in primary care?. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 392-405	6.5	5

668	The mental health of lesbian, gay, and bisexual adults compared with heterosexual adults: results of two nationally representative English household probability samples. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	4
667	Sex differences in depressive symptoms and tolerability after treatment with selective serotonin reuptake inhibitor antidepressants: Secondary analyses of the GENPOD trial. <i>Journal of Psychopharmacology</i> , 2021 , 35, 919-927	4.6	0
666	Risk factors for complex posttraumatic stress disorder in UK police. <i>Occupational Medicine</i> , 2021 , 71, 351-357	2.1	2
665	Longitudinal association between binge eating and metabolic syndrome in adults: Findings from the ELSA-Brasil cohort. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 464-474	6.5	3
664	Identifying the Common Genetic Basis of Antidepressant Response. <i>Biological Psychiatry Global Open Science</i> , 2021 ,		4
663	Transcriptome-based polygenic score links depression-related corticolimbic gene expression changes to sex-specific brain morphology and depression risk. <i>Neuropsychopharmacology</i> , 2021 , 46, 2304-2311 ¹	8.7	1
662	Effective dose 50 method as the minimal clinically important difference: Evidence from depression trials. <i>Journal of Clinical Epidemiology</i> , 2021 , 137, 200-208	5.7	5
661	Cognitive style and drinking to cope: A prospective cohort study. <i>Addiction</i> , 2021 ,	4.6	1
660	The Genetic Architecture of Depression in Individuals of East Asian Ancestry: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2021 , 78, 1258-1269	14.5	7
659	Ability-grouping and problem behavior trajectories in childhood and adolescence: Results from a U.K. population-based sample. <i>Child Development</i> , 2021 ,	4.9	2
658	Maintenance or Discontinuation of Antidepressants in Primary Care. <i>New England Journal of Medicine</i> , 2021 , 385, 1257-1267	59.2	16
657	Older adults respond better to psychological therapy than working-age adults: evidence from a large sample of mental health service attendees. <i>Journal of Affective Disorders</i> , 2021 , 294, 85-93	6.6	3
656	Role of age, gender and marital status in prognosis for adults with depression: An individual patient data meta-analysis. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e42	5.1	11
655	Association between homicide rates and suicide rates: a countrywide longitudinal analysis of 5507 Brazilian municipalities. <i>BMJ Open</i> , 2020 , 10, e040069	3	2
654	Common mechanisms for type 2 diabetes and psychosis: Findings from a prospective birth cohort. <i>Schizophrenia Research</i> , 2020 , 223, 227-235	3.6	3
653	How much change is enough? Evidence from a longitudinal study on depression in UK primary care. <i>Psychological Medicine</i> , 2020 , 1-8	6.9	14
652	The role of gender inequalities in adolescent depression. <i>Lancet Psychiatry</i> , 2020 , 7, 471-472	23.3	3
651	Psychiatric and neuropsychiatric presentations associated with severe coronavirus infections: a systematic review and meta-analysis with comparison to the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2020 , 7, 611-627	23.3	1004

650	Patient-reported outcome measures for monitoring primary care patients with depression (PROMDEP): study protocol for a randomised controlled trial. <i>Trials</i> , 2020 , 21, 441	2.8	5
649	REDUCE (Reviewing long-term antidepressant use by careful monitoring in everyday practice) internet and telephone support to people coming off long-term antidepressants: protocol for a randomised controlled trial. <i>Trials</i> , 2020 , 21, 419	2.8	6
648	The Community Navigator Study: Results from a feasibility randomised controlled trial of a programme to reduce loneliness for people with complex anxiety or depression. <i>PLoS ONE</i> , 2020 , 15, e0233535	3.7	12
647	Association of neighbourhood migrant density and risk of non-affective psychosis: a national, longitudinal cohort study. <i>Lancet Psychiatry</i> , 2020 , 7, 327-336	23.3	11
646	Minimal phenotyping yields genome-wide association signals of low specificity for major depression. <i>Nature Genetics</i> , 2020 , 52, 437-447	36.3	80
645	Identifying and treating hearing loss in mild cognitive impairment: a feasibility study for an interventional trial with hearing aids. <i>International Psychogeriatrics</i> , 2020 , 32, 537-538	3.4	1
644	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. <i>Molecular Psychiatry</i> , 2020 , 25, 1430-1446	15.1	47
643	Prenatal and childhood adversity and inflammation in children: A population-based longitudinal study. <i>Brain, Behavior, and Immunity</i> , 2020 , 87, 524-530	16.6	2
642	Maternal perinatal depressive symptoms and offspring psychotic experiences at 18 years of age: a longitudinal study. <i>Lancet Psychiatry</i> , 2020 , 7, 431-440	23.3	14
641	Effectiveness of a Mobile App Intervention for Anxiety and Depression Symptoms in University Students: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2020 , 8, e15418	5.5	14
640	Trajectories of internalising and externalising symptoms and inflammation in the general child population. <i>Psychoneuroendocrinology</i> , 2020 , 118, 104723	5	1
639	Longitudinal population subgroups of CRP and risk of depression in the ALSPAC birth cohort. <i>Comprehensive Psychiatry</i> , 2020 , 96, 152143	7.3	4
638	Sertraline in primary care: comments on the PANDA trial - Authors' reply. <i>Lancet Psychiatry</i> , 2020 , 7, 19	23.3	0
637	A Population-Based Cohort Study Examining the Incidence and Impact of Psychotic Experiences From Childhood to Adulthood, and Prediction of Psychotic Disorder. <i>American Journal of Psychiatry</i> , 2020 , 177, 308-317	11.9	46
636	Cost-Effectiveness of Sertraline in Primary Care According to Initial Severity and Duration of Depressive Symptoms: Findings from the PANDA RCT. <i>Pharmacoeconomics - Open</i> , 2020 , 4, 427-438	2.1	1
635	Influence of theta-burst transcranial magnetic stimulation over the dorsolateral prefrontal cortex on emotion processing in healthy volunteers. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2020 , 20, 1278-1293	3.5	5
634	Longitudinal associations between circulating interleukin-6 and C-reactive protein in childhood, and eating disorders and disordered eating in adolescence. <i>Brain, Behavior, and Immunity</i> , 2020 , 89, 491-500	16.6	4
633	Psychiatric and neuropsychiatric syndromes and COVID-19 - Authors' reply. <i>Lancet Psychiatry</i> , 2020 , 7, 664-665	23.3	6

632	Alcohol consumption and internalising disorders in young adults of ALSPAC: a population-based study. <i>Journal of Epidemiology and Community Health</i> , 2020 , 74, 1023-1027	5.1	3
631	Inhibitory control of positive and negative information and adolescent depressive symptoms: a population-based cohort study. <i>Psychological Medicine</i> , 2020 , 1-11	6.9	3
630	Prevalence of symptoms, ever having received a diagnosis and treatment of depression and anxiety, and associations with health service use amongst the general population in two Russian cities. <i>BMC Psychiatry</i> , 2020 , 20, 537	4.2	3
629	Reprint of: Internalising symptoms mediate the longitudinal association between childhood inflammation and psychotic-like experiences in adulthood. <i>Schizophrenia Research</i> , 2020 , 226, 24-29	3.6	
628	Does anxiety moderate the effectiveness of mirtazapine in patients with treatment-resistant depression? A secondary analysis of the MIR trial. <i>Journal of Psychopharmacology</i> , 2020 , 34, 1342-1349	4.6	1
627	Cost-Effectiveness of Different Formats for Delivery of Cognitive Behavioral Therapy for Depression: A Systematic Review Based Economic Model. <i>Value in Health</i> , 2020 , 23, 1662-1670	3.3	2
626	Reward-Processing Behavior in Depressed Participants Relative to Healthy Volunteers: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2020 , 77, 1286-1295	14.5	28
625	Leisure activity participation and risk of dementia: An 18-year follow-up of the Whitehall II Study. <i>Neurology</i> , 2020 , 95, e2803-e2815	6.5	13
624	Device-measured sedentary behaviour and anxiety symptoms during adolescence: a 6-year prospective cohort study. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	3
623	Association between prenatal maternal infection and disordered eating behaviours in adolescence: a UK population-based prospective birth cohort study. <i>Psychological Medicine</i> , 2020 , 50, 927-935	6.9	0
622	Eighteen-year trajectories of depressive symptoms in mothers with a lifetime eating disorder: findings from the ALSPAC cohort. <i>British Journal of Psychiatry</i> , 2020 , 216, 90-96	5.4	2
621	Neighborhood Characteristics at Birth and Positive and Negative Psychotic Symptoms in Adolescence: Findings From the ALSPAC Birth Cohort. <i>Schizophrenia Bulletin</i> , 2020 , 46, 581-591	1.3	11
620	Prenatal and childhood adverse life events, inflammation and depressive symptoms across adolescence. <i>Journal of Affective Disorders</i> , 2020 , 260, 577-582	6.6	20
619	The Role of Primary School Composition in the Trajectories of Internalising and Externalising Problems across Childhood and Adolescence. <i>Journal of Abnormal Child Psychology</i> , 2020 , 48, 197-211	4	2
618	Suicide risk among refugees compared with non-refugee migrants and the Swedish-born majority population. <i>British Journal of Psychiatry</i> , 2020 , 217, 686-692	5.4	21
617	Internalising symptoms mediate the longitudinal association between childhood inflammation and psychotic-like experiences in adulthood. <i>Schizophrenia Research</i> , 2020 , 215, 424-429	3.6	2
616	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020 , 87, 419-430	7.9	9
615	Assessment of the Role of IQ in Associations Between Population Density and Deprivation and Nonaffective Psychosis. <i>JAMA Psychiatry</i> , 2020 , 77, 729-736	14.5	3

614	Newer-Generation Antidepressants and Suicide Risk. <i>Psychotherapy and Psychosomatics</i> , 2019 , 88, 371-374	3
613	The clinical effectiveness of sertraline in primary care and the role of depression severity and duration (PANDA): a pragmatic, double-blind, placebo-controlled randomised trial. <i>Lancet Psychiatry</i> , 2019 , 6, 903-914	23.3 52
612	Materials used to support cognitive behavioural therapy for depression: a survey of therapists' clinical practice and views. <i>Cognitive Behaviour Therapy</i> , 2019 , 48, 463-481	4.4 2
611	Assessment of Bidirectional Relationships Between Physical Activity and Depression Among Adults: A 2-Sample Mendelian Randomization Study. <i>JAMA Psychiatry</i> , 2019 , 76, 399-408	14.5 165
610	Hospitalisation of people with dementia: evidence from English electronic health records from 2008 to 2016. <i>European Journal of Epidemiology</i> , 2019 , 34, 567-577	12.1 22
609	Developmental cascades of internalising symptoms, externalising problems and cognitive ability from early childhood to middle adolescence. <i>European Psychiatry</i> , 2019 , 57, 61-69	6 13
608	Integrated Lipidomics and Proteomics Point to Early Blood-Based Changes in Childhood Preceding Later Development of Psychotic Experiences: Evidence From the Avon Longitudinal Study of Parents and Children. <i>Biological Psychiatry</i> , 2019 , 86, 25-34	7.9 13
607	A systematic review and meta-analysis of clinical predictors of lithium response in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 140, 94-115	6.5 41
606	A randomised controlled trial assessing the use of citalopram, sertraline, fluoxetine and mirtazapine in preventing relapse in primary care patients who are taking long-term maintenance antidepressants (ANTLER: ANTidepressants to prevent reLapse in dEpReSSion): study protocol for a randomised controlled trial. <i>Trials</i> , 2019 , 20, 319	2.8 7
605	The process and delivery of CBT for depression in adults: a systematic review and network meta-analysis. <i>Psychological Medicine</i> , 2019 , 49, 1937-1947	6.9 23
604	Integrated analysis of environmental and genetic influences on cord blood DNA methylation in new-borns. <i>Nature Communications</i> , 2019 , 10, 2548	17.4 54
603	P.3.19 The effects of cannabidiol on cerebral blood flow and its relationship to memory: an arterial spin labelling study. <i>European Neuropsychopharmacology</i> , 2019 , 29, S693	1.2 0
602	Polygenic risk for schizophrenia, disordered eating behaviours and body mass index in adolescents. <i>British Journal of Psychiatry</i> , 2019 , 215, 428-433	5.4 16
601	Re: Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008-2016. <i>Alzheimer's and Dementia</i> , 2019 , 15, 313-314	1.2 0
600	Identification of common genetic risk variants for autism spectrum disorder. <i>Nature Genetics</i> , 2019 , 51, 431-444	36.3 746
599	Stressful life events, inflammation and emotional and behavioural problems in children: A population-based study. <i>Brain, Behavior, and Immunity</i> , 2019 , 80, 66-72	16.6 9
598	Visual Acuity in Late Adolescence and Future Psychosis Risk in a Cohort of 1 Million Men. <i>Schizophrenia Bulletin</i> , 2019 , 45, 571-578	1.3 13
597	Association of social contact with dementia and cognition: 28-year follow-up of the Whitehall II cohort study. <i>PLoS Medicine</i> , 2019 , 16, e1002862	11.6 55

596	Depressive symptoms at age 9-13 and chronic disabling fatigue at age 16: A longitudinal study. <i>Journal of Adolescence</i> , 2019 , 75, 123-129	3.4	0
595	Variation in recognition of happy and sad facial expressions and self-reported depressive symptom severity: A prospective cohort study. <i>Journal of Affective Disorders</i> , 2019 , 257, 461-469	6.6	8
594	Prevalence of low-grade inflammation in depression: a systematic review and meta-analysis of CRP levels. <i>Psychological Medicine</i> , 2019 , 49, 1958-1970	6.9	162
593	Randomised controlled trial of gradual antipsychotic reduction and discontinuation in people with schizophrenia and related disorders: the RADAR trial (Research into Antipsychotic Discontinuation and Reduction). <i>BMJ Open</i> , 2019 , 9, e030912	3	15
592	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. <i>Wellcome Open Research</i> , 2019 , 4, 69	4.8	11
591	Antidepressant treatment with sertraline for adults with depressive symptoms in primary care: the PANDA research programme including RCT. <i>Programme Grants for Applied Research</i> , 2019 , 7, 1-108	1.5	3
590	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. <i>Wellcome Open Research</i> , 2019 , 4, 69	4.8	9
589	Family networks during migration and risk of non-affective psychosis: A population-based cohort study. <i>Schizophrenia Research</i> , 2019 , 208, 268-275	3.6	8
588	P.3.03 The acute effects of cannabidiol on emotional processing and anxiety: A neurocognitive imaging study. <i>European Neuropsychopharmacology</i> , 2019 , 29, S680	1.2	
587	Pharmacological interventions for treatment-resistant depression in adults. <i>The Cochrane Library</i> , 2019 , 12, CD010557	5.2	14
586	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019 , 179, 1469-1482.e11	56.2	402
585	Combined influence of depressive symptoms and systemic inflammation on all-cause and cardiovascular mortality: evidence for differential effects by gender in the English Longitudinal Study of Ageing. <i>Psychological Medicine</i> , 2019 , 49, 1521-1531	6.9	9
584	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 91-100	3.4	12
583	Cognitive Impairment and Depression-Cause, Consequence, or Coincidence?. <i>JAMA Psychiatry</i> , 2019 , 76, 239-240	14.5	8
582	Association of Maternal and Paternal Depression in the Postnatal Period With Offspring Depression at Age 18 Years. <i>JAMA Psychiatry</i> , 2019 , 76, 290-296	14.5	36
581	Depression and self-harm from adolescence to young adulthood in sexual minorities compared with heterosexuals in the UK: a population-based cohort study. <i>The Lancet Child and Adolescent Health</i> , 2019 , 3, 91-98	14.5	22
580	Longitudinal association between inflammatory markers and specific symptoms of depression in a prospective birth cohort. <i>Brain, Behavior, and Immunity</i> , 2019 , 76, 74-81	16.6	53
579	Association of Hydroxymethyl Glutaryl Coenzyme A Reductase Inhibitors, L-Type Calcium Channel Antagonists, and Biguanides With Rates of Psychiatric Hospitalization and Self-Harm in Individuals With Serious Mental Illness. <i>JAMA Psychiatry</i> , 2019 , 76, 382-390	14.5	28

578	How data science can advance mental health research. <i>Nature Human Behaviour</i> , 2019 , 3, 24-32	12.8	22
577	Risk of schizophrenia, schizoaffective, and bipolar disorders by migrant status, region of origin, and age-at-migration: a national cohort study of 1.8 million people. <i>Psychological Medicine</i> , 2019 , 49, 2354-2363	6.9	19
576	Childhood and Parental Asthma, Future Risk of Bipolar Disorder and Schizophrenia Spectrum Disorders: A Population-Based Cohort Study. <i>Schizophrenia Bulletin</i> , 2019 , 45, 360-368	1.3	8
575	MRI Indices of Cortical Development in Young People With Psychotic Experiences: Influence of Genetic Risk and Persistence of Symptoms. <i>Schizophrenia Bulletin</i> , 2019 , 45, 169-179	1.3	6
574	Is smoking heaviness causally associated with alcohol use? A Mendelian randomization study in four European cohorts. <i>International Journal of Epidemiology</i> , 2018 , 47, 1098-1105	7.8	13
573	Early adolescent outcomes of joint developmental trajectories of problem behavior and IQ in childhood. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 1595-1605	5.5	15
572	Transcranial magnetic stimulation for depression. <i>Lancet, The</i> , 2018 , 391, 1639-1640	4.0	5
571	Do disordered eating behaviours in girls vary by school characteristics? A UK cohort study. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 1473-1481	5.5	6
570	Course of Cognitive Development From Infancy to Early Adulthood in the Psychosis Spectrum. <i>JAMA Psychiatry</i> , 2018 , 75, 270-279	14.5	79
569	Association of Combined Patterns of Tobacco and Cannabis Use in Adolescence With Psychotic Experiences. <i>JAMA Psychiatry</i> , 2018 , 75, 240-246	14.5	32
568	Paternal and maternal depression and offspring risk: additive effects or worse? - Authors' reply. <i>Lancet Psychiatry, the</i> , 2018 , 5, 108	23.3	2
567	Association between childhood infection, serum inflammatory markers and intelligence: findings from a population-based prospective birth cohort study. <i>Epidemiology and Infection</i> , 2018 , 146, 256-264	4.3	7
566	Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008-2016. <i>Alzheimer's and Dementia</i> , 2018 , 14, 933-943	1.2	52
565	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018 , 50, 668-681	36.3	1301
564	Antidepressant activity of anti-cytokine treatment: a systematic review and meta-analysis of clinical trials of chronic inflammatory conditions. <i>Molecular Psychiatry</i> , 2018 , 23, 335-343	15.1	310
563	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018 , 84, 138-147	7.9	48
562	Longitudinal associations between psychotic experiences and disordered eating behaviours in adolescence: a UK population-based study. <i>The Lancet Child and Adolescent Health</i> , 2018 , 2, 591-599	14.5	10
561	Effects of exposure to bodies of different sizes on perception of and satisfaction with own body size: two randomized studies. <i>Royal Society Open Science</i> , 2018 , 5, 171387	3.3	8

560	Investigating the genetic architecture of general and specific psychopathology in adolescence. <i>Translational Psychiatry</i> , 2018 , 8, 145	8.6	31
559	Blood-Based Protein Changes in Childhood Are Associated With Increased Risk for Later Psychotic Disorder: Evidence From a Nested Case-Control Study of the ALSPAC Longitudinal Birth Cohort. <i>Schizophrenia Bulletin</i> , 2018 , 44, 297-306	1.3	31
558	Combining mirtazapine with SSRIs or SNRIs for treatment-resistant depression: the MIR RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-136	4.4	16
557	The association between paternal depressogenic cognitive styles during pregnancy and offspring depressogenic cognitive styles: an 18-year prospective cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2018 , 59, 604-614	7.9	1
556	Marriage and risk of dementia: systematic review and meta-analysis of observational studies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018 , 89, 231-238	5.5	88
555	Association between a functional interleukin 6 receptor genetic variant and risk of depression and psychosis in a population-based birth cohort. <i>Brain, Behavior, and Immunity</i> , 2018 , 69, 264-272	16.6	65
554	Childhood inflammatory markers and intelligence as predictors of subsequent persistent depressive symptoms: a longitudinal cohort study. <i>Psychological Medicine</i> , 2018 , 48, 1514-1522	6.9	39
553	New insights into the pharmacogenomics of antidepressant response from the GENDEP and STAR*D studies: rare variant analysis and high-density imputation. <i>Pharmacogenomics Journal</i> , 2018 , 18, 413-421	3.5	26
552	Cognitive behavioural therapies versus other psychological therapies for depression. <i>The Cochrane Library</i> , 2018 ,	5.2	78
551	Cognitive behavioural therapies versus treatment as usual for depression. <i>The Cochrane Library</i> , 2018 ,	5.2	78
550	Multimedia-delivered cognitive behavioural therapy versus face-to-face cognitive behavioural therapy for depression in adults. <i>The Cochrane Library</i> , 2018 ,	5.2	1
549	Association of Primary Care Consultation Patterns With Early Signs and Symptoms of Psychosis. <i>JAMA Network Open</i> , 2018 , 1, e185174	10.4	10
548	The association between pubertal status and depressive symptoms and diagnoses in adolescent females: A population-based cohort study. <i>PLoS ONE</i> , 2018 , 13, e0198804	3.7	20
547	Management of treatment-resistant depression in primary care: a mixed-methods study. <i>British Journal of General Practice</i> , 2018 , 68, e673-e681	1.6	7
546	Protocol for the insight study: a randomised controlled trial of single-dose tocilizumab in patients with depression and low-grade inflammation. <i>BMJ Open</i> , 2018 , 8, e025333	3	37
545	70SEVERITY OF DEMENTIA AT DEATH: COHORT STUDY USING ROUTINELY COLLECTED SECONDARY CARE DATA. <i>Age and Ageing</i> , 2018 , 47, iii26-iii27	3	
544	Mirtazapine added to SSRIs or SNRIs for treatment resistant depression in primary care: phase III randomised placebo controlled trial (MIR). <i>BMJ, The</i> , 2018 , 363, k4218	5.9	29
543	Applying polygenic risk scoring for psychiatric disorders to a large family with bipolar disorder and major depressive disorder. <i>Communications Biology</i> , 2018 , 1, 163	6.7	11

542	Dynamical features in fetal and postnatal zinc-copper metabolic cycles predict the emergence of autism spectrum disorder. <i>Science Advances</i> , 2018 , 4, eaat1293	14.3	35
541	Reply to: To the editor: how statistics killed the cat. E. F. Torrey, R. H Yolken. <i>Psychological Medicine</i> , 2018 , 48, 692-692	6.9	
540	Psychological therapies for treatment-resistant depression in adults. <i>The Cochrane Library</i> , 2018 , 5, CD010558	10.5	30
539	Effect of cytochrome CYP2C19 metabolizing activity on antidepressant response and side effects: Meta-analysis of data from genome-wide association studies. <i>European Neuropsychopharmacology</i> , 2018 , 28, 945-954	1.2	43
538	Review of assessment tools for psychotic-like experiences misses the psychosis-like symptoms semi-structured interview (PLIKSi) in ALSPAC. <i>Microbial Biotechnology</i> , 2017 , 11, 269-270	3.3	
537	Childhood interleukin-6, C-reactive protein and atopic disorders as risk factors for hypomanic symptoms in young adulthood: a longitudinal birth cohort study. <i>Psychological Medicine</i> , 2017 , 47, 984-986	6.9	
536	Curiosity killed the cat: no evidence of an association between cat ownership and psychotic symptoms at ages 13 and 18 years in a UK general population cohort. <i>Psychological Medicine</i> , 2017 , 47, 1659-1667	6.9	10
535	The longitudinal association between external locus of control, social cognition and adolescent psychopathology. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 643-655	4.5	27
534	Pharmacogenetics of antidepressant response: A polygenic approach. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 75, 128-134	5.5	54
533	Trajectories of Neighborhood Cohesion in Childhood, and Psychotic and Depressive Symptoms at Age 13 and 18 Years. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017 , 56, 570-577	7.2	22
532	Association of Late Adolescent Personality With Risk for Subsequent Serious Mental Illness Among Men in a Swedish Nationwide Cohort Study. <i>JAMA Psychiatry</i> , 2017 , 74, 703-711	14.5	42
531	Lifetime Prevalence and Correlates of Schizophrenia-Spectrum, Affective, and Other Non-affective Psychotic Disorders in the Chinese Adult Population. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1280-1290	1.3	38
530	Variation in the recall of socially rewarding information and depressive symptom severity: a prospective cohort study. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 489-498	6.5	24
529	An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. <i>Biological Psychiatry</i> , 2017 , 82, 322-329	7.9	68
528	Childhood interleukin-6, C-reactive protein and atopic disorders as risk factors for hypomanic symptoms in young adulthood: a longitudinal birth cohort study. <i>Psychological Medicine</i> , 2017 , 47, 23-33	6.9	21
527	Individuals' Long Term Use of Cognitive Behavioural Skills to Manage their Depression: A Qualitative Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2017 , 45, 46-57	2.1	6
526	Prevalence of anxiety disorders in community dwelling older adults in Hong Kong. <i>International Psychogeriatrics</i> , 2017 , 29, 259-267	3.4	11
525	Genetic Association of Major Depression With Atypical Features and Obesity-Related Immunometabolic Dysregulations. <i>JAMA Psychiatry</i> , 2017 , 74, 1214-1225	14.5	109

524	The Community Navigator Study: a feasibility randomised controlled trial of an intervention to increase community connections and reduce loneliness for people with complex anxiety or depression. <i>Trials</i> , 2017 , 18, 493	2.8	7
523	A randomised controlled trial assessing the severity and duration of depressive symptoms associated with a clinically significant response to sertraline versus placebo, in people presenting to primary care with depression (PANDA trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 1021	2.8	14
522	Trends in levels of self-reported psychological distress among individuals who seek psychiatric services over eight years: a comparison between age groups in three population surveys in Stockholm County. <i>BMC Psychiatry</i> , 2017 , 17, 345	4.2	6
521	Are refugees at increased risk of suicide compared with non-refugee migrants and the host population Anna-Clara Hollander. <i>European Journal of Public Health</i> , 2017 , 27,	2.1	1
520	Why are there discrepancies between depressed patients' Global Rating of Change and scores on the Patient Health Questionnaire depression module? A qualitative study of primary care in England. <i>BMJ Open</i> , 2017 , 7, e014519	3	11
519	Patient-reported outcome measures for monitoring primary care patients with depression: PROMDEP feasibility randomised trial. <i>BMJ Open</i> , 2017 , 7, e015266	3	7
518	Hair Cortisol in Twins: Heritability and Genetic Overlap with Psychological Variables and Stress-System Genes. <i>Scientific Reports</i> , 2017 , 7, 15351	4.9	33
517	The association between paternal and adolescent depressive symptoms: evidence from two population-based cohorts. <i>Lancet Psychiatry</i> , 2017 , 4, 920-926	23.3	35
516	Prevalence and risk factors for HIV, hepatitis B, and hepatitis C in people with severe mental illness: a total population study of Sweden. <i>Lancet Psychiatry</i> , 2017 , 4, 685-693	23.3	33
515	Family socioeconomic position in early life and onset of depressive symptoms and depression: a prospective cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 95-103	4.5	32
514	Meta-analysis of CYP2C19 association with efficacy and side effects of citalopram and escitalopram. <i>European Neuropsychopharmacology</i> , 2017 , 27, S582-S583	1.2	
513	Antidepressants During Pregnancy and Autism in Offspring: Population Based Cohort Study. <i>Obstetrical and Gynecological Survey</i> , 2017 , 72, 689-692	2.4	2
512	Antidepressants during pregnancy and autism in offspring: population based cohort study. <i>BMJ, The</i> , 2017 , 358, j2811	5.9	50
511	Identification of a plasma signature of psychotic disorder in children and adolescents from the Avon Longitudinal Study of Parents and Children (ALSPAC) cohort. <i>Translational Psychiatry</i> , 2017 , 7, e1240	8.6	27
510	An evidence-based approach to the use of telehealth in long-term health conditions: development of an intervention and evaluation through pragmatic randomised controlled trials in patients with depression or raised cardiovascular risk. <i>Programme Grants for Applied Research</i> , 2017 , 5, 1-468	1.5	2
509	Validation of the Chinese Version of the Revised Clinical Interview Schedule: Findings from Hong Kong Mental Morbidity Survey. <i>East Asian Archives of Psychiatry</i> , 2017 , 27, 3-10	1.1	4
508	Refugee migration and risk of schizophrenia and other non-affective psychoses: cohort study of 1.3 million people in Sweden. <i>BMJ, The</i> , 2016 , 352, i1030	5.9	123
507	The influence of school on whether girls develop eating disorders. <i>International Journal of Epidemiology</i> , 2016 , 45, 480-8	7.8	23

506	Longitudinal association between different levels of alcohol consumption and a new onset of depression and generalized anxiety disorder: Results from an international study in primary care. <i>Psychiatry Research</i> , 2016 , 243, 30-4	9.9	43
505	Mirtazapine added to selective serotonin reuptake inhibitors for treatment-resistant depression in primary care (MIR trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 66	2.8	9
504	Pharmacological and psychotherapeutic interventions for management of obsessive-compulsive disorder in adults: a systematic review and network meta-analysis. <i>Lancet Psychiatry</i> , 2016 , 3, 730-733	33.3	176
503	Adolescent over-general memory, life events and mental health outcomes: Findings from a UK cohort study. <i>Memory</i> , 2016 , 24, 348-63	1.8	15
502	Peer victimisation during adolescence and its impact on depression in early adulthood: prospective cohort study in the United Kingdom. <i>British Journal of Sports Medicine</i> , 2016 , 50, 176-83	10.3	9
501	The relative responsiveness of test instruments can be estimated using a meta-analytic approach: an illustration with treatments for depression. <i>Journal of Clinical Epidemiology</i> , 2016 , 77, 68-77	5.7	13
500	Mediation of Developmental Risk Factors for Psychosis by White Matter Microstructure in Young Adults With Psychotic Experiences. <i>JAMA Psychiatry</i> , 2016 , 73, 396-406	14.5	25
499	Are female children more vulnerable to the long-term effects of maternal depression during pregnancy?. <i>Journal of Affective Disorders</i> , 2016 , 189, 329-35	6.6	56
498	Long-term effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: follow-up of the CoBaT randomised controlled trial. <i>Lancet Psychiatry</i> , 2016 , 3, 137-44	23.3	69
497	Usefulness of PHQ-9 in primary care to determine meaningful symptoms of low mood: a qualitative study. <i>British Journal of General Practice</i> , 2016 , 66, e78-84	1.6	27
496	Phenotypic Manifestation of Genetic Risk for Schizophrenia During Adolescence in the General Population. <i>JAMA Psychiatry</i> , 2016 , 73, 221-8	14.5	145
495	Using Data Linkage to Investigate Inconsistent Reporting of Self-Harm and Questionnaire Non-Response. <i>Archives of Suicide Research</i> , 2016 , 20, 113-41	2.3	45
494	The association between maternal-reported responses to infant crying at 4 weeks and 6 months and offspring depression at 18: a longitudinal study. <i>Archives of Women's Mental Health</i> , 2016 , 19, 401-8	5	5
493	Psychotic Experiences and Working Memory: A Population-Based Study Using Signal-Detection Analysis. <i>PLoS ONE</i> , 2016 , 11, e0153148	3.7	18
492	Clinical effectiveness and cost-effectiveness of collaborative care for depression in UK primary care (CADET): a cluster randomised controlled trial. <i>Health Technology Assessment</i> , 2016 , 20, 1-192	4.4	30
491	Antidepressant Controlled Trial For Negative Symptoms In Schizophrenia (ACTIONS): a double-blind, placebo-controlled, randomised clinical trial. <i>Health Technology Assessment</i> , 2016 , 20, 1-46	4.4	15
490	A systematic review of the clinical effectiveness and cost-effectiveness of pharmacological and psychological interventions for the management of obsessive-compulsive disorder in children/adolescents and adults. <i>Health Technology Assessment</i> , 2016 , 20, 1-392	4.4	62
489	Conditional Beliefs of Primary-Care Patients with Treatment-Resistant Depression. <i>Behavioural and Cognitive Psychotherapy</i> , 2016 , 44, 513-26	2.1	

488	No evidence that CBT is less effective than antidepressants in moderate to severe depression. <i>Evidence-Based Mental Health</i> , 2016 , 19, 125	11.1	3
487	A longitudinal investigation of childhood communication ability and adolescent psychotic experiences in a community sample. <i>Schizophrenia Research</i> , 2016 , 173, 54-61	3.6	12
486	Association between childhood psychiatric disorders and psychotic experiences in adolescence: A population-based longitudinal study. <i>Comprehensive Psychiatry</i> , 2016 , 69, 45-52	7.3	14
485	Symptoms of generalized anxiety disorder but not panic disorder at age 15 years increase the risk of depression at 18 years in the Avon Longitudinal Study of Parents and Children (ALSPAC) cohort study. <i>Psychological Medicine</i> , 2016 , 46, 73-85	6.9	17
484	Association between serum C-reactive protein and DSM-IV generalized anxiety disorder in adolescence: Findings from the ALSPAC cohort. <i>Neurobiology of Stress</i> , 2016 , 4, 55-61	7.6	32
483	Effectiveness of an integrated telehealth service for patients with depression: a pragmatic randomised controlled trial of a complex intervention. <i>Lancet Psychiatry</i> , 2016 , 3, 515-25	23.3	48
482	Further research needed for severe and chronic depression in specialist mental health services. <i>Lancet Psychiatry</i> , 2016 , 3, 792-3	23.3	2
481	Volumetric, relaxometric and diffusometric correlates of psychotic experiences in a non-clinical sample of young adults. <i>NeuroImage: Clinical</i> , 2016 , 12, 550-558	5.3	9
480	Network meta-analyses and treatment recommendations for obsessive-compulsive disorder - Authors' reply. <i>Lancet Psychiatry</i> , 2016 , 3, 921-922	23.3	4
479	Mood, anxiety and psychotic phenomena measure a common psychopathological factor. <i>Psychological Medicine</i> , 2015 , 45, 1483-93	6.9	96
478	Prevalence, psychosocial correlates and service utilization of depressive and anxiety disorders in Hong Kong: the Hong Kong Mental Morbidity Survey (HKMMS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1379-88	4.5	82
477	Do eating disorders in parents predict eating disorders in children? Evidence from a Swedish cohort. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 51-9	6.5	20
476	The Avon Longitudinal Study of Parents and Children (ALSPAC) birth cohort as a resource for studying psychopathology in childhood and adolescence: a summary of findings for depression and psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1017-27	4.5	37
475	A population-based prospective birth cohort study of childhood neurocognitive and psychological functioning in healthy survivors of early life meningitis. <i>Annals of Epidemiology</i> , 2015 , 25, 236-42	6.4	17
474	Self-reported school experience as a predictor of self-harm during adolescence: a prospective cohort study in the South West of England (ALSPAC). <i>Journal of Affective Disorders</i> , 2015 , 173, 163-9	6.6	33
473	Examining reward-seeking, negative self-beliefs and over-general autobiographical memory as mechanisms of change in classroom prevention programs for adolescent depression. <i>Journal of Affective Disorders</i> , 2015 , 186, 320-7	6.6	14
472	Hemispheric language asymmetry in first episode psychosis and schizotypy: the role of cannabis consumption and cognitive disorganization. <i>Schizophrenia Bulletin</i> , 2015 , 41 Suppl 2, S455-64	1.3	6
471	Effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse or recurrence (PREVENT): a randomised controlled trial. <i>Lancet, The</i> , 2015 , 386, 63-73	40	278

470	Parental mental illness and eating disorders in offspring. <i>International Journal of Eating Disorders</i> , 2015 , 48, 383-91	6.3	31
469	Schizophrenia-like topological changes in the structural connectome of individuals with subclinical psychotic experiences. <i>Human Brain Mapping</i> , 2015 , 36, 2629-43	5.9	50
468	The influence of school in the development of eating disorders: a record-linkage study. <i>Lancet, The</i> , 2015 , 385 Suppl 1, S24	4.0	
467	The longitudinal association between psychotic experiences, depression and suicidal behaviour in a population sample of adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1809-17	4.5	34
466	Psychotic Experiences, Working Memory, and the Developing Brain: A Multimodal Neuroimaging Study. <i>Cerebral Cortex</i> , 2015 , 25, 4828-38	5.1	19
465	Moderators of response to cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care. <i>Journal of Affective Disorders</i> , 2015 , 174, 272-80	6.6	13
464	Cognitive styles and future depressed mood in early adulthood: the importance of global attributions. <i>Journal of Affective Disorders</i> , 2015 , 171, 60-7	6.6	15
463	Exploring neural dysfunction in 'clinical high risk' for psychosis: a quantitative review of fMRI studies. <i>Journal of Psychiatric Research</i> , 2015 , 61, 122-34	5.2	30
462	Social factors associated with readiness for sexual activity in adolescents: a population-based cohort study. <i>Archives of Sexual Behavior</i> , 2015 , 44, 669-78	3.5	9
461	Minimal clinically important difference on the Beck Depression Inventory--II according to the patient's perspective. <i>Psychological Medicine</i> , 2015 , 45, 3269-79	6.9	151
460	Risk of depression and self-harm in teenagers identifying with goth subculture: a longitudinal cohort study. <i>Lancet Psychiatry, the</i> , 2015 , 2, 793-800	23.3	21
459	OP24 Associations of cannabis and cigarette use with depression and anxiety at age 18: findings from the avon longitudinal study of parents and children. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, A19.2-A19	5.1	
458	PP37 Use of mendelian randomisation to assess whether smoking is causally associated with alcohol consumption. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, A68.2-A68	5.1	
457	Authors' reply to Males. <i>BMJ, The</i> , 2015 , 350, h3648	5.9	
456	Associations of cannabis and cigarette use with depression and anxiety at age 18: findings from the Avon Longitudinal Study of Parents and Children. <i>PLoS ONE</i> , 2015 , 10, e0122896	3.7	52
455	Associations of Cannabis and Tobacco Use with Depression at Age 18: Findings from the Avon Longitudinal Study of Parents and Children.. <i>International Journal of Epidemiology</i> , 2015 , 44, i282-i283	7.8	
454	Overcoming the effects of false positives and threshold bias in graph theoretical analyses of neuroimaging data. <i>NeuroImage</i> , 2015 , 118, 313-33	7.9	85
453	The association between lower educational attainment and depression owing to shared genetic effects? Results in ~25,000 subjects. <i>Molecular Psychiatry</i> , 2015 , 20, 735-43	15.1	39

452	Peer victimisation during adolescence and its impact on depression in early adulthood: prospective cohort study in the United Kingdom. <i>BMJ, The</i> , 2015 , 350, h2469	5.9	76
451	Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2008 British Association for Psychopharmacology guidelines. <i>Journal of Psychopharmacology</i> , 2015 , 29, 459-525	4.6	381
450	Childhood sleep disturbance and risk of psychotic experiences at 18: UK birth cohort. <i>British Journal of Psychiatry</i> , 2015 , 207, 23-9	5.4	34
449	TElehealth in CHronic disease: mixed-methods study to develop the TECH conceptual model for intervention design and evaluation. <i>BMJ Open</i> , 2015 , 5, e006448	3	45
448	Genetic Differences in the Immediate Transcriptome Response to Stress Predict Risk-Related Brain Function and Psychiatric Disorders. <i>Neuron</i> , 2015 , 86, 1189-202	13.9	79
447	Fear of negative evaluation biases social evaluation inference: evidence from a probabilistic learning task. <i>PLoS ONE</i> , 2015 , 10, e0119456	3.7	11
446	Possible Association of APOE Genotype with Working Memory in Young Adults. <i>PLoS ONE</i> , 2015 , 10, e0135894	3.7	9
445	Proactive and Reactive Response Inhibition across the Lifespan. <i>PLoS ONE</i> , 2015 , 10, e0140383	3.7	36
444	The effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse/recurrence: results of a randomised controlled trial (the PREVENT study). <i>Health Technology Assessment</i> , 2015 , 19, 1-124	4.4	36
443	Adverse effects from antidepressant treatment: randomised controlled trial of 601 depressed individuals. <i>Psychopharmacology</i> , 2014 , 231, 2921-31	4.7	45
442	Genetic predictors of antidepressant side effects: a grouped candidate gene approach in the Genome-Based Therapeutic Drugs for Depression (GENDEP) study. <i>Journal of Psychopharmacology</i> , 2014 , 28, 142-50	4.6	13
441	Risk of low Apgar scores and socioeconomic status over a 30-year period. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014 , 27, 603-7	2	4
440	Sibling bullying and risk of depression, anxiety, and self-harm: a prospective cohort study. <i>Pediatrics</i> , 2014 , 134, e1032-9	7.4	97
439	Prevention of anxiety and depression in Chinese: a randomized clinical trial testing the effectiveness of a stepped care program in primary care. <i>Journal of Affective Disorders</i> , 2014 , 169, 212-20	6.6	17
438	Directional relationships between alcohol use and antisocial behavior across adolescence. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 2024-33	3.7	15
437	Network Meta-Analysis of the Relative Efficacy of Pharmacological and Psychological Interventions in Adults with Obsessive Compulsive Disorder. <i>Value in Health</i> , 2014 , 17, A454-5	3.3	1
436	Prescribing Anti-Depressants by Baseline Severity: Evidence Synthesis, Economic Model and Value of Information Analysis. <i>Value in Health</i> , 2014 , 17, A458	3.3	
435	Childhood Epstein-Barr Virus infection and subsequent risk of psychotic experiences in adolescence: a population-based prospective serological study. <i>Schizophrenia Research</i> , 2014 , 158, 19-24	3.6	51

434	P.2.a.021 Genome-wide association study of antidepressant-induced sexual dysfunction in depressed males. <i>European Neuropsychopharmacology</i> , 2014 , 24, S373-S374	1.2	
433	Differences in risk factors for self-harm with and without suicidal intent: findings from the ALSPAC cohort. <i>Journal of Affective Disorders</i> , 2014 , 168, 407-14	6.6	81
432	Update to the study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment depressive relapse/recurrence: the PREVENT trial. <i>Trials</i> , 2014 , 15, 217	2.8	10
431	World region of origin and common mental disorders among migrant women in Spain. <i>Journal of Immigrant and Minority Health</i> , 2014 , 16, 1111-20	2.2	8
430	IQ and adolescent self-harm behaviours in the ALSPAC birth cohort. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 175-82	6.6	14
429	Perinatal maternal life events and psychotic experiences in children at twelve years in a birth cohort study. <i>Schizophrenia Research</i> , 2014 , 152, 158-63	3.6	30
428	Childhood traumatic events and adolescent overgeneral autobiographical memory: findings in a U.K. cohort. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014 , 45, 330-8	2.6	14
427	Father absence and timing of menarche in adolescent girls from a UK cohort: the mediating role of maternal depression and major financial problems. <i>Journal of Adolescence</i> , 2014 , 37, 291-301	3.4	33
426	Copy number variants and therapeutic response to antidepressant medication in major depressive disorder. <i>Pharmacogenomics Journal</i> , 2014 , 14, 395-9	3.5	18
425	Developmental pathways from childhood conduct problems to early adult depression: findings from the ALSPAC cohort. <i>British Journal of Psychiatry</i> , 2014 , 205, 17-23	5.4	48
424	Adolescent alcohol use is positively associated with later depression in a population-based U.K. cohort. <i>Journal of Studies on Alcohol and Drugs</i> , 2014 , 75, 758-65	1.9	38
423	Cortisol awakening response and subsequent depression: prospective longitudinal study. <i>British Journal of Psychiatry</i> , 2014 , 204, 137-43	5.4	39
422	Childhood parasomnias and psychotic experiences at age 12 years in a United Kingdom birth cohort. <i>Sleep</i> , 2014 , 37, 475-82	1.1	48
421	Polygenic scores predict alcohol problems in an independent sample and show moderation by the environment. <i>Genes</i> , 2014 , 5, 330-46	4.2	58
420	Cost-effectiveness of cognitive-behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: economic evaluation of the CoBaT Trial. <i>British Journal of Psychiatry</i> , 2014 , 204, 69-76	5.4	19
419	Validity of the Short Mood and Feelings Questionnaire in late adolescence. <i>Psychological Assessment</i> , 2014 , 26, 752-62	5.3	85
418	Participants' experiences of facilitated physical activity for the management of depression in primary care. <i>Journal of Health Psychology</i> , 2014 , 19, 1430-42	3.1	13
417	A population-based study of genetic variation and psychotic experiences in adolescents. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1254-62	1.3	59

416	Clinical and social outcomes of adolescent self harm: population based birth cohort study. <i>BMJ, The</i> , 2014 , 349, g5954	5.9	137
415	Evaluating the role of a galanin enhancer genotype on a range of metabolic, depressive and addictive phenotypes. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 654-64	3.5	4
414	Getting the measure of outcomes in clinical practice. <i>Advances in Psychiatric Treatment</i> , 2014 , 20, 165-171		5
413	Genetic susceptibility for bipolar disorder and response to antidepressants in major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 77-83	3.5	13
412	Mothers' own recollections of being parented and risk of offspring depression 18 years later: a prospective cohort study. <i>Depression and Anxiety</i> , 2014 , 31, 38-43	8.4	5
411	Peer victimization during adolescence and risk for anxiety disorders in adulthood: a prospective cohort study. <i>Depression and Anxiety</i> , 2014 , 31, 574-82	8.4	96
410	Childhood internalizing symptoms are negatively associated with early adolescent alcohol use. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 1680-8	3.7	25
409	Scientific rigor and the art of motorcycle maintenance. <i>Nature Biotechnology</i> , 2014 , 32, 871-3	44.5	26
408	The association between depressive symptoms from early to late adolescence and later use and harmful use of alcohol. <i>European Child and Adolescent Psychiatry</i> , 2014 , 23, 1219-30	5.5	46
407	Associations of cannabis and cigarette use with psychotic experiences at age 18: findings from the Avon Longitudinal Study of Parents and Children. <i>Psychological Medicine</i> , 2014 , 44, 3435-44	6.9	70
406	Association of serum interleukin 6 and C-reactive protein in childhood with depression and psychosis in young adult life: a population-based longitudinal study. <i>JAMA Psychiatry</i> , 2014 , 71, 1121-8	14.5	476
405	Common versus psychopathology-specific risk factors for psychotic experiences and depression during adolescence. <i>Psychological Medicine</i> , 2014 , 44, 2557-66	6.9	27
404	A population-based longitudinal study of childhood neurodevelopmental disorders, IQ and subsequent risk of psychotic experiences in adolescence. <i>Psychological Medicine</i> , 2014 , 44, 3229-38	6.9	32
403	Individual- and area-level influence on suicide risk: a multilevel longitudinal study of Swedish schoolchildren. <i>Psychological Medicine</i> , 2014 , 44, 267-77	6.9	18
402	Allowing for non-adherence to treatment in a randomized controlled trial of two antidepressants (citalopram versus reboxetine): an example from the GENPOD trial. <i>Psychological Medicine</i> , 2014 , 44, 2855-66	6.9	10
401	Cost-effectiveness of classroom-based cognitive behaviour therapy in reducing symptoms of depression in adolescents: a trial-based analysis. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014 , 55, 1390-7	7.9	19
400	Bullying in elementary school and psychotic experiences at 18 years: a longitudinal, population-based cohort study. <i>Psychological Medicine</i> , 2014 , 44, 2199-211	6.9	95
399	Are multiple physical symptoms a poor prognostic factor or just a marker of depression severity? Secondary analysis of the GenPod trial. <i>Journal of Affective Disorders</i> , 2014 , 163, 40-6	6.6	1

398	A population-based study of atopic disorders and inflammatory markers in childhood before psychotic experiences in adolescence. <i>Schizophrenia Research</i> , 2014 , 152, 139-45	3.6	52
397	Parental socio-economic position during childhood as a determinant of self-harm in adolescence. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 193-203	4.5	26
396	The longitudinal association between social functioning and theory of mind in first-episode psychosis. <i>Cognitive Neuropsychiatry</i> , 2014 , 19, 58-80	2	15
395	Outcomes of childhood conduct problem trajectories in early adulthood: findings from the ALSPAC study. <i>European Child and Adolescent Psychiatry</i> , 2014 , 23, 539-49	5.5	50
394	Cost-effectiveness of collaborative care for depression in UK primary care: economic evaluation of a randomised controlled trial (CADET). <i>PLoS ONE</i> , 2014 , 9, e104225	3.7	33
393	Longitudinal associations between adolescent psychotic experiences and depressive symptoms. <i>PLoS ONE</i> , 2014 , 9, e105758	3.7	26
392	Socioeconomic status and alcohol-related behaviors in mid- to late adolescence in the Avon Longitudinal Study of Parents and Children. <i>Journal of Studies on Alcohol and Drugs</i> , 2014 , 75, 541-5	1.9	41
391	Clinical effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: the CoBaT randomised controlled trial. <i>Health Technology Assessment</i> , 2014 , 18, 1-167, vii-viii	4.4	51
390	The Hong Kong mental morbidity survey: background and study design. <i>East Asian Archives of Psychiatry</i> , 2014 , 24, 30-6	1.1	16
389	Theory of mind and social functioning in first episode psychosis. <i>Cognitive Neuropsychiatry</i> , 2013 , 18, 219-42	2	17
388	Contribution of common genetic variants to antidepressant response. <i>Biological Psychiatry</i> , 2013 , 73, 679-82	7.9	146
387	Psychotic experiences and social functioning: a longitudinal study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1053-65	4.5	6
386	Adolescent alcohol use is predicted by childhood temperament factors before age 5, with mediation through personality and peers. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 2108-17	3.7	30
385	Cross-cultural patterns of the association between varying levels of alcohol consumption and the common mental disorders of depression and anxiety: secondary analysis of the WHO Collaborative Study on Psychological Problems in General Health Care. <i>Drug and Alcohol Dependence</i> , 2013 , 133, 825-31	4.9	37
384	'Third wave' cognitive and behavioural therapies versus other psychological therapies for depression. <i>The Cochrane Library</i> , 2013 , CD008704	5.2	63
383	'Third wave' cognitive and behavioural therapies versus treatment as usual for depression. <i>The Cochrane Library</i> , 2013 , CD008705	5.2	35
382	Cognitive behavioural therapy as an adjunct to pharmacotherapy for primary care based patients with treatment resistant depression: results of the CoBaT randomised controlled trial. <i>Lancet, The</i> , 2013 , 381, 375-84	4.0	223
381	Cognitive behavioural therapy for treatment-resistant depression - Authors' reply. <i>Lancet, The</i> , 2013 , 381, 1814-5	4.0	3

380	No pain, no gain: depressed clients' experiences of cognitive behavioural therapy. <i>British Journal of Clinical Psychology</i> , 2013 , 52, 347-64	3.6	30
379	Systematic review and meta-analysis of serotonin transporter genotype and discontinuation from antidepressant treatment. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1143-50	1.2	19
378	Being bullied during childhood and the prospective pathways to self-harm in late adolescence. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013 , 52, 608-18.e2	7.2	92
377	The relationship between psychotic symptoms and social functioning in a non-clinical population of 12year olds. <i>Schizophrenia Research</i> , 2013 , 150, 404-9	3.6	16
376	Social anxiety is associated with general but not specific biases in emotion recognition. <i>Psychiatry Research</i> , 2013 , 210, 199-207	9.9	30
375	A mega-analysis of genome-wide association studies for major depressive disorder. <i>Molecular Psychiatry</i> , 2013 , 18, 497-511	15.1	853
374	Conduct problem trajectories and alcohol use and misuse in mid to late adolescence. <i>Drug and Alcohol Dependence</i> , 2013 , 133, 100-7	4.9	25
373	Early menarche and depressive symptoms from adolescence to young adulthood in a UK cohort. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013 , 52, 591-8.e2	7.2	30
372	Psychological therapies for treatment-resistant depression in adults. <i>The Cochrane Library</i> , 2013 ,	5.2	2
371	Defective processing speed and nonclinical psychotic experiences in children: longitudinal analyses in a large birth cohort. <i>American Journal of Psychiatry</i> , 2013 , 170, 550-7	11.9	36
370	Psychotic experiences and psychotic disorders at age 18 in relation to psychotic experiences at age 12 in a longitudinal population-based cohort study. <i>American Journal of Psychiatry</i> , 2013 , 170, 742-50	11.9	206
369	Maternal depression during pregnancy and the postnatal period: risks and possible mechanisms for offspring depression at age 18 years. <i>JAMA Psychiatry</i> , 2013 , 70, 1312-9	14.5	371
368	Association between maternal depressogenic cognitive style during pregnancy and offspring cognitive style 18 years later. <i>American Journal of Psychiatry</i> , 2013 , 170, 434-41	11.9	30
367	Depression in paediatric chronic fatigue syndrome. <i>Archives of Disease in Childhood</i> , 2013 , 98, 425-8	2.2	54
366	Pathways between childhood victimization and psychosis-like symptoms in the ALSPAC birth cohort. <i>Schizophrenia Bulletin</i> , 2013 , 39, 1045-55	1.3	130
365	Clinical effectiveness of collaborative care for depression in UK primary care (CADET): cluster randomised controlled trial. <i>BMJ, The</i> , 2013 , 347, f4913	5.9	136
364	Parental depression, maternal antidepressant use during pregnancy, and risk of autism spectrum disorders: population based case-control study. <i>BMJ, The</i> , 2013 , 346, f2059	5.9	226
363	Patients' experiences of participating in a large-scale trial of cognitive behavioural therapy for depression: a mixed methods study. <i>Family Practice</i> , 2013 , 30, 705-11	1.9	10

362	Early life socio-economic position and later alcohol use: birth cohort study. <i>Addiction</i> , 2013 , 108, 516-25	4.6	33
361	Commentary on Griffith-Lendering et al. (2013): cross-lagging cannabis and psychosis vulnerability. <i>Addiction</i> , 2013 , 108, 741-2	4.6	
360	Dimensions of parental alcohol use/problems and offspring temperament, externalizing behaviors, and alcohol use/problems. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 2118-27	3.7	34
359	Childhood conduct disorder trajectories, prior risk factors and cannabis use at age 16: birth cohort study. <i>Addiction</i> , 2013 , 108, 2129-38	4.6	43
358	Prenatal maternal infection, neurodevelopment and adult schizophrenia: a systematic review of population-based studies. <i>Psychological Medicine</i> , 2013 , 43, 239-57	6.9	284
357	Sleep disturbances and depressive symptoms: an investigation of their longitudinal association in a representative sample of the UK general population. <i>Psychological Medicine</i> , 2013 , 43, 329-39	6.9	20
356	Use of self-administered instruments to assess psychiatric disorders in older people: validity of the General Health Questionnaire, the Center for Epidemiologic Studies Depression Scale and the self-completion version of the revised Clinical Interview Schedule. <i>Psychological Medicine</i> , 2013 , 43, 2649-56	6.9	57
355	Prevalence of treatment-resistant depression in primary care: cross-sectional data. <i>British Journal of General Practice</i> , 2013 , 63, e852-8	1.6	80
354	Lack of association between COMT and working memory in a population-based cohort of healthy young adults. <i>Neuropsychopharmacology</i> , 2013 , 38, 1253-63	8.7	39
353	Republished research: Facilitated physical activity as a treatment for depressed adults: randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2013 , 47, 629-629	10.3	0
352	Pharmacological interventions for treatment-resistant depression in adults. <i>The Cochrane Library</i> , 2013 ,	5.2	3
351	A cluster randomised controlled trial to determine the clinical effectiveness and cost-effectiveness of classroom-based cognitive-behavioural therapy (CBT) in reducing symptoms of depression in high-risk adolescents. <i>Health Technology Assessment</i> , 2013 , 17, vii-xvii, 1-109	4.4	36
350	Epilepsy and psychiatric comorbidity: a nationally representative population-based study. <i>Epilepsia</i> , 2012 , 53, 1095-103	6.4	189
349	Assessing negative cognitive style: Development and validation of a Short-Form version of the Cognitive Style Questionnaire. <i>Personality and Individual Differences</i> , 2012 , 52, 581-585	3.3	28
348	Facilitated physical activity as a treatment for depressed adults: randomised controlled trial. <i>BMJ</i> , 2012 , 344, e2758	5.9	122
347	Social inference and social anxiety: evidence of a fear-congruent self-referential learning bias. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2012 , 43, 1082-7	2.6	15
346	Cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment resistant depression in primary care: the CoBaT randomised controlled trial protocol. <i>Contemporary Clinical Trials</i> , 2012 , 33, 312-9	2.3	27
345	The association between early autistic traits and psychotic experiences in adolescence. <i>Schizophrenia Research</i> , 2012 , 135, 164-9	3.6	61

344	Childhood infection and adult schizophrenia: a meta-analysis of population-based studies. <i>Schizophrenia Research</i> , 2012 , 139, 161-8	3.6	159
343	Trajectories of change in self-reported psychotic-like experiences in childhood and adolescence. <i>Schizophrenia Research</i> , 2012 , 140, 104-9	3.6	30
342	General Practitioners' beliefs about physical activity for managing depression in primary care. <i>Mental Health and Physical Activity</i> , 2012 , 5, 13-19	5	18
341	Parental socioeconomic status and risk of offspring autism spectrum disorders in a Swedish population-based study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2012 , 51, 467-476.e6	7.2	136
340	Adolescent self-harm and suicidal thoughts in the ALSPAC cohort: a self-report survey in England. <i>BMC Psychiatry</i> , 2012 , 12, 69	4.2	80
339	Prenatal and early life exposure to stressful life events and risk of autism spectrum disorders: population-based studies in Sweden and England. <i>PLoS ONE</i> , 2012 , 7, e38893	3.7	41
338	Authors' reply to Davies and colleagues, Donnelly, and Pilling and Anderson. <i>BMJ, The</i> , 2012 , 345, e4500-e4500.2	5.9	2
337	Exploring patients' reasons for declining contact in a cognitive behavioural therapy randomised controlled trial in primary care. <i>British Journal of General Practice</i> , 2012 , 62, e371-7	1.6	25
336	Factors associated with differential response to online cognitive behavioural therapy. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 827-33	4.5	44
335	Physical activity and depression in adolescents: cross-sectional findings from the ALSPAC cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1023-33	4.5	48
334	The association of serum 25-hydroxyvitamin D3 and D2 with depressive symptoms in childhood--a prospective cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2012 , 53, 757-66	7.9	48
333	40,000 memories in young teenagers: psychometric properties of the Autobiographical Memory Test in a UK cohort study. <i>Memory</i> , 2012 , 20, 300-20	1.8	51
332	Genetic predictors of response to serotonergic and noradrenergic antidepressants in major depressive disorder: a genome-wide analysis of individual-level data and a meta-analysis. <i>PLoS Medicine</i> , 2012 , 9, e1001326	11.6	94
331	Severity of depression and response to antidepressants: GENPOD randomised controlled trial. <i>British Journal of Psychiatry</i> , 2012 , 200, 130-6	5.4	18
330	Classroom based cognitive behavioural therapy in reducing symptoms of depression in high risk adolescents: pragmatic cluster randomised controlled trial. <i>BMJ, The</i> , 2012 , 345, e6058	5.9	78
329	Does baseline fatigue influence treatment response to reboxetine or citalopram in depression? An open label randomized controlled trial. <i>Journal of Psychopharmacology</i> , 2012 , 26, 663-9	4.6	5
328	Investigation of thyroid dysfunction is more likely in patients with high psychological morbidity. <i>Family Practice</i> , 2012 , 29, 163-7	1.9	16
327	Psychological distress and risk of long-term disability: population-based longitudinal study. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 586-92	5.1	66

326	Patterns of alcohol use and multiple risk behaviour by gender during early and late adolescence: the ALSPAC cohort. <i>Journal of Public Health</i> , 2012 , 34 Suppl 1, i20-30	3.5	106
325	Association between pubertal development and depressive symptoms in girls from a UK cohort. <i>Psychological Medicine</i> , 2012 , 42, 2579-89	6.9	49
324	A U-shaped relationship between systolic blood pressure and panic symptoms: the HUNT study. <i>Psychological Medicine</i> , 2012 , 42, 1969-76	6.9	9
323	Understanding emotion: lessons from anxiety. <i>Behavioral and Brain Sciences</i> , 2012 , 35, 145	0.9	2
322	Patterns of alcohol use in early adolescence predict problem use at age 16. <i>Alcohol and Alcoholism</i> , 2012 , 47, 169-77	3.5	49
321	Effects of emotion perception training on mood in undergraduate students: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2012 , 201, 71-2	5.4	49
320	Detection of patient psychological distress and longitudinal patient-doctor relationships: a cross-sectional study. <i>British Journal of General Practice</i> , 2012 , 62, e167-73	1.6	5
319	The association of 25-hydroxyvitamin D3 and D2 with behavioural problems in childhood. <i>PLoS ONE</i> , 2012 , 7, e40097	3.7	24
318	Serum 25-hydroxyvitamin D3 and D2 and non-clinical psychotic experiences in childhood. <i>PLoS ONE</i> , 2012 , 7, e41575	3.7	25
317	A pragmatic randomised controlled trial to evaluate the cost-effectiveness of a physical activity intervention as a treatment for depression: the treating depression with physical activity (TREAD) trial. <i>Health Technology Assessment</i> , 2012 , 16, 1-164, iii-iv	4.4	44
316	Examining the association between maternal analgesic use during pregnancy and risk of psychotic symptoms during adolescence. <i>Schizophrenia Research</i> , 2011 , 126, 220-5	3.6	18
315	An empirical investigation of the structure of anxiety and depressive symptoms in late adolescence: cross-sectional study using the Greek version of the revised Clinical Interview Schedule. <i>Psychiatry Research</i> , 2011 , 186, 419-26	9.9	14
314	Panic disorder and subthreshold panic in the UK general population: epidemiology, comorbidity and functional limitation. <i>European Psychiatry</i> , 2011 , 26, 354-62	6	30
313	Involving patients with depression in research: survey of patients' attitudes to participation. <i>British Journal of General Practice</i> , 2011 , 61, 134-41	1.6	30
312	Patients' views of physical activity as treatment for depression: a qualitative study. <i>British Journal of General Practice</i> , 2011 , 61, 149-56	1.6	61
311	Postnatal depression in women after unsuccessful attempted abortion. <i>British Journal of Psychiatry</i> , 2011 , 198, 237-8	5.4	6
310	Polymorphism of the 5-HT transporter and response to antidepressants: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2011 , 198, 464-71	5.4	51
309	Testing a level of response to alcohol-based model of heavy drinking and alcohol problems in 1,905 17-year-olds. <i>Alcoholism: Clinical and Experimental Research</i> , 2011 , 35, 1897-904	3.7	23

308	Childhood diet and behavioural problems: results from the ALSPAC cohort. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 720-6	5.2	14
307	The association between bullying and early stages of suicidal ideation in late adolescents in Greece. <i>BMC Psychiatry</i> , 2011 , 11, 22	4.2	38
306	Association between locus of control in childhood and psychotic symptoms in early adolescence: results from a large birth cohort. <i>Cognitive Neuropsychiatry</i> , 2011 , 16, 385-402	2	35
305	The incidence and associated risk factors for sudden unexplained death in psychiatric in-patients in England and Wales. <i>Journal of Psychopharmacology</i> , 2011 , 25, 1533-42	4.6	12
304	Cannabis, COMT and psychotic experiences. <i>British Journal of Psychiatry</i> , 2011 , 199, 380-5	5.4	100
303	P2-327 Physical activity and depression in adolescents: cross-sectional results from the ALSPAC cohort. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A312-A313	5.1	
302	Long-term impact of poor birth condition on social and economic outcomes in early adulthood. <i>Pediatrics</i> , 2011 , 127, e1498-504	7.4	17
301	Patient-doctor depth-of-relationship scale: development and validation. <i>Annals of Family Medicine</i> , 2011 , 9, 538-45	2.9	37
300	Age- and puberty-dependent association between IQ score in early childhood and depressive symptoms in adolescence. <i>Psychological Medicine</i> , 2011 , 41, 333-43	6.9	21
299	Misconceptions about gene-environment interactions in psychiatry. <i>Evidence-Based Mental Health</i> , 2011 , 13, 65-68	11.1	32
298	Childhood facial emotion recognition and psychosis-like symptoms in a nonclinical population at 12 years of age: results from the ALSPAC birth cohort. <i>Cognitive Neuropsychiatry</i> , 2011 , 16, 136-57	2	12
297	Timing of menarche and depressive symptoms in adolescent girls from a UK cohort. <i>British Journal of Psychiatry</i> , 2011 , 198, 17-23, sup 1-2	5.4	75
296	Adolescent alcohol and tobacco use and early socioeconomic position: the ALSPAC birth cohort. <i>Pediatrics</i> , 2011 , 127, e948-55	7.4	125
295	Depression and anxiety in children with CFS/ME: cause or effect?. <i>Archives of Disease in Childhood</i> , 2011 , 96, 211-4	2.2	28
294	The association between birth condition and neuropsychological functioning and educational attainment at school age: a cohort study. <i>Archives of Disease in Childhood</i> , 2011 , 96, 30-7	2.2	18
293	Characterisation of zuclopenthixol metabolism by in vitro and therapeutic drug monitoring studies. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 444-53	6.5	81
292	Ethnicity and coercion among involuntarily detained psychiatric in-patients. <i>British Journal of Psychiatry</i> , 2010 , 196, 75-6	5.4	29
291	Paternal and maternal ages at conception and risk of bipolar affective disorder in their offspring. <i>Psychological Medicine</i> , 2010 , 40, 477-85	6.9	56

290	Cost-effectiveness of therapist-delivered online cognitive-behavioural therapy for depression: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2010 , 197, 297-304	5.4	78
289	Common mental disorders in late pregnancy in women who wanted or attempted an abortion. <i>Psychological Medicine</i> , 2010 , 40, 1467-73	6.9	5
288	The study of gene-environment interactions in psychiatry: limited gains at a substantial cost?. <i>Psychological Medicine</i> , 2010 , 40, 711-716	6.9	19
287	Common mental disorders, subthreshold symptoms and disability: longitudinal study. <i>British Journal of Psychiatry</i> , 2010 , 197, 411-2	5.4	44
286	Behavioural therapies versus treatment as usual for depression. <i>The Cochrane Library</i> , 2010 ,	5.2	3
285	Individuals, schools, and neighborhood: a multilevel longitudinal study of variation in incidence of psychotic disorders. <i>Archives of General Psychiatry</i> , 2010 , 67, 914-22		102
284	Psychodynamic therapies versus other psychological therapies for depression. <i>The Cochrane Library</i> , 2010 ,	5.2	2
283	Cognitive behavioural therapies versus other psychological therapies for depression. <i>The Cochrane Library</i> , 2010 ,	5.2	6
282	Defining Replication: A Response to Kaufman and Colleagues. <i>Biological Psychiatry</i> , 2010 , 67, e21-e23	7.9	6
281	Perinatal folate-related exposures and risk of psychotic symptoms in the ALSPAC birth cohort. <i>Schizophrenia Research</i> , 2010 , 120, 177-83	3.6	13
280	Rationale and development of the physical activity counselling intervention for a pragmatic TRIal of Exercise and Depression in the UK (TREAD-UK). <i>Mental Health and Physical Activity</i> , 2010 , 3, 85-91	5	28
279	Mental health of UK Afghan and Iraq veterans. <i>Lancet, The</i> , 2010 , 375, 1758-60	40	0
278	Violence against women by their intimate partner during pregnancy and postnatal depression: a prospective cohort study. <i>Lancet, The</i> , 2010 , 376, 903-10	40	211
277	Humanistic therapies versus other psychological therapies for depression. <i>The Cochrane Library</i> , 2010 , 2010,	5.2	2
276	Mindfulness-based 'third wave' cognitive and behavioural therapies versus other psychological therapies for depression. <i>Cochrane Database of Systematic Reviews</i> , 2010 ,		16
275	Psychodynamic therapies versus treatment as usual for depression. <i>The Cochrane Library</i> , 2010 ,	5.2	2
274	Examining interactions between risk factors for psychosis. <i>British Journal of Psychiatry</i> , 2010 , 197, 207-11	5.4	49
273	Interpersonal, cognitive analytic and other integrative therapies versus other psychological therapies for depression. <i>The Cochrane Library</i> , 2010 ,	5.2	2

272	Humanistic therapies versus treatment as usual for depression. <i>The Cochrane Library</i> , 2010 ,	5.2	3
271	Interpersonal, cognitive analytic and other integrative therapies versus treatment as usual for depression. <i>The Cochrane Library</i> , 2010 ,	5.2	6
270	Behavioural therapies versus other psychological therapies for depression. <i>Cochrane Database of Systematic Reviews</i> , 2010 ,		9
269	Mindfulness-based 'third wave' cognitive and behavioural therapies versus treatment as usual for depression. <i>Cochrane Database of Systematic Reviews</i> , 2010 ,		7
268	Cognitive behavioural therapies versus treatment as usual for depression. <i>The Cochrane Library</i> , 2010 ,	5.2	9
267	Efficacy and acceptability of selective serotonin reuptake inhibitors for the treatment of depression in Parkinson's disease: a systematic review and meta-analysis of randomized controlled trials. <i>BMC Neurology</i> , 2010 , 10, 49	3.1	70
266	Physical activity as a treatment for depression: the TREAD randomised trial protocol. <i>Trials</i> , 2010 , 11, 105	2.8	13
265	Protocol for a randomised controlled trial of a school based cognitive behaviour therapy (CBT) intervention to prevent depression in high risk adolescents (PROMISE). <i>Trials</i> , 2010 , 11, 114	2.8	13
264	Study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment in the prevention of depressive relapse/recurrence: the PREVENT trial. <i>Trials</i> , 2010 , 11, 99	2.8	29
263	Misconceptions about gene-environment interactions in psychiatry. <i>Evidence-Based Mental Health</i> , 2010 , 13, 65-8	11.1	22
262	A pragmatic randomised controlled trial to compare antidepressants with a community-based psychosocial intervention for the treatment of women with postnatal depression: the RESPOND trial. <i>Health Technology Assessment</i> , 2010 , 14, iii-iv, ix-xi, 1-153	4.4	59
261	Association of measures of fetal and childhood growth with non-clinical psychotic symptoms in 12-year-olds: the ALSPAC cohort. <i>British Journal of Psychiatry</i> , 2009 , 194, 521-6	5.4	24
260	Investigating whether adverse prenatal and perinatal events are associated with non-clinical psychotic symptoms at age 12 years in the ALSPAC birth cohort. <i>Psychological Medicine</i> , 2009 , 39, 1457-67	6.9	87
259	The patient-doctor relationship: a synthesis of the qualitative literature on patients' perspectives. <i>British Journal of General Practice</i> , 2009 , 59, e116-33	1.6	180
258	Prospective study of peer victimization in childhood and psychotic symptoms in a nonclinical population at age 12 years. <i>Archives of General Psychiatry</i> , 2009 , 66, 527-36		260
257	Collaborative Depression Trial (CADET): multi-centre randomised controlled trial of collaborative care for depression--study protocol. <i>BMC Health Services Research</i> , 2009 , 9, 188	2.9	27
256	Psychopathy among prisoners in England and Wales. <i>International Journal of Law and Psychiatry</i> , 2009 , 32, 134-41	2.6	96
255	Emotional symptoms in children: The effect of maternal depression, life events, and COMT genotype. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 209-18	3.5	19

254	Effects of stressful life events, maternal depression and 5-HTTLPR genotype on emotional symptoms in pre-adolescent children. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 670-82	3.5	50
253	Is low IQ associated with an increased risk of developing suicidal thoughts? A cohort study based on an 18-month follow-up of the national psychiatric morbidity survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 34-8	4.5	18
252	If cannabis caused schizophrenia--how many cannabis users may need to be prevented in order to prevent one case of schizophrenia? England and Wales calculations. <i>Addiction</i> , 2009 , 104, 1856-61	4.6	40
251	'Junk food' diet and childhood behavioural problems: results from the ALSPAC cohort. <i>European Journal of Clinical Nutrition</i> , 2009 , 63, 491-8	5.2	82
250	Is socioeconomic status in early life associated with drug use? A systematic review of the evidence. <i>Drug and Alcohol Review</i> , 2009 , 28, 142-53	3.2	86
249	Gene X environment interactions at the serotonin transporter locus. <i>Biological Psychiatry</i> , 2009 , 65, 211-9	9.9	475
248	P.2.c.015 Efficacy of SSRIs in treating depression in patients with ischaemic heart disease, a meta-analysis. <i>European Neuropsychopharmacology</i> , 2009 , 19, S412	1.2	
247	Resuscitation at birth and cognition at 8 years of age: a cohort study. <i>Lancet, The</i> , 2009 , 373, 1615-22	40	106
246	Therapist-delivered Internet psychotherapy for depression in primary care: a randomised controlled trial. <i>Lancet, The</i> , 2009 , 374, 628-34	40	271
245	Reboxetine versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2009 ,	5.2	4
244	Maternal tobacco, cannabis and alcohol use during pregnancy and risk of adolescent psychotic symptoms in offspring. <i>British Journal of Psychiatry</i> , 2009 , 195, 294-300	5.4	68
243	Cannabis and suicide: longitudinal study. <i>British Journal of Psychiatry</i> , 2009 , 195, 492-7	5.4	62
242	Is the association of hypertension and panic disorder explained by clustering of autonomic panic symptoms in hypertensive patients?. <i>Journal of Affective Disorders</i> , 2008 , 111, 344-50	6.6	6
241	Risk of low Apgar score and socioeconomic position: a study of Swedish male births. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008 , 97, 1275-80	3.1	24
240	Investigating if psychosis-like symptoms (PLIKS) are associated with family history of schizophrenia or paternal age in the ALSPAC birth cohort. <i>Schizophrenia Research</i> , 2008 , 104, 279-86	3.6	49
239	Evidence-based guidelines for treating depressive disorders with antidepressants: a revision of the 2000 British Association for Psychopharmacology guidelines. <i>Journal of Psychopharmacology</i> , 2008 , 22, 343-96	4.6	341
238	Frequency of psychosis-like symptoms in a non-clinical population of 12 year olds: Results from the Alspac birth cohort. <i>European Psychiatry</i> , 2008 , 23, S282	6	7
237	Impairments in cognition across the spectrum of psychiatric disorders: evidence from a Swedish conscript cohort. <i>Schizophrenia Bulletin</i> , 2008 , 34, 1035-41	1.3	46

236	A Randomized Controlled Trial of Cognitive Behavioural Therapy as an Adjunct to Pharmacotherapy in Primary Care Based Patients with Treatment Resistant Depression: A Pilot Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2008 , 36, 21-33	2.1	20
235	Infections in the CNS during childhood and the risk of subsequent psychotic illness: a cohort study of more than one million Swedish subjects. <i>American Journal of Psychiatry</i> , 2008 , 165, 59-65	11.9	168
234	Effects of cannabis use on outcomes of psychotic disorders: systematic review. <i>British Journal of Psychiatry</i> , 2008 , 193, 357-63	5.4	194
233	Alcohol consumption as a risk factor for non-recovery from common mental disorder: results from the longitudinal follow-up of the National Psychiatric Morbidity Survey. <i>Psychological Medicine</i> , 2008 , 38, 451-5	6.9	29
232	IQ and non-clinical psychotic symptoms in 12-year-olds: results from the ALSPAC birth cohort. <i>British Journal of Psychiatry</i> , 2008 , 193, 185-91	5.4	187
231	Physical activity and emotional problems amongst adolescents : a longitudinal study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 765-72	4.5	49
230	GENetic and clinical predictors of treatment response in depression: the GenPod randomised trial protocol. <i>Trials</i> , 2008 , 9, 29	2.8	20
229	A cohort study of low Apgar scores and cognitive outcomes. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2008 , 93, F115-20	4.7	75
228	Socio-economic status in childhood and later alcohol use: a systematic review. <i>Addiction</i> , 2007 , 102, 1546-63	4.63	65
227	Height and body mass index in young adulthood and risk of schizophrenia: a longitudinal study of 1 347 520 Swedish men. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 378-85	6.5	38
226	Can access to psychiatric health care explain regional differences in disability pension with psychiatric disorders?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 366-71	4.5	3
225	Smoking and common mental disorders: a population-based survey in Santiago, Chile. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 874-80	4.5	17
224	GPs' experiences of primary care mental health research: a qualitative study of the barriers to recruitment. <i>Family Practice</i> , 2007 , 24, 518-25	1.9	69
223	Treatment seeking by individuals with obsessive-compulsive disorder from the british psychiatric morbidity survey of 2000. <i>Psychiatric Services</i> , 2007 , 58, 977-82	3.3	71
222	Physical activity and common mental disorder: results from the Caerphilly study. <i>American Journal of Epidemiology</i> , 2007 , 165, 946-54	3.8	52
221	Common mental disorders and the built environment in Santiago, Chile. <i>British Journal of Psychiatry</i> , 2007 , 190, 394-401	5.4	50
220	Mental health and quality of residential environment. <i>British Journal of Psychiatry</i> , 2007 , 191, 500-5	5.4	34
219	Cannabis use and risk of psychotic or affective mental health outcomes: a systematic review. <i>Lancet, The</i> , 2007 , 370, 319-28	40	1554

218	Cannabis and psychosis [Authors' reply. <i>Lancet, The</i> , 2007 , 370, 1539-1540	40	9
217	Treatment of postnatal depression in low-income mothers in primary-care clinics in Santiago, Chile: a randomised controlled trial. <i>Lancet, The</i> , 2007 , 370, 1629-37	40	124
216	Development and psychometric properties of the Carer - Head Injury Neurobehavioral Assessment Scale (C-HINAS) and the Carer - Head Injury Participation Scale (C-HIPS): patient and family determined outcome scales. <i>Neuropsychiatric Disease and Treatment</i> , 2007 , 3, 389-408	3.1	2
215	Development and psychometric properties of the Patient-Head Injury Participation Scale (P-HIPS) and the Patient-Head Injury Neurobehavioral Assessment Scale (P-HINAS): patient and family determined outcomes scales. <i>Neuropsychiatric Disease and Treatment</i> , 2007 , 3, 373-88	3.1	2
214	Perceptions of social capital and the built environment and mental health. <i>Social Science and Medicine</i> , 2006 , 62, 3072-83	5.1	138
213	Phenotypic variation between parent-offspring trios and non-trios in genetic studies of schizophrenia. <i>Journal of Psychiatric Research</i> , 2006 , 40, 622-6	5.2	5
212	Pain in veterans of the Gulf War of 1991: a systematic review. <i>BMC Musculoskeletal Disorders</i> , 2006 , 7, 74	2.8	22
211	Obsessive-compulsive disorder: prevalence, comorbidity, impact, and help-seeking in the British National Psychiatric Morbidity Survey of 2000. <i>American Journal of Psychiatry</i> , 2006 , 163, 1978-85	11.9	202
210	Multi-symptom illnesses, unexplained illness and Gulf War Syndrome. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2006 , 361, 543-51	5.8	18
209	Predictors of mental health service utilization in the 12 months before imprisonment: analysis of results from a national prisons survey. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006 , 40, 548-53	2.6	11
208	Violence and psychiatric morbidity in a national household population—a report from the British Household Survey. <i>American Journal of Epidemiology</i> , 2006 , 164, 1199-208	3.8	95
207	Fetal growth and childhood behavioral problems: results from the ALSPAC cohort. <i>American Journal of Epidemiology</i> , 2006 , 163, 829-37	3.8	82
206	Disability pension for psychiatric disorders: regional differences in Norway 1988-2000. <i>Nordic Journal of Psychiatry</i> , 2006 , 60, 255-62	2.3	8
205	Socio-economic position and common mental disorders. Longitudinal study in the general population in the UK. <i>British Journal of Psychiatry</i> , 2006 , 189, 109-17	5.4	123
204	Risk of schizophrenia and other non-affective psychosis among individuals exposed to head injury: case control study. <i>Schizophrenia Research</i> , 2006 , 88, 119-26	3.6	35
203	Prevalence of reported pain, widespread pain, and pain symmetry in veterans of the Persian Gulf War (1990-1991): the use of pain manikins in Persian Gulf War health research. <i>Military Medicine</i> , 2006 , 171, 1181-6	1.3	13
202	Gender differences in reoffending after discharge from medium-secure units. National cohort study in England and Wales. <i>British Journal of Psychiatry</i> , 2006 , 189, 168-72	5.4	38
201	Fetal Growth and Childhood Behavioural Problems. <i>American Journal of Epidemiology</i> , 2006 , 163, S18-S18.8	1.8	8

200	Physical Activity and Common Mental Disorder in Men: The Caerphilly Cohort. <i>American Journal of Epidemiology</i> , 2006 , 163, S218-S218	3.8	
199	Violence and psychiatric morbidity in the national household population of Britain: public health implications. <i>British Journal of Psychiatry</i> , 2006 , 189, 12-9	5.4	95
198	Rural/non-rural differences in rates of common mental disorders in Britain: prospective multilevel cohort study. <i>British Journal of Psychiatry</i> , 2006 , 188, 51-7	5.4	86
197	Self-reported psychotic symptoms in the general population: results from the longitudinal study of the British National Psychiatric Morbidity Survey. <i>British Journal of Psychiatry</i> , 2006 , 188, 519-26	5.4	191
196	Systematic review of multi-symptom conditions in Gulf War veterans. <i>Psychological Medicine</i> , 2006 , 36, 735-47	6.9	35
195	Inequities in mental health care after health care system reform in Chile. <i>American Journal of Public Health</i> , 2006 , 96, 109-13	5.1	27
194	. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006 , 40, 548-553	2.6	1
193	Obsessive-compulsive disorder and personality disorder: evidence from the British National Survey of Psychiatric Morbidity 2000. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 862-7	4.5	46
192	Unity is strength. Commentary on [Research in the real world. <i>Psychiatric Bulletin</i> , 2006 , 30, 46-47		
191	Borna disease virus and mental health: a cross-sectional study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2005 , 98, 247-54	2.7	10
190	Negative self-schemas and the onset of depression in women: longitudinal study. <i>British Journal of Psychiatry</i> , 2005 , 186, 302-7	5.4	81
189	The association of fetal and childhood growth with risk of schizophrenia. Cohort study of 720,000 Swedish men and women. <i>Schizophrenia Research</i> , 2005 , 79, 315-22	3.6	42
188	Alcohol consumption as a risk factor for anxiety and depression: results from the longitudinal follow-up of the National Psychiatric Morbidity Survey. <i>British Journal of Psychiatry</i> , 2005 , 187, 544-51	5.4	70
187	Geographical variation in rates of common mental disorders in Britain: prospective cohort study. <i>British Journal of Psychiatry</i> , 2005 , 187, 29-34	5.4	56
186	Mental health inequalities in Wales, UK: multi-level investigation of the effect of area deprivation. <i>British Journal of Psychiatry</i> , 2005 , 186, 417-22	5.4	66
185	Primary group size, social support, gender and future mental health status in a prospective study of people living in private households throughout Great Britain. <i>Psychological Medicine</i> , 2005 , 35, 705-14	6.9	45
184	An observation tool to assist with the assessment of urban residential environments. <i>Journal of Environmental Psychology</i> , 2005 , 25, 293-305	6.7	70
183	Comparing sex inequalities in common affective disorders across countries: Great Britain and Chile. <i>Social Science and Medicine</i> , 2005 , 60, 1693-703	5.1	23

182	Investigating the effect of demographic and socioeconomic variables on misclassification by the SRQ-20 compared with a psychiatric interview. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 36-41	4.5	18
181	Factors associated with being a false positive on the General Health Questionnaire. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 402-7	4.5	31
180	Is there a gender difference on the association between informal work and common mental disorders?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 622-7	4.5	26
179	Patients' views on outcome following head injury: a qualitative study. <i>BMC Family Practice</i> , 2005 , 6, 30	2.6	18
178	Psychiatric and social aspects of suicidal behaviour in prisons. <i>Psychological Medicine</i> , 2005 , 35, 257-69	6.9	133
177	Psychosis in the community and in prisons: a report from the British National Survey of psychiatric morbidity. <i>American Journal of Psychiatry</i> , 2005 , 162, 774-80	11.9	107
176	Social adversity in childhood and the risk of developing psychosis: a national cohort study. <i>American Journal of Psychiatry</i> , 2005 , 162, 1652-7	11.9	200
175	Birth weight and psychological distress at age 45-51 years: results from the Aberdeen Children of the 1950s cohort study. <i>British Journal of Psychiatry</i> , 2005 , 187, 21-8	5.4	102
174	Screening for depression in primary care. <i>British Journal of General Practice</i> , 2005 , 55, 659-60	1.6	23
173	A qualitative study exploring how GPs decide to prescribe antidepressants. <i>British Journal of General Practice</i> , 2005 , 55, 755-62	1.6	61
172	You don't read my papers anymore—an investigation into the use of Barbra Streisand song titles in the psychiatric literature. <i>Psychiatric Bulletin</i> , 2005 , 29, 35-35		
171	Parental age difference and schizophrenia. <i>British Journal of Psychiatry</i> , 2004 , 184, 540; author reply 540-1	5.4	1
170	Trends in service use and treatment for mental disorders in adults throughout Great Britain. <i>British Journal of Psychiatry</i> , 2004 , 185, 378-84	5.4	93
169	Paternal age and schizophrenia: a population based cohort study. <i>BMJ, The</i> , 2004 , 329, 1070	5.9	218
168	Psychosis, victimisation and childhood disadvantage: evidence from the second British National Survey of Psychiatric Morbidity. <i>British Journal of Psychiatry</i> , 2004 , 185, 220-6	5.4	414
167	A longitudinal study of premorbid IQ Score and risk of developing schizophrenia, bipolar disorder, severe depression, and other nonaffective psychoses. <i>Archives of General Psychiatry</i> , 2004 , 61, 354-60		360
166	Exploring the relationship between cannabis use and psychosis. <i>Addiction</i> , 2004 , 99, 1353-5	4.6	14
165	Toxoplasma and coxiella infection and psychiatric morbidity: a retrospective cohort analysis. <i>BMC Psychiatry</i> , 2004 , 4, 32	4.2	15

164	Risk factors and the prevalence of neurosis and psychosis in ethnic groups in Great Britain. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 939-46	4.5	39
163	Temporal relations between unexplained fatigue and depression: longitudinal data from an international study in primary care. <i>Psychosomatic Medicine</i> , 2004 , 66, 330-5	3.7	75
162	Assessing mental health in primary care research using standardized scales: can it be carried out over the telephone?. <i>Psychological Medicine</i> , 2004 , 34, 157-62	6.9	60
161	Factors influencing the development and amelioration of suicidal thoughts in the general population. Cohort study. <i>British Journal of Psychiatry</i> , 2004 , 185, 385-93	5.4	138
160	Computerised patient-specific guidelines for management of common mental disorders in primary care: a randomised controlled trial. <i>British Journal of General Practice</i> , 2004 , 54, 832-7	1.6	19
159	The National Psychiatric Morbidity Surveys of Great Britain--initial findings from the household survey. <i>International Review of Psychiatry</i> , 2003 , 15, 29-42	3.6	52
158	Contextual risk factors for the common mental disorders in Britain: a multilevel investigation of the effects of place. <i>Journal of Epidemiology and Community Health</i> , 2003 , 57, 616-21	5.1	90
157	Education and income: which is more important for mental health?. <i>Journal of Epidemiology and Community Health</i> , 2003 , 57, 501-5	5.1	121
156	Palliative day care: what does it cost to run a centre and does attendance affect use of other services?. <i>Palliative Medicine</i> , 2003 , 17, 628-37	5.5	18
155	Investigating the association between cigarette smoking and schizophrenia in a cohort study. <i>American Journal of Psychiatry</i> , 2003 , 160, 2216-21	11.9	100
154	Social support networks and type of neurotic symptom among adults in British households. <i>Psychological Medicine</i> , 2003 , 33, 307-18	6.9	42
153	Antidepressants for the treatment of depression in people with schizophrenia: a systematic review. <i>Psychological Medicine</i> , 2003 , 33, 589-99	6.9	70
152	Lone mothers, social exclusion and depression. <i>Psychological Medicine</i> , 2003 , 33, 715-22	6.9	83
151	One-year outcome of unexplained fatigue syndromes in primary care: results from an international study. <i>Psychological Medicine</i> , 2003 , 33, 857-66	6.9	23
150	Paternal age and risk for schizophrenia. <i>British Journal of Psychiatry</i> , 2003 , 183, 405-8	5.4	128
149	The Aberfan disaster: 33-year follow-up of survivors. <i>British Journal of Psychiatry</i> , 2003 , 182, 532-6	5.4	119
148	Investigating the Association between Cigarette Smoking and Risk of Developing Schizophrenia in a Cohort Study. <i>Clinical Science</i> , 2003 , 104, 41P-41P		
147	Lithium augmentation in treatment-refractory unipolar depression. <i>British Journal of Psychiatry</i> , 2003 , 182, 456; author reply 456-7	5.4	0

146	Cross-cultural differences in the epidemiology of unexplained fatigue syndromes in primary care. <i>British Journal of Psychiatry</i> , 2003 , 182, 205-9	5.4	37
145	Informal work and common mental disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 485-9	4.5	44
144	Stigma revisited, disclosure of emotional problems in primary care consultations in Wales. <i>Social Science and Medicine</i> , 2003 , 56, 2191-200	5.1	72
143	Dysfunctional attitudes and the common mental disorders in primary care. <i>Journal of Affective Disorders</i> , 2003 , 75, 269-78	6.6	22
142	The reluctance to seek treatment for neurotic disorders. <i>International Review of Psychiatry</i> , 2003 , 15, 123-8	3.6	64
141	British Psychiatric Morbidity Survey. <i>International Review of Psychiatry</i> , 2003 , 15, 14-8	3.6	12
140	The influence of age and sex on the prevalence of depressive conditions: report from the National Survey of Psychiatric Morbidity. <i>International Review of Psychiatry</i> , 2003 , 15, 74-83	3.6	107
139	Socio-economic status, standard of living, and neurotic disorder. <i>International Review of Psychiatry</i> , 2003 , 15, 91-6	3.6	26
138	Substance misuse and psychiatric comorbidity: an overview of the OPCS National Psychiatric Morbidity Survey. <i>International Review of Psychiatry</i> , 2003 , 15, 43-9	3.6	23
137	Unequal access and unmet need: neurotic disorders and the use of primary care services. <i>International Review of Psychiatry</i> , 2003 , 15, 115-22	3.6	23
136	Nicotine, alcohol and drug dependence, and psychiatric comorbidity--results of a national household survey. <i>International Review of Psychiatry</i> , 2003 , 15, 50-6	3.6	40
135	Psychiatric morbidity in prisoners and solitary cellular confinement, II: special ('strip') cells. <i>Journal of Forensic Psychiatry and Psychology</i> , 2003 , 14, 320-340	0.9	12
134	Neurotic disorders and the receipt of psychiatric treatment. <i>International Review of Psychiatry</i> , 2003 , 15, 108-14	3.6	21
133	Unexplained fatigue syndromes in a multinational primary care sample: specificity of definition and prevalence and distinctiveness from depression and generalized anxiety. <i>American Journal of Psychiatry</i> , 2003 , 160, 785-7	11.9	51
132	Mental health of British farmers. <i>Occupational and Environmental Medicine</i> , 2003 , 60, 181-5; discussion 185-6	2.1	40
131	Geographic variation in the prevalence of common mental disorders in Britain: a multilevel investigation. <i>American Journal of Epidemiology</i> , 2003 , 157, 730-7	3.8	76
130	Psychiatric disorder in veterans of the Persian Gulf War of 1991: Systematic review. <i>British Journal of Psychiatry</i> , 2003 , 182, 391-403	5.4	71
129	Psychiatric morbidity in prisoners and solitary cellular confinement, I: disciplinary segregation. <i>Journal of Forensic Psychiatry and Psychology</i> , 2003 , 14, 298-319	0.9	27

128	Clarifying the relationship between unexplained chronic fatigue and psychiatric morbidity: results from a community survey in Great Britain. <i>International Review of Psychiatry</i> , 2003 , 15, 57-64	3.6	26
127	The National Psychiatric Morbidity Surveys of Great Britain--strategy and methods. <i>International Review of Psychiatry</i> , 2003 , 15, 5-13	3.6	12
126	Psychiatric disorder in veterans of the Persian Gulf War of 1991. Systematic review. <i>British Journal of Psychiatry</i> , 2003 , 182, 391-403	5.4	24
125	Ethnic differences in prisoners. 2: risk factors and psychiatric service use. <i>British Journal of Psychiatry</i> , 2002 , 181, 481-7	5.4	29
124	Ethnic differences in prisoners. 1: criminality and psychiatric morbidity. <i>British Journal of Psychiatry</i> , 2002 , 181, 473-80	5.4	36
123	Thinking life is not worth living. A population survey of Great Britain. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 351-6	4.5	40
122	Drug use and initiation in prison: results from a national prison survey in England and Wales. <i>Addiction</i> , 2002 , 97, 1551-60	4.6	90
121	Patients' opinions of the use of psychiatric case-finding questionnaires in general practice. <i>Health Expectations</i> , 2002 , 5, 282-8	3.7	12
120	Psychosis and drug dependence: results from a national survey of prisoners. <i>British Journal of Psychiatry</i> , 2002 , 181, 393-8	5.4	93
119	Non-psychotic, non-major affective psychiatric disorders in adolescent boys were associated with greater schizophrenia risk. <i>Evidence-Based Mental Health</i> , 2002 , 5, 60	11.1	
118	Income inequality and self rated health in Britain. <i>Journal of Epidemiology and Community Health</i> , 2002 , 56, 436-41	5.1	51
117	Antidepressants for people with both schizophrenia and depression. <i>The Cochrane Library</i> , 2002 , CD002305	3.5	34
116	Randomised controlled trials investigating pharmacological and psychological interventions for treatment-refractory depression. Systematic review. <i>British Journal of Psychiatry</i> , 2002 , 181, 284-94	5.4	132
115	Asphyxia at birth and schizophrenia. <i>British Journal of Psychiatry</i> , 2002 , 180, 465	5.4	2
114	The National Survey of Psychiatric Morbidity among prisoners and the future of prison healthcare. <i>Medicine, Science and the Law</i> , 2002 , 42, 245-50	1.1	13
113	Detection of depression and anxiety in primary care: follow up study. <i>BMJ, The</i> , 2002 , 325, 1016-7	5.9	124
112	Self reported cannabis use as a risk factor for schizophrenia in Swedish conscripts of 1969: historical cohort study. <i>BMJ, The</i> , 2002 , 325, 1199	5.9	543
111	A cross-sectional study of the prevalence of psychopathology in adults with congenital heart disease. <i>Journal of Psychosomatic Research</i> , 2002 , 52, 65-8	4.1	42

110	Income inequality and the prevalence of common mental disorders in Britain. <i>British Journal of Psychiatry</i> , 2001 , 178, 222-7	5.4	125
109	Obstetric complications and risk of schizophrenia. Effect of gender, age at diagnosis and maternal history of psychosis. <i>British Journal of Psychiatry</i> , 2001 , 179, 409-14	5.4	23
108	"Patient knows best"-detection of common mental disorders in Santiago, Chile: cross sectional study. <i>BMJ: British Medical Journal</i> , 2001 , 322, 79-81		14
107	Links between social class and common mental disorders in Northeast Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001 , 36, 101-7	4.5	29
106	Mental health after head injury. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001 , 71, 431	5.5	3
105	Signs of asphyxia at birth and risk of schizophrenia. Population-based case-control study. <i>British Journal of Psychiatry</i> , 2001 , 179, 403-8	5.4	132
104	Nicotine, alcohol and drug dependence and psychiatric comorbidity. Results of a national household survey. <i>British Journal of Psychiatry</i> , 2001 , 179, 432-7	5.4	212
103	Classification, disability and the public health agenda. <i>British Medical Bulletin</i> , 2001 , 57, 3-15	5.4	9
102	Epidemiology in community psychiatric research: common uses and methodological issues. <i>Epidemiologia E Psichiatria Sociale</i> , 2001 , 10, 18-26		5
101	Common mental disorders in Santiago, Chile: prevalence and socio-demographic correlates. <i>British Journal of Psychiatry</i> , 2001 , 178, 228-33	5.4	161
100	Social roles and the gender difference in rates of the common mental disorders in Britain: a 7-year, population-based cohort study. <i>Psychological Medicine</i> , 2001 , 31, 1055-64	6.9	38
99	Clarifying the relationship between unexplained chronic fatigue and psychiatric morbidity: results from a community survey in Great Britain. <i>American Journal of Psychiatry</i> , 2000 , 157, 1492-8	11.9	65
98	Selective serotonin reuptake inhibitors versus tricyclic and heterocyclic antidepressants: comparison of drug adherence. <i>Cochrane Database of Systematic Reviews</i> , 2000 , CD002791		42
97	Unequal access and unmet need: neurotic disorders and the use of primary care services. <i>Psychological Medicine</i> , 2000 , 30, 1359-67	6.9	169
96	Neurotic disorders and the receipt of psychiatric treatment. <i>Psychological Medicine</i> , 2000 , 30, 1369-76	6.9	120
95	Psychiatric disorder and dysfunction in the UK National Survey of Psychiatric Morbidity. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000 , 35, 191-7	4.5	41
94	Non-psychotic psychiatric disorder and subsequent risk of schizophrenia. Cohort study. <i>British Journal of Psychiatry</i> , 2000 , 177, 416-20	5.4	54
93	SES01.01 Developmental precursors of affective illness in a general population birth cohort. <i>European Psychiatry</i> , 2000 , 15, 213s-213s	6	

92	FC13.06 The cross-national epidemiology of unexplained chronic fatigue. <i>European Psychiatry</i> , 2000 , 15, 313s-313s	6	
91	Heritability of social cognitive skills in children and adolescents. <i>British Journal of Psychiatry</i> , 1999 , 175, 559-64	5.4	88
90	Suicide, religion, and socioeconomic conditions. An ecological study in 26 countries, 1990. <i>Journal of Epidemiology and Community Health</i> , 1999 , 53, 204-10	5.1	62
89	"You don't give me flowers anymore": an analysis of gift-giving to medical and psychiatric inpatients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999 , 34, 136-40	4.5	3
88	Aftercare and clinical characteristics of people with mental illness who commit suicide: a case-control study. <i>Lancet, The</i> , 1999 , 353, 1397-400	4.0	143
87	Pragmatic randomised controlled trials in psychiatry. <i>British Journal of Psychiatry</i> , 1999 , 175, 217-23	5.4	123
86	Cross sectional study of symptom attribution and recognition of depression and anxiety in primary care. <i>BMJ: British Medical Journal</i> , 1999 , 318, 436-9		249
85	Population-based needs assessment. <i>Current Opinion in Psychiatry</i> , 1999 , 12, 191-194	4.9	1
84	What's in a name? A comparison of four psychiatric assessments. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1998 , 33, 27-31	4.5	12
83	Continuum of self-destructiveness. <i>Lancet, The</i> , 1998 , 351, 81-2	4.0	6
82	Socioeconomic status, standard of living, and neurotic disorder. <i>Lancet, The</i> , 1998 , 352, 605-9	4.0	150
81	Substance misuse and psychiatric comorbidity: an overview of the OPCS National Psychiatric Morbidity Survey. <i>Addictive Behaviors</i> , 1998 , 23, 909-18	4.2	125
80	Social roles and gender difference in the prevalence of common mental disorders. <i>British Journal of Psychiatry</i> , 1998 , 173, 489-93	5.4	50
79	Material standard of living, social class, and the prevalence of the common mental disorders in Great Britain. <i>Journal of Epidemiology and Community Health</i> , 1998 , 52, 8-14	5.1	121
78	Premorbid adjustment and personality in people with schizophrenia. <i>British Journal of Psychiatry</i> , 1998 , 172, 308-13; discussion 314-5	5.4	213
77	The comparison of latent variable models of non-psychotic psychiatric morbidity in four culturally diverse populations. <i>Psychological Medicine</i> , 1998 , 28, 145-52	6.9	45
76	The influence of age and sex on the prevalence of depressive conditions: report from the National Survey of Psychiatric Morbidity. <i>Psychological Medicine</i> , 1998 , 28, 9-19	6.9	252
75	Poverty, unemployment, and common mental disorders: population based cohort study. <i>BMJ: British Medical Journal</i> , 1998 , 317, 115-9		295

74	Suicide, deprivation, and unemployment: record linkage study. <i>BMJ: British Medical Journal</i> , 1998 , 317, 1283-6		226
73	Suicide acceptability in African- and white Americans: the role of religion. <i>Journal of Nervous and Mental Disease</i> , 1998 , 186, 12-6	1.8	75
72	Strategies for the prevention of psychiatric disorder in primary care in south London. <i>Journal of Epidemiology and Community Health</i> , 1997 , 51, 304-9	5.1	2
71	Putting trials on trial--the costs and consequences of small trials in depression: a systematic review of methodology. <i>Journal of Epidemiology and Community Health</i> , 1997 , 51, 354-8	5.1	73
70	Tolerance of suicide, religion and suicide rates: an ecological and individual study in 19 Western countries. <i>Psychological Medicine</i> , 1997 , 27, 1165-71	6.9	103
69	Developmental precursors of affective illness in a general population birth cohort. <i>Archives of General Psychiatry</i> , 1997 , 54, 625-31		213
68	Do socio-economic risk factors predict the incidence and maintenance of psychiatric disorder in primary care?. <i>Psychological Medicine</i> , 1997 , 27, 73-80	6.9	41
67	The National Psychiatric Morbidity surveys of Great Britain--initial findings from the household survey. <i>Psychological Medicine</i> , 1997 , 27, 775-89	6.9	263
66	The National Psychiatric Morbidity surveys of Great Britain--strategy and methods. <i>Psychological Medicine</i> , 1997 , 27, 765-74	6.9	89
65	IQ and risk for schizophrenia: a population-based cohort study. <i>Psychological Medicine</i> , 1997 , 27, 1311-23	6.9	316
64	Strategies for preventing suicide. <i>British Journal of Psychiatry</i> , 1997 , 171, 351-354	5.4	129
63	Psychiatric morbidity, social development and cognition, and later schizophrenia: Premorbid adjustment or prodrome?. <i>Schizophrenia Research</i> , 1997 , 24, 249	3.6	3
62	Discontinuation rates of SSRIs and tricyclic antidepressants: a meta-analysis and investigation of heterogeneity. <i>British Journal of Psychiatry</i> , 1997 , 170, 120-7	5.4	112
61	New Evidence is Required. <i>British Journal of Psychiatry</i> , 1997 , 171, 227-227	5.4	4
60	The Shona Symptom Questionnaire: the development of an indigenous measure of common mental disorders in Harare. <i>Acta Psychiatrica Scandinavica</i> , 1997 , 95, 469-75	6.5	144
59	Closing the gap between research and practice. New evidence is required. <i>British Journal of Psychiatry</i> , 1997 , 171, 227	5.4	
58	Strategies for preventing suicide. <i>British Journal of Psychiatry</i> , 1997 , 171, 351-4	5.4	18
57	Depression and public health. <i>International Review of Psychiatry</i> , 1996 , 8, 289-294	3.6	5

56	Effect of early life experiences and personality on the reporting of psychosocial distress in general practice. A preliminary investigation. <i>British Journal of Psychiatry</i> , 1996 , 168, 116-20	5.4	12
55	Are SSRIs a cost-effective alternative to tricyclics?. <i>British Journal of Psychiatry</i> , 1996 , 168, 404-9	5.4	88
54	A longitudinal study of factors predicting change in cognitive test scores over time, in an older hypertensive population. <i>Psychological Medicine</i> , 1996 , 26, 555-68	6.9	55
53	Age-period-cohort analysis of the incidence of schizophrenia in Scotland. <i>Psychological Medicine</i> , 1996 , 26, 963-73	6.9	36
52	Computerized assessment of common mental disorders in primary care: effect on clinical outcome. <i>Family Practice</i> , 1996 , 13, 120-6	1.9	61
51	Psychiatric and alcohol disorders as risk factors for drug abuse. A case-control study among adults in Rio de Janeiro, Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996 , 31, 355-63	4.5	10
50	DSM-IV. Diagnostic and Statistical Manual of Mental Disorders, 4th edn. By the American Psychiatric Association. (Pp. 886; £34.95.) APA: Washington, DC.1994.. <i>Psychological Medicine</i> , 1996 , 26, 651-652	6.9	17
49	Effect of detection of depression in general practice. Study had methodological limitations. <i>BMJ: British Medical Journal</i> , 1996 , 312, 512-3		1
48	Is the General Health Questionnaire (12 item) a culturally biased measure of psychiatric disorder?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1995 , 30, 20-5	4.5	25
47	Are there neurological and sensory risk factors for schizophrenia?. <i>Schizophrenia Research</i> , 1995 , 14, 247-51	5.1	71
46	Premorbid neuropsychological performance as a risk factor for schizophrenia: 13-Year follow-up of 50 000 conscripts. <i>Schizophrenia Research</i> , 1995 , 15, 114	3.6	4
45	The prevalence and costs of psychiatric disorders and learning disabilities. <i>British Journal of Psychiatry</i> , 1995 , 166, 9-18	5.4	59
44	Somatic presentation of psychiatric morbidity in general practice. <i>British Journal of General Practice</i> , 1995 , 45, 143-7	1.6	46
43	Religious identity and comfort beliefs in three groups of psychiatric patients and a group of medical controls. <i>International Journal of Social Psychiatry</i> , 1994 , 40, 124-34	8.5	51
42	Assessing psychiatric disorder with a human interviewer or a computer. <i>Journal of Epidemiology and Community Health</i> , 1994 , 48, 207-10	5.1	102
41	Suicide and psychiatric services. <i>Lancet, The</i> , 1994 , 344, 822	4.0	10
40	Psychiatric morbidity in primary health care in Santiago, Chile. Preliminary findings. <i>British Journal of Psychiatry</i> , 1994 , 165, 530-3	5.4	30
39	Are cities bad for your mental health?. <i>Psychological Medicine</i> , 1994 , 24, 913-5	6.9	58

38	Apolipoprotein E-epsilon 4 allele and Alzheimer's disease. <i>Lancet, The</i> , 1993 , 342, 1308-9	4.0	38
37	Another British disease? A recent increase in the prevalence of psychiatric morbidity. <i>Journal of Epidemiology and Community Health</i> , 1993 , 47, 358-61	5.1	23
36	Schizophrenia sans frontieres: concepts of schizophrenia among French and British psychiatrists. <i>BMJ: British Medical Journal</i> , 1993 , 307, 489-92		28
35	Obstetric complications and schizophrenia. <i>BMJ: British Medical Journal</i> , 1993 , 306, 268; author reply 268-9		1
34	From the Mental Patient to the Person. By P. Barham and R. Hayward. London: Tavistock/Routledge. 1991. 162 pp. £35.00.. <i>British Journal of Psychiatry</i> , 1993 , 162, 867-867	5.4	
33	Computers in primary care. <i>International Review of Psychiatry</i> , 1992 , 4, 307-310	3.6	2
32	Regional differences in mental health in Great Britain. <i>Journal of Epidemiology and Community Health</i> , 1992 , 46, 608-11	5.1	52
31	The epidemiology of fatigue: more questions than answers. <i>Journal of Epidemiology and Community Health</i> , 1992 , 46, 92-7	5.1	310
30	Measuring psychiatric disorder in the community: a standardized assessment for use by lay interviewers. <i>Psychological Medicine</i> , 1992 , 22, 465-86	6.9	1362
29	Dimensions of neurosis. <i>Psychological Medicine</i> , 1992 , 22, 1011-8	6.9	21
28	Schizophrenia and city life. <i>Lancet, The</i> , 1992 , 340, 137-40	4.0	300
27	Comparison of two self administered psychiatric questionnaires (GHQ-12 and SRQ-20) in primary care in Chile. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1992 , 27, 168-73	4.5	97
26	Computerized assessments of psychiatric disorder using PROQSY: discussion paper. <i>Journal of the Royal Society of Medicine</i> , 1992 , 85, 403-6	2.3	3
25	Factors affecting survival in Alzheimer's disease. <i>Psychological Medicine</i> , 1991 , 21, 363-70	6.9	123
24	Observer bias in the assessment of anxiety and depression. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1991 , 26, 265-72	4.5	25
23	Racism and psychiatry. <i>British Journal of Psychiatry</i> , 1991 , 158, 432-3	5.4	1
22	Discrimination on the grounds of diagnosis. <i>Addiction</i> , 1990 , 85, 883-890	4.6	23
21	Demise of the rotational training scheme. <i>Psychiatric Bulletin</i> , 1990 , 14, 681-681		1

20 Expert opinion. *Psychiatric Bulletin*, **1990**, 14, 124-124

19 Comparison of the General Health Questionnaire and the Hospital Anxiety and Depression Scale. *British Journal of Psychiatry*, **1990**, 157, 860-4 5.4 110

18 The case-control study in psychiatry. *British Journal of Psychiatry*, **1990**, 157, 197-207 5.4 27

17 Are British psychiatrists racist?. *British Journal of Psychiatry*, **1990**, 157, 410-5 5.4 125

16 Clinical judgement and the standardized interview in psychiatry. *Psychological Medicine*, **1989**, 19, 971-9 6.9 24

15 The computer will see you now. *BMJ: British Medical Journal*, **1989**, 299, 138-9 4

14 Fluoxetine Supplement; *Journal* September 1988, 153. *Psychiatric Bulletin*, **1989**, 13, 565-565

13 Personality disorder: the patients psychiatrists dislike. *British Journal of Psychiatry*, **1988**, 153, 44-9 5.4 311

12 The development of a computerized assessment for minor psychiatric disorder. *Psychological Medicine*, **1988**, 18, 737-45 6.9 105

11 An open letter to the President. *Psychiatric Bulletin*, **1988**, 12, 554-554

10 Globalization and Mental Health 57-78 9

9 Reboxetine versus other antidepressive agents for depression. *The Cochrane Library*, 5.2 78

8 Genetic variation in the Major Histocompatibility Complex and association with depression 1

7 What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. *Wellcome Open Research*, 4, 69 4.8 1

6 Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depressive disorder 21

5 Minimal phenotyping yields GWAS hits of reduced specificity for major depression 12

4 Risk taking to obtain reward: gender differences and associations with emotional and depressive symptoms in a nationally representative cohort of UK adolescents 1

3 Introduction to Epidemiologic Research Methods 1-8

2	The Epidemiology of Mental Illness	12-23		
1	The Development and Internal Evaluation of a Predictive Model to Identify for Whom Mindfulness-Based Cognitive Therapy Offers Superior Relapse Prevention for Recurrent Depression Versus Maintenance Antidepressant Medication. <i>Clinical Psychological Science</i>	216770262210768	6	o