

# Hsing-I Hsiang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/985012/publications.pdf>

Version: 2024-02-01

136  
papers

2,446  
citations

218381

26  
h-index

288905

40  
g-index

139  
all docs

139  
docs citations

139  
times ranked

2362  
citing authors

#	ARTICLE	IF	CITATIONS
1	Low dielectric loss ceramics in the Mg <sub>4</sub> Nb <sub>2</sub> O <sub>9</sub> -ZnAl <sub>2</sub> O <sub>4</sub> -TiO <sub>2</sub> ternary system. Journal of the European Ceramic Society, 2022, 42, 448-452.	2.8	6
2	Sintering temperature and atmosphere effects on electric and magnetic properties of multilayer FeSiCr alloy inductors. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2022, 275, 115523.	1.7	4
3	Fabrication of high-efficiency Yb:Y <sub>2</sub> O <sub>3</sub> laser ceramics without photodarkening. Journal of the American Ceramic Society, 2022, 105, 3375-3381.	1.9	14
4	Power Molding Inductors Prepared Using Amorphous FeSiCrB Alloy Powder, Carbonyl Iron Powder, and Silicone Resin. Materials, 2022, 15, 3681.	1.3	4
5	Effects of Sr(Co, Nb, Ta)O <sub>3</sub> addition on the defect structures and electrical properties of ZnO-based varistors. Journal of Materials Chemistry C, 2022, 10, 9644-9654.	2.7	6
6	Effects of Li-Ba-Si-Ca-Mn glass addition on the densification, microstructure, and dielectric properties of (Ca,Sr)(Zr,Ti)O <sub>3</sub> ceramics. Ceramics International, 2022, , .	2.3	1
7	Investigation and Design of High-Loading Sulfur Cathodes with a High-Performance Polysulfide Adsorbent for Electrochemically Stable Lithium-Sulfur Batteries. ACS Sustainable Chemistry and Engineering, 2022, 10, 9254-9264.	3.2	20
8	Titanate coupling agent surface modification effect on the magnetic properties of iron-based alloy powder coil prepared using screen printing. Journal of Materials Science: Materials in Electronics, 2021, 32, 1800-1807.	1.1	2
9	FeSiCr Alloy Powder to Carbonyl Iron Powder Mixing Ratio Effects on the Magnetic Properties of the Iron-Based Alloy Powder Cores Prepared Using Screen Printing. Materials, 2021, 14, 1034.	1.3	13
10	Magnetic Properties of Iron-Based Alloy Powder Coils Prepared with Screen Printing Using High-Solid-Content Magnetic Pastes. Journal of Electronic Materials, 2021, 50, 2331-2338.	1.0	2
11	Exploring the evolution of pores in HIPed Y <sub>2</sub> O <sub>3</sub> transparent ceramics. Ceramics International, 2021, 47, 11637-11643.	2.3	8
12	Magnetic properties of FeSiCr alloy powder coils made by gel casting process. Journal of Materials Science: Materials in Electronics, 2021, 32, 14584-14591.	1.1	3
13	Effects of glycerol addition on the slurry dispersion and mechanical properties of alumina ceramics prepared by gel-casting process. Ceramics International, 2021, 47, 20260-20267.	2.3	2
14	Polycrystalline alumina ceramic fabrication using digital stereolithographic light process. Ceramics International, 2021, 47, 33815-33826.	2.3	12
15	Materials and electrode designs of high-performance NiCo <sub>2</sub> S <sub>4</sub> /Reduced graphene oxide for supercapacitors. Ceramics International, 2021, 47, 25942-25950.	2.3	40
16	Fabrication, simulation, and characterization of planar inductors. Materials Today Communications, 2021, 29, 102929.	0.9	1
17	Effects of the sodium ions addition on the varistor properties of ZnO-Co <sub>3</sub> O <sub>4</sub> -Pr <sub>6</sub> O <sub>11</sub> ceramics. Journal of Materials Science: Materials in Electronics, 2021, 32, 28935-28941.	1.1	2
18	Effect of SiO <sub>2</sub> nanoparticle addition on growth of interfacial Ag <sub>3</sub> Sn intermetallic compound layers between lead-free solder and silver conductor. SN Applied Sciences, 2021, 3, 1.	1.5	0

#	ARTICLE	IF	CITATIONS
19	Progress in materials and processes of multilayer power inductors. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 16089-16110.	1.1	22
20	Effects of CuO content in the glass on the interfacial reaction for the NiCuZn ferrites-FeSiCr alloy composites. <i>International Journal of Applied Glass Science</i> , 2020, 11, 774-783.	1.0	4
21	Electromagnetic properties of FeSiCr alloy powders modified with amorphous SiO <sub>2</sub> . <i>Journal of Magnetism and Magnetic Materials</i> , 2020, 514, 167151.	1.0	23
22	Microwave dielectric properties of Ca <sub>0.7</sub> Nd <sub>0.2</sub> TiO <sub>3</sub> ceramic-filled CaO-B <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> glass for LTCC applications. <i>Journal of Advanced Ceramics</i> , 2019, 8, 345-351.	8.9	49
23	Effects of the sodium stearate addition on the corrosion resistance and electromagnetic properties of phosphatized iron-based SMCs. <i>Journal of Magnetism and Magnetic Materials</i> , 2019, 490, 165532.	1.0	10
24	Structure, crystallization, and dielectric properties of the Al <sub>2</sub> O <sub>3</sub> filled CaO-B <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> -Al <sub>2</sub> O <sub>3</sub> glass composites for LTCC applications. <i>Japanese Journal of Applied Physics</i> , 2019, 58, 091010.	0.8	10
25	Dense CIGS films obtained by blending submicron-sized particles with nanoparticle suspensions using a non-vacuum process. <i>International Journal of Applied Ceramic Technology</i> , 2019, 16, 974-980.	1.1	1
26	Fully sintered alumina with a higher Vickers hardness prepared using a gel-casting process. <i>International Journal of Applied Ceramic Technology</i> , 2019, 16, 1493-1500.	1.1	5
27	AgCrO <sub>2</sub> formation mechanism during silver inner electrode and Fe-Si-Cr alloy powder co-firing in metal multilayer chip power inductors. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 8080-8088.	1.1	11
28	Gas-pressure assisted sintering of copper indium gallium selenide thin films. <i>Journal of the American Ceramic Society</i> , 2019, 102, 1548-1552.	1.9	3
29	Relationship Between the Microstructure and Magnetic Properties of Fe-Si-Cr Powder Cores. <i>IEEE Transactions on Magnetics</i> , 2018, 54, 1-7.	1.2	21
30	Silane surface modification effects on the electromagnetic properties of phosphatized iron-based SMCs. <i>Applied Surface Science</i> , 2018, 433, 133-138.	3.1	24
31	Phosphoric acid addition effect on the microstructure and magnetic properties of iron-based soft magnetic composites. <i>Journal of Magnetism and Magnetic Materials</i> , 2018, 447, 1-8.	1.0	64
32	Rapid synthesis and characterization of nearly dispersed marcasite CuSe <sub>2</sub> and berzelianite Cu <sub>2</sub> Se crystallites using the chemical reduction process. <i>Materials Research Bulletin</i> , 2018, 97, 30-36.	2.7	24
33	Effects of selenization process on densification and microstructure of Cu(In,Ga)Se <sub>2</sub> thin film prepared by doctor blading of CIGS nanoparticles. <i>Ceramics International</i> , 2018, 44, 20508-20513.	2.3	8
34	Interactions between silver inner electrode and Fe-Si-Cr alloy of metal multilayer chip inductors. <i>AIP Advances</i> , 2018, 8, 085006.	0.6	7
35	Sintering and cooling atmosphere effects on the microstructure, magnetic properties and DC superposition behavior of NiCuZn ferrites. <i>Journal of the European Ceramic Society</i> , 2017, 37, 2123-2128.	2.8	22
36	Thermal conductivity and dielectric properties of PEDOT:PSS-AlN filler reinforced water-soluble polymer composites. <i>Ceramics International</i> , 2017, 43, S710-S716.	2.3	9

#	ARTICLE	IF	CITATIONS
37	Micro-channel formation on NiCuZn ferrite green sheets prepared by hot embossing. <i>Ceramics International</i> , 2017, 43, 13853-13859.	2.3	4
38	Minor yttrium nitrate addition effect on FeSiCr alloy powder core electromagnetic properties. <i>Journal of Magnetism and Magnetic Materials</i> , 2017, 444, 1-6.	1.0	28
39	Different ligand exchange solvents effect on the densification of CuIn <sub>0.7</sub> Ga <sub>0.3</sub> Se <sub>2</sub> prepared using the heating-up method. <i>Applied Surface Science</i> , 2017, 426, 1148-1157.	3.1	4
40	Influence of Supercritical CO <sub>2</sub> on the Mobility and Desorption of Trace Elements from CO <sub>2</sub> Storage Rock Sandstone and Caprock Shale in a Potential CO <sub>2</sub> Sequestration Site in Taiwan. <i>Aerosol and Air Quality Research</i> , 2016, 16, 1730-1741.	0.9	4
41	Characterization of CuSbSe <sub>2</sub> crystallites synthesized using a hot injection method. <i>RSC Advances</i> , 2016, 6, 99297-99305.	1.7	18
42	Leaching and re-synthesis of CIGS nanocrystallites from spent CIGS targets. <i>Advanced Powder Technology</i> , 2016, 27, 914-920.	2.0	12
43	Pre-reaction temperature effect on Ca <sup>2+</sup> colloidal properties and xonotlite formation via steam assisted crystallization. <i>Materials and Structures/Materiaux Et Constructions</i> , 2016, 49, 905-915.	1.3	13
44	Copper selenide crystallites synthesized using the hot-injection process. <i>Advanced Powder Technology</i> , 2016, 27, 959-963.	2.0	22
45	Ag precipitation at the free interface of multilayer NiCuZn ferrites/LTCC components. <i>Journal of the European Ceramic Society</i> , 2016, 36, 1191-1195.	2.8	12
46	Bi <sub>2</sub> O <sub>3</sub> Addition Effects on the Sintering Mechanism, Magnetic Properties, and DC Superposition Behavior of NiCuZn Ferrites. <i>International Journal of Applied Ceramic Technology</i> , 2015, 12, 1008-1015.	1.1	27
47	Cooling Rate Effects on the Microstructure, Magnetic Properties, and DC Superposition Behavior of NiCuZn Ferrites. <i>International Journal of Applied Ceramic Technology</i> , 2015, 12, 1065-1070.	1.1	8
48	Multilayer low temperature co-fired M-type barium hexaferrites and BaO·(Nd <sub>1-x</sub> Bix) <sub>2</sub> O <sub>3</sub> ·4TiO <sub>2</sub> dielectric ceramics. <i>Ceramics International</i> , 2015, 41, 12401-12406.	2.3	3
49	Silver end termination paste preparation for chip inductor applications. <i>Journal of Alloys and Compounds</i> , 2015, 650, 835-843.	2.8	7
50	Low-Pressure-Assisted Constrained Sintering of Low-Temperature-Fire NiCuZn Ferrites. <i>International Journal of Applied Ceramic Technology</i> , 2015, 12, E194-E201.	1.1	6
51	Addition of a minor amount of Co <sub>2</sub> Y effects on the microstructure, magnetic properties and DC-bias superposition characteristics of low-fire NiCuZn ferrites. <i>Materials Chemistry and Physics</i> , 2015, 151, 295-300.	2.0	11
52	Copper-rich phase segregation effects on the magnetic properties and DC-bias-superposition characteristic of NiCuZn ferrites. <i>Journal of Magnetism and Magnetic Materials</i> , 2015, 374, 367-371.	1.0	36
53	Cobalt-substitution effects on dielectric properties of CuZn ferrites. <i>Ceramics International</i> , 2015, 41, 4140-4144.	2.3	8
54	Two-step sintering of nanocrystalline Cu(In <sub>0.7</sub> Ga <sub>0.3</sub> )Se <sub>2</sub> . <i>Ceramics International</i> , 2015, 41, 547-553.	2.3	2

#	ARTICLE	IF	CITATIONS
55	Crystallite formation mechanism of $\text{CuIn}(\text{Se},\text{S})_2$ synthesized using solvothermal method. <i>Ceramics International</i> , 2015, 41, 3208-3213.	2.3	8
56	Key Technology and Materials for the Development of DC-DC Converter Module. Additional Conferences (Device Packaging HiTEC HiTEN & CICMT), 2015, 2015, 000246-000257.	0.2	1
57	Interfacial Reaction Between Low-Temperature Co-fired Ceramics and NiCuZn Ferrites in Multilayer Composites. <i>International Journal of Applied Ceramic Technology</i> , 2014, 11, 496-501.	1.1	5
58	Varistor and Magnetic Properties of Nickel Copper Zinc Niobium Ferrite Doped with $\text{Bi}_2\text{O}_3$ . <i>Journal of the American Ceramic Society</i> , 2014, 97, 3918-3925.	1.9	11
59	Effects of the addition of alumina on the crystallization, densification and dielectric properties of $\text{CaO-MgO-Al}_2\text{O}_3\text{-SiO}_2$ glass in the presence of $\text{ZrO}_2$ . <i>Ceramics International</i> , 2014, 40, 15807-15813.	2.3	23
60	Crystallization, densification and dielectric properties of $\text{CaO-MgO-Al}_2\text{O}_3\text{-SiO}_2$ glass with $\text{ZrO}_2$ as nucleating agent. <i>Materials Research Bulletin</i> , 2014, 60, 730-737.	2.7	30
61	Formation from $\text{CuSe}_2$ and $\text{Cu}_2\text{Se}$ and $\text{In}_2\text{Se}_3$ Powders: Reaction Kinetics and Mechanisms. <i>Journal of the American Ceramic Society</i> , 2014, 97, 1-8.	1.9	8
62	Class Additive Influence on the Sintering Behaviors, Magnetic and Electric Properties of $\text{Bi-Zn-Co}$ Doped $\text{Co}_2\text{Y}$ Ferrites. <i>International Journal of Applied Ceramic Technology</i> , 2013, 10, 160-167.	1.1	3
63	Phase evolution and reduction behavior of $\text{Ce}_{0.6}\text{Zr}_{0.4}\text{O}_2$ powders prepared using the chemical co-precipitation method. <i>Ceramics International</i> , 2013, 39, 1717-1722.	2.3	8
64	$\text{Na}_2\text{CO}_3$ doping effect on $\text{Zn-Pr-Co}$ ceramic varistor properties. <i>Journal of Alloys and Compounds</i> , 2013, 558, 84-90.	2.8	22
65	Controlling morphology and crystallite size of $\text{Cu}(\text{In}_{0.7}\text{Ga}_{0.3})\text{Se}_2$ nano-crystals synthesized using a heating-up method. <i>Journal of Solid State Chemistry</i> , 2013, 208, 1-8.	1.4	11
66	Cuprous selenide nano-crystal synthesis and characterization. <i>Materials Research Bulletin</i> , 2013, 48, 715-720.	2.7	13
67	Phase Separation Phenomenon and Mechanism of $\text{Ce}_{0.6}\text{Zr}_{0.4}\text{O}_2$ Powders Prepared Using Chemical Coprecipitation Method. <i>Journal of the American Ceramic Society</i> , 2013, 96, 1629-1634.	1.9	4
68	Effects of $\text{ZnO-B}_2\text{O}_3\text{-SiO}_2$ Addition on the Microwave Dielectric Properties of $\text{Ba}(\text{Nd}_{1-x}\text{Bi}_x)_2\text{Ti}_4\text{O}_{12}$ Ceramics. <i>Ferroelectrics</i> , 2012, 435, 1-12.	0.3	1
69	Low Temperature Cofired Soft Ferrites for High Frequency Applications. <i>Ferroelectrics</i> , 2012, 435, 18-29.	0.3	1
70	Low-temperature sintered $\text{CuIn}_{0.7}\text{Ga}_{0.3}\text{Se}_2$ prepared by colloidal processing. <i>Journal of the European Ceramic Society</i> , 2012, 32, 3753-3757.	2.8	10
71	Phase evolution and thermal behaviors of the solid-state reaction between $\text{SrCO}_3$ and $\text{Al}_2\text{O}_3$ to form $\text{SrAl}_2\text{O}_4$ under air and $\text{CO}_2$ -air atmospheres. <i>Ceramics International</i> , 2012, 38, 2269-2276.	2.3	9
72	Low temperature firing of $\text{Co}_2\text{Y-NiCuZn}$ ferrite composites. <i>Ceramics International</i> , 2012, 38, 4915-4921.	2.3	18

#	ARTICLE	IF	CITATIONS
73	Mechanical and Dielectric Properties of NiZn Ferrite Powders-CTBN Modified Epoxy Resin Coatings. Polymer-Plastics Technology and Engineering, 2011, 50, 568-572.	1.9	13
74	Crystalline phases and magnetic properties of Cu <sup>2+</sup> -Bi <sup>3+</sup> -Zn co-doped Co <sub>2</sub> Z ferrites. Journal of Alloys and Compounds, 2011, 509, 3343-3346.	2.8	12
75	Sintering behaviors, magnetic and electric properties of Bi <sup>3+</sup> -Zn co-doped Co <sub>2</sub> Y ferrites. Journal of Alloys and Compounds, 2011, 509, 6659-6665.	2.8	5
76	CuInSe <sub>2</sub> nano-crystallite reaction kinetics using solid state reaction from Cu <sub>2</sub> Se and In <sub>2</sub> Se <sub>3</sub> powders. Journal of Alloys and Compounds, 2011, 509, 6950-6954.	2.8	18
77	Polyethyleneimine surfactant effect on the formation of nano-sized BaTiO <sub>3</sub> powder via a solid state reaction. Journal of Alloys and Compounds, 2011, 509, 7632-7638.	2.8	12
78	Thermal, chemical, optical properties and structure of Er <sup>3+</sup> -doped and Er <sup>3+</sup> /Yb <sup>3+</sup> -codoped P <sub>2</sub> O <sub>5</sub> -Al <sub>2</sub> O <sub>3</sub> -ZnO glasses. Journal of Non-Crystalline Solids, 2011, 357, 1328-1334.	1.5	15
79	Effect of Ba <sup>2+</sup> Addition on Phase Separation and Oxygen Storage Capacity of Ce <sub>0.5</sub> Zr <sub>0.5</sub> O <sub>2</sub> Powder. Journal of the American Ceramic Society, 2011, 94, 895-901.	1.9	5
80	Formation Mechanisms of Cu(In <sub>0.7</sub> Ga <sub>0.3</sub> )Se <sub>2</sub> Nanocrystallites Synthesized Using Hot-Injection and Heating-Up Processes. Journal of the American Ceramic Society, 2011, 94, 3030-3034.	1.9	29
81	Solvo-Thermal Synthesis and Characterization of Indium Selenide Nanocrystals. Journal of the American Ceramic Society, 2011, 94, 3757-3760.	1.9	7
82	Diffusivity of silver ions in the low temperature co-fired ceramic (LTCC) substrates. Journal of Materials Science, 2011, 46, 4695-4700.	1.7	26
83	Effects of titanate coupling agent on the dielectric properties of NiZn ferrite powders-epoxy resin coatings. Ceramics International, 2011, 37, 2347-2352.	2.3	27
84	Effects of alumina on the crystallization behavior, densification and dielectric properties of BaO-ZnO-SrO-CaO-Nd <sub>2</sub> O <sub>3</sub> -TiO <sub>2</sub> -B <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> glass-ceramics. Ceramics International, 2011, 37, 2453-2458.	3.3	13
85	Silane effects on the surface morphology and abrasion resistance of transparent SiO <sub>2</sub> /UV-curable resin nano-composites. Applied Surface Science, 2011, 257, 3451-3454.	3.1	15
86	Glass additive influence on the sintering behavior, microstructure and microwave magnetic properties of Cu <sup>2+</sup> -Bi <sup>3+</sup> -Zn co-doped Co <sub>2</sub> Z ferrites. Journal of Magnetism and Magnetic Materials, 2011, 323, 1011-1014.	1.0	10
87	Iron oxide synthesis using a continuous hydrothermal and solvothermal system. Ceramics International, 2010, 36, 1131-1135.	2.3	36
88	Silane functional effects on the rheology and abrasion resistance of transparent SiO <sub>2</sub> /UV-curable resin nano-composites. Materials Chemistry and Physics, 2010, 120, 476-479.	2.0	13
89	Ti <sup>4+</sup> addition effect on $\gamma$ -Al <sub>2</sub> O <sub>3</sub> flakes synthesis using a mixture of boehmite and potassium sulfate. Ceramics International, 2010, 36, 1467-1472.	2.3	6
90	Crystallization Behavior and Dielectric Properties of a New High Dielectric Constant Low-Temperature Cofired Ceramics Material Based on Nd <sub>2</sub> O <sub>3</sub> -TiO <sub>2</sub> -SiO <sub>2</sub> Glass-Ceramics. Journal of the American Ceramic Society, 2010, 93, 1714-1717.	1.9	4

#	ARTICLE	IF	CITATIONS
91	Synthesis of Sr <sub>2</sub> SiO <sub>4</sub> nanometer particles from the core-shell precursor of SrCO <sub>3</sub> /SiO <sub>2</sub> . Journal of Alloys and Compounds, 2010, 500, 108-112.	2.8	7
92	Electrical properties of low temperature sintered copper and titanium-codoped copper zinc ferrites. Journal of Alloys and Compounds, 2010, 502, 163-168.	2.8	13
93	Crystallization behavior and dielectric properties of BaO-ZnO-SrO-CaO-Nd <sub>2</sub> O <sub>3</sub> -TiO <sub>2</sub> -B <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> glass-ceramics. Journal of Alloys and Compounds, 2010, 502, 387-391.	2.8	3
94	Low temperature sintering and dielectric properties of BaTiO <sub>3</sub> with glass addition. Materials Chemistry and Physics, 2009, 113, 658-663.	2.0	42
95	Dielectric Properties and Microstructure of Nb-Co Codoped BaTiO <sub>3</sub> (Bi <sub>0.5</sub> Na <sub>0.5</sub> )TiO <sub>3</sub> Ceramics. Journal of the American Ceramic Society, 2009, 92, 2768-2771.	1.9	26
96	Characterization of strontium aluminate phosphors prepared from milled SrCO <sub>3</sub> . Ceramics International, 2009, 35, 1027-1032.	2.3	6
97	Electrical properties of low-temperature-fired ferrite-dielectric composites. Ceramics International, 2009, 35, 2035-2039.	2.3	22
98	Influence of glass additives on the sintering behavior and dielectric properties of BaO·(Nd <sub>0.8</sub> Bi <sub>0.2</sub> ) <sub>2</sub> O <sub>3</sub> ·4TiO <sub>2</sub> ceramics. Journal of Alloys and Compounds, 2009, 467, 485-490.	2.8	26
99	Synthesis and characterization of Al <sub>2</sub> O <sub>3</sub> -Ce <sub>0.5</sub> Zr <sub>0.5</sub> O <sub>2</sub> powders prepared by chemical coprecipitation method. Journal of Alloys and Compounds, 2009, 470, 387-392.	2.8	27
100	Electrical properties of copper and titanium-codoped zinc ferrites. Journal of Alloys and Compounds, 2009, 472, 516-520.	2.8	14
101	Formation and growth of manganese phosphate passivation layers for NTC ceramics. Journal of Alloys and Compounds, 2009, 484, 723-728.	2.8	12
102	Boehmite coating on γ-Al <sub>2</sub> O <sub>3</sub> particles via a sol-gel route. Ceramics International, 2008, 34, 337-343.	2.3	13
103	Effects of aging on nanocrystalline anatase-to-rutile phase transformation kinetics. Ceramics International, 2008, 34, 557-561.	2.3	46
104	Bulk Concentration Effects on the Structure and Orientation of Adsorbed Silane on the Surface of Nanosized SiO <sub>2</sub> Particles. Journal of the American Ceramic Society, 2008, 91, 387-390.	1.9	6
105	Dielectric and Magnetic Properties of Low-Temperature-Fired Ferrite-Dielectric Composites. Journal of the American Ceramic Society, 2008, 91, 2043-2046.	1.9	20
106	Effect of Copper-Rich Secondary Phase at the Grain Boundaries on the Varistor Properties of CaCu <sub>3</sub> Ti <sub>4</sub> O <sub>12</sub> Ceramics. Journal of the American Ceramic Society, 2008, 91, 3735-3737.	1.9	57
107	Formation mechanism of 3BaO·2CoO·12Fe <sub>2</sub> O <sub>3</sub> powder synthesized using chemical coprecipitation. Journal of Alloys and Compounds, 2008, 453, 366-370.	2.8	7
108	Sintering behavior and dielectric properties of BaTiO <sub>3</sub> ceramics with glass addition for internal capacitor of LTCC. Journal of Alloys and Compounds, 2008, 459, 307-310.	2.8	102



#	ARTICLE	IF	CITATIONS
109	Characterizations of Eu, Dy co-doped SrAl <sub>2</sub> O <sub>4</sub> phosphors prepared by the solid-state reaction with B <sub>2</sub> O <sub>3</sub> addition. Journal of Alloys and Compounds, 2008, 461, 598-603.	2.8	51
110	Effects of B <sub>2</sub> O <sub>3</sub> addition on the microstructure and microwave dielectric properties of La <sub>4</sub> Ba <sub>2</sub> Ti <sub>5</sub> O <sub>18</sub> . Journal of Alloys and Compounds, 2008, 465, 356-360.	2.8	13
111	Starting Powder Crystal Phase Effects on Electrical Properties of TiO <sub>2</sub> -Based Varistor. Japanese Journal of Applied Physics, 2008, 47, 4626-4629.	0.8	4
112	Phase Evolution During Formation of SrAl <sub>2</sub> O <sub>4</sub> from SrCO <sub>3</sub> and $\frac{1}{2}$ Al <sub>2</sub> O <sub>3</sub> /AlOOH. Journal of the American Ceramic Society, 2007, 90, 2759-2765.	1.9	22
113	Synthesis of $\frac{1}{2}$ Alumina Hexagonal Platelets Using a Mixture of Boehmite and Potassium Sulfate. Journal of the American Ceramic Society, 2007, 90, 4070-4072.	1.9	5
114	Hexagonal ferrite powder synthesis using chemical coprecipitation. Materials Chemistry and Physics, 2007, 104, 1-4.	2.0	63
115	Preparation of superhydrophobic boehmite and anatase nanocomposite coating films. Materials Research Bulletin, 2007, 42, 420-427.	2.7	29
116	Cooling rate effects on the electrical properties of TiO <sub>2</sub> -based varistor. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2006, 128, 25-29.	1.7	9
117	Titanate coupling agent effects on nonaqueous Co <sub>2</sub> Z ferrite suspensions dispersion. Journal of Materials Science, 2006, 41, 6339-6346.	1.7	12
118	Synthesis of 3BaO·2CoO·12Fe <sub>2</sub> O <sub>3</sub> powder using chemical coprecipitation. Journal of Magnetism and Magnetic Materials, 2006, 307, 273-278.	1.0	8
119	Effects of aging on the kinetics of nanocrystalline anatase crystallite growth. Materials Chemistry and Physics, 2006, 95, 275-279.	2.0	16
120	Characteristics of yttria stabilized tetragonal zirconia powder used in optical fiber connector ferrule. Ceramics International, 2005, 31, 297-303.	2.3	16
121	Dispersion of nonaqueous Co <sub>2</sub> Z ferrite powders with titanate coupling agent and poly(vinyl butyral). Applied Surface Science, 2005, 245, 252-259.	3.1	28
122	Microstructure evolution and electric properties with addition amounts of dysprosium (DyO <sub>1.5</sub> ) in (BaCa)(TiZr)O <sub>3</sub> ceramics. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2005, 123, 69-73.	1.7	4
123	Effects of glass additions on 3Ba <sub>0.5</sub> Sr <sub>0.5</sub> O·2CoO·12Fe <sub>2</sub> O <sub>3</sub> for high-frequency applications. Journal of Magnetism and Magnetic Materials, 2004, 268, 186-193.	1.0	20
124	Molten salt synthesis and magnetic properties of 3BaO·2CoO·12Fe <sub>2</sub> O <sub>3</sub> powder. Journal of Magnetism and Magnetic Materials, 2004, 278, 218-222.	1.0	24
125	Effects of aging on the phase transformation and sintering properties of TiO <sub>2</sub> gels. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 380, 67-72.	2.6	43
126	Interfacial reaction of TiO <sub>2</sub> /NiCuZn ferrites in multilayer composites. Journal of the European Ceramic Society, 2004, 24, 2015-2021.	2.8	36



#	ARTICLE	IF	CITATIONS
127	Effects of mechanical treatment on phase transformation and sintering of nano-sized $\hat{\text{I}}^3\text{-Fe}_2\text{O}_3$ powder. <i>Ceramics International</i> , 2003, 29, 1-6.	2.3	31
128	Effects of Glass Addition on Magnetic Properties of $3\text{Ba}0.5\text{Sr}0.5\text{O}\hat{\text{A}}\cdot 2\text{CoO}\hat{\text{A}}\cdot 12\text{Fe}_2\text{O}_3$ for Multilayer Chip Inductors. <i>Japanese Journal of Applied Physics</i> , 2002, 41, 5137-5141.	0.8	14
129	Title is missing!. <i>Journal of Materials Science</i> , 2001, 36, 2081-2087.	1.7	21
130	Title is missing!. <i>Journal of Materials Science</i> , 2001, 36, 3809-3815.	1.7	82
131	Effect of Crystallite Size on the Ferroelectric Domain Growth of Ultrafine $\text{BaTiO}_3$ Powders. <i>Journal of the American Ceramic Society</i> , 1996, 79, 1053-1060.	1.9	154
132	Crystallization of Lanthanum-Modified Lead Zirconate Titanate (PLZT) Using Coprecipitated Gels. <i>Japanese Journal of Applied Physics</i> , 1995, 34, 4137-4142.	0.8	2
133	Effects of Porosity on Dielectric Properties of $\text{BaTiO}_3$ Ceramics. <i>Japanese Journal of Applied Physics</i> , 1995, 34, 1922-1925.	0.8	28
134	Cubic to Tetragonal Phase Transformation of Ultrafine $\text{BaTiO}_3$ Crystallites at Room Temperature. <i>Japanese Journal of Applied Physics</i> , 1995, 34, 6149-6155.	0.8	91
135	Effects of Uniaxial Compaction Pressure on the Dielectric Properties of $\text{BaTiO}_3$ /Polyvinylidene Fluoride Composites. <i>Japanese Journal of Applied Physics</i> , 1994, 33, 3991-3995.	0.8	9
136	Dielectric Properties and Ferroelectric Domain of $\text{BaTiO}_3$ Powders. <i>Japanese Journal of Applied Physics</i> , 1993, 32, 5029-5035.	0.8	27