

Jean-Bernard Daepfen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/985456/jean-bernard-daeppen-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140
papers

3,833
citations

32
h-index

57
g-index

145
ext. papers

4,292
ext. citations

3.5
avg, IF

5.21
L-index

#	Paper	IF	Citations
140	Reduction of alcohol consumption by brief alcohol intervention in primary care: systematic review and meta-analysis. <i>Archives of Internal Medicine</i> , 2005 , 165, 986-95		481
139	The Alcohol Use Disorders Identification Test (AUDIT) as a screening tool for excessive drinking in primary care: reliability and validity of a French version. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 2001-7	3.7	223
138	Effectiveness of interventions targeting frequent users of emergency departments: a systematic review. <i>Annals of Emergency Medicine</i> , 2011 , 58, 41-52.e42	2.1	222
137	Symptom-triggered vs fixed-schedule doses of benzodiazepine for alcohol withdrawal: a randomized treatment trial. <i>Archives of Internal Medicine</i> , 2002 , 162, 1117-21		172
136	Reliability and Validity of the Alcohol Use Disorders Identification Test (AUDIT) Imbedded Within a General Health Risk Screening Questionnaire: Results of a Survey in 332 Primary Care Patients. <i>Alcoholism: Clinical and Experimental Research</i> , 2000 , 24, 659-665	3.7	127
135	Examining non-response bias in substance use research--are late respondents proxies for non-respondents?. <i>Drug and Alcohol Dependence</i> , 2013 , 132, 316-23	4.9	117
134	Brief alcohol intervention and alcohol assessment do not influence alcohol use in injured patients treated in the emergency department: a randomized controlled clinical trial. <i>Addiction</i> , 2007 , 102, 1224-33	4.6	115
133	Mechanisms of action of brief alcohol interventions remain largely unknown - a narrative review. <i>Frontiers in Psychiatry</i> , 2014 , 5, 108	5	96
132	Brief alcohol interventions: do counsellors' and patients' communication characteristics predict change?. <i>Alcohol and Alcoholism</i> , 2008 , 43, 62-9	3.5	88
131	Counselor skill influences outcomes of brief motivational interventions. <i>Journal of Substance Abuse Treatment</i> , 2009 , 37, 151-9	4.2	80
130	MOS-SF-36 in evaluating health-related quality of life in alcohol-dependent patients. <i>American Journal of Drug and Alcohol Abuse</i> , 1998 , 24, 685-94	3.7	75
129	Counsellor behaviours and patient language during brief motivational interventions: a sequential analysis of speech. <i>Addiction</i> , 2008 , 103, 1793-800	4.6	68
128	Alcohol-attributable injuries in admissions to a swiss emergency room--an analysis of the link between volume of drinking, drinking patterns, and preattendance drinking. <i>Alcoholism: Clinical and Experimental Research</i> , 2006 , 30, 501-9	3.7	68
127	Social and medical vulnerability factors of emergency department frequent users in a universal health insurance system. <i>Academic Emergency Medicine</i> , 2012 , 19, 63-8	3.4	67
126	The economic burden of alcohol dependence in Europe. <i>Alcohol and Alcoholism</i> , 2013 , 48, 259-69	3.5	61
125	Risk of All-Cause Mortality in Alcohol-Dependent Individuals: A Systematic Literature Review and Meta-Analysis. <i>EBioMedicine</i> , 2015 , 2, 1394-404	8.8	60
124	Routes of administration of cannabis used for nonmedical purposes and associations with patterns of drug use. <i>Journal of Adolescent Health</i> , 2014 , 54, 235-40	5.8	57

123	Change talk sequence during brief motivational intervention, towards or away from drinking. <i>Addiction</i> , 2010 , 105, 2106-12	4.6	53
122	Peer pressure and alcohol use in young men: a mediation analysis of drinking motives. <i>International Journal of Drug Policy</i> , 2014 , 25, 700-8	5.5	41
121	Predictive value of readiness, importance, and confidence in ability to change drinking and smoking. <i>BMC Public Health</i> , 2012 , 12, 708	4.1	41
120	Need for informed consent in substance use studies--harm of bias?. <i>Journal of Studies on Alcohol and Drugs</i> , 2013 , 74, 931-40	1.9	40
119	E-cigarette use in young Swiss men: is vaping an effective way of reducing or quitting smoking?. <i>Swiss Medical Weekly</i> , 2016 , 146, w14271	3.1	38
118	Does change talk during brief motivational interventions with young men predict change in alcohol use?. <i>Journal of Substance Abuse Treatment</i> , 2013 , 44, 177-85	4.2	37
117	Do brief alcohol motivational interventions work like we think they do?. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 853-9	3.7	37
116	The Swiss Cohort Study on Substance Use Risk Factors [Findings of two Waves. <i>Sucht</i> , 2015 , 61, 251-262	0.5	37
115	Screening of mental health and substance users in frequent users of a general Swiss emergency department. <i>BMC Emergency Medicine</i> , 2015 , 15, 27	2.4	36
114	Effect of training on primary care residents' performance in brief alcohol intervention: a randomized controlled trial. <i>Journal of General Internal Medicine</i> , 2007 , 22, 1144-9	4	36
113	Training medical students to conduct motivational interviewing: a randomized controlled trial. <i>Patient Education and Counseling</i> , 2012 , 87, 313-8	3.1	35
112	The alcohol purchase task in young men from the general population. <i>Drug and Alcohol Dependence</i> , 2015 , 146, 39-44	4.9	33
111	Case Management may Reduce Emergency Department Frequent use in a Universal Health Coverage System: a Randomized Controlled Trial. <i>Journal of General Internal Medicine</i> , 2017 , 32, 508-515 ⁴		33
110	Efficacy of brief motivational intervention in reducing binge drinking in young men: A randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2011 , 113, 69-75	4.9	33
109	Communication during brief intervention, intention to change, and outcome. <i>Substance Abuse</i> , 2007 , 28, 43-51	3.8	33
108	Internet-based brief intervention for young men with unhealthy alcohol use: a randomized controlled trial in a general population sample. <i>Addiction</i> , 2015 , 110, 1735-43	4.6	31
107	Reframing video gaming and internet use addiction: empirical cross-national comparison of heavy use over time and addiction scales among young users. <i>Addiction</i> , 2016 , 111, 513-22	4.6	31
106	Influence of counselor characteristics and behaviors on the efficacy of a brief motivational intervention for heavy drinking in young men--a randomized controlled trial. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 2138-47	3.7	29

105	Perception of tobacco, cannabis, and alcohol use of others is associated with one's own use. <i>Addiction Science & Clinical Practice</i> , 2013 , 8, 15	4.1	28
104	Who drinks most of the total alcohol in young men--risky single occasion drinking as normative behaviour. <i>Alcohol and Alcoholism</i> , 2008 , 43, 692-7	3.5	28
103	Socioeconomic status and substance use among Swiss young men: a population-based cross-sectional study. <i>BMC Public Health</i> , 2016 , 16, 333	4.1	27
102	Associations of physical activity and sport and exercise with at-risk substance use in young men: a longitudinal study. <i>Preventive Medicine</i> , 2014 , 64, 27-31	4.3	27
101	Acute alcohol consumption and injury: risk associations and attributable fractions for different injury mechanisms. <i>Journal of Studies on Alcohol and Drugs</i> , 2008 , 69, 218-26	1.9	27
100	Emerging Adulthood: A Time of Changes in Psychosocial Well-Being. <i>Evaluation and the Health Professions</i> , 2017 , 40, 383-400	2.5	26
99	The cost-effectiveness and public health benefit of nalmefene added to psychosocial support for the reduction of alcohol consumption in alcohol-dependent patients with high/very high drinking risk levels: a Markov model. <i>BMJ Open</i> , 2014 , 4, e005376	3	26
98	Perception of the amount of drinking by others in a sample of 20-year-old men: the more I think you drink, the more I drink. <i>Alcohol and Alcoholism</i> , 2011 , 46, 83-7	3.5	26
97	Protective behavioral strategies and future drinking behaviors: Effect of drinking intentions. <i>Psychology of Addictive Behaviors</i> , 2015 , 29, 355-64	3.4	25
96	Concurrent and simultaneous polydrug use among young Swiss males: use patterns and associations of number of substances used with health issues. <i>International Journal of Adolescent Medicine and Health</i> , 2014 , 26, 217-24	1.1	23
95	Quality of life depends on the drinking pattern in alcohol-dependent patients. <i>Alcohol and Alcoholism</i> , 2014 , 49, 457-65	3.5	23
94	Effectiveness of a brief integrative multiple substance use intervention among young men with and without booster sessions. <i>Journal of Substance Abuse Treatment</i> , 2013 , 44, 231-40	4.2	22
93	Patterns of cannabis use and prospective associations with health issues among young males. <i>Addiction</i> , 2014 , 109, 937-45	4.6	22
92	Latent Class Analysis of Gambling Activities in a Sample of Young Swiss Men: Association with Gambling Problems, Substance Use Outcomes, Personality Traits and Coping Strategies. <i>Journal of Gambling Studies</i> , 2016 , 32, 421-40	3	21
91	Characterizing the vulnerability of frequent emergency department users by applying a conceptual framework: a controlled, cross-sectional study. <i>International Journal for Equity in Health</i> , 2015 , 14, 146	4.6	21
90	Women and Men Admitted for Alcohol Intoxication at an Emergency Department: Alcohol Use Disorders, Substance Use and Health and Social Status 7 Years Later. <i>Alcohol and Alcoholism</i> , 2016 , 51, 567-75	3.5	20
89	Case management for frequent users of the emergency department: study protocol of a randomised controlled trial. <i>BMC Health Services Research</i> , 2014 , 14, 264	2.9	20
88	Readiness to Change Predicts Drinking: Findings from 12-Month Follow-Up of Alcohol Use Disorder Outpatients. <i>Alcohol and Alcoholism</i> , 2017 , 52, 65-71	3.5	20

87	Characteristics of highly frequent users of a Swiss academic emergency department: a retrospective consecutive case series. <i>European Journal of Emergency Medicine</i> , 2013 , 20, 413-9	2.3	20
86	Alcohol dependence treatment in the EU: A literature search and expert consultation about the availability and use of guidelines in all EU countries plus Iceland, Norway, and Switzerland. <i>The International Journal of Alcohol and Drug Research</i> , 2013 , 2, 53-67	1.5	20
85	Under what conditions? Therapist and client characteristics moderate the role of change talk in brief motivational intervention. <i>Journal of Consulting and Clinical Psychology</i> , 2016 , 84, 211-20	6.5	20
84	More is not always better-comparison of three instruments measuring volume of drinking in a sample of young men and their association with consequences. <i>Journal of Studies on Alcohol and Drugs</i> , 2014 , 75, 880-8	1.9	19
83	What process research tells us about brief intervention efficacy. <i>Drug and Alcohol Review</i> , 2010 , 29, 612-622	6.2	19
82	Alcohol-induced blackouts at age 20 predict the incidence, maintenance and severity of alcohol dependence at age 25: a prospective study in a sample of young Swiss men. <i>Addiction</i> , 2019 , 114, 1556-1566	4.6	18
81	Depressive symptoms, alcohol use and coping drinking motives: Examining various pathways to suicide attempts among young men. <i>Journal of Affective Disorders</i> , 2018 , 232, 243-251	6.6	18
80	Change Talk During Brief Motivational Intervention With Young Adult Males: Strength Matters. <i>Journal of Substance Abuse Treatment</i> , 2016 , 65, 58-65	4.2	18
79	Drinking Motives As Mediators of the Associations between Reinforcement Sensitivity and Alcohol Misuse and Problems. <i>Frontiers in Psychology</i> , 2016 , 7, 718	3.4	18
78	Drinking locations and alcohol-related harm: Cross-sectional and longitudinal associations in a sample of young Swiss men. <i>International Journal of Drug Policy</i> , 2015 , 26, 653-61	5.5	17
77	A measure of the intensity of response to alcohol to screen for alcohol use disorders in primary care. <i>Alcohol and Alcoholism</i> , 2000 , 35, 625-7	3.5	16
76	Smartphone application for unhealthy alcohol use: A pilot study. <i>Substance Abuse</i> , 2017 , 38, 285-291	3.8	15
75	Using case management in a universal health coverage system to improve quality of life of frequent Emergency Department users: a randomized controlled trial. <i>Quality of Life Research</i> , 2018 , 27, 503-513	3.7	14
74	Use of neuroenhancement drugs: prevalence, frequency and use expectations in Switzerland. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 3032-45	4.6	14
73	Age of first alcohol intoxication: association with risky drinking and other substance use at the age of 20. <i>Swiss Medical Weekly</i> , 2011 , 141, w13226	3.1	13
72	Internet-Based Brief Intervention to Prevent Unhealthy Alcohol Use among Young Men: A Randomized Controlled Trial. <i>PLoS ONE</i> , 2015 , 10, e0144146	3.7	12
71	Concurrent versus simultaneous use of alcohol and non-medical use of prescription drugs: is simultaneous use worse for mental, social, and health issues?. <i>Journal of Psychoactive Drugs</i> , 2014 , 46, 334-9	3.6	12
70	Patterns and Transitions in Substance Use Among Young Swiss Men: A Latent Transition Analysis Approach. <i>Journal of Drug Issues</i> , 2014 , 44, 381-393	1.4	12

69	Admissions of patients with alcohol intoxication in the Emergency Department: a growing phenomenon. <i>Swiss Medical Weekly</i> , 2014 , 144, w13982	3.1	12
68	Are young men who overestimate drinking by others more likely to respond to an electronic normative feedback brief intervention for unhealthy alcohol use?. <i>Addictive Behaviors</i> , 2016 , 63, 97-101	4.2	11
67	Associations between perceived discrimination and health status among frequent Emergency Department users. <i>European Journal of Emergency Medicine</i> , 2017 , 24, 136-141	2.3	10
66	Health impact of sport and exercise in emerging adult men: a prospective study. <i>Quality of Life Research</i> , 2014 , 23, 2225-34	3.7	10
65	Substance Use in Young Swiss Men: The Interplay of Perceived Social Support and Dispositional Characteristics. <i>Substance Use and Misuse</i> , 2017 , 52, 798-810	2.2	9
64	Perceptions of twelve-step mutual-help groups and their associations with motivation, treatment attendance and alcohol outcomes among chronically homeless individuals with alcohol problems. <i>International Journal of Drug Policy</i> , 2015 , 26, 468-74	5.5	9
63	The Change Questionnaire predicts change in hazardous tobacco and alcohol use. <i>Addictive Behaviors</i> , 2013 , 38, 2718-23	4.2	9
62	Is the relationship between major depressive disorder and self-reported alcohol use disorder an artificial one?. <i>Alcohol and Alcoholism</i> , 2015 , 50, 195-9	3.5	9
61	Sport and alcohol: An emergency department study in Switzerland. <i>European Journal of Sport Science</i> , 2009 , 9, 11-22	3.9	9
60	Implementing a case management intervention for frequent users of the emergency department (I-CaM): an effectiveness-implementation hybrid trial study protocol. <i>BMC Health Services Research</i> , 2019 , 19, 28	2.9	7
59	Risky substance use and peer pressure in Swiss young men: Test of moderation effects. <i>Drug and Alcohol Dependence</i> , 2016 , 168, 89-98	4.9	7
58	Comparison of self-reported measures of alcohol-related dependence among young Swiss men: a study protocol for a cross-sectional controlled sample. <i>BMJ Open</i> , 2018 , 8, e023632	3	7
57	Family-Related Stress versus External Stressors: Differential Impacts on Alcohol and Illicit Drug Use in Young Men. <i>European Addiction Research</i> , 2017 , 23, 284-297	4.6	7
56	Drinking patterns and their predictive factors in CONTROL: a 12-month prospective study in a sample of alcohol-dependent patients initiating treatment. <i>Alcohol and Alcoholism</i> , 2013 , 48, 189-95	3.5	7
55	Non-medical use of prescription drugs by young men: impact of potentially traumatic events and of social-environmental stressors. <i>Högre Utbildning</i> , 2018 , 9, 1468706	5	7
54	Six-month outcomes among socially marginalized alcohol and drug users attending a drop-in center allowing alcohol consumption. <i>International Journal of Drug Policy</i> , 2017 , 41, 65-73	5.5	6
53	Attention deficit hyperactivity disorder and future alcohol outcomes: Examining the roles of coping and enhancement drinking motives among young men. <i>PLoS ONE</i> , 2019 , 14, e0218469	3.7	6
52	Independent and combined associations of risky single-occasion drinking and drinking volume with alcohol use disorder: Evidence from a sample of young Swiss men. <i>Drug and Alcohol Dependence</i> , 2015 , 154, 260-3	4.9	6

51	Non-medical prescription drug and illicit street drug use among young Swiss men and associated mental health issues. <i>International Journal of Adolescent Medicine and Health</i> , 2014 , 26, 525-30	1.1	6
50	Identifying an accurate self-reported screening tool for alcohol use disorder: evidence from a Swiss, male population-based assessment. <i>Addiction</i> , 2020 , 115, 426-436	4.6	6
49	Health care costs of case management for frequent users of the emergency department: Hospital and insurance perspectives. <i>PLoS ONE</i> , 2018 , 13, e0199691	3.7	6
48	Cost-Effectiveness of Nalmefene Added to Psychosocial Support for the Reduction of Alcohol Consumption in Alcohol-Dependent Patients With High/Very High Drinking Risk Levels: A Microsimulation Model. <i>Journal of Studies on Alcohol and Drugs</i> , 2017 , 78, 867-876	1.9	5
47	Interpretation of DSM-5 alcohol use disorder criteria in self-report surveys may change with age. A longitudinal analysis of young Swiss men. <i>Addiction Research and Theory</i> , 2019 , 27, 489-497	2.6	5
46	Bidirectional relationship between the body mass index and substance use in young men. <i>Substance Abuse</i> , 2016 , 37, 190-6	3.8	5
45	Modelling the consequences of a reduction in alcohol consumption among patients with alcohol dependence based on real-life observational data. <i>BMC Public Health</i> , 2015 , 15, 1271	4.1	5
44	The Impact of Binge Drinking on Mortality and Liver Disease in the Swiss HIV Cohort Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	5
43	Snus and Snuff Use in Switzerland Among Young Men: Are There Beneficial Effects on Smoking?. <i>Nicotine and Tobacco Research</i> , 2018 , 20, 1301-1309	4.9	4
42	Characteristics and predictors of mortality among frequent users of an Emergency Department in Switzerland. <i>European Journal of Emergency Medicine</i> , 2018 , 25, 140-146	2.3	4
41	A possible way to motivate ambivalent patients to undergo detoxification. <i>Alcohol and Alcoholism</i> , 2006 , 41, 205	3.5	4
40	The psychological impact of the COVID-19 crisis is higher among young Swiss men with a lower socioeconomic status: Evidence from a cohort study. <i>PLoS ONE</i> , 2021 , 16, e0255050	3.7	4
39	Factor structure and psychometric properties of a French and German shortened version of the Behavioural Inhibition System/Behavioural Activation System scales. <i>International Journal of Methods in Psychiatric Research</i> , 2016 , 25, 44-54	4.3	4
38	The psychological impact of the COVID-19 crisis on young Swiss men participating in a cohort study. <i>Swiss Medical Weekly</i> , 2021 , 151, w30028	3.1	4
37	Health care providers' perception of the frequent emergency department user issue and of targeted case management interventions: a cross-sectional national survey in Switzerland. <i>BMC Emergency Medicine</i> , 2021 , 21, 4	2.4	4
36	Binge drinking in 19 year old men. <i>Swiss Medical Weekly</i> , 2005 , 135, 179-83	3.1	4
35	Four-year follow-up of an internet-based brief intervention for unhealthy alcohol use in young men. <i>Addiction</i> , 2018 , 113, 1517-1521	4.6	3
34	Association between non-medical prescription drug use and personality traits among young Swiss men. <i>Psychiatry and Clinical Neurosciences</i> , 2015 , 69, 228-37	6.2	3

33	Brief alcohol intervention as pragmatic intervention: who is voluntarily taking an offered intervention?. <i>Alcohol</i> , 2012 , 46, 551-8	2.7	3
32	Performance of self-reported measures of alcohol use and of harmful drinking patterns against ethyl glucuronide hair testing among young Swiss men. <i>PLoS ONE</i> , 2020 , 15, e0244336	3.7	3
31	Further Utilization of Emergency Department and Inpatient Psychiatric Services Among Young Adults Admitted at the Emergency Department With Clinical Alcohol Intoxication. <i>Journal of Addiction Medicine</i> , 2020 , 14, 32-38	3.8	3
30	Evolution of the Illegal Substances Market and Substance Users' Social Situation and Health during the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
29	Protective behavioral strategies and alcohol outcomes: Impact of mood and personality disorders. <i>Addictive Behaviors</i> , 2021 , 112, 106615	4.2	3
28	The Outcome Reporting in Brief Intervention Trials: Alcohol (ORBITAL) Core Outcome Set: International Consensus on Outcomes to Measure in Efficacy and Effectiveness Trials of Alcohol Brief Interventions. <i>Journal of Studies on Alcohol and Drugs</i> , 2021 , 82, 638-646	1.9	3
27	Longitudinal Associations Between Life Satisfaction and Cannabis Use Initiation, Cessation, and Disorder Symptom Severity in a Cohort of Young Swiss Men. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	2
26	Comparing Mental Health across Distinct Groups of Users of Psychedelics, MDMA, Psychostimulants, and Cannabis. <i>Journal of Psychoactive Drugs</i> , 2019 , 51, 236-246	3.6	2
25	Protective Behavioral Strategies Scale-20: Psychometric properties of a French and German version among young males in Switzerland. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1777	4.3	2
24	Screening for alcohol use disorder among individuals with comorbid psychiatric disorders: Diagnostic accuracy in a sample of young Swiss men. <i>Addictive Behaviors</i> , 2020 , 106, 106354	4.2	2
23	Cannabis use and other illicit drug use: do subjective experiences during first cannabis use increase the probability of using illicit drug?. <i>Journal of Substance Use</i> , 2015 , 20, 234-238	0.8	2
22	Factor structure of early smoking experiences and associations with smoking behavior: valence or sensitivity model?. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 6305-18	4.6	2
21	Smartphone-based secondary prevention intervention for university students with unhealthy alcohol use identified by screening: study protocol of a parallel group randomized controlled trial. <i>Trials</i> , 2020 , 21, 191	2.8	2
20	Reliability and Validity of the Alcohol Use Disorders Identification Test (AUDIT) Imbedded Within a General Health Risk Screening Questionnaire: Results of a Survey in 332 Primary Care Patients 2000 , 24, 659		2
19	Alcohol consumption and neurocognitive deficits in people with well-treated HIV in Switzerland. <i>PLoS ONE</i> , 2021 , 16, e0246579	3.7	2
18	Developing a brief motivational intervention for young adults admitted with alcohol intoxication in the emergency department - Results from an iterative qualitative design. <i>PLoS ONE</i> , 2021 , 16, e0246652	3.7	2
17	Changes in substance use and other reinforcing behaviours during the COVID-19 crisis in a general population cohort study of young Swiss men. <i>Journal of Behavioral Addictions</i> , 2021 ,	6.3	1
16	Electronic screening and brief intervention for unhealthy alcohol use in primary care waiting rooms - A pilot project. <i>Substance Abuse</i> , 2020 , 41, 347-355	3.8	1

15	Cigarette and Cannabis Use in Young Swiss Men: Examination of the Bidirectional, Longitudinal Associations Between Frequency of Use and Descriptive Norms. <i>Journal of Studies on Alcohol and Drugs</i> , 2018 , 79, 585-590	1.9	1
14	Healthcare Providers' Perceptions of Challenges with Frequent Users of Emergency Department Care in Switzerland: A Qualitative Study. <i>Inquiry (United States)</i> , 2021 , 58, 469580211028173	1.4	1
13	Motivational interviewing technical and relational skills, change talk, and alcohol outcomes-A moderated mediation analysis. <i>Journal of Consulting and Clinical Psychology</i> , 2021 , 89, 707-716	6.5	0
12	Does Case Management Provide Support for Staff Facing Frequent Users of Emergency Departments? A Comparative Mixed-Method Evaluation of ED Staff Perception. <i>BMC Emergency Medicine</i> , 2021 , 21, 92	2.4	0
11	Do sensation seeking and aggression traits moderate the association between peer influence and alcohol outcomes among young Swiss men?. <i>Addiction Research and Theory</i> , 2018 , 26, 52-62	2.6	
10	Time of injury in light of prior-to-injury and usual alcohol consumption: an emergency department study. <i>Open Access Emergency Medicine</i> , 2010 , 2, 61-6	1.9	
9	Exploring Clinical Practice and Developing Clinician Self-Reflection Through Cross Self-Confrontation Methodology: An Application Within an Addiction Medicine Unit. <i>Global Qualitative Nursing Research</i> , 2021 , 8, 23333936211054800	0.9	
8	A randomized trial of brief web-based prevention of unhealthy alcohol use: Participant self-selection compared to a male young adult source population. <i>Internet Interventions</i> , 2020 , 19, 100298	4.4	
7	Should we measure ambivalence to change?. <i>Addiction</i> , 2016 , 111, 1908-1909	4.6	
6	Cigarette and Cannabis Use in Young Swiss Men: Examination of the Bidirectional, Longitudinal Associations Between Frequency of Use and Descriptive Norms. <i>Journal of Studies on Alcohol and Drugs</i> , 2018 , 79, 585-590	1.9	
5	The "Outcome Reporting in Brief Intervention Trials: Alcohol" (ORBITAL) Core Outcome Set: International Consensus on Outcomes to Measure in Efficacy and Effectiveness Trials of Alcohol Brief Interventions. <i>Journal of Studies on Alcohol and Drugs</i> , 2021 , 82, 638-646	1.9	
4	Performance of self-reported measures of alcohol use and of harmful drinking patterns against ethyl glucuronide hair testing among young Swiss men 2020 , 15, e0244336		
3	Performance of self-reported measures of alcohol use and of harmful drinking patterns against ethyl glucuronide hair testing among young Swiss men 2020 , 15, e0244336		
2	Performance of self-reported measures of alcohol use and of harmful drinking patterns against ethyl glucuronide hair testing among young Swiss men 2020 , 15, e0244336		
1	Performance of self-reported measures of alcohol use and of harmful drinking patterns against ethyl glucuronide hair testing among young Swiss men 2020 , 15, e0244336		