Jean-Bernard Daeppen

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/985456/jean-bernard-daeppen-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,833 140 32 57 h-index g-index citations papers 145 4,292 3.5 5.21 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
140	Changes in substance use and other reinforcing behaviours during the COVID-19 crisis in a general population cohort study of young Swiss men. <i>Journal of Behavioral Addictions</i> , 2021 ,	6.3	1
139	Exploring Clinical Practice and Developing Clinician Self-Reflection Through Cross Self-Confrontation Methodology: An Application Within an Addiction Medicine Unit. <i>Global Qualitative Nursing Research</i> , 2021 , 8, 23333936211054800	0.9	
138	Alcohol consumption and neurocognitive deficits in people with well-treated HIV in Switzerland. <i>PLoS ONE</i> , 2021 , 16, e0246579	3.7	2
137	Evolution of the Illegal Substances Market and Substance Users' Social Situation and Health during the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
136	The psychological impact of the COVID-19 crisis is higher among young Swiss men with a lower socioeconomic status: Evidence from a cohort study. <i>PLoS ONE</i> , 2021 , 16, e0255050	3.7	4
135	Protective behavioral strategies and alcohol outcomes: Impact of mood and personality disorders. <i>Addictive Behaviors</i> , 2021 , 112, 106615	4.2	3
134	Developing a brief motivational intervention for young adults admitted with alcohol intoxication in the emergency department - Results from an iterative qualitative design. <i>PLoS ONE</i> , 2021 , 16, e024665	2 ^{3.7}	2
133	Motivational interviewing technical and relational skills, change talk, and alcohol outcomes-A moderated mediation analysis. <i>Journal of Consulting and Clinical Psychology</i> , 2021 , 89, 707-716	6.5	O
132	Does Case Management Provide Support for Staff Facing Frequent Users of Emergency Departments? A Comparative Mixed-Method Evaluation of ED Staff Perception. <i>BMC Emergency Medicine</i> , 2021 , 21, 92	2.4	O
131	The Dutcome Reporting in Brief Intervention Trials: Alcohol[ORBITAL) Core Outcome Set: International Consensus on Outcomes to Measure in Efficacy and Effectiveness Trials of Alcohol Brief Interventions. <i>Journal of Studies on Alcohol and Drugs</i> , 2021 , 82, 638-646	1.9	3
130	The psychological impact of the COVID-19 crisis on young Swiss men participating in a cohort study. Swiss Medical Weekly, 2021 , 151, w30028	3.1	4
129	Health care providers' perception of the frequent emergency department user issue and of targeted case management interventions: a cross-sectional national survey in Switzerland. <i>BMC Emergency Medicine</i> , 2021 , 21, 4	2.4	4
128	The Impact of Binge Drinking on Mortality and Liver Disease in the Swiss HIV Cohort Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	5
127	Healthcare Providers' Perceptions of Challenges with Frequent Users of Emergency Department Care in Switzerland: A Qualitative Study. <i>Inquiry (United States)</i> , 2021 , 58, 469580211028173	1.4	1
126	The "Outcome Reporting in Brief Intervention Trials: Alcohol" (ORBITAL) Core Outcome Set: International Consensus on Outcomes to Measure in Efficacy and Effectiveness Trials of Alcohol Brief Interventions. <i>Journal of Studies on Alcohol and Drugs</i> , 2021 , 82, 638-646	1.9	
125	Screening for alcohol use disorder among individuals with comorbid psychiatric disorders: Diagnostic accuracy in a sample of young Swiss men. <i>Addictive Behaviors</i> , 2020 , 106, 106354	4.2	2
124	Smartphone-based secondary prevention intervention for university students with unhealthy alcohol use identified by screening: study protocol of a parallel group randomized controlled trial. <i>Trials</i> , 2020 , 21, 191	2.8	2

123	Performance of self-reported measures of alcohol use and of harmful drinking patterns against ethyl glucuronide hair testing among young Swiss men. <i>PLoS ONE</i> , 2020 , 15, e0244336	3.7	3
122	Identifying an accurate self-reported screening tool for alcohol use disorder: evidence from a Swiss, male population-based assessment. <i>Addiction</i> , 2020 , 115, 426-436	4.6	6
121	A randomized trial of brief web-based prevention of unhealthy alcohol use: Participant self-selection compared to a male young adult source population. <i>Internet Interventions</i> , 2020 , 19, 1002	9 8 4	
120	Further Utilization of Emergency Department and Inpatient Psychiatric Services Among Young Adults Admitted at the Emergency Department With Clinical Alcohol Intoxication. <i>Journal of Addiction Medicine</i> , 2020 , 14, 32-38	3.8	3
119	Electronic screening and brief intervention for unhealthy alcohol use in primary care waiting rooms - A pilot project. <i>Substance Abuse</i> , 2020 , 41, 347-355	3.8	1
118	Performance of self-reported measures of alcohol use and of harmful drinking patterns against ethyl glucuronide hair testing among young Swiss men 2020 , 15, e0244336		
117	Performance of self-reported measures of alcohol use and of harmful drinking patterns against ethyl glucuronide hair testing among young Swiss men 2020 , 15, e0244336		
116	Performance of self-reported measures of alcohol use and of harmful drinking patterns against ethyl glucuronide hair testing among young Swiss men 2020 , 15, e0244336		
115	Performance of self-reported measures of alcohol use and of harmful drinking patterns against ethyl glucuronide hair testing among young Swiss men 2020 , 15, e0244336		
114	Implementing a case management intervention for frequent users of the emergency department (I-CaM): an effectiveness-implementation hybrid trial study protocol. <i>BMC Health Services Research</i> , 2019 , 19, 28	2.9	7
113	Attention deficit hyperactivity disorder and future alcohol outcomes: Examining the roles of coping and enhancement drinking motives among young men. <i>PLoS ONE</i> , 2019 , 14, e0218469	3.7	6
112	Alcohol-induced blackouts at age 20 predict the incidence, maintenance and severity of alcohol dependence at age 25: a prospective study in a sample of young Swiss men. <i>Addiction</i> , 2019 , 114, 1556-	1 \$ 66	18
111	Longitudinal Associations Between Life Satisfaction and Cannabis Use Initiation, Cessation, and Disorder Symptom Severity in a Cohort of Young Swiss Men. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	2
110	Comparing Mental Health across Distinct Groups of Users of Psychedelics, MDMA, Psychostimulants, and Cannabis. <i>Journal of Psychoactive Drugs</i> , 2019 , 51, 236-246	3.6	2
109	Protective Behavioral Strategies Scale-20: Psychometric properties of a French and German version among young males in Switzerland. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1777	4.3	2
108	Interpretation of DSM-5 alcohol use disorder criteria in self-report surveys may change with age. A longitudinal analysis of young Swiss men. <i>Addiction Research and Theory</i> , 2019 , 27, 489-497	2.6	5
107	Depressive symptoms, alcohol use and coping drinking motives: Examining various pathways to suicide attempts among young men. <i>Journal of Affective Disorders</i> , 2018 , 232, 243-251	6.6	18
106	Snus and Snuff Use in Switzerland Among Young Men: Are There Beneficial Effects on Smoking?. <i>Nicotine and Tobacco Research</i> , 2018 , 20, 1301-1309	4.9	4

105	Four-year follow-up of an internet-based brief intervention for unhealthy alcohol use in young men. <i>Addiction</i> , 2018 , 113, 1517-1521	4.6	3
104	Using case management in a universal health coverage system to improve quality of life of frequent Emergency Department users: a randomized controlled trial. <i>Quality of Life Research</i> , 2018 , 27, 503-513	3.7	14
103	Do sensation seeking and aggression traits moderate the association between peer influence and alcohol outcomes among young Swiss men?. <i>Addiction Research and Theory</i> , 2018 , 26, 52-62	2.6	
102	Characteristics and predictors of mortality among frequent users of an Emergency Department in Switzerland. <i>European Journal of Emergency Medicine</i> , 2018 , 25, 140-146	2.3	4
101	Comparison of self-reported measures of alcohol-related dependence among young Swiss men: a study protocol for a cross-sectional controlled sample. <i>BMJ Open</i> , 2018 , 8, e023632	3	7
100	Health care costs of case management for frequent users of the emergency department: Hospital and insurance perspectives. <i>PLoS ONE</i> , 2018 , 13, e0199691	3.7	6
99	Cigarette and Cannabis Use in Young Swiss Men: Examination of the Bidirectional, Longitudinal Associations Between Frequency of Use and Descriptive Norms. <i>Journal of Studies on Alcohol and Drugs</i> , 2018 , 79, 585-590	1.9	1
98	Non-medical use of prescription drugs by young men: impact of potentially traumatic events and of social-environmental stressors. <i>Hgre Utbildning</i> , 2018 , 9, 1468706	5	7
97	Cigarette and Cannabis Use in Young Swiss Men: Examination of the Bidirectional, Longitudinal Associations Between Frequency of Use and Descriptive Norms. <i>Journal of Studies on Alcohol and Drugs</i> , 2018 , 79, 585-590	1.9	
96	Associations between perceived discrimination and health status among frequent Emergency Department users. <i>European Journal of Emergency Medicine</i> , 2017 , 24, 136-141	2.3	10
95	Smartphone application for unhealthy alcohol use: A pilot study. Substance Abuse, 2017, 38, 285-291	3.8	15
94	Six-month outcomes among socially marginalized alcohol and drug users attending a drop-in center allowing alcohol consumption. <i>International Journal of Drug Policy</i> , 2017 , 41, 65-73	5.5	6
93	Substance Use in Young Swiss Men: The Interplay of Perceived Social Support and Dispositional Characteristics. <i>Substance Use and Misuse</i> , 2017 , 52, 798-810	2.2	9
92	Cost-Effectiveness of Nalmefene Added to Psychosocial Support for the Reduction of Alcohol Consumption in Alcohol-Dependent Patients With High/Very High Drinking Risk Levels: A Microsimulation Model. <i>Journal of Studies on Alcohol and Drugs</i> , 2017 , 78, 867-876	1.9	5
91	Readiness to Change Predicts Drinking: Findings from 12-Month Follow-Up of Alcohol Use Disorder Outpatients. <i>Alcohol and Alcoholism</i> , 2017 , 52, 65-71	3.5	20
90	Case Management may Reduce Emergency Department Frequent use in a Universal Health Coverage System: a Randomized Controlled Trial. <i>Journal of General Internal Medicine</i> , 2017 , 32, 508-51	5 ⁴	33
89	Emerging Adulthood: A Time of Changes in Psychosocial Well-Being. <i>Evaluation and the Health Professions</i> , 2017 , 40, 383-400	2.5	26
88	Family-Related Stress versus External Stressors: Differential Impacts on Alcohol and Illicit Drug Use in Young Men. <i>European Addiction Research</i> , 2017 , 23, 284-297	4.6	7

(2015-2016)

87	Gambling Problems, Substance Use Outcomes, Personality Traits and Coping Strategies. <i>Journal of Gambling Studies</i> , 2016 , 32, 421-40	3	21
86	Women and Men Admitted for Alcohol Intoxication at an Emergency Department: Alcohol Use Disorders, Substance Use and Health and Social Status Years Later. <i>Alcohol and Alcoholism</i> , 2016 , 51, 567-75	3.5	20
85	Risky substance use and peer pressure in Swiss young men: Test of moderation effects. <i>Drug and Alcohol Dependence</i> , 2016 , 168, 89-98	4.9	7
84	Socioeconomic status and substance use among Swiss young men: a population-based cross-sectional study. <i>BMC Public Health</i> , 2016 , 16, 333	4.1	27
83	Change Talk During Brief Motivational Intervention With Young Adult Males: Strength Matters. Journal of Substance Abuse Treatment, 2016 , 65, 58-65	4.2	18
82	Bidirectional relationship between the body mass index and substance use in young men. <i>Substance Abuse</i> , 2016 , 37, 190-6	3.8	5
81	E-cigarette use in young Swiss men: is vaping an effective way of reducing or quitting smoking?. <i>Swiss Medical Weekly</i> , 2016 , 146, w14271	3.1	38
80	Under what conditions? Therapist and client characteristics moderate the role of change talk in brief motivational intervention. <i>Journal of Consulting and Clinical Psychology</i> , 2016 , 84, 211-20	6.5	20
79	Drinking Motives As Mediators of the Associations between Reinforcement Sensitivity and Alcohol Misuse and Problems. <i>Frontiers in Psychology</i> , 2016 , 7, 718	3.4	18
78	Factor structure and psychometric properties of a French and German shortened version of the Behavioural Inhibition System/Behavioural Activation System scales. <i>International Journal of Methods in Psychiatric Research</i> , 2016 , 25, 44-54	4.3	4
77	Reframing video gaming and internet use addiction: empirical cross-national comparison of heavy use over time and addiction scales among young users. <i>Addiction</i> , 2016 , 111, 513-22	4.6	31
76	Are young men who overestimate drinking by others more likely to respond to an electronic normative feedback brief intervention for unhealthy alcohol use?. <i>Addictive Behaviors</i> , 2016 , 63, 97-101	4.2	11
75	Should we measure ambivalence to change?. Addiction, 2016, 111, 1908-1909	4.6	
74	Drinking locations and alcohol-related harm: Cross-sectional and longitudinal associations in a sample of young Swiss men. <i>International Journal of Drug Policy</i> , 2015 , 26, 653-61	5.5	17
73	Perceptions of twelve-step mutual-help groups and their associations with motivation, treatment attendance and alcohol outcomes among chronically homeless individuals with alcohol problems. <i>International Journal of Drug Policy</i> , 2015 , 26, 468-74	5.5	9
72	The alcohol purchase task in young men from the general population. <i>Drug and Alcohol Dependence</i> , 2015 , 146, 39-44	4.9	33
71	Association between non-medical prescription drug use and personality traits among young Swiss men. <i>Psychiatry and Clinical Neurosciences</i> , 2015 , 69, 228-37	6.2	3
70	Protective behavioral strategies and future drinking behaviors: Effect of drinking intentions. <i>Psychology of Addictive Behaviors</i> , 2015 , 29, 355-64	3.4	25

69	Modelling the consequences of a reduction in alcohol consumption among patients with alcohol dependence based on real-life observational data. <i>BMC Public Health</i> , 2015 , 15, 1271	4.1	5
68	Internet-based brief intervention for young men with unhealthy alcohol use: a randomized controlled trial in a general population sample. <i>Addiction</i> , 2015 , 110, 1735-43	4.6	31
67	Screening of mental health and substance users in frequent users of a general Swiss emergency department. <i>BMC Emergency Medicine</i> , 2015 , 15, 27	2.4	36
66	Characterizing the vulnerability of frequent emergency department users by applying a conceptual framework: a controlled, cross-sectional study. <i>International Journal for Equity in Health</i> , 2015 , 14, 146	4.6	21
65	Internet-Based Brief Intervention to Prevent Unhealthy Alcohol Use among Young Men: A Randomized Controlled Trial. <i>PLoS ONE</i> , 2015 , 10, e0144146	3.7	12
64	Is the relationship between major depressive disorder and self-reported alcohol use disorder an artificial one?. <i>Alcohol and Alcoholism</i> , 2015 , 50, 195-9	3.5	9
63	Cannabis use and other illicit drug use: do subjective experiences during first cannabis use increase the probability of using illicit drug?. <i>Journal of Substance Use</i> , 2015 , 20, 234-238	0.8	2
62	Risk of All-Cause Mortality in Alcohol-Dependent Individuals: A Systematic Literature Review and Meta-Analysis. <i>EBioMedicine</i> , 2015 , 2, 1394-404	8.8	60
61	Independent and combined associations of risky single-occasion drinking and drinking volume with alcohol use disorder: Evidence from a sample of young Swiss men. <i>Drug and Alcohol Dependence</i> , 2015 , 154, 260-3	4.9	6
60	The Swiss Cohort Study on Substance Use Risk Factors Findings of two Waves. <i>Sucht</i> , 2015 , 61, 251-262	2 0.5	37
59	Routes of administration of cannabis used for nonmedical purposes and associations with patterns of drug use. <i>Journal of Adolescent Health</i> , 2014 , 54, 235-40	5.8	57
58	Case management for frequent users of the emergency department: study protocol of a randomised controlled trial. <i>BMC Health Services Research</i> , 2014 , 14, 264	2.9	20
57	Health impact of sport and exercise in emerging adult men: a prospective study. <i>Quality of Life Research</i> , 2014 , 23, 2225-34	3.7	10
56	More is not always better-comparison of three instruments measuring volume of drinking in a sample of young men and their association with consequences. <i>Journal of Studies on Alcohol and Drugs</i> , 2014 , 75, 880-8	1.9	19
55	Concurrent and simultaneous polydrug use among young Swiss males: use patterns and associations of number of substances used with health issues. <i>International Journal of Adolescent Medicine and Health</i> , 2014 , 26, 217-24	1.1	23
54	Use of neuroenhancement drugs: prevalence, frequency and use expectations in Switzerland. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 3032-45	4.6	14
53	Quality of life depends on the drinking pattern in alcohol-dependent patients. <i>Alcohol and Alcoholism</i> , 2014 , 49, 457-65	3.5	23
52	The cost-effectiveness and public health benefit of nalmefene added to psychosocial support for the reduction of alcohol consumption in alcohol-dependent patients with high/very high drinking risk levels: a Markov model. <i>BMJ Open</i> , 2014 , 4, e005376	3	26

(2013-2014)

51	Mechanisms of action of brief alcohol interventions remain largely unknown - a narrative review. <i>Frontiers in Psychiatry</i> , 2014 , 5, 108	5	96	
50	Concurrent versus simultaneous use of alcohol and non-medical use of prescription drugs: is simultaneous use worse for mental, social, and health issues?. <i>Journal of Psychoactive Drugs</i> , 2014 , 46, 334-9	3.6	12	
49	Do brief alcohol motivational interventions work like we think they do?. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 853-9	3.7	37	
48	Influence of counselor characteristics and behaviors on the efficacy of a brief motivational intervention for heavy drinking in young mena randomized controlled trial. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 2138-47	3.7	29	
47	Patterns and Transitions in Substance Use Among Young Swiss Men: A Latent Transition Analysis Approach. <i>Journal of Drug Issues</i> , 2014 , 44, 381-393	1.4	12	
46	Non-medical prescription drug and illicit street drug use among young Swiss men and associated mental health issues. <i>International Journal of Adolescent Medicine and Health</i> , 2014 , 26, 525-30	1.1	6	
45	Patterns of cannabis use and prospective associations with health issues among young males. <i>Addiction</i> , 2014 , 109, 937-45	4.6	22	
44	Peer pressure and alcohol use in young men: a mediation analysis of drinking motives. <i>International Journal of Drug Policy</i> , 2014 , 25, 700-8	5.5	41	
43	Associations of physical activity and sport and exercise with at-risk substance use in young men: a longitudinal study. <i>Preventive Medicine</i> , 2014 , 64, 27-31	4.3	27	
42	Admissions of patients with alcohol intoxication in the Emergency Department: a growing phenomenon. <i>Swiss Medical Weekly</i> , 2014 , 144, w13982	3.1	12	
41	The Change Questionnaire predicts change in hazardous tobacco and alcohol use. <i>Addictive Behaviors</i> , 2013 , 38, 2718-23	4.2	9	
40	Perception of tobacco, cannabis, and alcohol use of others is associated with one's own use. <i>Addiction Science & Dinical Practice</i> , 2013 , 8, 15	4.1	28	
39	Does change talk during brief motivational interventions with young men predict change in alcohol use?. <i>Journal of Substance Abuse Treatment</i> , 2013 , 44, 177-85	4.2	37	
38	Effectiveness of a brief integrative multiple substance use intervention among young men with and without booster sessions. <i>Journal of Substance Abuse Treatment</i> , 2013 , 44, 231-40	4.2	22	
37	Examining non-response bias in substance use researchare late respondents proxies for non-respondents?. <i>Drug and Alcohol Dependence</i> , 2013 , 132, 316-23	4.9	117	
36	The economic burden of alcohol dependence in Europe. Alcohol and Alcoholism, 2013, 48, 259-69	3.5	61	
35	Characteristics of highly frequent users of a Swiss academic emergency department: a retrospective consecutive case series. <i>European Journal of Emergency Medicine</i> , 2013 , 20, 413-9	2.3	20	
34	Drinking patterns and their predictive factors in CONTROL: a 12-month prospective study in a sample of alcohol-dependent patients initiating treatment. <i>Alcohol and Alcoholism</i> , 2013 , 48, 189-95	3.5	7	

33	Need for informed consent in substance use studiesharm of bias?. <i>Journal of Studies on Alcohol and Drugs</i> , 2013 , 74, 931-40	1.9	40
32	Factor structure of early smoking experiences and associations with smoking behavior: valence or sensitivity model?. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 6305-18	4.6	2
31	Alcohol dependence treatment in the EU: A literature search and expert consultation about the availability and use of guidelines in all EU countries plus Iceland, Norway, and Switzerland. <i>The International Journal of Alcohol and Drug Research</i> , 2013 , 2, 53-67	1.5	20
30	Training medical students to conduct motivational interviewing: a randomized controlled trial. <i>Patient Education and Counseling</i> , 2012 , 87, 313-8	3.1	35
29	Predictive value of readiness, importance, and confidence in ability to change drinking and smoking. <i>BMC Public Health</i> , 2012 , 12, 708	4.1	41
28	Brief alcohol intervention as pragmatic intervention: who is voluntarily taking an offered intervention?. <i>Alcohol</i> , 2012 , 46, 551-8	2.7	3
27	Social and medical vulnerability factors of emergency department frequent users in a universal health insurance system. <i>Academic Emergency Medicine</i> , 2012 , 19, 63-8	3.4	67
26	Efficacy of brief motivational intervention in reducing binge drinking in young men: A randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2011 , 113, 69-75	4.9	33
25	Effectiveness of interventions targeting frequent users of emergency departments: a systematic review. <i>Annals of Emergency Medicine</i> , 2011 , 58, 41-52.e42	2.1	222
24	Perception of the amount of drinking by others in a sample of 20-year-old men: the more I think you drink, the more I drink. <i>Alcohol and Alcoholism</i> , 2011 , 46, 83-7	3.5	26
23	Age of first alcohol intoxication: association with risky drinking and other substance use at the age of 20. <i>Swiss Medical Weekly</i> , 2011 , 141, w13226	3.1	13
22	Change talk sequence during brief motivational intervention, towards or away from drinking. <i>Addiction</i> , 2010 , 105, 2106-12	4.6	53
21	What process research tells us about brief intervention efficacy. <i>Drug and Alcohol Review</i> , 2010 , 29, 612	- 6 .2	19
20	Time of injury in light of prior-to-injury and usual alcohol consumption: an emergency department study. <i>Open Access Emergency Medicine</i> , 2010 , 2, 61-6	1.9	
19	Sport and alcohol: An emergency department study in Switzerland. <i>European Journal of Sport Science</i> , 2009 , 9, 11-22	3.9	9
18	Counselor skill influences outcomes of brief motivational interventions. <i>Journal of Substance Abuse Treatment</i> , 2009 , 37, 151-9	4.2	80
17	Counsellor behaviours and patient language during brief motivational interventions: a sequential analysis of speech. <i>Addiction</i> , 2008 , 103, 1793-800	4.6	68
16	Who drinks most of the total alcohol in young menrisky single occasion drinking as normative behaviour. <i>Alcohol and Alcoholism</i> , 2008 , 43, 692-7	3.5	28

LIST OF PUBLICATIONS

Acute alcohol consumption and injury: risk associations and attributable fractions for different injury mechanisms. <i>Journal of Studies on Alcohol and Drugs</i> , 2008 , 69, 218-26	1.9	27
Brief alcohol interventions: do counsellors' and patients' communication characteristics predict change?. <i>Alcohol and Alcoholism</i> , 2008 , 43, 62-9	3.5	88
Communication during brief intervention, intention to change, and outcome. <i>Substance Abuse</i> , 2007 , 28, 43-51	3.8	33
Brief alcohol intervention and alcohol assessment do not influence alcohol use in injured patients treated in the emergency department: a randomized controlled clinical trial. <i>Addiction</i> , 2007 , 102, 1224	- 31 3 ⁶	115
Effect of training on primary care residents' performance in brief alcohol intervention: a randomized controlled trial. <i>Journal of General Internal Medicine</i> , 2007 , 22, 1144-9	4	36
A possible way to motivate ambivalent patients to undergo detoxification. <i>Alcohol and Alcoholism</i> , 2006 , 41, 205	3.5	4
Alcohol-attributable injuries in admissions to a swiss emergency rooman analysis of the link between volume of drinking, drinking patterns, and preattendance drinking. <i>Alcoholism: Clinical and Experimental Research</i> , 2006 , 30, 501-9	3.7	68
The Alcohol Use Disorders Identification Test (AUDIT) as a screening tool for excessive drinking in primary care: reliability and validity of a French version. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 2001-7	3.7	223
Reduction of alcohol consumption by brief alcohol intervention in primary care: systematic review and meta-analysis. <i>Archives of Internal Medicine</i> , 2005 , 165, 986-95		481
Binge drinking in 19 year old men. <i>Swiss Medical Weekly</i> , 2005 , 135, 179-83	3.1	4
Symptom-triggered vs fixed-schedule doses of benzodiazepine for alcohol withdrawal: a randomized treatment trial. <i>Archives of Internal Medicine</i> , 2002 , 162, 1117-21		172
Reliability and Validity of the Alcohol Use Disorders Identification Test (AUDIT) Imbedded Within a General Health Risk Screening Questionnaire: Results of a Survey in 332 Primary Care Patients. <i>Alcoholism: Clinical and Experimental Research</i> , 2000 , 24, 659-665	3.7	127
A measure of the intensity of response to alcohol to screen for alcohol use disorders in primary care. <i>Alcohol and Alcoholism</i> , 2000 , 35, 625-7	3.5	16
Reliability and Validity of the Alcohol Use Disorders Identification Test (AUDIT) Imbedded Within a General Health Risk Screening Questionnaire: Results of a Survey in 332 Primary Care Patients 2000 , 24, 659		2
MOS-SF-36 in evaluating health-related quality of life in alcohol-dependent patients. <i>American Journal of Drug and Alcohol Abuse</i> , 1998 , 24, 685-94	3.7	75
	injury mechanisms. Journal of Studies on Alcohol and Drugs, 2008, 69, 218-26 Brief alcohol interventions: do counsellors' and patients' communication characteristics predict change?. Alcohol and Alcoholism, 2008, 43, 62-9 Communication during brief intervention, intention to change, and outcome. Substance Abuse, 2007, 28, 43-51 Brief alcohol intervention and alcohol assessment do not influence alcohol use in injured patients treated in the emergency department: a randomized controlled clinical trial. Addiction, 2007, 102, 1224 Effect of training on primary care residents' performance in brief alcohol intervention: a randomized controlled trial. Journal of General Internal Medicine, 2007, 22, 1144-9 A possible way to motivate ambivalent patients to undergo detoxification. Alcohol and Alcoholism, 2006, 41, 205 Alcohol-attributable injuries in admissions to a swiss emergency room—an analysis of the link between volume of drinking, drinking patterns, and preattendance drinking. Alcoholism: Clinical and Experimental Research, 2006, 30, 501-9 The Alcohol Use Disorders Identification Test (AUDIT) as a screening tool for excessive drinking in primary care: reliability and validity of a French version. Alcoholism: Clinical and Experimental Research, 2005, 29, 2001-7 Reduction of alcohol consumption by brief alcohol intervention in primary care: systematic review and meta-analysis. Archives of Internal Medicine, 2005, 165, 986-95 Binge drinking in 19 year old men. Swiss Medical Weekly, 2005, 135, 179-83 Symptom-triggered vs fixed-schedule doses of benzodiazepine for alcohol withdrawal: a randomized treatment trial. Archives of Internal Medicine, 2002, 162, 1117-21 Reliability and Validity of the Alcohol Use Disorders Identification Test (AUDIT) Imbedded Within a General Health Risk Screening Questionnaire: Results of a Survey in 332 Primary Care Patients. Alcoholism: Clinical and Experimental Research, 2000, 24, 659-665 A measure of the intensity of response to alcohol to screen for alcohol use disorders in p	Injury mechanisms. Journal of Studies on Alcohol and Drugs, 2008, 69, 218-26 Brief alcohol interventions: do counsellors' and patients' communication characteristics predict change?. Alcohol and Alcoholism, 2008, 43, 62-9 Communication during brief intervention, intention to change, and outcome. Substance Abuse, 2007, 28, 43-51 Brief alcohol intervention and alcohol assessment do not influence alcohol use in injured patients treated in the emergency department: a randomized controlled clinical trial. Addiction, 2007, 102, 1224-35 Effect of training on primary care residents' performance in brief alcohol intervention: a randomized controlled trial. Journal of General Internal Medicine, 2007, 22, 1144-9 A possible way to motivate ambivalent patients to undergo detoxification. Alcohol and Alcoholism, 2006, 41, 205 Alcohol-attributable injuries in admissions to a swiss emergency room—an analysis of the link between volume of drinking, drinking patterns, and preattendance drinking. Alcoholism: Clinical and Experimental Research, 2006, 30, 501-9 The Alcohol Use Disorders Identification Test (AUDIT) as a screening tool for excessive drinking in primary care: reliability and validity of a French version. Alcoholism: Clinical and Experimental Research, 2005, 29, 2001-7 Reduction of alcohol consumption by brief alcohol intervention in primary care: systematic review and meta-analysis. Archives of Internal Medicine, 2005, 165, 986-95 Binge drinking in 19 year old men. Swiss Medical Weekly, 2005, 135, 179-83 3.1 Symptom-triggered vs fixed-schedule doses of benzodiazepine for alcohol withdrawal: a randomized treatment trial. Archives of Internal Medicine, 2002, 162, 1117-21 Reliability and Validity of the Alcohol Use Disorders Identification Test (AUDIT) Imbedded Within a Ceneral Health Risk Screening Questionnaire: Results of a Survey in 332 Primary Care Patients. Alcoholism: Clinical and Experimental Research, 2000, 24, 659-665 A measure of the intensity of response to alcohol to screen for alcohol use disord