

# Felix Kessler

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/985508/publications.pdf>

Version: 2024-02-01

82  
papers

2,705  
citations

331670

21  
h-index

206112

48  
g-index

95  
all docs

95  
docs citations

95  
times ranked

4053  
citing authors

#	ARTICLE	IF	CITATIONS
1	“Pandemic fear” and COVID-19: mental health burden and strategies. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 232-235.	1.7	927
2	The COVID-19 pandemic and its impact on substance use: Implications for prevention and treatment. <i>Psychiatry Research</i> , 2020, 289, 113096.	3.3	214
3	The impact of the COVID-19 pandemic on the mental health of healthcare professionals. <i>Cadernos De Saude Publica</i> , 2020, 36, e00063520.	1.0	210
4	Adaptation and construct validation of the Barratt Impulsiveness Scale (BIS 11) to Brazilian Portuguese for use in adolescents. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 153-156.	1.7	84
5	Psychometric properties of the sixth version of the Addiction Severity Index (ASI-6) in Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 24-33.	1.7	82
6	Crack Users Show High Rates of Antisocial Personality Disorder, Engagement in Illegal Activities and Other Psychosocial Problems. <i>American Journal on Addictions</i> , 2012, 21, 370-380.	1.4	81
7	Child Maltreatment and Illicit Substance Abuse: A Systematic Review and Meta-Analysis of Longitudinal Studies. <i>Child Abuse Review</i> , 2018, 27, 344-360.	0.8	67
8	The effect of <i>Syzygium cumini</i> (L.) skeels on post-prandial blood glucose levels in non-diabetic rats and rats with streptozotocin-induced diabetes mellitus. <i>Journal of Ethnopharmacology</i> , 1997, 56, 209-213.	4.1	50
9	Oxidative stress and BDNF as possible markers for the severity of crack cocaine use in early withdrawal. <i>Psychopharmacology</i> , 2014, 231, 4031-4039.	3.1	50
10	Uma viso psiquitrica sobre o fenmeno do crack na atualidade. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2008, 30, 96-98.	0.3	41
11	Changing Patterns of Cocaine Use and HIV Risks in the South of Brazil. <i>Journal of Psychoactive Drugs</i> , 2006, 38, 305-310.	1.7	40
12	Increase in brain-derived neurotrophic factor expression in early crack cocaine withdrawal. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 33-40.	2.1	40
13	Brain-derived neurotrophic factor in substance use disorders: A systematic review and meta-analysis. <i>Drug and Alcohol Dependence</i> , 2018, 193, 91-103.	3.2	40
14	Risk behaviors for HCV- and HIV-seroprevalence among female crack users in Porto Alegre, Brazil. <i>Archives of Women’s Mental Health</i> , 2010, 13, 185-191.	2.6	38
15	HIV seroprevalence among drug users: an analysis of selected variables based on 10 years of data collection in Porto Alegre, Brazil. <i>Drug and Alcohol Dependence</i> , 2006, 82, S109-S113.	3.2	33
16	Preliminary Estimates of Human Immunodeficiency Virus Prevalence and Incidence Among Cocaine Abusers of Porto Alegre, Brazil. <i>Journal of Urban Health</i> , 2003, 80, 115-126.	3.6	31
17	Multiple clinical risks for cannabis users during the COVID-19 pandemic. <i>Addiction Science &amp; Clinical Practice</i> , 2021, 16, 5.	2.6	27
18	Pandemia de medo e Covid-19: impacto na sade mental e possveis estratgias. <i>Revista Debates Em Psiquiatria</i> , 2020, 10, 12-16.	0.3	26

#	ARTICLE	IF	CITATIONS
19	Crack/cocaine users show more family problems than other substance users. <i>Clinics</i> , 2014, 69, 497-499.	1.5	23
20	Lisdexamfetamine: A pharmacokinetic review. <i>European Journal of Pharmaceutical Sciences</i> , 2016, 89, 172-179.	4.0	22
21	The Effects of ADHD in Adult Substance Abusers. <i>Journal of Addictive Diseases</i> , 2013, 32, 252-262.	1.3	21
22	Sex-based differences in multidimensional clinical assessments of early-abstinence crack cocaine users. <i>PLoS ONE</i> , 2019, 14, e0218334.	2.5	21
23	Brain injury markers (S100B and NSE) in chronic cocaine dependents. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 134-139.	1.7	19
24	Accumbens volumes are reduced among crack-cocaine users. <i>Neuroscience Letters</i> , 2017, 645, 86-89.	2.1	18
25	Genomic Instability in Human Lymphocytes from Male Users of Crack Cocaine. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 10003-10015.	2.6	17
26	Crack Cocaine Users Show Differences in Genotype Frequencies of the 3' UTR Variable Number of Tandem Repeats of the Dopamine Transporter Gene <i>&amp;lt;b&gt;&amp;lt;i&gt;(DAT1/SLC6A3)&amp;lt;/i&gt;&amp;lt;/b&gt;</i> . <i>Neuropsychobiology</i> , 2014, 70, 44-51.	1.9	17
27	Predictors of early relapse among adolescent crack users. <i>Journal of Addictive Diseases</i> , 2017, 36, 136-143.	1.3	16
28	Effects of crack cocaine addiction and stress-related genes on peripheral BDNF levels. <i>Journal of Psychiatric Research</i> , 2017, 90, 78-85.	3.1	15
29	Psicodinâmica do adolescente envolvido com drogas. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2003, 25, 33-41.	0.3	14
30	Evaluation of psychiatric symptoms in cocaine users in the Brazilian public health system: Need for data and structure. <i>Public Health</i> , 2008, 122, 1349-1355.	2.9	14
31	The female crack users: Higher rates of social vulnerability in Brazil. <i>Health Care for Women International</i> , 2017, 38, 1170-1187.	1.1	14
32	Effects of DRD2 splicing-regulatory polymorphism and DRD4 48bp VNTR on crack cocaine addiction. <i>Journal of Neural Transmission</i> , 2019, 126, 193-199.	2.8	14
33	Brazilian female crack users show elevated serum aluminum levels. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 39-42.	1.7	14
34	Treatment of female and male inpatient crack users: a qualitative study. <i>Trends in Psychiatry and Psychotherapy</i> , 2013, 35, 36-45.	0.8	13
35	High levels of brain-derived neurotrophic factor are associated with treatment adherence among crack-cocaine users. <i>Neuroscience Letters</i> , 2016, 630, 169-175.	2.1	13
36	Increased cortisol levels are associated with low treatment retention in crack cocaine users. <i>Addictive Behaviors</i> , 2020, 103, 106260.	3.0	13

#	ARTICLE	IF	CITATIONS
37	Obsessive-compulsive disorder reinforcement during the COVID-19 pandemic. Trends in Psychiatry and Psychotherapy, 2021, 43, 81-84.	0.8	12
38	AdaptaçãŁo transcultural multicãŁntrica da sexta versãŁo da Escala de Gravidade de DependãŁncia (ASI6) para o Brasil. Revista De Psiquiatria Do Rio Grande Do Sul, 2007, 29, 335-336.	0.3	12
39	Prevalence of driving under the influence of psychoactive substances and road traffic crashes among Brazilian crack-using drivers. Drug and Alcohol Dependence, 2016, 168, 255-262.	3.2	11
40	Prediction of attempted suicide in men and women with crack-cocaine use disorder in Brazil. PLoS ONE, 2020, 15, e0232242.	2.5	11
41	Differences in Addiction Severity Between Social and Probable Pathological Gamblers Among Substance Abusers in Treatment in Rio de Janeiro. International Journal of Mental Health and Addiction, 2009, 7, 239-249.	7.4	10
42	Who seeks public treatment for substance abuse in Brazil? Results of a multicenter study involving four Brazilian state capitals. Trends in Psychiatry and Psychotherapy, 2014, 36, 193-202.	0.8	10
43	Association of CHRNA5 Gene Variants with Crack Cocaine Addiction. NeuroMolecular Medicine, 2020, 22, 384-390.	3.4	9
44	Anger and substance abuse: a systematic review and meta-analysis. Revista Brasileira De Psiquiatria, 2022, 44, 103-110.	1.7	9
45	Using thought mapping and structured stories to decrease HIV risk behaviors among cocaine injectors and crack smokers in the South of Brazil. Revista Brasileira De Psiquiatria, 2007, 29, 233-240.	1.7	8
46	Confirmatory factor analysis (CFA) of the Crack Use Relapse Scale (CURS). Revista De Psiquiatria Clinica, 2016, 43, 37-40.	0.6	8
47	Concurrent Use of Alcohol and Crack Cocaine is Associated with High Levels of Anger and Liability to Aggression. Substance Use and Misuse, 2020, 55, 1660-1666.	1.4	8
48	AvaliaçãŁo multidimensional do usuãŁrio de drogas e a Escala de Gravidade de DependãŁncia. Revista De Psiquiatria Do Rio Grande Do Sul, 2010, 32, 48-56.	0.3	8
49	Factors associated with recurrence of alcohol-related traffic violations in southern Brazil. Revista Brasileira De Psiquiatria, 2014, 36, 199-205.	1.7	7
50	Crack-cocaine users have less family cohesion than alcohol users. Revista Brasileira De Psiquiatria, 2017, 39, 346-351.	1.7	7
51	Hepatitis C: clinical and biological features related to different forms of cocaine use. Trends in Psychiatry and Psychotherapy, 2017, 39, 285-292.	0.8	7
52	The association between SYT1-rs2251214 and cocaine use disorder further supports its role in psychiatry. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 94, 109642.	4.8	7
53	Wernicke's encephalopathy in crack cocaine addiction. Medical Hypotheses, 2016, 89, 68-71.	1.5	6
54	Anxiety and depression symptoms in Brazilian sexual minority ecstasy and LSD users. Trends in Psychiatry and Psychotherapy, 2017, 39, 239-246.	0.8	6

#	ARTICLE	IF	CITATIONS
55	Markers for Severity of Problems in Interpersonal Relationships of Crack Cocaine Users from a Brazilian Multicenter Study. <i>Psychiatric Quarterly</i> , 2018, 89, 923-936.	2.1	6
56	Clinical and Toxicological Profile of NBOMes: A Systematic Review. <i>Psychosomatics</i> , 2019, 60, 129-138.	2.5	6
57	Association between the Intron 8 VNTR Polymorphism of the <i>DAT1</i> Gene and Crack Cocaine Addiction. <i>Neuropsychobiology</i> , 2017, 75, 141-144.	1.9	5
58	NBOME: a new dangerous drug similar to LSD. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 351-352.	1.7	5
59	Effects of childhood trauma on BDNF and TBARS during crack-cocaine withdrawal. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 214-217.	1.7	5
60	Usefulness of AFD concept: limitations to overcome. <i>Addiction</i> , 2016, 111, 967-968.	3.3	4
61	Problematic consumption of online pornography during the COVID-19 pandemic: clinical recommendations. <i>Trends in Psychiatry and Psychotherapy</i> , 2021, , .	0.8	4
62	Diferen�as entre fatores de risco para infec�o pelo HIV em usu�rios de drogas injet�veis do Rio de Janeiro e Porto Alegre. <i>Revista De Psiquiatria Clinica</i> , 2005, 32, 5-9.	0.6	4
63	Perceptions of parental bonding in freebase cocaine users versus non-illicit drug users. <i>Indian Journal of Medical Research</i> , 2014, 139, 835-40.	1.0	4
64	Differential impact in suicide mortality during the COVID-19 pandemic in Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2022, , .	1.7	4
65	Assessment of executive functions and inhibitory control in alcohol and crack use disorders. <i>Psico</i> , 2018, 49, 21-30.	0.2	3
66	Predictive factors associated with driving under the influence among Brazilian drug-using drivers. <i>Accident Analysis and Prevention</i> , 2019, 123, 256-262.	5.7	3
67	From phone use to speeding and driving under influence: Identifying clusters of driving risk behaviors as an opportunity for targeted interventions. <i>Journal of Psychiatric Research</i> , 2021, 143, 556-562.	3.1	3
68	Guidelines of the Brazilian Association of Studies on Alcohol and Other Drugs (ABEAD) for diagnosis and treatment of psychiatric comorbidity with alcohol and other substance and dependence. <i>International Review of Psychiatry</i> , 2017, 29, 254-262.	2.8	2
69	Playing the wrong game again? Policy responses to problematic video gaming in Brazil. <i>Journal of Behavioral Addictions</i> , 2018, 7, 518-521.	3.7	2
70	Mental illnesses and their impact on the Brazilian workforce: an analysis of the cost of sick leave and pensions. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 567-569.	1.7	2
71	Cannabidiol and mental health: possibilities, uncertainties, and controversies for addiction treatment. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 455-457.	1.7	2
72	Drugs and suicidal behavior: a call for positive, broad and preventive interventions. <i>Revista Brasileira De Psiquiatria</i> , 2019, 41, 373-374.	1.7	2

#	ARTICLE	IF	CITATIONS
73	Inflammatory cytokines and alcohol use disorder: systematic review and meta-analysis. Revista Brasileira De Psiquiatria, 2022, , .	1.7	2
74	The Crack Use Relapse Scale (CURS): development and psychometric validation. Revista Brasileira De Psiquiatria, 2013, 35, 271-273.	1.7	1
75	Covid-19 and prisons: Reflection on human rights and public health. Revista De Epidemiologia E Controle De InfecçÃ£o, 2021, 11, .	0.0	1
76	High rates of incarceration due to drug trafficking in the last decade in southern Brazil. Trends in Psychiatry and Psychotherapy, 2020, 42, 153-160.	0.8	1
77	Prevalence of suicide in cocaine users accessing health services: a systematic review and meta-analysis. Revista Brasileira De Psiquiatria, 2022, , .	1.7	1
78	Dependence module of the MINI plus adapted for sugar dependence: psychometric properties. Psicologia: Reflexao E Critica, 2013, 26, 77-86.	0.9	0
79	P.728 Anti-inflammatory cytokines in alcohol use disorder: a systematic review and meta-analysis. European Neuropsychopharmacology, 2019, 29, S489-S490.	0.7	0
80	Cannabis e saÃºde mental: uma revisÃ£o sobre a droga de abuso e o medicamento. Revista Brasileira De Psiquiatria, 2009, 31, 82-82.	1.7	0
81	Do "acaso" do uso de drogas ao "descaso" dos comportamentos de risco. Revista De Psiquiatria Do Rio Grande Do Sul, 2009, 31, 135-137.	0.3	0
82	Childhood trauma subtypes may influence the pattern of substance use and preferential substance in men with alcohol and/or crack-cocaine addiction. Revista Brasileira De Psiquiatria, 2022, , .	1.7	0