

Wolfgang Lubitz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/985634/publications.pdf>

Version: 2024-02-01

394
papers

26,685
citations

5261

83
h-index

10441

139
g-index

405
all docs

405
docs citations

405
times ranked

11831
citing authors

#	ARTICLE	IF	CITATIONS
1	Special Issue of Applied Magnetic Resonance Celebrating the 85th Birthdays of Klaus MÅ¶bius and Kev M. Salikhov. Applied Magnetic Resonance, 2022, 53, 457.	0.6	0
2	Primary donor triplet states of Photosystem I and II studied by Q-band pulse ENDOR spectroscopy. Photosynthesis Research, 2022, , 1.	1.6	9
3	Metallofullerene photoswitches driven by photoinduced fullerene-to-metal electron transfer. Chemical Science, 2021, 12, 7818-7838.	3.7	7
4	Bioenergetics Theory and Components Hydrogenases Structure and Function. , 2021, , 66-73.		2
5	Vibrational Perturbation of the [FeFe] Hydrogenase H-Cluster Revealed by ¹³ C ² -H-ADT Labeling. Journal of the American Chemical Society, 2021, 143, 8237-8243.	6.6	4
6	Cryo-EM photosystem I structure reveals adaptation mechanisms to extreme high light in Chlorella ohadii. Nature Plants, 2021, 7, 1314-1322.	4.7	18
7	The catalytic cycle of [FeFe] hydrogenase: A tale of two sites. Coordination Chemistry Reviews, 2021, 449, 214191.	9.5	49
8	CIDEP-Enhanced ENDOR of short-lived radicals. Recollections of first joint experiments with Renad Sagdeev. Russian Chemical Bulletin, 2021, 70, 2445-2456.	0.4	0
9	Spectroscopic and biochemical insight into an electron-bifurcating [FeFe] hydrogenase. Journal of Biological Inorganic Chemistry, 2020, 25, 135-149.	1.1	28
10	Spectroscopic and Computational Evidence that [FeFe] Hydrogenases Operate Exclusively with CO-Bridged Intermediates. Journal of the American Chemical Society, 2020, 142, 222-232.	6.6	63
11	Carnitine metabolism in the human gut: characterization of the two-component carnitine monooxygenase CntAB from Acinetobacter baumannii. Journal of Biological Chemistry, 2020, 295, 13065-13078.	1.6	15
12	In Vivo Biogenesis of a De Novo Designed Iron-Sulfur Protein. ACS Synthetic Biology, 2020, 9, 3400-3407.	1.9	10
13	Soft Dynamic Confinement of Membrane Proteins by Dehydrated Trehalose Matrices: High-Field EPR and Fast-Laser Studies. Applied Magnetic Resonance, 2020, 51, 773-850.	0.6	15
14	The Laser-Induced Potential Jump: A Method for Rapid Electron Injection into Oxidoreductase Enzymes. Journal of Physical Chemistry B, 2020, 124, 8750-8760.	1.2	8
15	Spin Polarization Reveals the Coordination Geometry of the [FeFe] Hydrogenase Active Site in Its CO-Inhibited State. Journal of Physical Chemistry Letters, 2020, 11, 4597-4602.	2.1	7
16	Redox-Polymer-Based High-Current-Density Gas-Diffusion H ₂ -Oxidation Bioanode Using [FeFe] Hydrogenase from <i>Desulfovibrio desulfuricans</i> in a Membrane-Free Biofuel Cell. Angewandte Chemie - International Edition, 2020, 59, 16506-16510.	7.2	21
17	Current Understanding of the Mechanism of Water Oxidation in Photosystem II and Its Relation to XFEL Data. Annual Review of Biochemistry, 2020, 89, 795-820.	5.0	123
18	Suppressing hydrogen peroxide generation to achieve oxygen-insensitivity of a [NiFe] hydrogenase in redox active films. Nature Communications, 2020, 11, 920.	5.8	28

#	ARTICLE	IF	CITATIONS
19	Eine Redoxpolymerbasierte Gasdiffusions- H_2 -Oxidationsbioanode mit hoher Stromdichte unter Verwendung von [FeFe]-Hydrogenase aus <i>Desulfovibrio desulfuricans</i> integriert in einer membranfreien Biobrennstoffzelle. <i>Angewandte Chemie</i> , 2020, 132, 16649.	1.6	2
20	Five-coordinate Mn ^{IV} intermediate in the activation of nature's water splitting cofactor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 16841-16846.	3.3	54
21	In Situ EPR Characterization of a Cobalt Oxide Water Oxidation Catalyst at Neutral pH. <i>Catalysts</i> , 2019, 9, 926.	1.6	27
22	Investigating the Kinetic Competency of CrHydA1 [FeFe] Hydrogenase Intermediate States via Time-Resolved Infrared Spectroscopy. <i>Journal of the American Chemical Society</i> , 2019, 141, 16064-16070.	6.6	38
23	Asymmetry in the Ligand Coordination Sphere of the [FeFe] Hydrogenase Active Site Is Reflected in the Magnetic Spin Interactions of the Aza-propanedithiolate Ligand. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 6794-6799.	2.1	22
24	Extending electron paramagnetic resonance to nanoliter volume protein single crystals using a self-resonant microhelix. <i>Science Advances</i> , 2019, 5, eaay1394.	4.7	21
25	Water oxidation in photosystem II. <i>Photosynthesis Research</i> , 2019, 142, 105-125.	1.6	149
26	Bioinspired Artificial [FeFe]-Hydrogenase with a Synthetic H-Cluster. <i>ACS Catalysis</i> , 2019, 9, 4495-4501.	5.5	17
27	Polymer-Bound DuBois-Type Molecular H_2 Oxidation Ni Catalysts Are Protected by Redox Polymer Matrices. <i>ACS Applied Energy Materials</i> , 2019, 2, 2921-2929.	2.5	10
28	Structural adaptations of photosynthetic complex I enable ferredoxin-dependent electron transfer. <i>Science</i> , 2019, 363, 257-260.	6.0	162
29	Nitroxide Spin Labels' Magnetic Parameters and Hydrogen-Bond Formation: A High-Field EPR and EDNMR Study. <i>Applied Magnetic Resonance</i> , 2019, 50, 1-16.	0.6	14
30	His-Ligation to the [4Fe-4S] Subcluster Tunes the Catalytic Bias of [FeFe] Hydrogenase. <i>Journal of the American Chemical Society</i> , 2019, 141, 472-481.	6.6	32
31	Spin-dependent recombination of the charge-transfer state in photovoltaic polymer/fullerene blends. <i>Molecular Physics</i> , 2019, 117, 2654-2663.	0.8	9
32	Direct Detection of the Terminal Hydride Intermediate in [FeFe] Hydrogenase by NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2018, 140, 3863-3866.	6.6	32
33	Dual properties of a hydrogen oxidation Ni-catalyst entrapped within a polymer promote self-defense against oxygen. <i>Nature Communications</i> , 2018, 9, 864.	5.8	35
34	A [RuRu] Analogue of an [FeFe]-Hydrogenase Traps the Key Hydride Intermediate of the Catalytic Cycle. <i>Angewandte Chemie</i> , 2018, 130, 5527-5530.	1.6	6
35	A [RuRu] Analogue of an [FeFe]-Hydrogenase Traps the Key Hydride Intermediate of the Catalytic Cycle. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 5429-5432.	7.2	36
36	Spectroscopic investigations of a semi-synthetic [FeFe] hydrogenase with propane di-selenol as bridging ligand in the binuclear subsite: comparison to the wild type and propane di-thiol variants. <i>Journal of Biological Inorganic Chemistry</i> , 2018, 23, 481-491.	1.1	13

#	ARTICLE	IF	CITATIONS
37	The radical SAM protein HemW is a heme chaperone. <i>Journal of Biological Chemistry</i> , 2018, 293, 2558-2572.	1.6	32
38	Rational redesign of the ferredoxin-NADP ⁺ -oxido-reductase/ferredoxin-interaction for photosynthesis-dependent H ₂ -production. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2018, 1859, 253-262.	0.5	18
39	Photoredox-switchable Resorcin[4]arene Cavitands: Radical Control of Molecular Gripping Machinery via Hydrogen Bonding. <i>Chemistry - A European Journal</i> , 2018, 24, 1431-1440.	1.7	15
40	Unique Spectroscopic Properties of the H-Cluster in a Putative Sensory [FeFe] Hydrogenase. <i>Journal of the American Chemical Society</i> , 2018, 140, 1057-1068.	6.6	53
41	Engineering an [FeFe]-Hydrogenase: Do Accessory Clusters Influence O ₂ Resistance and Catalytic Bias?. <i>Journal of the American Chemical Society</i> , 2018, 140, 5516-5526.	6.6	48
42	Structured near-infrared Magnetic Circular Dichroism spectra of the Mn ₄ CaO ₅ cluster of PSII in <i>T. vulcanus</i> are dominated by Mn(IV) d-d spin-flip transitions. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2018, 1859, 88-98.	0.5	12
43	¹ H NMR Spectroscopy of [FeFe] Hydrogenase: Insight into the Electronic Structure of the Active Site. <i>Journal of the American Chemical Society</i> , 2018, 140, 131-134.	6.6	9
44	Thermally Activated Delayed Fluorescence in a Y ₃ N@C ₈₀ Endohedral Fullerene: Time-Resolved Luminescence and EPR Studies. <i>Angewandte Chemie</i> , 2018, 130, 283-287.	1.6	2
45	Thermally Activated Delayed Fluorescence in a Y ₃ N@C ₈₀ Endohedral Fullerene: Time-Resolved Luminescence and EPR Studies. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 277-281.	7.2	12
46	A gas breathing hydrogen/air biofuel cell comprising a redox polymer/hydrogenase-based bioanode. <i>Nature Communications</i> , 2018, 9, 4715.	5.8	71
47	Biomolecular EPR Meets NMR at High Magnetic Fields. <i>Magnetochemistry</i> , 2018, 4, 50.	1.0	21
48	Atomic-Scale Explanation of O ₂ Activation at the Au-TiO ₂ Interface. <i>Journal of the American Chemical Society</i> , 2018, 140, 18082-18092.	6.6	69
49	A fully protected hydrogenase/polymer-based bioanode for high-performance hydrogen/glucose biofuel cells. <i>Nature Communications</i> , 2018, 9, 3675.	5.8	53
50	Remembering George Feher (1924-2017). <i>Photosynthesis Research</i> , 2018, 137, 361-375.	1.6	1
51	Viologen-modified electrodes for protection of hydrogenases from high potential inactivation while performing H ₂ oxidation at low overpotential. <i>Dalton Transactions</i> , 2018, 47, 10685-10691.	1.6	9
52	Sulfide Protects [FeFe] Hydrogenases From O ₂ . <i>Journal of the American Chemical Society</i> , 2018, 140, 9346-9350.	6.6	47
53	Preventing the coffee-ring effect and aggregate sedimentation by <i>in situ</i> gelation of monodisperse materials. <i>Chemical Science</i> , 2018, 9, 7596-7605.	3.7	53
54	Proton Coupled Electronic Rearrangement within the H-Cluster as an Essential Step in the Catalytic Cycle of [FeFe] Hydrogenases. <i>Journal of the American Chemical Society</i> , 2017, 139, 1440-1443.	6.6	142

#	ARTICLE	IF	CITATIONS
55	Probing the Electronic Structure of Bacteriochlorophyll Radical Ions—A Theoretical Study of the Effect of Substituents on Hyperfine Parameters. <i>Photochemistry and Photobiology</i> , 2017, 93, 755-761.	1.3	1
56	The structurally unique photosynthetic <i>Chlorella variabilis</i> NC64A hydrogenase does not interact with plant-type ferredoxins. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2017, 1858, 771-778.	0.5	14
57	Structural and functional characterization of the hydrogenase-maturation HydF protein. <i>Nature Chemical Biology</i> , 2017, 13, 779-784.	3.9	38
58	Direct Observation of an Iron-Bound Terminal Hydride in [FeFe]-Hydrogenase by Nuclear Resonance Vibrational Spectroscopy. <i>Journal of the American Chemical Society</i> , 2017, 139, 4306-4309.	6.6	155
59	Intersubunit distances in full-length, dimeric, bacterial phytochrome Agp1, as measured by pulsed electron-electron double resonance (PELDOR) between different spin label positions, remain unchanged upon photoconversion. <i>Journal of Biological Chemistry</i> , 2017, 292, 7598-7606.	1.6	13
60	A novel versatile microbiosensor for local hydrogen detection by means of scanning photoelectrochemical microscopy. <i>Biosensors and Bioelectronics</i> , 2017, 94, 433-437.	5.3	26
61	Local water sensing: water exchange in bacterial photosynthetic reaction centers embedded in a trehalose glass studied using multiresonance EPR. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 28388-28400.	1.3	16
62	Influence of the [4Fe-4S] cluster coordinating cysteines on active site maturation and catalytic properties of <i>C. reinhardtii</i> [FeFe]-hydrogenase. <i>Chemical Science</i> , 2017, 8, 8127-8137.	3.7	20
63	Solvent water interactions within the active site of the membrane type I matrix metalloproteinase. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 30316-30331.	1.3	16
64	Reaction Coordinate Leading to H ₂ Production in [FeFe]-Hydrogenase Identified by Nuclear Resonance Vibrational Spectroscopy and Density Functional Theory. <i>Journal of the American Chemical Society</i> , 2017, 139, 16894-16902.	6.6	78
65	The First State in the Catalytic Cycle of the Water-Oxidizing Enzyme: Identification of a Water-Derived 1/4-Hydroxo Bridge. <i>Journal of the American Chemical Society</i> , 2017, 139, 14412-14424.	6.6	63
66	Semisynthetic Hydrogenases Propel Biological Energy Research into a New Era. <i>Joule</i> , 2017, 1, 61-76.	11.7	40
67	Intercluster Redox Coupling Influences Protonation at the H-cluster in [FeFe] Hydrogenases. <i>Journal of the American Chemical Society</i> , 2017, 139, 15122-15134.	6.6	56
68	ELDOR-detected NMR: A general and robust method for electron-nuclear hyperfine spectroscopy?. <i>Journal of Magnetic Resonance</i> , 2017, 280, 63-78.	1.2	35
69	Spectroscopic Evidence of Reversible Disassembly of the [FeFe] Hydrogenase Active Site. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 3834-3839.	2.1	15
70	Interplay between CN ⁺ Ligands and the Secondary Coordination Sphere of the H-Cluster in [FeFe]-Hydrogenases. <i>Journal of the American Chemical Society</i> , 2017, 139, 18222-18230.	6.6	42
71	Chalcogenide substitution in the [2Fe] cluster of [FeFe]-hydrogenases conserves high enzymatic activity. <i>Dalton Transactions</i> , 2017, 46, 16947-16958.	1.6	48
72	Jim Hyde and the ENDOR Connection: A Personal Account. <i>Applied Magnetic Resonance</i> , 2017, 48, 1149-1183.	0.6	0

#	ARTICLE	IF	CITATIONS
73	Electrochemical Investigations on the Inactivation of the [FeFe] Hydrogenase from <i>Desulfovibrio desulfuricans</i> by O ₂ or Light under Hydrogen-Producing Conditions. <i>ChemPlusChem</i> , 2017, 82, 540-545.	1.3	20
74	Trehalose matrix effects on charge-recombination kinetics in Photosystem I of oxygenic photosynthesis at different dehydration levels. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2016, 1857, 1440-1454.	0.5	31
75	In Situ EPR Study of the Redox Properties of CuO-CeO ₂ Catalysts for Preferential CO Oxidation (PROX). <i>ACS Catalysis</i> , 2016, 6, 3520-3530.	5.5	97
76	The auxiliary [4Fe-4S] cluster of the Radical SAM heme synthase from <i>Methanosarcina barkeri</i> is involved in electron transfer. <i>Chemical Science</i> , 2016, 7, 4633-4643.	3.7	19
77	Chemical assembly of multiple metal cofactors: The heterologously expressed multidomain [FeFe]-hydrogenase from <i>Megasphaera elsdenii</i> . <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2016, 1857, 1734-1740.	0.5	26
78	Covalent Attachment of the Water-Insoluble Ni(P Cy 2 N Phe 2) ₂ Electrocatalyst to Electrodes Showing Reversible Catalysis in Aqueous Solution. <i>Electroanalysis</i> , 2016, 28, 2452-2458.	1.5	12
79	Following [FeFe] Hydrogenase Active Site Intermediates by Time-Resolved Mid-IR Spectroscopy. <i>Journal of Physical Chemistry Letters</i> , 2016, 7, 3290-3293.	2.1	16
80	Artificial Maturation of the Highly Active Heterodimeric [FeFe] Hydrogenase from <i>Desulfovibrio desulfuricans</i> ATCC 7757. <i>Israel Journal of Chemistry</i> , 2016, 56, 852-863.	1.0	39
81	Structure and function of [NiFe] hydrogenases. <i>Journal of Biochemistry</i> , 2016, 160, 251-258.	0.9	92
82	Divergent assembly mechanisms of the manganese/iron cofactors in R2lox and R2c proteins. <i>Journal of Inorganic Biochemistry</i> , 2016, 162, 164-177.	1.5	24
83	Importance of Hydrogen Bonding in Fine Tuning the [2Fe-2S] Cluster Redox Potential of HydC from <i>Thermotoga maritima</i> . <i>Biochemistry</i> , 2016, 55, 4344-4355.	1.2	23
84	Protein Immobilization Capabilities of Sucrose and Trehalose Glasses: The Effect of Protein/Sugar Concentration Unraveled by High-Field EPR. <i>Journal of Physical Chemistry Letters</i> , 2016, 7, 4871-4877.	2.1	46
85	Elucidation of the heme active site electronic structure affecting the unprecedented nitrite dismutase activity of the ferriheme b proteins, the nitrophorins. <i>Chemical Science</i> , 2016, 7, 5332-5340.	3.7	10
86	Paramagnetic Molecular Grippers: The Elements of Six-State Redox Switches. <i>Journal of Physical Chemistry Letters</i> , 2016, 7, 2470-2477.	2.1	12
87	MÃ¼bius-HÃ¼ckel Topology Switching in Expanded Porphyrins: EPR, ENDOR, and DFT Studies of Doublet and Triplet Open-Shell Systems. <i>Applied Magnetic Resonance</i> , 2016, 47, 757-780.	0.6	12
88	Light and Temperature Control of the Spin State of Bis(<i>p</i> -methoxyphenyl)carbene: A Magnetically Bistable Carbene. <i>Journal of the American Chemical Society</i> , 2016, 138, 1622-1629.	6.6	26
89	Recent developments in biological water oxidation. <i>Current Opinion in Chemical Biology</i> , 2016, 31, 113-119.	2.8	97
90	In search of metal hydrides: an X-ray absorption and emission study of [NiFe] hydrogenase model complexes. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 10688-10699.	1.3	29

#	ARTICLE	IF	CITATIONS
91	A five-coordinate Mn(^{IV}) intermediate in biological water oxidation: spectroscopic signature and a pivot mechanism for water binding. <i>Chemical Science</i> , 2016, 7, 72-84.	3.7	158
92	Spin State as a Marker for the Structural Evolution of Nature's Water-Splitting Catalyst. <i>Inorganic Chemistry</i> , 2016, 55, 488-501.	1.9	87
93	Models of the Ni-L and Ni-S States of the [NiFe]-Hydrogenase Active Site. <i>Inorganic Chemistry</i> , 2016, 55, 419-431.	1.9	56
94	Pulse Double-Resonance EPR Techniques for the Study of Metallobiomolecules. <i>Methods in Enzymology</i> , 2015, 563, 211-249.	0.4	16
95	A strenuous experimental journey searching for spectroscopic evidence of a bridging nickel-iron-hydride in [NiFe] hydrogenase. <i>Journal of Synchrotron Radiation</i> , 2015, 22, 1334-1344.	1.0	23
96	Ein Redoxhydrogel schützt die O ₂ -empfindliche [FeFe]-Hydrogenase aus <i>Chlamydomonas reinhardtii</i> vor oxidativer Zerstörung. <i>Angewandte Chemie</i> , 2015, 127, 12506-12510.	1.6	17
97	Direct Comparison of the Performance of a Bio-inspired Synthetic Nickel Catalyst and a [NiFe]-Hydrogenase, Both Covalently Attached to Electrodes. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 12303-12307.	7.2	61
98	Structural Insight into the Complex of Ferredoxin and [FeFe] Hydrogenase from <i>Chlamydomonas reinhardtii</i> . <i>ChemBioChem</i> , 2015, 16, 1663-1669.	1.3	28
99	A Redox Hydrogel Protects the O ₂ -Sensitive [FeFe]-Hydrogenase from <i>Chlamydomonas reinhardtii</i> from Oxidative Damage. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 12329-12333.	7.2	87
100	Artificial photosynthesis: understanding water splitting in nature. <i>Interface Focus</i> , 2015, 5, 20150009.	1.5	60
101	Cofactor composition and function of a H ₂ -sensing regulatory hydrogenase as revealed by Mössbauer and EPR spectroscopy. <i>Chemical Science</i> , 2015, 6, 4495-4507.	3.7	35
102	Möbius-Hückel topology switching in an expanded porphyrin cation radical as studied by EPR and ENDOR spectroscopy. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 6644-6652.	1.3	20
103	Artificially matured [FeFe] hydrogenase from <i>Chlamydomonas reinhardtii</i> : a HSCORE and ENDOR study of a non-natural H-cluster. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 5421-5430.	1.3	39
104	Hybrid [FeFe]-Hydrogenases with Modified Active Sites Show Remarkable Residual Enzymatic Activity. <i>Biochemistry</i> , 2015, 54, 1474-1483.	1.2	113
105	Hydrogens detected by subatomic resolution protein crystallography in a [NiFe] hydrogenase. <i>Nature</i> , 2015, 520, 571-574.	13.7	267
106	A caged substrate peptide for matrix metalloproteinases. <i>Photochemical and Photobiological Sciences</i> , 2015, 14, 300-307.	1.6	9
107	Metal oxidation states in biological water splitting. <i>Chemical Science</i> , 2015, 6, 1676-1695.	3.7	275
108	The Magic of Disaccharide Glass Matrices for Protein Function as Decoded by High-Field EPR and FTIR Spectroscopy. <i>Applied Magnetic Resonance</i> , 2015, 46, 435-464.	0.6	8

#	ARTICLE	IF	CITATIONS
109	Spectroscopic Investigations of [FeFe] Hydrogenase Maturated with [⁵⁷ Fe] ₂ (adt)(CN) ₂ (CO) ₄]. Journal of the American Chemical Society, 2015, 137, 8998-9005.	6.6	69
110	Design and Characterization of Phosphine Iron Hydrides: Toward Hydrogen-Producing Catalysts. Inorganic Chemistry, 2015, 54, 6928-6937.	1.9	23
111	Nitrite Dismutase Reaction Mechanism: Kinetic and Spectroscopic Investigation of the Interaction between Nitrophorin and Nitrite. Journal of the American Chemical Society, 2015, 137, 4141-4150.	6.6	22
112	Mechanism of Protection of Catalysts Supported in Redox Hydrogel Films. Journal of the American Chemical Society, 2015, 137, 5494-5505.	6.6	81
113	Iron-Sulfur Cluster-dependent Catalysis of Chlorophyllide a Oxidoreductase from Roseobacter denitrificans. Journal of Biological Chemistry, 2015, 290, 1141-1154.	1.6	17
114	Spectroscopic Characterization of the Bridging Amine in the Active Site of [FeFe] Hydrogenase Using Isotopologues of the H-Cluster. Journal of the American Chemical Society, 2015, 137, 12744-12747.	6.6	64
115	Structural differences between the active sites of the Ni-A and Ni-B states of the [NiFe] hydrogenase: an approach by quantum chemistry and single crystal ENDOR spectroscopy. Physical Chemistry Chemical Physics, 2015, 17, 16204-16212.	1.3	21
116	Hydride bridge in [NiFe]-hydrogenase observed by nuclear resonance vibrational spectroscopy. Nature Communications, 2015, 6, 7890.	5.8	96
117	Pressure and Temperature Effects on the Activity and Structure of the Catalytic Domain of Human MT1-MMP. Biophysical Journal, 2015, 109, 2371-2381.	0.2	24
118	Redox active iron nitrosyl units in proton reduction electrocatalysis. Nature Communications, 2014, 5, 3684.	5.8	58
119	Protein Crystallography Using Free-Electron Lasers: Water Oxidation in Photosynthesis. Angewandte Chemie - International Edition, 2014, 53, 13007-13008.	7.2	5
120	Synthesis and Characterization of Nickel Compounds with Tetradentate Thiolate-Thioether Ligands as Precursors for [NiFe]-Hydrogenase Models. European Journal of Inorganic Chemistry, 2014, 2014, 148-155.	1.0	5
121	Crystallization and preliminary X-ray crystallographic analysis of the catalytic domain of membrane type 1 matrix metalloproteinase. Acta Crystallographica Section F, Structural Biology Communications, 2014, 70, 232-235.	0.4	10
122	High-field ELDOR-detected NMR study of a nitroxide radical in disordered solids: Towards characterization of heterogeneity of microenvironments in spin-labeled systems. Journal of Magnetic Resonance, 2014, 242, 203-213.	1.2	45
123	Structure, ligands and substrate coordination of the oxygen-evolving complex of photosystem II in the S ₂ state: a combined EPR and DFT study. Physical Chemistry Chemical Physics, 2014, 16, 11877.	1.3	77
124	The first tyrosyl radical intermediate formed in the S ₂ →S ₃ transition of photosystem II. Physical Chemistry Chemical Physics, 2014, 16, 11901.	1.3	68
125	Structural and dynamical characteristics of trehalose and sucrose matrices at different hydration levels as probed by FTIR and high-field EPR. Physical Chemistry Chemical Physics, 2014, 16, 9831-9848.	1.3	47
126	A redox hydrogel protects hydrogenase from high-potential deactivation and oxygen damage. Nature Chemistry, 2014, 6, 822-827.	6.6	209

#	ARTICLE	IF	CITATIONS
127	Photosynthesis: from natural to artificial. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 11810.	1.3	16
128	Electronic Structural Flexibility of Heterobimetallic Mn/Fe Cofactors: R2lox and R2c Proteins. <i>Journal of the American Chemical Society</i> , 2014, 136, 13399-13409.	6.6	37
129	Electronic structure of the oxygen-evolving complex in photosystem II prior to O-O bond formation. <i>Science</i> , 2014, 345, 804-808.	6.0	432
130	New Redox States Observed in [FeFe] Hydrogenases Reveal Redox Coupling Within the H-Cluster. <i>Journal of the American Chemical Society</i> , 2014, 136, 11339-11346.	6.6	121
131	Enhancing hydrogen production of microalgae by redirecting electrons from photosystem I to hydrogenase. <i>Energy and Environmental Science</i> , 2014, 7, 3296-3301.	15.6	77
132	Comparative ENDOR study at 34 GHz of the triplet state of the primary donor in bacterial reaction centers of <i>Rb. sphaeroides</i> and <i>Bl. viridis</i> . <i>Photosynthesis Research</i> , 2014, 120, 99-111.	1.6	6
133	Modeling the Active Site of [NiFe] Hydrogenases and the [NiFeu] Subsite of the C-Cluster of Carbon Monoxide Dehydrogenases: Low-Spin Iron(II) Versus High-Spin Iron(II). <i>Inorganic Chemistry</i> , 2014, 53, 6329-6337.	1.9	16
134	Hydrogenases. <i>Chemical Reviews</i> , 2014, 114, 4081-4148.	23.0	1,653
135	Theoretical Spectroscopy of the Ni ^{II} Intermediate States in the Catalytic Cycle and the Activation of [NiFe] Hydrogenases. <i>ChemBioChem</i> , 2013, 14, 1898-1905.	1.3	56
136	Orientation and Function of a Membrane-Bound Enzyme Monitored by Electrochemical Surface-Enhanced Infrared Absorption Spectroscopy. <i>Journal of Physical Chemistry Letters</i> , 2013, 4, 2794-2798.	2.1	29
137	EPR Spectroscopy and the Electronic Structure of the Oxygen-Evolving Complex of Photosystem II. <i>Applied Magnetic Resonance</i> , 2013, 44, 691-720.	0.6	24
138	Spontaneous activation of [FeFe]-hydrogenases by an inorganic [2Fe] active site mimic. <i>Nature Chemical Biology</i> , 2013, 9, 607-609.	3.9	316
139	[NiFe] hydrogenases: A common active site for hydrogen metabolism under diverse conditions. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2013, 1827, 986-1002.	0.5	219
140	Ammonia binding to the oxygen-evolving complex of photosystem II identifies the solvent-exchangeable oxygen bridge (μ ⁴ -oxo) of the manganese tetramer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 15561-15566.	3.3	148
141	Direct observation of structurally encoded metal discrimination and ether bond formation in a heterodinuclear metalloprotein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 17189-17194.	3.3	49
142	W-band ELDOR-detected NMR (EDNMR) spectroscopy as a versatile technique for the characterisation of transition metal-ligand interactions. <i>Molecular Physics</i> , 2013, 111, 2788-2808.	0.8	59
143	Electronic structure of the unique [4Fe-3S] cluster in O ₂ -tolerant hydrogenases characterized by ⁵⁷ Fe Mössbauer and EPR spectroscopy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 483-488.	3.3	57
144	Observation of the Fe- ϵ -CN and Fe- ϵ -CO Vibrations in the Active Site of [NiFe] Hydrogenase by Nuclear Resonance Vibrational Spectroscopy. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 724-728.	7.2	60

#	ARTICLE	IF	CITATIONS
145	Artificial Photosynthesis for Solar Fuels – an Evolving Research Field within AMPEA, a Joint Programme of the European Energy Research Alliance. <i>Green</i> , 2013, 3, .	0.4	62
146	High-field EPR on membrane proteins – Crossing the gap to NMR. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2013, 75, 1-49.	3.9	22
147	Biological Water Oxidation. <i>Accounts of Chemical Research</i> , 2013, 46, 1588-1596.	7.6	453
148	Energy and environment policy case for a global project on artificial photosynthesis. <i>Energy and Environmental Science</i> , 2013, 6, 695.	15.6	264
149	A Metal–Metal Bond in the Light-Induced State of [NiFe] Hydrogenases with Relevance to Hydrogen Evolution. <i>Journal of the American Chemical Society</i> , 2013, 135, 3915-3925.	6.6	95
150	An improved coupling design for high-frequency TE ₀₁₁ electron paramagnetic resonance cavities. <i>Review of Scientific Instruments</i> , 2013, 84, 014704.	0.6	5
151	Orientation Resolving Dipolar High-Field EPR Spectroscopy on Disordered Solids: II. Structure of Spin-Correlated Radical Pairs in Photosystem I. <i>Journal of Physical Chemistry B</i> , 2013, 117, 11184-11199.	1.2	27
152	Biomimetic assembly and activation of [FeFe]-hydrogenases. <i>Nature</i> , 2013, 499, 66-69.	13.7	597
153	Molecular Concepts of Water Splitting: Nature's Approach. <i>Green</i> , 2013, 3, .	0.4	2
154	A Heme-based Redox Sensor in the Methanogenic Archaeon <i>Methanosarcina acetivorans</i> . <i>Journal of Biological Chemistry</i> , 2013, 288, 18458-18472.	1.6	19
155	Effect of Cyanide Ligands on the Electronic Structure of [FeFe] Hydrogenase Active-Site Model Complexes with an Azadithiolate Cofactor. <i>Chemistry - A European Journal</i> , 2013, 19, 14566-14572.	1.7	15
156	Spectroscopic and Electrochemical Characterization of the [NiFeSe] Hydrogenase from <i>Desulfovibrio vulgaris</i> Miyazaki F: Reversible Redox Behavior and Interactions between Electron Transfer Centers. <i>ChemBioChem</i> , 2013, 14, 1714-1719.	1.3	18
157	Importance of the Protein Framework for Catalytic Activity of [FeFe]-Hydrogenases. <i>Journal of Biological Chemistry</i> , 2012, 287, 1489-1499.	1.6	129
158	Key Hydride Vibrational Modes in [NiFe] Hydrogenase Model Compounds Studied by Resonance Raman Spectroscopy and Density Functional Calculations. <i>Inorganic Chemistry</i> , 2012, 51, 11787-11797.	1.9	32
159	Detection of the Water-Binding Sites of the Oxygen-Evolving Complex of Photosystem II Using W-Band ¹⁷ O Electron–Electron Double Resonance-Detected NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2012, 134, 16619-16634.	6.6	248
160	Identification and Characterization of the –Super-Reduced– State of the H-Cluster in [FeFe] Hydrogenase: A New Building Block for the Catalytic Cycle?. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 11458-11462.	7.2	184
161	Spectroscopic characterization of the key catalytic intermediate Ni–C in the O ₂ -tolerant [NiFe] hydrogenase I from <i>Aquifex aeolicus</i> : evidence of a weakly bound hydride. <i>Chemical Communications</i> , 2012, 48, 823-825.	2.2	53
162	EPR/ENDOR, Mössbauer, and Quantum-Chemical Investigations of Diiron Complexes Mimicking the Active Oxidized State of [FeFe]Hydrogenase. <i>Inorganic Chemistry</i> , 2012, 51, 8617-8628.	1.9	28

#	ARTICLE	IF	CITATIONS
163	Pulse Q-Band EPR and ENDOR Spectroscopies of the Photochemically Generated Monoprotonated Benzoquinone Radical in Frozen Alcoholic Solution. <i>Journal of Physical Chemistry B</i> , 2012, 116, 8890-8900.	1.2	9
164	A Functional [NiFe]-Hydrogenase Model Compound That Undergoes Biologically Relevant Reversible Thiolate Protonation. <i>Journal of the American Chemical Society</i> , 2012, 134, 20745-20755.	6.6	101
165	Two Interconvertible Structures that Explain the Spectroscopic Properties of the Oxygen-Evolving Complex of Photosystem II in the S ₂ State. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 9935-9940.	7.2	342
166	Crucial Role of Paramagnetic Ligands for Magnetostructural Anomalies in "Breathing Crystals". <i>Inorganic Chemistry</i> , 2012, 51, 9385-9394.	1.9	34
167	Computational study of the electronic structure and magnetic properties of the Ni ²⁺ state in [NiFe] hydrogenases including the second coordination sphere. <i>Journal of Biological Inorganic Chemistry</i> , 2012, 17, 1269-1281.	1.1	46
168	Structural and Spectroscopic Features of Mixed Valent Fe ^{II} Fe ^I Complexes and Factors Related to the Rotated Configuration of Diiron Hydrogenase. <i>Journal of the American Chemical Society</i> , 2012, 134, 13089-13102.	6.6	81
169	The Basic Properties of the Electronic Structure of the Oxygen-evolving Complex of Photosystem II Are Not Perturbed by Ca ²⁺ Removal. <i>Journal of Biological Chemistry</i> , 2012, 287, 24721-24733.	1.6	56
170	Incorporation of a high potential quinone reveals that electron transfer in Photosystem I becomes highly asymmetric at low temperature. <i>Photochemical and Photobiological Sciences</i> , 2012, 11, 946-956.	1.6	40
171	Empirical and computational design of iron-sulfur cluster proteins. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2012, 1817, 1256-1262.	0.5	30
172	A tunable general purpose Q-band resonator for CW and pulse EPR/ENDOR experiments with large sample access and optical excitation. <i>Journal of Magnetic Resonance</i> , 2012, 214, 237-243.	1.2	66
173	Electronic Structure of a Weakly Antiferromagnetically Coupled Mn ^{II} Mn ^{III} Model Relevant to Manganese Proteins: A Combined EPR, ⁵⁵ Mn-ENDOR, and DFT Study. <i>Inorganic Chemistry</i> , 2011, 50, 8238-8251.	1.9	55
174	Effect of Ca ²⁺ /Sr ²⁺ Substitution on the Electronic Structure of the Oxygen-Evolving Complex of Photosystem II: A Combined Multifrequency EPR, ⁵⁵ Mn-ENDOR, and DFT Study of the S ₂ State. <i>Journal of the American Chemical Society</i> , 2011, 133, 3635-3648.	6.6	211
175	High-Field Dipolar Electron Paramagnetic Resonance (EPR) Spectroscopy of Nitroxide Biradicals for Determining Three-Dimensional Structures of Biomacromolecules in Disordered Solids. <i>Journal of Physical Chemistry B</i> , 2011, 115, 11950-11963.	1.2	35
176	Theoretical Evaluation of Structural Models of the S ₂ State in the Oxygen Evolving Complex of Photosystem II: Protonation States and Magnetic Interactions. <i>Journal of the American Chemical Society</i> , 2011, 133, 19743-19757.	6.6	271
177	Temperature-Dependent Exchange Interaction in Molecular Magnets Cu ₂ L _R Studied by EPR: Methodology and Interpretations. <i>Inorganic Chemistry</i> , 2011, 50, 10204-10212.	1.9	37
178	The electronic structures of the S ₂ states of the oxygen-evolving complexes of photosystem II in plants and cyanobacteria in the presence and absence of methanol. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2011, 1807, 829-840.	0.5	81
179	[Fe ₄ S ₄]- and [Fe ₃ S ₄]-cluster formation in synthetic peptides. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2011, 1807, 1414-1422.	0.5	29
180	Zinc-Bacteriochlorophyllide Dimers in de Novo Designed Four-Helix Bundle Proteins. A Model System for Natural Light Energy Harvesting and Dissipation. <i>Journal of the American Chemical Society</i> , 2011, 133, 9526-9535.	6.6	39

#	ARTICLE	IF	CITATIONS
181	Photo-Induced Electron Spin Polarization in Chemical and Biological Reactions: Probing Structure and Dynamics of Transient Intermediates by Multifrequency EPR Spectroscopy. <i>Applied Magnetic Resonance</i> , 2011, 41, 113-143.	0.6	15
182	Magnetic Properties of [FeFe]-Hydrogenases: A Theoretical Investigation Based on Extended QM and QM/MM Models of the H-Cluster and Its Surroundings. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 1043-1049.	1.0	21
183	Unraveling the Electronic Properties of the Photoinduced States of the H-Cluster in the [FeFe] Hydrogenase from <i>D. desulfuricans</i> . <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 1056-1066.	1.0	23
184	A Model of the [FeFe] Hydrogenase Active Site with a Biologically Relevant Azadithiolate Bridge: A Spectroscopic and Theoretical Investigation. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 1439-1443.	7.2	130
185	SEIRA Spectroscopy of the Electrochemical Activation of an Immobilized [NiFe] Hydrogenase under Turnover and Non-Turnover Conditions. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 2632-2634.	7.2	48
186	Characterization of a unique [FeS] cluster in the electron transfer chain of the oxygen tolerant [NiFe] hydrogenase from <i>Aquifex aeolicus</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 6097-6102.	3.3	154
187	The Crystal Structure of the [NiFe] Hydrogenase from the Photosynthetic Bacterium <i>Allochrodatum vinosum</i> : Characterization of the Oxidized Enzyme (Ni-A State). <i>Journal of Molecular Biology</i> , 2010, 402, 428-444.	2.0	122
188	Incorporation of 2,3-Disubstituted-1,4-Naphthoquinones into the A1 Binding Site of Photosystem I Studied by EPR and ENDOR Spectroscopy. <i>Applied Magnetic Resonance</i> , 2010, 37, 65-83.	0.6	17
189	Inhibition of the [NiFe] hydrogenase from <i>Desulfovibrio vulgaris</i> Miyazaki F by carbon monoxide: An FTIR and EPR spectroscopic study. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010, 1797, 304-313.	0.5	76
190	De novo design of a non-natural fold for an iron-sulfur protein: Alpha-helical coiled-coil with a four-iron four-sulfur cluster binding site in its central core. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010, 1797, 406-413.	0.5	60
191	The [FeFe]-hydrogenase maturase HydF from <i>Clostridium acetobutylicum</i> contains a CO and CN ²⁺ ligated iron cofactor. <i>FEBS Letters</i> , 2010, 584, 638-642.	1.3	94
192	Intermediates in the Catalytic Cycle of [NiFe] Hydrogenase: Functional Spectroscopy of the Active Site. <i>ChemPhysChem</i> , 2010, 11, 1127-1140.	1.0	104
193	Homologous expression of the <i>nrdF</i> gene of <i>Corynebacterium ammoniagenes</i> strain ATCC 6872 generates a manganese-metallocofactor (R2F) and a stable tyrosyl radical (Y [•]) involved in ribonucleotide reduction. <i>FEBS Journal</i> , 2010, 277, 4849-4862.	2.2	21
194	Comparison of the membrane-bound [NiFe] hydrogenases from <i>R. eutropha</i> H16 and <i>D. vulgaris</i> Miyazaki F in the oxidized ready state by pulsed EPR. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 2139.	1.3	24
195	B-Branch Electron Transfer in the Photosynthetic Reaction Center of a <i>Rhodobacter sphaeroides</i> Quadruple Mutant. Q- and W-Band Electron Paramagnetic Resonance Studies of Triplet and Radical-Pair Cofactor States. <i>Journal of Physical Chemistry B</i> , 2010, 114, 14364-14372.	1.2	14
196	Electron-Nuclear and Electron-Electron Double Resonance Spectroscopies Show that the Primary Quinone Acceptor Q _A in Reaction Centers from Photosynthetic Bacteria <i>Rhodobacter sphaeroides</i> Remains in the Same Orientation Upon Light-Induced Reduction. <i>Journal of Physical Chemistry B</i> , 2010, 114, 16894-16901.	1.2	23
197	A Tyrosyl-Dimanganese Coupled Spin System is the Native Metalloradical Cofactor of the R2F Subunit of the Ribonucleotide Reductase of <i>Corynebacterium ammoniagenes</i> . <i>Journal of the American Chemical Society</i> , 2010, 132, 11197-11213.	6.6	93
198	Advanced Electron Paramagnetic Resonance and Density Functional Theory Study of a {2Fe3S} Cluster Mimicking the Active Site of [FeFe] Hydrogenase. <i>Journal of the American Chemical Society</i> , 2010, 132, 17578-17587.	6.6	19

#	ARTICLE	IF	CITATIONS
199	Membrane-Bound Hydrogenase I from the Hyperthermophilic Bacterium <i>Aquifex aeolicus</i> : Enzyme Activation, Redox Intermediates and Oxygen Tolerance. <i>Journal of the American Chemical Society</i> , 2010, 132, 6991-7004.	6.6	145
200	A New Quantum Chemical Approach to the Magnetic Properties of Oligonuclear Transition-Metal Complexes: Application to a Model for the Tetranuclear Manganese Cluster of Photosystem II. <i>Chemistry - A European Journal</i> , 2009, 15, 5108-5123.	1.7	123
201	Spin distribution of the H-cluster in the Hox-CO state of the [FeFe]-hydrogenase from <i>Desulfovibrio desulfuricans</i> : HYSCORE and ENDOR study of ¹⁴ N and ¹³ C nuclear interactions. <i>Journal of Biological Inorganic Chemistry</i> , 2009, 14, 301-313.	1.1	43
202	Probing intermediates in the activation cycle of [NiFe] hydrogenase by infrared spectroscopy: the Ni-SIr state and its light sensitivity. <i>Journal of Biological Inorganic Chemistry</i> , 2009, 14, 1227-1241.	1.1	35
203	EPR, ENDOR, and Special TRIPLE measurements of P ₊ in wild type and modified reaction centers from <i>Rb. Sphaeroides</i> . <i>Photosynthesis Research</i> , 2009, 99, 1-10.	1.6	13
204	Electron-nuclear double resonance. <i>Photosynthesis Research</i> , 2009, 102, 391-401.	1.6	39
205	Electronic Structure of the Quinone Radical Anion A ₁ ⁻ of Photosystem I Investigated by Advanced Pulse EPR and ENDOR Techniques. <i>Journal of Physical Chemistry B</i> , 2009, 113, 10367-10379.	1.2	42
206	Electron Paramagnetic Resonance and Electron Nuclear Double Resonance Investigation of the Diradical Bis(±-iminopyridinato)zinc Complex. <i>Inorganic Chemistry</i> , 2009, 48, 2626-2632.	1.9	29
207	Spectroelectrochemical Characterization of the Active Site of the [FeFe] Hydrogenase HydA1 from <i>Chlamydomonas reinhardtii</i> . <i>Biochemistry</i> , 2009, 48, 7780-7786.	1.2	133
208	Spin Density Distribution of the Excited Triplet State of Bacteriochlorophylls. Pulsed ENDOR and DFT Studies. <i>Journal of Physical Chemistry B</i> , 2009, 113, 6917-6927.	1.2	20
209	¹⁴ N HYSCORE investigation of the H-cluster of [FeFe] hydrogenase: evidence for a nitrogen in the dithiol bridge. <i>Physical Chemistry Chemical Physics</i> , 2009, 11, 6592.	1.3	354
210	[NiFe] hydrogenases: structural and spectroscopic studies of the reaction mechanism. <i>Dalton Transactions</i> , 2009, , 7577.	1.6	179
211	Spectroelectrochemical Study of the [NiFe] Hydrogenase from <i>Desulfovibrio vulgaris</i> Miyazaki F in Solution and Immobilized on Biocompatible Gold Surfaces. <i>Journal of Physical Chemistry B</i> , 2009, 113, 15344-15351.	1.2	61
212	Dynamic mixing processes in spin triads of μ -breathing crystals μ -Cu(hfac) ₂ LR: a multifrequency EPR study at 34, 122 and 244 GHz. <i>Physical Chemistry Chemical Physics</i> , 2009, 11, 6654.	1.3	27
213	FTIR study on the light sensitivity of the [NiFe] hydrogenase from <i>Desulfovibrio vulgaris</i> Miyazaki F: Ni ^C to Ni ^L photoconversion, kinetics of proton rebinding and H/D isotope effect. <i>Physical Chemistry Chemical Physics</i> , 2009, 11, 8680.	1.3	35
214	Structure of the oxygen-evolving complex of photosystem II: information on the S ₂ state through quantum chemical calculation of its magnetic properties. <i>Physical Chemistry Chemical Physics</i> , 2009, 11, 6788.	1.3	121
215	Modelling Low-Potential [Fe ₄ S ₄] Clusters in Proteins. <i>Chemistry and Biodiversity</i> , 2008, 5, 1571-1587.	1.0	20
216	Structure of the Tyrosyl Biradical in Mouse R2 Ribonucleotide Reductase from High-Field PELDOR. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 1224-1227.	7.2	62

#	ARTICLE	IF	CITATIONS
217	Light-Induced Excited Spin State Trapping in an Exchange-Coupled Nitroxide-Copper(II)-Nitroxide Cluster. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 6897-6899.	7.2	74
218	Electronic Structure of a Binuclear Nickel Complex of Relevance to [NiFe] Hydrogenase. <i>Inorganic Chemistry</i> , 2008, 47, 11688-11697.	1.9	19
219	Characterization of radical intermediates in laccase-mediator systems. A multifrequency EPR, ENDOR and DFT/PCM investigation. <i>Physical Chemistry Chemical Physics</i> , 2008, 10, 7284.	1.3	36
220	Isolation and first EPR characterization of the [FeFe]-hydrogenases from green algae. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2008, 1777, 410-416.	0.5	104
221	Electron-Electron Double Resonance-Detected NMR to Measure Metal Hyperfine Interactions: $>61</sup>$ Ni in the Ni ^B State of the [NiFe] Hydrogenase of <i>Desulfovibrio vulgaris</i> Miyazaki F. <i>Journal of the American Chemical Society</i> , 2008, 130, 2402-2403.	6.6	33
222	Solar water-splitting into H ₂ and O ₂ : design principles of photosystem II and hydrogenases. <i>Energy and Environmental Science</i> , 2008, 1, 15.	15.6	388
223	A Systematic Density Functional Study of the Zero-Field Splitting in Mn(II) Coordination Compounds. <i>Inorganic Chemistry</i> , 2008, 47, 134-142.	1.9	121
224	Probing Mode and Site of Substrate Water Binding to the Oxygen-Evolving Complex in the S ₂ State of Photosystem II by $>17</sup>$ O-HYSCORE Spectroscopy. <i>Journal of the American Chemical Society</i> , 2008, 130, 786-787.	6.6	27
225	Detection of Heme Oxygenase Activity in a Library of Four-helix Bundle Proteins: Towards the de Novo Synthesis of Functional Heme Proteins. <i>Journal of Molecular Biology</i> , 2007, 371, 739-753.	2.0	23
226	The Electronic Structure of the H-Cluster in the [FeFe]-Hydrogenase from <i>Desulfovibrio desulfuricans</i> : A Q-band $>57</sup>$ Fe-ENDOR and HYSCORE Study. <i>Journal of the American Chemical Society</i> , 2007, 129, 11447-11458.	6.6	157
227	[NiFe] and [FeFe] Hydrogenases Studied by Advanced Magnetic Resonance Techniques. <i>Chemical Reviews</i> , 2007, 107, 4331-4365.	23.0	458
228	Spin-Density Distribution of the Carotenoid Triplet State in the Peridinin-Chlorophyll-Protein Antenna. A Q-Band Pulse Electron-Nuclear Double Resonance and Density Functional Theory Study. <i>Journal of the American Chemical Society</i> , 2007, 129, 15442-15443.	6.6	31
229	Low-Temperature Pulsed EPR Study at 34 GHz of the Triplet States of the Primary Electron Donor P ₈₆₅ and the Carotenoid in Native and Mutant Bacterial Reaction Centers of Protein-Cofactor Interactions in Bacterial Reaction Centers from <i>Rhodospirillum rubrum</i> R-26: II. Geometry of the Hydrogen Bonds to the Primary Quinone  $\text{display="inline" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" style="width: 100%;"/>$	1.2	18
230	Orientation-Resolving Pulsed Electron Dipolar High-Field EPR Spectroscopy on Disordered Solids: I. Structure of Spin-Correlated Radical Pairs in Bacterial Photosynthetic Reaction Centers. <i>Journal of Physical Chemistry B</i> , 2007, 111, 6245-6262.	0.2	68
231	Orientation-Resolving Pulsed Electron Dipolar High-Field EPR Spectroscopy on Disordered Solids: I. Structure of Spin-Correlated Radical Pairs in Bacterial Photosynthetic Reaction Centers. <i>Journal of Physical Chemistry B</i> , 2007, 111, 6245-6262.	1.2	90
232	Hydrogen: An Overview. <i>Chemical Reviews</i> , 2007, 107, 3900-3903.	23.0	628
233	Electronic Structure of the Mn ₄ O _x Ca Cluster in the S ₀ and S ₂ States of the Oxygen-Evolving Complex of Photosystem II Based on Pulse $>55</sup>$ Mn-ENDOR and EPR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2007, 129, 13421-13435.	6.6	230
234	High-field EPR, ENDOR and ELDOR on bacterial photosynthetic reaction centers. <i>Applied Magnetic Resonance</i> , 2007, 31, 59-98.	0.6	48

#	ARTICLE	IF	CITATIONS
235	A CW and pulse EPR spectrometer operating at 122 and 244 GHz using a quasi-optical bridge and a cryogen-free 12 T superconducting magnet. Applied Magnetic Resonance, 2007, 31, 611-626.	0.6	22
236	Characterization of a cyanobacterial-like uptake [NiFe] hydrogenase: EPR and FTIR spectroscopic studies of the enzyme from Acidithiobacillus ferrooxidans. Journal of Biological Inorganic Chemistry, 2007, 12, 212-233.	1.1	32
237	Protein cofactor interactions in bacterial reaction centers from Rhodospirillum rubrum R-26: Effect of hydrogen bonding on the electronic and geometric structure of the primary quinone. A density functional theory study. Physical Chemistry Chemical Physics, 2006, 8, 5659-5670.	1.3	41
238	PELDOR study on the tyrosyl radicals in the R2 protein of mouse ribonucleotide reductase. Physical Chemistry Chemical Physics, 2006, 8, 58-62.	1.3	19
239	Ultrafast Transient Absorption Studies on Photosystem I Reaction Centers from Chlamydomonas reinhardtii. 2: Mutations near the P700 Reaction Center Chlorophylls Provide New Insight into the Nature of the Primary Electron Donor. Biophysical Journal, 2006, 90, 552-565.	0.2	146
240	Effects of noncovalently bound quinones on the ground and triplet states of zinc chlorins in solution and bound to de novo synthesized peptides. Physical Chemistry Chemical Physics, 2006, 8, 5444-5453.	1.3	19
241	Identification of the ENDOR Lines Associated with the Hydrogen Bonds to the Primary Quinone <small><math>si12.gif</math> display="inline" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ial/dtd"</small>	0.2	32
242	Hydrogen Bonding Affects the [NiFe] Active Site of Desulfovibrio vulgaris Miyazaki F Hydrogenase: A Hyperfine Sublevel Correlation Spectroscopy and Density Functional Theory Study. Journal of Physical Chemistry B, 2006, 110, 8142-8150.	1.2	28
243	Rapid and Reversible Reactions of [NiFe]-Hydrogenases with Sulfide. Journal of the American Chemical Society, 2006, 128, 7448-7449.	6.6	55
244	Phylloquinone and Related Radical Anions Studied by Pulse Electron Nuclear Double Resonance Spectroscopy at 34 GHz and Density Functional Theory. Journal of Physical Chemistry B, 2006, 110, 11549-11560.	1.2	34
245	A single-crystal ENDOR and density functional theory study of the oxidized states of the [NiFe] hydrogenase from Desulfovibrio vulgaris Miyazaki F. Journal of Biological Inorganic Chemistry, 2006, 11, 41-51.	1.1	103
246	EPR Studies of the Primary Electron Donor P700 in Photosystem. , 2006, , 245-269.		10
247	EPR experiments to elucidate the structure of the ready and unready states of the [NiFe] hydrogenase of Desulfovibrio vulgaris Miyazaki F. Biochemical Society Transactions, 2005, 33, 7-11.	1.6	44
248	An orientation-selected ENDOR and HYSCORE study of the Ni-C active state of Desulfovibrio vulgaris Miyazaki F hydrogenase. Journal of Biological Inorganic Chemistry, 2005, 10, 51-62.	1.1	110
249	Multifrequency EPR analysis of the dimanganese cluster of the putative sulfate thiohydrolase SoxB of Paracoccus pantotrophus. Journal of Biological Inorganic Chemistry, 2005, 10, 636-642.	1.1	39
250	Dimanganese catalase spectroscopic parameters from broken-symmetry density functional theory of the superoxidized MnIII/MnIV state. Journal of Biological Inorganic Chemistry, 2005, 10, 231-238.	1.1	61
251	Pulse EPR, 55Mn-ENDOR and ELDOR-detected NMR of the S2-state of the oxygen evolving complex in Photosystem II. Photosynthesis Research, 2005, 84, 347-353.	1.6	37
252	A New Tyrosyl Radical on Phe208 as Ligand to the Diiron Center in Escherichia coli Ribonucleotide Reductase, Mutant R2-Y122H. Journal of Biological Chemistry, 2005, 280, 11233-11246.	1.6	13

#	ARTICLE	IF	CITATIONS
253	Charge Recombination Fluorescence in Photosystem I Reaction Centers from <i>Chlamydomonas reinhardtii</i> . <i>Journal of Physical Chemistry B</i> , 2005, 109, 5903-5911.	1.2	66
254	Electron Spin Lattice Relaxation of the S ₀ State of the Oxygen-Evolving Complex in Photosystem II and of Dinuclear Manganese Model Complexes. <i>Biochemistry</i> , 2005, 44, 9368-9374.	1.2	57
255	⁵⁵ Mn Pulse ENDOR at 34 GHz of the S ₀ and S ₂ States of the Oxygen-Evolving Complex in Photosystem II. <i>Journal of the American Chemical Society</i> , 2005, 127, 2392-2393.	6.6	174
256	Pulse ENDOR studies on the radical pair P 700 + $\dot{A} \cdot A_1$ and the photoaccumulated quinone acceptor A 1 of photosystem I. <i>Applied Magnetic Resonance</i> , 2004, 26, 5-21.	0.6	19
257	An EPR/ENDOR study of the asymmetric hydrogen bond between the quinone electron acceptor and the protein backbone in Photosystem I. <i>Journal of Molecular Structure</i> , 2004, 700, 233-241.	1.8	20
258	Relativistic DFT calculation of the reaction cycle intermediates of [NiFe] hydrogenase: a contribution to understanding the enzymatic mechanism. <i>Journal of Inorganic Biochemistry</i> , 2004, 98, 862-877.	1.5	87
259	The S ₁ YZ [•] metalloradical intermediate in photosystem II: an X- and W-band EPR study. <i>Physical Chemistry Chemical Physics</i> , 2004, 6, 4859.	1.3	35
260	Hydrogen Bond Geometries from Electron Paramagnetic Resonance and Electron Nuclear Double Resonance Parameters: Density Functional Study of Quinone Radical Anion Solvent Interactions. <i>Journal of the American Chemical Society</i> , 2004, 126, 3280-3290.	6.6	118
261	Electronic Structure of the Cysteine Thiyl Radical: A DFT and Correlated ab Initio Study. <i>Journal of the American Chemical Society</i> , 2004, 126, 2237-2246.	6.6	47
262	Calculating the Electron Paramagnetic Resonance Parameters of Exchange Coupled Transition Metal Complexes Using Broken Symmetry Density Functional Theory: Application to a Mn(III)/Mn(IV) Model Compound. <i>Journal of the American Chemical Society</i> , 2004, 126, 2613-2622.	6.6	194
263	The primary donor cation P ⁺ in photosynthetic reaction centers of site-directed mutants of <i>Rhodobacter sphaeroides</i> : g-tensor shifts revealed by high-field EPR at 360 GHz/12.8 T. <i>Chemical Physics</i> , 2003, 294, 371-384.	0.9	23
264	Probing hydrogen bonding to quinone anion radicals by 1H and 2H ENDOR spectroscopy at 35 GHz. <i>Chemical Physics</i> , 2003, 294, 401-413.	0.9	64
265	Molecular orbital study of the primary electron donor P700 of photosystem I based on a recent X-ray single crystal structure analysis. <i>Chemical Physics</i> , 2003, 294, 483-499.	0.9	58
266	Single Crystal EPR Studies of the Reduced Active Site of [NiFe] Hydrogenase from <i>Desulfovibrio vulgaris</i> Miyazaki F. <i>Journal of the American Chemical Society</i> , 2003, 125, 83-93.	6.6	196
267	Multifrequency EPR Investigation of Dimanganese Catalase and Related Mn(III)Mn(IV) Complexes. <i>Journal of Physical Chemistry B</i> , 2003, 107, 1242-1250.	1.2	60
268	Ultrafast Transient Absorption Studies on Photosystem I Reaction Centers from <i>Chlamydomonas reinhardtii</i> . 1. A New Interpretation of the Energy Trapping and Early Electron Transfer Steps in Photosystem I. <i>Biophysical Journal</i> , 2003, 85, 3899-3922.	0.2	180
269	Hyperfine structure of the photoexcited triplet state 3P680 in plant PS II reaction centres as determined by pulse ENDOR spectroscopy. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2003, 1605, 35-46.	0.5	43
270	Photosystem II single crystals studied by transient EPR: the light-induced triplet state. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2003, 1605, 47-54.	0.5	27

#	ARTICLE	IF	CITATIONS
271	Direct Detection of a Hydrogen Ligand in the [NiFe] Center of the Regulatory H ₂ -Sensing Hydrogenase from <i>Ralstonia eutropha</i> in Its Reduced State by HYSCORE and ENDOR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2003, 125, 13075-13083.	6.6	259
272	Wavelength dependence of the photo-induced conversion of the Ni ^{II} to the Ni ^I redox state in the [NiFe] hydrogenase of <i>Desulfovibrio vulgaris</i> Miyazaki F. <i>Physical Chemistry Chemical Physics</i> , 2003, 5, 5507-5513.	1.3	33
273	Protein thiol radicals in disordered systems: A comparative EPR study at low temperature. <i>Physical Chemistry Chemical Physics</i> , 2003, 5, 2442-2453.	1.3	43
274	Species-specific Differences of the Spectroscopic Properties of P700. <i>Journal of Biological Chemistry</i> , 2003, 278, 46760-46771.	1.6	65
275	Photochemical processes in photosynthesis studied by advanced electron paramagnetic resonance techniques. <i>Pure and Applied Chemistry</i> , 2003, 75, 1021-1030.	0.9	17
276	Hydrogen Bonding to P700: Site-Directed Mutagenesis of Threonine A739 of Photosystem I in <i>Chlamydomonas reinhardtii</i> . <i>Biochemistry</i> , 2002, 41, 8557-8569.	1.2	88
277	Electronic and Vibronic Coupling of the Special Pair of Bacteriochlorophylls in Photosynthetic Reaction Centers from Wild-Type and Mutant Strains of <i>Rhodobacter Sphaeroides</i> . <i>Journal of Physical Chemistry B</i> , 2002, 106, 11859-11869.	1.2	49
278	Molecular Dynamics of QA and QB in Photosynthetic Bacterial Reaction Centers Studied by Pulsed High-Field EPR at 95 GHz. <i>Journal of Physical Chemistry B</i> , 2002, 106, 9454-9462.	1.2	30
279	Generation and Electron Paramagnetic Resonance Spin Trapping Detection of Thiol Radicals in Model Proteins and in the R1 Subunit of <i>Escherichia coli</i> Ribonucleotide Reductase. <i>Archives of Biochemistry and Biophysics</i> , 2002, 397, 57-68.	1.4	25
280	Radicals, Radical Pairs and Triplet States in Photosynthesis. <i>Accounts of Chemical Research</i> , 2002, 35, 313-320.	7.6	161
281	Pigment-Protein Interactions in Bacterial Reaction Centers and Their Influence on Oxidation Potential and Spin Density Distribution of the Primary Donor. <i>Journal of Physical Chemistry B</i> , 2002, 106, 3226-3236.	1.2	61
282	Chlorophyll Radical Ions: A Density Functional Study. <i>Journal of Physical Chemistry B</i> , 2002, 106, 5281-5288.	1.2	23
283	Pulse EPR and ENDOR studies of light-induced radicals and triplet states in photosystem II of oxygenic photosynthesis. <i>Physical Chemistry Chemical Physics</i> , 2002, 4, 5539-5545.	1.3	39
284	Protein thiol radicals directly observed by EPR spectroscopy. <i>Archives of Biochemistry and Biophysics</i> , 2002, 403, 141-144.	1.4	35
285	Quantum chemical calculations of [NiFe] hydrogenase. <i>Current Opinion in Chemical Biology</i> , 2002, 6, 243-249.	2.8	81
286	The H ₂ sensor of <i>Ralstonia eutropha</i> : biochemical and spectroscopic analysis of mutant proteins modified at a conserved glutamine residue close to the [NiFe] active site. <i>Journal of Biological Inorganic Chemistry</i> , 2002, 7, 897-908.	1.1	37
287	P700: the primary electron donor of photosystem I. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2001, 1507, 61-79.	0.5	225
288	Characterization of de novo synthesized four-helix bundle proteins with metalloporphyrin cofactors. <i>Physical Chemistry Chemical Physics</i> , 2001, 3, 4082-4090.	1.3	30

#	ARTICLE	IF	CITATIONS
289	The electronic structure of the catalytic intermediate Ni-C in [NiFe] and [NiFeSe] hydrogenases. Electronic Supplementary Information available. See http://www.rsc.org/suppdata/cp/b1/b105723p/ . Physical Chemistry Chemical Physics, 2001, 3, 5115-5120.	1.3	55
290	DFT calculations of the electronic structure of the paramagnetic states Ni-A, Ni-B and Ni-C of [NiFe] hydrogenase. Physical Chemistry Chemical Physics, 2001, 3, 2668-2675.	1.3	72
291	Relativistic DFT Calculations of the Paramagnetic Intermediates of [NiFe] Hydrogenase. Implications for the Enzymatic Mechanism. Journal of the American Chemical Society, 2001, 123, 5839-5840.	6.6	109
292	Orientation and Electronic Structure of the Primary Donor Radical Cation in Photosystem I: A Single Crystals EPR and ENDOR Study. Journal of Physical Chemistry B, 2001, 105, 1225-1239.	1.2	106
293	Transient EPR and Absorption Studies of Carotenoid Triplet Formation in Purple Bacterial Antenna Complexes. Journal of Physical Chemistry B, 2001, 105, 5525-5535.	1.2	53
294	g- and A-Tensor Calculations in the Zero-Order Approximation for Relativistic Effects of Ni Complexes and Ni(CO) ₃ H as Model Complexes for the Active Center of [NiFe]-Hydrogenase. Journal of Physical Chemistry A, 2001, 105, 416-425.	1.1	64
295	Probing the surrounding of a cobalt(II) porphyrin and its superoxo complex by EPR techniques. Applied Magnetic Resonance, 2001, 20, 35-70.	0.6	44
296	High-frequency EPR studies on cofactor radicals in photosystem I. Applied Magnetic Resonance, 2001, 21, 363-379.	0.6	30
297	Photosystem II single crystals studied by EPR spectroscopy at 94 GHz: The tyrosine radical Y _{Form} . Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 6623-6628.	3.3	79
298	Electron paramagnetic resonance and electron nuclear double resonance spectroscopy of a heme protein maquette. Chemical Physics Letters, 2000, 323, 329-339.	1.2	23
299	Single crystal EPR studies of the oxidized active site of [NiFe] hydrogenase from <i>Desulfovibrio vulgaris</i> Miyazaki F. Journal of Biological Inorganic Chemistry, 2000, 5, 36-44.	1.1	62
300	Influence of the Axial Ligands on the Spectral Properties of P700 of Photosystem I: A Study of Site-Directed Mutants. Biochemistry, 2000, 39, 13012-13025.	1.2	95
301	Bacteriochlorophyll a radical cation and anion calculation of isotropic hyperfine coupling constants by density functional methods. Physical Chemistry Chemical Physics, 2000, 2, 4772-4778.	1.3	16
302	Structure of a Transient Neutral Histidine Radical in Solution: EPR Continuous-Flow Studies in a Ti ³⁺ /EDTA ³⁻ /Fenton System and Density Functional Calculations. Journal of Physical Chemistry A, 2000, 104, 9144-9152.	1.1	28
303	EPR Study of the Molecular and Electronic Structure of the Semiquinone Biradical QA ⁻ QB ⁻ in Photosynthetic Reaction Centers from <i>Rhodobacter sphaeroides</i> . Journal of the American Chemical Society, 2000, 122, 7327-7341.	6.6	110
304	A New Stable High-Valent Diiron Center in R2 Mutant Y122H of <i>E. coli</i> Ribonucleotide Reductase Studied by High-Field EPR and ⁵⁷ Fe-ENDOR. Journal of the American Chemical Society, 2000, 122, 9856-9857.	6.6	9
305	A Structural Model for the Charge Separated State in Photosystem I from the Orientation of the Magnetic Interaction Tensors. Journal of Physical Chemistry B, 2000, 104, 9728-9739.	1.2	75
306	Heterodimeric Versus Homodimeric Structure of the Primary Electron Donor in <i>Rhodobacter sphaeroides</i> Reaction Centers Genetically Modified at Position M202. Photochemistry and Photobiology, 2000, 71, 582.	1.3	23

#	ARTICLE	IF	CITATIONS
307	The Iron-Oxygen Reconstitution Reaction in Protein R2-Tyr-177 Mutants of Mouse Ribonucleotide Reductase. <i>Journal of Biological Chemistry</i> , 1999, 274, 17696-17704.	1.6	43
308	The primary and secondary acceptors in bacterial photosynthesis III. Characterization of the quinone radicals Q A $\dot{\text{A}}$ and Q B $\dot{\text{B}}$ by EPR and ENDOR. <i>Applied Magnetic Resonance</i> , 1999, 17, 1-48.	0.6	142
309	Orientation-selected ENDOR of the active center in <i>Chromatium vinosum</i> [NiFe] hydrogenase in the oxidized "ready" state. <i>Journal of Biological Inorganic Chemistry</i> , 1999, 4, 379-389.	1.1	30
310	Characterization of a de novo Designed Heme Protein by EPR and ENDOR Spectroscopy. <i>Chemistry - A European Journal</i> , 1999, 5, 2327-2334.	1.7	20
311	Electron Paramagnetic Resonance Studies of Zinc-Substituted Reaction Centers from <i>Rhodospseudomonas viridis</i> . <i>Biochemistry</i> , 1999, 38, 11773-11787.	1.2	30
312	Electronic Structure of a Transient Histidine Radical in Liquid Aqueous Solution: $\dot{\text{A}}$ EPR Continuous-Flow Studies and Density Functional Calculations. <i>Journal of Physical Chemistry A</i> , 1999, 103, 1283-1290.	1.1	56
313	Determination of the distance between Yox Z and Q $\dot{\text{A}}$ A in photosystem II by pulsed EPR spectroscopy on light-induced radical pairs. <i>FEBS Letters</i> , 1999, 442, 79-82.	1.3	30
314	Title is missing!. <i>Photosynthesis Research</i> , 1998, 55, 199-205.	1.6	19
315	Title is missing!. <i>Photosynthesis Research</i> , 1998, 55, 189-197.	1.6	38
316	Influence of hydrogen bonds on the electronicg-tensor and ¹³ C-hyperfine tensors of ¹³ C-labeled ubiquinones $\dot{\text{A}}$ EPR and ENDOR study. <i>Applied Magnetic Resonance</i> , 1998, 14, 255-274.	0.6	30
317	ENDOR studies of substituted chlorophyll cation radicals. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 1998, 54, 1141-1156.	2.0	24
318	Electronic Structure of Antiferromagnetically Coupled Dinuclear Manganese (MnIII/MnIV) Complexes Studied by Magnetic Resonance Techniques. <i>Journal of the American Chemical Society</i> , 1998, 120, 13104-13120.	6.6	120
319	The Quinone Acceptor A1 in Photosystem I: Binding Site, and Comparison to QA in Purple Bacteria Reaction Centers. <i>Journal of Physical Chemistry B</i> , 1998, 102, 8278-8287.	1.2	41
320	The Radical Pair State in Photosystem I Single Crystals: Orientation Dependence of the Transient Spin-Polarized EPR Spectra. <i>Journal of Physical Chemistry B</i> , 1998, 102, 8266-8277.	1.2	33
321	Pulsed ENDOR at 95 GHz on the Primary Acceptor Ubiemiquinone in Photosynthetic Bacterial Reaction Centers and Related Model Systems. <i>Journal of Physical Chemistry B</i> , 1998, 102, 4648-4657.	1.2	55
322	Investigation of <i>Rhodobacter Sphaeroides</i> Reaction Center Mutants with Changed Ligands to the Primary Donor. , 1998, , 767-770.		12
323	Relationship between the oxidation potential and electron spin density of the primary electron donor in reaction centers from <i>Rhodobacter sphaeroides</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 13582-13587.	3.3	75
324	Time-Resolved X-, K-, and W-Band EPR of the Radical Pair State of Photosystem I in Comparison with in Bacterial Reaction Centers. <i>Journal of Physical Chemistry B</i> , 1997, 101, 1437-1443.	1.2	118

#	ARTICLE	IF	CITATIONS
325	Pulsed EPR Structure Analysis of Photosystem I Single Crystals: Localization of the Phylloquinone Acceptor. <i>Biochemistry</i> , 1997, 36, 12001-12004.	1.2	82
326	Pulsed EPR measurement of the distance between P680 ⁺ and QA ⁻ in photosystem II. <i>FEBS Letters</i> , 1997, 414, 454-456.	1.3	60
327	Transient and pulsed EPR spectroscopy on the radical pair state P865 ⁺ ·QA ⁻ to study light-induced changes in bacterial reaction centers. <i>Applied Magnetic Resonance</i> , 1997, 13, 517-529.	0.6	31
328	The bacteriochlorophylla cation radical revisited. An ENDOR and TRIPLE resonance study. <i>Applied Magnetic Resonance</i> , 1997, 13, 531-551.	0.6	21
329	Effects of Hydrogen Bonding to a Bacteriochlorophyll ^a ~Bacteriopheophytin Dimer in Reaction Centers from <i>Rhodobacter sphaeroides</i> . <i>Biochemistry</i> , 1996, 35, 6612-6619.	1.2	84
330	Electronic Structure of Neutral Tryptophan Radicals in Ribonucleotide Reductase Studied by EPR and ENDOR Spectroscopy. <i>Journal of the American Chemical Society</i> , 1996, 118, 8111-8120.	6.6	101
331	ENDOR and pulsed EPR studies of photosynthetic reaction centers: Protein-cofactor interactions. <i>Zeitschrift Fur Elektrotechnik Und Elektrochemie</i> , 1996, 100, 2036-2040.	0.9	36
332	Pulsed EPR experiments on radical pairs in photosynthesis: Comparison of the donor-acceptor distances in photosystem I and bacterial reaction centers. <i>Zeitschrift Fur Elektrotechnik Und Elektrochemie</i> , 1996, 100, 2041-2044.	0.9	51
333	Evaluation of 2D-ESEEM data of ¹⁵ N-labeled radical cations of the primary donor P700 in photosystem I and chlorophyll a. <i>Chemical Physics Letters</i> , 1996, 251, 193-203.	1.2	47
334	Single crystal EPR study of the Ni center of NiFe hydrogenase. <i>Chemical Physics Letters</i> , 1996, 256, 518-524.	1.2	48
335	Quadrupole parameters of nitrogen nuclei in the cation radical P700 ⁺ determined by ESEEM of single crystals of photosystem I. <i>Chemical Physics Letters</i> , 1996, 257, 197-206.	1.2	36
336	EPR and ⁵⁵ Mn cw-ENDOR study of an antiferromagnetically coupled dinuclear manganese (Mn ^{III} Mn ^{IV}) complex. <i>Chemical Physics Letters</i> , 1996, 261, 272-276.	1.2	17
337	EPR and ENDOR studies of the water oxidizing complex of Photosystem II. <i>Photosynthesis Research</i> , 1996, 48, 227-237.	1.6	55
338	EPR and ENDOR characterization of semiquinone anion radicals related to photosynthesis. <i>Magnetic Resonance in Chemistry</i> , 1995, 33, S81-S93.	1.1	72
339	Orientation-Selected 95 GHz High-Field ENDOR Spectroscopy of Randomly Oriented Plastoquinone Anion Radicals. <i>Journal of Magnetic Resonance Series A</i> , 1995, 116, 59-66.	1.6	54
340	ENDOR and ESEEM of the ¹⁵ N labelled radical cations of chlorophyll a and the primary donor P700 in photosystem I. <i>Chemical Physics</i> , 1995, 194, 419-432.	0.9	74
341	Differences in the binding of the primary quinone receptor in Photosystem I and reaction centres of <i>Rhodobacter sphaeroides</i> -R26 studied with transient EPR spectroscopy. <i>Chemical Physics</i> , 1995, 194, 349-359.	0.9	64
342	Time-resolved W-band (95 GHz) EPR spectroscopy of Zn-substituted reaction centers of <i>Rhodobacter sphaeroides</i> R-26. <i>Chemical Physics</i> , 1995, 194, 361-370.	0.9	110

#	ARTICLE	IF	CITATIONS
343	2D ESEEM of the ^{15}N -Labeled Radical Cations of Bacteriochlorophyll a and of the Primary Donor in Reaction Centers of <i>Rhodobacter sphaeroides</i> . <i>The Journal of Physical Chemistry</i> , 1995, 99, 436-448.	2.9	62
344	ENDOR Studies of the Primary Donor Cation Radical in Mutant Reaction Centers of <i>Rhodobacter sphaeroides</i> with Altered Hydrogen-Bond Interactions. <i>Biochemistry</i> , 1995, 34, 8130-8143.	1.2	114
345	Study of heme Fe(III) ligated by OH-in cytochrome b-559 and its low temperature photochemistry in intact chloroplasts. <i>FEBS Letters</i> , 1995, 377, 325-329.	1.3	9
346	Electronic structure of Q-A in reaction centers from <i>Rhodobacter sphaeroides</i> . I. Electron paramagnetic resonance in single crystals. <i>Biophysical Journal</i> , 1995, 69, 311-322.	0.2	112
347	EPR, ENDOR, and TRIPLE resonance studies of modified bacteriochlorophyll cation radicals. <i>The Journal of Physical Chemistry</i> , 1994, 98, 354-363.	2.9	40
348	An Improved TM110 ENDOR Cavity for the Investigation of Transition Metal Complexes. <i>Journal of Magnetic Resonance Series A</i> , 1994, 109, 172-176.	1.6	40
349	Time-resolved EPR of the radical pair $\text{P865}^+\cdot\text{QA}^{\bullet-}$ in bacterial reaction centers. Observations of transient nutations, quantum beats and envelope modulation effects. <i>Chemical Physics Letters</i> , 1994, 226, 349-358.	1.2	60
350	Comparative Study of Reaction Centers from Photosynthetic Purple Bacteria: Electron Paramagnetic Resonance and Electron Nuclear Double Resonance Spectroscopy. <i>Biochemistry</i> , 1994, 33, 12077-12084.	1.2	90
351	Transient EPR spectroscopy of perdeuterated Zn-substituted reaction centres of <i>Rhodobacter sphaeroides</i> R-26. <i>Chemical Physics Letters</i> , 1993, 212, 561-568.	1.2	59
352	3-mm High-field EPR on semiquinone radical anions $\text{Q}\cdot^-$ related to photosynthesis and on the primary donor $\text{P}\cdot^+$ and acceptor $\text{QA}\cdot^-$ in reaction centers of <i>Rhodobacter sphaeroides</i> R-26. <i>The Journal of Physical Chemistry</i> , 1993, 97, 7639-7647.	2.9	220
353	The electronic structure of the primary donor cation radical in <i>Rhodobacter sphaeroides</i> R-26: ENDOR and TRIPLE resonance studies in single crystals of reaction centers. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1993, 1183, 139-160.	0.5	159
354	Transient EPR spectroscopy of the charge separated state $\text{P}^+\text{Q}^{\bullet-}$ in photosynthetic reaction centers. Comparison of Zn-substituted <i>Rhodobacter sphaeroides</i> R-26 and Photosystem I. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1993, 1142, 23-35.	0.5	64
355	Determination of the g tensor of the primary donor cation radical in single crystals of <i>Rhodobacter sphaeroides</i> R-26 reaction centers by 3-mm high-field EPR. <i>The Journal of Physical Chemistry</i> , 1993, 97, 2015-2020.	2.9	109
356	^{15}N Endor Experiments on the Primary Donor Cation Radical D^+ in Bacterial Reaction Center Single Crystals of <i>R. Sphaeroides</i> R-26. , 1992, , 89-97.		13
357	3 mm EPR investigation of the primary donor cation radical in single crystals of <i>Rhodobacter sphaeroides</i> R-26 reaction centers. <i>Chemical Physics Letters</i> , 1991, 185, 381-386.	1.2	29
358	Magnetic Resonance and Molecular Orbital Studies of the Primary Donor States in Bacterial Reaction Centers. <i>Jerusalem Symposia on Quantum Chemistry and Biochemistry</i> , 1990, , 423-434.	0.2	10
359	ESR, ENDOR and TRIPLE resonance studies of the primary donor radical cation $\text{P960}^{\bullet+}$ in the photosynthetic bacterium <i>Rhodospseudomonas viridis</i> . <i>Chemical Physics Letters</i> , 1988, 148, 377-385.	1.2	63
360	Molecular Orbital Studies on the Primary Donor P960 in Reaction Centers of <i>Rps. viridis</i> . , 1988, , 379-388.		15

#	ARTICLE	IF	CITATIONS
361	EPR Characterisation of Bis(dimethylglyoximato)-Cobalt(II) Complexes and Their Oxygen Adducts Synthesised in an X-Zeolite Matrix. Zeitschrift Fur Naturforschung - Section A Journal of Physical Sciences, 1987, 42, 970-986.	0.7	19
362	EPR and endor studies of cobaloxime(II). Chemical Physics Letters, 1987, 133, 102-108.	1.2	16
363	Endor and triple resonance in solutions of the chlorophyll a and bis(chlorophyll)cyclophane radical cations. Chemical Physics Letters, 1986, 132, 467-473.	1.2	32
364	Molecular orbital investigation of dimer formations of bacteriochlorophyll a. Model configurations for the primary donor of photosynthesis. Chemical Physics, 1986, 107, 185-196.	0.9	69
365	The radical cation of bacteriochlorophyll b. A liquid-phase endor and triple resonance study. Chemical Physics Letters, 1986, 126, 290-296.	1.2	16
366	25Mg ENDOR and TRIPLE resonance in liquid solution of the bacteriochlorophyll a cation and anion radicals. Chemical Physics Letters, 1984, 111, 583-588.	1.2	17
367	ENDOR Spectroscopy – A Promising Technique for Investigating the Structure of Organic Radicals. Angewandte Chemie International Edition in English, 1984, 23, 173-194.	4.4	92
368	Fluid solution and solid-state electron nuclear double resonance studies of flavin model compounds and flavoenzymes. Journal of the American Chemical Society, 1984, 106, 737-746.	6.6	86
369	Structural studies of the primary donor cation radical P870+ in reaction centers of Rhodospirillum rubrum by electron-nuclear double resonance in solution. Proceedings of the National Academy of Sciences of the United States of America, 1984, 81, 1401-1405.	3.3	54
370	15N electron nuclear double resonance of the primary donor cation radical P+.865 in reaction centers of Rhodospseudomonas sphaeroides: additional evidence for the dimer model.. Proceedings of the National Academy of Sciences of the United States of America, 1984, 81, 7792-7796.	3.3	52
371	Radical Products in Single Electron Transfer Reactions of Lithium Triethylhydridoborate as Detected by ESR and Multinuclear (1H,10B,11B,14N) ENDOR Spectroscopy. Angewandte Chemie International Edition in English, 1983, 22, 1209-1220.	4.4	6
372	Multiple magnetic resonance studies on organic molecules in their ground and excited states. The Journal of Physical Chemistry, 1982, 86, 4491-4507.	2.9	25
373	The pheophytin a anion radical. 14N and 1H endor and triple resonance in liquid solution. Chemical Physics Letters, 1982, 90, 375-381.	1.2	15
374	Proton and nitrogen electron nuclear double and triple resonance of the chlorophyll a anion in liquid solution. Chemical Physics Letters, 1982, 85, 3-8.	1.2	17
375	Radicals in solution studied by endor and triple resonance spectroscopy. Physics Reports, 1982, 87, 171-208.	10.3	83
376	In vivo liquid solution ENDOR and TRIPLE resonance of bacterial photosynthetic reaction centers of Rhodospseudomonas sphaeroides R-26. Journal of the American Chemical Society, 1981, 103, 4635-4637.	6.6	64
377	A solution ENDOR sensitivity study of various nuclei in organic radicals. The Journal of Physical Chemistry, 1981, 85, 1202-1219.	2.9	68
378	Nitrogen-14 and hydrogen-1 ENDOR and TRIPLE resonance experiments of flavin and thiaflavin radical cations in liquid solution. Journal of the American Chemical Society, 1981, 103, 5567-5568.	6.6	20

#	ARTICLE	IF	CITATIONS
379	¹⁴ N and ¹ H electron nuclear multiple resonance experiments on bacteriochlorophyll a anion radicals in solution. <i>Chemical Physics Letters</i> , 1981, 81, 235-241.	1.2	23
380	The bacteriopheophytin a anion radical. A solution endor and triple resonance study. <i>Chemical Physics Letters</i> , 1981, 84, 33-38.	1.2	25
381	Proton, deuteron, and carbon-13 ENDOR studies of labeled bis(biphenylenyl)propenyl type radicals in isotropic solutions and in liquid crystals. <i>Journal of the American Chemical Society</i> , 1980, 102, 817-825.	6.6	18
382	Endor studies of [6]helicene anion radical. <i>Tetrahedron</i> , 1979, 35, 905-907.	1.0	28
383	Alkali and H ENDOR on aromatic ion pairs in solution. An INDO approach. <i>The Journal of Physical Chemistry</i> , 1979, 83, 3402-3413.	2.9	44
384	Esr and endor studies of partially deuterated and chlorinated phenalenyls. <i>Tetrahedron</i> , 1978, 34, 419-424.	1.0	12
385	Carbon-13 ENDOR studies of organic doublet and triplet state molecules. <i>Journal of the American Chemical Society</i> , 1978, 100, 2292-2299.	6.6	24
386	¹³ C- and ¹ H-ENDOR Studies of a Phenoxy Type Radical. <i>Zeitschrift Fur Naturforschung - Section A Journal of Physical Sciences</i> , 1978, 33, 1072-1076.	0.7	11
387	¹³ C- and Proton-ENDOR Studies of ¹³ C-labelled Organic Radicals. <i>Zeitschrift Fur Naturforschung - Section A Journal of Physical Sciences</i> , 1978, 33, 514-522.	0.7	14
388	Observation of deuterium quadrupole splittings of aromatic free radicals in liquid crystals by ENDOR and TRIPLE resonance. <i>Journal of Chemical Physics</i> , 1977, 66, 2074-2078.	1.2	47
389	ESR, NMR, and ENDOR studies of partially deuterated phenyl substituted anthracenes. π - σ Delocalization. <i>Journal of the American Chemical Society</i> , 1977, 99, 4278-4286.	6.6	39
390	Fluorine and proton ENDOR of aromatic radicals in solution. <i>Chemical Physics</i> , 1975, 8, 371-383.	0.9	23
391	EPR in photosynthesis. <i>Electron Paramagnetic Resonance</i> , 0, , 174-242.	0.2	17
392	Enhancing the catalytic current response of H ₂ oxidation gas diffusion bioelectrodes using an optimized viologen-based redox polymer and [NiFe] hydrogenase. <i>Electrochemical Science Advances</i> , 0, , e2100100.	1.2	1
393	Hydrogen-Bonded Complexes of Neutral Nitroxide Radicals with 2-Propanol Studied by Multifrequency EPR/ENDOR. <i>Applied Magnetic Resonance</i> , 0, , 1.	0.6	4
394	Time-Resolved Infrared Spectroscopy Reveals the pH-Independence of the First Electron Transfer Step in the [FeFe] Hydrogenase Catalytic Cycle. <i>Journal of Physical Chemistry Letters</i> , 0, , 5986-5990.	2.1	2