
Lejla Colic

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9859476/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Graph theory analysis of whole brain functional connectivity to assess disturbances associated with suicide attempts in bipolar disorder. Translational Psychiatry, 2022, 12, 7.	4.8	7
2	The differential association between local neurotransmitter levels and wholeâ€brain restingâ€state functional connectivity in two distinct cingulate cortex subregions. Human Brain Mapping, 2022, 43, 2833-2844.	3.6	7
3	Rethinking "aggression―and impulsivity in bipolar disorder: Risk, clinical and brain circuitry features. Journal of Affective Disorders, 2022, 303, 331-339.	4.1	9
4	Altered frontal cortex functioning in emotion regulation and hopelessness in bipolar disorder. Bipolar Disorders, 2021, 23, 152-164.	1.9	15
5	Emotion processing and regulation in major depressive disorder: A <scp>7T</scp> restingâ€state <scp>fMRI</scp> study. Human Brain Mapping, 2021, 42, 797-810.	3.6	25
6	Met carriers of the BDNF Val66Met polymorphism show reduced Glx/NAA in the pregenual ACC in two independent cohorts. Scientific Reports, 2021, 11, 6742.	3.3	8
7	Telehealth Social Rhythm Therapy to Reduce Mood Symptoms and Suicide Risk Among Adolescents and Young Adults With Bipolar Disorder. American Journal of Psychotherapy, 2021, 74, 172-177.	1.2	10
8	A graph theoryâ€based whole brain approach to assess mood state differences in adolescents and young adults with bipolar disorder. Bipolar Disorders, 2021, , .	1.9	2
9	Attachmentâ€specific speech patterns induce dysphoric mood changes in the listener as a function of individual differences in attachment characteristics and psychopathology. Psychology and Psychotherapy: Theory, Research and Practice, 2020, 93, 754-776.	2.5	0
10	Default mode network connectivity change corresponds to ketamine's delayed glutamatergic effects. European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 207-216.	3.2	40
11	Ketamine-induced changes in plasma brain-derived neurotrophic factor (BDNF) levels are associated with the resting-state functional connectivity of the prefrontal cortex. World Journal of Biological Psychiatry, 2020, 21, 696-710.	2.6	34
12	Localized Prediction of Glutamate from Whole-Brain Functional Connectivity of the Pregenual Anterior Cingulate Cortex. Journal of Neuroscience, 2020, 40, 9028-9042.	3.6	3
13	Local glutamate in cingulate cortex subregions differentially correlates with affective network activations during face perception. European Journal of Neuroscience, 2020, 52, 3047-3060.	2.6	1
14	Glutamate in Salience Network Predicts BOLD Response in Default Mode Network During Salience Processing. Frontiers in Behavioral Neuroscience, 2019, 13, 232.	2.0	6
15	Rostral Anterior Cingulate Glutamine/Glutamate Disbalance in Major Depressive Disorder Depends on Symptom Severity. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2019, 4, 1049-1058.	1.5	10
16	Biomarkers of Major Depression Related to Serotonin Receptors. Current Psychiatry Reviews, 2019, 14, 239-244.	0.9	8
17	Neuronal glutamatergic changes and peripheral markers of cytoskeleton dynamics change synchronically 24 h after sub-anaesthetic dose of ketamine in healthy subjects. Behavioural Brain Research, 2019, 359, 312-319.	2.2	11
18	Translational machine learning for psychiatric neuroimaging. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 91, 113-121.	4.8	56

Lejla Colic

#	Article	IF	CITATIONS
19	Concepts and Dysfunctions of Emotion in Neuropsychiatric Research. Advances in Experimental Medicine and Biology, 2019, 1192, 453-477.	1.6	1
20	Pedophilic sex offenders are characterised by reduced GABA concentration in dorsal anterior cingulate cortex. NeuroImage: Clinical, 2018, 18, 335-341.	2.7	13
21	Complex Role of the Serotonin Receptors in Depression: Implications for Treatment. , 2018, , 83-95.		2
22	Delayed increase of thrombocyte levels after a single sub-anesthetic dose of ketamine – A randomized trial. European Neuropsychopharmacology, 2018, 28, 701-709.	0.7	6
23	Ketamine influences the locus coeruleus norepinephrine network, with a dependency on norepinephrine transporter genotype – a placebo controlled fMRI study. NeuroImage: Clinical, 2018, 20, 715-723.	2.7	29
24	GAD65 Promoter Polymorphism rs2236418 Modulates Harm Avoidance in Women via Inhibition/Excitation Balance in the Rostral ACC. Journal of Neuroscience, 2018, 38, 5067-5077.	3.6	17
25	Increased levels of 5HT2A receptor mRNA expression in peripheral blood mononuclear cells of patients with major depression: correlations with severity and duration of illness. Nordic Journal of Psychiatry, 2017, 71, 282-288.	1.3	26
26	Factors Influencing the Cardiovascular Response to Subanesthetic Ketamine: A Randomized, Placebo-Controlled Trial. International Journal of Neuropsychopharmacology, 2017, 20, 909-918.	2.1	43
27	A spectroscopic approach toward depression diagnosis: local metabolism meets functional connectivity. European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 95-105.	3.2	11
28	Temporal Dynamics of Antidepressant Ketamine Effects on Glutamine Cycling Follow Regional Fingerprints of AMPA and NMDA Receptor Densities. Neuropsychopharmacology, 2017, 42, 1201-1209.	5.4	57
29	Anxiety-like behavior and cognitive flexibility in adult rats perinatally exposed to increased serotonin concentrations. Behavioural Brain Research, 2012, 230, 175-181	2.2	29